(19) World Intellectual Property Organization International Bureau



(43) International Publication Date 7 December 2000 (07.12.2000)

(10) International Publication Number WO 00/73469 A2

- C12N 15/54, (51) International Patent Classification?: 9/12, 15/11, 5/12, C07K 16/40, A61K 38/00, G01N 33/68
- (21) International Application Number: PCT/US00/14842
- (22) International Filing Date: 26 May 2000 (26.05.2000)

14

Language: ركد

Engren

(26) Publication Language:

English

- (30) Priority Data: 60/136,503
- 28 May 1999 (28.05.1999)
- (71) Applicant (for all designated States except US): SUGEN, INC. [US/US]; 230 East Grand Avenue, South San Francisco, CA 94080 (US).
- (72) Inventors; and
- (75) Inventors/Applicants (for US only): PLOWMAN, Gregory, D. [US/US]; 4 Honeysuckle Lane, San Carlos, CA 94070 (US). MARTINEZ, Ricardo [US/US]; 984 Cartier Lane, Foster City, CA 94404 (US). WHYTE, David [US/US]; 2623 Barclay Way, Belmont, CA 94002 (US). SUDERSANAM, Sucha [US/US]; 20 Corte Patencio, Granbrae, CA 94904 (US).

- (74) Agents: WARBURG, Richard, J. et al.; Brobeck, Phleger & Harrison LLP, 12390 El Camino Real, San Diego, CA 92130 (US).
- (81) Designated States (national): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE, ES, FI, CB, GD, GE, GH, GM, HT, HU, ID. IL, IN, IJ, IP, KE, Z.L. III 22, III, L.L., L.L., L.E., L.E. LU, LV, MA, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.
- (84) Designated States (regional): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).

Published:

Without international search report and to be republished upon receipt of that report.

For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.

(54) Title: PROTEIN KINASES

(57) Abstract: The present invention relates to novel kinase polypeptides, nucleotide sequences encoding the novel kinase polypeptides, as well as various products and methods useful for the diagnosis and treatment of various kinase-related diseases and conditions.

WO 00/73469 PCT/US00/14842

1

DESCRIPTION PROTEIN KINASES

FIELD OF THE INVENTION

5

The present invention relates to novel kinase polypeptides, nucleotide sequences encoding the novel kinase polypeptides, as well as various products and methods useful for the diagnosis and treatment of various kinase-related diseases and conditions.

BACKGROUND OF THE INVENTION

10

15

The following description of the background of the invention is provided to aid in understanding the invention, but is not admitted to be or to describe prior art to the invention.

Cellular signal transduction is a fundamental mechanism whereby external stimuli that regulate diverse cellular processes are relayed to the interior of cells. One of the key biochemical mechanisms of signal transduction involves the reversible phosphorylation of proteins, which enables regulation of the activity of mature proteins by altering their structure and function.

Protein phosphorylation plays a pivotal role in biological signal transduction.

20

Among the biological functions controlled by protein phosphorylation are the following: cell division; differentiation and death (apoptosis); cell motility and cytoskeletal structure; control of DNA replication, transcription, splicing and translation; protein translocation events from the endoplasmic reticulum and Golgi apparatus to the membrane and extracellular space; protein nuclear import and export; regulation of metabolic reactions, etc. Abnormal protein phosphorylation is widely recognized to be causally linked to the etiology of many diseases including cancer as well as immunologic, neuronal and

25

30

metabolic disorders.

The most common phospho-acceptor amino acid residues are serine, threonine and tyrosine. Phosphorylation in histidine has also been observed in bacteria. The presence of a phosphate moeity modulates protein function in multiple ways. A common mechanism includes changes in the catalytic properties (V_{max} and K_m) of an enzyme leading to its activation or inactivation. A second widely recognized mechanism involves promoting protein-protein interactions. An example of this is the tyrosine autophosphorylation of the

WO 00/73469 PCT/US00/14842

2

ligand-activated EGF receptor tyrosine kinase. This event triggers the high-affinity binding to the phosphotyrosine residue on the receptor's C-terminal intracellular domain to the SH2 motif of the adaptor molecule Grb2. Grb2 in turn binds through its SH3 motif to a second adaptor molecule, such as SHC. The formation of this ternary complex activates the signaling events that are responsible for the biological effects of EGF. Serine and threonine phosphorylation events have also being recently recognized to exert their biological function through protein-protein interaction events mediated by the high-affinity binding of phosphoserine and phosphothreconne to WW motifs present in a large variety of proteins (Lu, P.J. et al. (1999) Science 283:1325-1328). A third important outcome of protein phosphorylation is changes in the subcellular localization of the substrate. As an example, nuclear import and export events in a large diversity of proteins are regulated by protein phosphorylation (Drier E.A. et al. (1999) Genes Dev 13: 556-568).

Protein kinases are one of the largest families of eukaryotic proteins with several hundred known members. These proteins share a 250-300 amino acid domain that can be subdivided into 12 distinct subdomains that comprise the common catalytic core structure. These conserved protein motifs have recently been exploited using PCR-based and bioinformatic strategies leading to a significant expansion of the known kinases. Multiple alignment white sequences in the catalytic domain of protein kinases and subsequent parsimony analysis permits their segregation into a dendrogram reflecting the relatedness of their catalytic domains (Fig. 1). In this manner, related kinases are clustered into distinct branches or subfamilies including: tyrosine kinases, cyclic-nucleotide-dependent kinases, calcium/calmodulin kinases, cyclin-dependent kinases and MAP-kinases, serine-threonine kinase receptors, and several other less defined subfamilies.

25

5

10

15

20

We have recently completed a systematic analysis of the protein kinases present in *C. elegans*, the multicellular organism whose entire DNA sequence has been determined. We identified 473 unique kinase profiles including 398 full-length conventional kinases, and 20 additional proteins that may function as atypical protein kinases. (Plowman G.D. et al. (1999), Proc. Natl. Acad. Sci. 96:13603-13610).

30

Using parsimony analysis, the protein kinases may be divided into 4 major groups: AGC, CAMK, CMGC and tyrosine kinases. In addition, there are a number of minor yet distinct families, including the STE and casein kinase 1, families related to worm- or

PCT/US00/14842

10

fungal-specific kinases, and a family designated "other" to represent several smaller families. In addition, we designate an "atypical" family to represent protein kinases whose catalytic domain has little or no primary sequence homology to conventional kinases, including the A6 kinases and PI3 kinases.

3

5

The AGC kinases are basic amino acid-directed enzymes that phosphorylate residues found proximal to Arg and Lys. Examples of this group are the cyclic nucleotide-dependent kinases, G protein kinases, NDR or DBF2 and the ribosomal S6 kinases.

10

the CaMK group kinases are also basic amino acid-directed himses. They hadde the Ca2+/calmodulin-regulated and AMP-dependent protein kinases, myosin light chain kinases, checkpoint 2 kinases (CHK2) and EMK-related protein kinases. The EMK family of STK are involved in the control of cell polarity, micotubule stability and cancer. One member of the EMK family, C-TAK1 has been reported to control entry into mitosis by activating Cdc25C which in turn dephosphorylates Cdc2.

15

CMGC group kinases are "proline-directed" enzymes phosphorylating residues that exist in a proline-rich context. They include the cyclin-dependent kinases (CDKs), mitogen-activated kinases (MAPKs), GSK3s and CLKs. Most CMGC kinases have larger-than-average kinase domains owing to the presence of insertions within subdomains X and XI.

20

The tyrosine kinase group encompass both cytoplasmic (i.e. src) as well as transmembrane receptor tyrosine kinases (i.e. EGF receptor). These kinases play a pivotal role in the signal transduction processes that mediate cell proliferation, differentiation and apoptotis.

25

30

Group members that define smaller, yet distinct phylogenetic branches of conventional kinases include the elongation factor 2 kinases (EIFKs); homologues of the yeast sterile family kinases (STE) which refers to 3 classes of kinases which lie sequentially upstream of the MAPKs; mixed lineage kinases (MLKs); Lim-domain containing kinases (LIMKs); Calcium-calmodulin kinase kinases (CAMKK), dual-specific tyrosine kinases (DYRK), integrin receptor associated kinase (IRAK); testis-specific kinases (TSK); UNC-51 related kinases (UNC); several families that are close homologues to worm (C26C2.1, YQ09, ZC581.9, YFL033c, C24A1.3), Drosophila (SLOB), or yeast (YDOD_sp, YGR262_sc) kinases, and others that are "unique" and don't cluster into any obvious family.

SUMMARY OF THE INVENTION

Through a search of the EST database for homologies to the conserved catalytic kinase domain of protein kinases, hundreds of mammalian members of known and previously unidentified protein kinase families and groups have been identified as part of the present invention. Multiple alignment and parsimony analysis of the catalytic domain reveals that approximately half of these protein kinases cluster into 10 known groups, with the other half perhaps defining novel groups. Classification in this manner has proven nightly accurate not only in predicting motifs present in the remaining non-estalytic in the present invention includes the partial or complete sequence of new protein kinases, their classification, predicted or deduced protein structure, and a strategy for elucidating their biologic and therapeutic relevance.

5

10

15

20

25

30

Thus, a first aspect of the invention features an isolated, enriched, or purified nucleic acid molecule encoding a kinase polypeptide selected from the group consisting SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, WO 00/73469 PCT/US00/14842

SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

Dy isolated in reference to mastere acid is meant a polymer of nucleotides conjugated to each other, including DNA and RNA, that is isolated from a natural source or that is synthesized. The isolated nucleic acid of the present invention is unique in the sense that it is not found in a pure or separated state in nature. Use of the term "isolated" indicates that a naturally occurring sequence has been removed from its normal cellular (i.e., chromosomal) environment. Thus, the sequence may be in a cell-free solution or placed in a different cellular environment. The term does not imply that the sequence is the only nucleotide chain present, but that it is essentially free (about 90 - 95% pure at least) of non-nucleotide material naturally associated with it, and thus is distinguished from isolated chromosomes.

By the use of the term "enriched" in reference to nucleic acid is meant that the specific DNA or RNA sequence constitutes a significantly higher fraction (2 - 5 fold) of the total DNA or RNA present in the cells or solution of interest than in normal or diseased cells or in the cells from which the sequence was taken. This could be caused by a person by preferential reduction in the amount of other DNA or RNA present, or by a preferential increase in the amount of the specific DNA or RNA sequence, or by a combination of the two. However, it should be noted that enriched does not imply that there are no other DNA or RNA sequences present, just that the relative amount of the sequence of interest has been significantly increased. The term "significant" is used to indicate that the level of increase is useful to the person making such an increase, and generally means an increase relative to other nucleic acids of about at least 2 fold, more preferably at least 5 to 10 fold or even more. The term also does not imply that there is no DNA or RNA from other sources. The other source DNA may, for example, comprise DNA from a yeast or bacterial genome, or a cloning vector such as pUC19. This term distinguishes from naturally occurring events, such as viral infection, or tumor type

WO 00/73469 PCT/US00/14842

δ

growths, in which the level of one mRNA may be naturally increased relative to other species of mRNA. That is, the term is meant to cover only those situations in which a person has intervened to elevate the proportion of the desired nucleic acid.

It is also advantageous for some purposes that a nucleotide sequence be in purified form. The term "purified" in reference to nucleic acid does not require absolute purity (such as a homogeneous preparation). Instead, it represents an indication that the sequence is relatively more pure than in the natural environment (compared to the natural level this level should be at least 2-5 fold greater, e.g., in terms of mg/mL), individual clones isolated from a cDNA library may be purified to electrophoretic homogeneity. The claimed DNA molecules obtained from these clones could be obtained directly from total DNA or from total RNA. The cDNA clones are not naturally occurring, but rather are preferably obtained via manipulation of a partially purified naturally occurring substance (messenger RNA). The construction of a cDNA library from mRNA involves the creation of a synthetic substance (cDNA) and pure individual cDNA clones can be isolated from the synthetic library by clonal selection of the cells carrying the cDNA library. Thus, the process which includes the construction of a cDNA library from mRNA and isolation of distinct cDNA clones yields an approximately 10⁶-fold purification of the native message. Thus, purification of at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated.

20

25

30

5

10

15

By a "kinase polypeptide" is meant 10 (preferably 20, more preferably 40, most preferably 75) or more contiguous amino acids set forth in an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173,

5

10

15

20

25

30

SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEO ID NO:179, SEO ID NO:180, SEO ID NO:181, SEO ID NO:182, SEO ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEO ID NO:189, SEO ID NO:190, SEO ID NO:191, SEO ID NO:199, SEO ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, (i) SEQ ID MOROS, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID MO:233, « SEO ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEO ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEO ID NO:229, SEO ID NO:230, SEO ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEO ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or functional derivatives thereof as described herein. For sequences for which the full-length sequence is not given, the remaining sequences can be determined using methods well-known to those in the art and are intended to be included in the invention. In certain aspects, polypeptides of 100, 200, 300 or more amino acids are preferred. The kinase polypeptide can be encoded by a full-length musicic acid sequence or any portion of the full-length. nucleic acid sequence, so long as a functional activity of the polypeptide is retained. By "functional" domain is meant any region of the polypeptide that may play a regulatory or catalytic role as predicted from amino acid sequence homology to other proteins or by the presence of amino acid sequences that may give rise to specific structural conformations (i.e., coiled-coils). For some purposes, polypeptide domains are preferred, including, but not limited to, N-terminal, catalytic/kinase and C-terminal.

The amino acid sequence will be substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID

The second second

NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID 5 NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID ___NO-184, SEQ @ NO:185, SEQ ID NO:185, SEQ ID NO:187, SEQ ID NO:183, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID 10 NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID 15 NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEO ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the succesponding full-length amino acid sequence, or fragments thereof. A sequence that is substantially 20 similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEO ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID 25 NO:142, SEO ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID 30 NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID

10

15

20

25

30

NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212 SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215; SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:159, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ

WO 00/73469

10

ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 or portions of or the entire corresponding full length amino acid sequences.

10

15

5

By "identity" is meant a property of sequences that measures their similarity or relationship. Identity is measured by dividing the number of identical residues between two sequences (either full-length or a defined domain) by the total number of residues in the known sequence, or the domain of the known sequence, and multiplying the product by 100. Thus, two copies of exactly the same sequence have 100% identity, but sequences that are less highly conserved, and have replacements and substitutions, have a lower degree of identity. "Gaps" are spaces in an alignment that can result from aligning a novel sequence with a known sequence when the novel sequence has additions or deletions of amino acids in comparison with the known sequence. These gaps do not factor into the assessment of % identity using the shove calculation.

20

Those skilled in the art will recognize that several computer programs are also available for determining sequence identity using standard parameters, for example, Blast (Altschul, et al. (1997) Nucleic Acids Res. 25:3389-3402), Blast2 (Altschul, et al. (1990) J. Mol. Biol. 215:403-410), and Smith-Waterman (Smith, et al. (1981) J. Mol. Biol. 147:195-197).

25

30

In preferred embodiments, the invention features isolated, enriched, or purified nucleic acid molecules encoding a kinase polypeptide comprising a nucleotide sequence that: (a) encodes a polypeptide having an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEO ID NO:141, SEO ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ

10

15

20

25

30

ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEO ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:182, SEO ID NO:181, SEO ID 190:182, SEO ID NO:183, SEO ID NO:184, SEO ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEO ID NO:191, SEO ID NO:199, SEO ID NO:193, SEO ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEO ID NO:199, SEO ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ 1D NG.335, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NG:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEO ID NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID

NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID 5 NO:198, SEO ID NO:199, SEO ID NO:200, SEO ID NO:201, SEO ID NO:202, SEO ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:288, \$2Q 4D NO:209, \$EQ ID:NO:210, SEQ ID NO:211, SEQ ID NO:222, \$29 10 ** NO:213, SEO ID NO:214, SEO ID NO:215, SEO ID NO:216, SEO ID NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID 10 NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEO ID NO:229, SEO ID NO:230, SEO ID NO:231, SEO ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most 15 preferably 99-100%) to the sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133; SEQ ID NO:124, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID 20 NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID 25 NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEO ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID 30 NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID

NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEO ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID 5 NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEO ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID . NO:236@SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; (b) is the complement of the nucleotide sequence of (a); (c) 10 hybridizes under highly stringent conditions to the nucleotide molecule of (a) and encodes a naturally occurring kinase polypeptide; (d) encodes a kinase polypeptide having an amino acid sequence selected from the group consisting of those set forth in SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID 15 NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID 20 NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID 25 NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID 30 NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEO ID NO:214, SEO ID NO:215, SEO ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID

NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEO ID NO:239, SEO ID NO:240, SEO ID NO:241, and SEO ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. 5 A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEO 4D NO:126, SEQ 4D NO:127, SEQ 4D NO:128, SEQ 4D NO:129, SEQ 4D NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, 10 SEO ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEO ID NO:141, SEO ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEO ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEO ID NO:151, SEO ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEO ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEO ID NO:161, SEO ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. 15 SEO ID NO:166, SEO ID NO:167, SEO ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEO ID NO:171, SEO ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEG ID NO:184, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, 20 SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEO ID NO:191, SEO ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEO ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, 25 SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEO ID NO:221, SEO ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEO ID NO:236, SEO ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, 30 SEO ID NO:241, and SEO ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to the sequence of SEQ ID

NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEO ID NO:133, SEO ID NO:134, SEO ID NO:135, SEO ID NO:136, SEO ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID 5 NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:15% SEO ID NO:158, SEO ID NO:159, SEO ID NO:160, SEO ID NO:161, SEO ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID 10 NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEO ID NO:188, SEO ID NO:189, SEO ID NO:190, SEO ID NO:191, SEO ID 15 NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEO ID NO:208, SEO ID NO:209, SEO ID NO:210, SEO ID NO:211, SEO ID NO:212, SEQ ID NO:215, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEO ID NO:218, SEO ID NO:219, SEO ID NO:220, SEO ID NO:221, SEO ID 20 NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ 25 ID NO:242, except that it lacks one or more, but not all, of a domain selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a Cterminal tail; (e) is the complement of the nucleotide sequence of (d); (f) encodes a polypeptide having an amino acid sequence selected from the group consisting of those set 30 forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID

10

15

20

25

30

NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEO ID NO:140, SEO ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEO ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEO ID 5 NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEO ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEO ID NO:170, SEO ID NO:174,SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEO ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEO ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEO ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:220, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. (The domain demarcations of the polypeptides of the invention are indicated in Table 2 by reference to the kinase domain.) A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEO ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID

NO:157, SEO ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEO ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID 5 NO:182, SEO ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194; SEQ ID NO:195, SEQ ID NO:196, CEQ ID NO:197, SEO ID NO:198, SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID 10 NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEO ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEO ID NO:228, SEO ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID 15 NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to the sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ 20 ID NO:126, SEO ID NO:127, SEO ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEO ID NO:142, SEO ID NO:143, SEO ID NO:144, SEO ID NO:145, SEO ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ 25 ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEO ID NO:157, SEO ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ 30 ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ

ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEO ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ 5 ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NG.221, SEQ ID NO:222, SEQ.ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEO ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ 10 ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242; (b) is the complement of the nucleotide sequence of (a); (c) hybridizes under highly stringent conditions to the nucleotide molecule of (a) and encodes a naturally occurring kinase polypeptide; (d) encodes a kinase polypeptide having an amino acid sequence selected from the group consisting of those set forth in SEQ ID 15 NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID " NO:137, SEO ID NO:138, SEO ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID 20 NO:147, SEO ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID 25 NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEO ID NO:188, SEO ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID 30 NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID

WO 00/73469

The property

NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID 5 NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ 10 ID NO.24% or the corresponding full-length amine acid sequence, or fragments thereof. A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, 10 SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEO ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, 15 SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEO ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, 20 SEO ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEO ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEO ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, 25 SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEO ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEO ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEO ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, 30 SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEO ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235,

The state of the s

SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to a domain of a polypeptide selected from the group consisting of those set forth in SEQ ID NO:122, SEO ID NO:123, SEO ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, 5 SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133. SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, 10 SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID NO:159, SEO ID NO:160, SEO ID NO:161, SEO ID NO:162, SEO ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, 15 SEO ID NO:179, SEO ID NO:180, SEO ID NO:181, SEO ID NO:182, SEO ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEC ID NO:194, SEC ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEC ID NO:196, SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, 20 SEO ID NO:204, SEO ID NO:205, SEO ID NO:206, SEO ID NO:207, SEO ID NO:208, SEO ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEO ID NO:219, SEO ID NO:220, SEO ID NO:221, SEO ID NO:222, SEO ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, 25 SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, where the domain is selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, 30 an insert, and a C-terminal tail; (g) is the complement of the nucleotide sequence of (f); (h) encodes a polypeptide having an amino acid sequence selected from the group consisting

the same

of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID 5 NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:155, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID 10 NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID 15 NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211; SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID 20 NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino 25 acid sequence, or fragments thereof. A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEO ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, 30 SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEO ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148,

the man we will

SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEO ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEO ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEO ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, 5 SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183. SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, --SEO ID NO:189, SEO ID NO:190, SEO ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEO ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, 10 SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEO ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEO ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223. 15. SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEO ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-20 100%) to the sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEO ID NO:128, SEO ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID 25 NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID 30 NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEO ID NO:173, SEO ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID

.

5

10

15

20

25

30

NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEO ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212-SEO ID NO:213, SEO ID NO:214, SEQ ID NO:215, SEQ ID NO:215, SEQ ID NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID: NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEO ID NO:228, SEO ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; (b) is the complement of the nucleotide sequence of (a); (c) hybridizes under highly stringent conditions to the nucleotide molecule of (a) and encodes a naturally occurring kinase polypeptide; (d) encodes a kinase polypeptide having an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, NGQ ID NO:132, SEQ ID NO:133, SEO ID NO:134, SEO ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEO ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEO ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEO ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEO ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID

10

15

20

25

30

NO:198, SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEO ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEO ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO 233, SEO ID NO:234, SEO ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or fragments thereof. A sequence that is substantially similar to a sequence selected from the group consisting of those set forth in SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEO ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEO ID NO:132, SEO ID NO:133, SEO ID NO:134, SEO ID NO:135, SEO ID NO:136, SEO ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEO ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEO ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEC ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEO ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEO ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEO ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEO ID NO:222, SEO ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226,

WO 00/73469

5

10

15

20

25

30

SEO ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEO ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242 will have at least 75% identity (preferably 90%, more preferably at least 95% and most preferably 99-100%) to the sequence of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:137 NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEO ID NO:144, SEO ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEO ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEO ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEO ID NO:189, SEO ID NO:199, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more of the domains selected from the group consisting of a Nterminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail; or (i) is the

complement of the nucleotide sequence of (h). The domain demarcations of the polypeptides of the invention are indicated in Table 2 by reference to the kinase domain.

The term "complement" refers to two nucleotides that can form multiple favorable interactions with one another. For example, adenine is complementary to thymine as they can form two hydrogen bonds. Similarly, guanine and cytosine are complementary since they can form three hydrogen bonds. A nucleotide sequence is the complement of another nucleotide sequence if all of the nucleotides of the first sequence are complementary to all of the nucleotides of the second sequence.

William of the work of the

5

10

15

20

25

30

The term "domain" refers to a region of a polypeptide that contains a particular function. For instance, N-terminal or C-terminal domains of signal transduction proteins can serve functions including, but not limited to, binding molecules that localize the signal transduction molecule to different regions of the cell or binding other signaling molecules directly responsible for propagating a particular cellular signal. Some domains can be expressed separately from the rest of the protein and function by themselves, while others must remain part of the intact protein to retain function. The latter are termed functional regions of proteins and also relate to domains.

The term "N-terminal domain" refers to the extracatalytic region located between the initiator methionine and the catalytic domain of the protein kinase. The N-terminal domain can be identified following a Smith-Waterman alignment of the protein sequence against the non-redundant protein database to define the N-terminal boundary of the catalytic domain. Depending on its length, the N-terminal domain may or may not play a regulatory role in kinase function. An example of a protein kinase whose N-terminal domain has been shown to play a regulatory role is PAK65, which contains a CRIB motif used for Cdc42 and rac binding (Burbelo, P.D. et al. (1995) J. Biol. Chem. 270, 29071-29074). The N-terminal domain of a protein kinase of the invention is that portion of the protein kinase to the amino-terminal side of the kinase domain where the kinase domain is identified in Table 2, herein. Further, in some cases, portions of the N-terminal domains of the protein kinases of the invention have not been identified since the entire sequence is not available. However, with the methods described herein, the full-length sequences of the kinases of the invention can be determined and using the approaches described herein the N-terminal domain can be identified.

The term "catalytic domain" or "kinase domain" refers to a region of the protein kinase that is typically 25-300 amino acids long and is responsible for carrying out the phosphate transfer reaction from a high-energy phosphate donor molecule such as ATP or GTP to itself (autophosphorylation) or to other proteins (exogenous phosphorylation). The catalytic domain of protein kinases is made up of 12 subdomains that contain highly conserved amino acid residues, and are responsible for proper polypeptide folding and for catalysis. The catalytic domain can be identified following a Smith-Waterman alignment of the protein sequence against the non-redundant protein database. The catalytic kinase domains of the protein kinases of the invention are identified in Table 2, herein. Further, in some cases, the complete sequence of the catalytic/kinase domains of the protein kinases of the invention may not have been provided since the entire sequence is not available. However, with the methods described herein, the full-length sequences of the kinases of the invention can be determined, and using the approaches described herein, the catalytic/kinase domain can be identified.

" many the property

The second

5

10

15

20

25

30

The term "catalytic activity", as used herein, defines the rate at which a kinase catalytic domain phosphorylates a substrate. Catalytic activity can be measured, for example, by determining the amount of a substrate converted to a phosphorylated product as a function of time. Catalytic activity can be measured by methods of the invention by holding time constant and determining the concentration of a phosphorylated substrate after a fixed period of time. Phosphorylation of a substrate occurs at the active-site of a protein kinase. The active-site is normally a cavity in which the substrate binds to the

The term "substrate" as used herein refers to a molecule phosphorylated by a kinase of the invention. Kinases phosphorylate substrates on serine/threonine or tyrosine amino acids. The molecule may be another protein or a polypeptide.

protein kinase and is phosphorylated.

The term "C-terminal domain" refers to the region located between the catalytic domain and the carboxy-terminal amino acid residue of the protein kinase. The C-terminal domain can be identified by using a Smith-Waterman alignment of the protein sequence against the non-redundant protein database to define the C-terminal boundary of the catalytic domain or of any functional C-terminal extracatalytic domain. Depending on its length and amino acid composition, the C-terminal domain may or may not play a regulatory role in kinase function. An example of a protein kinase whose C-terminal

PCT/US00/14842

domain may play a regulatory role is PAK3 which contains a heterotrimeric G_b subunit-binding site near its C-terminus (Leeuw, T. et al. (1998) Nature, 391, 191-195). The C-terminal domain of a protein kinase of the invention is that portion of the protein kinase to the carboxy-terminal side of the kinase domain where the kinase domain is identified in Table 2, herein. In some cases, the C-terminal domains of the protein kinases of the invention have not been provided since the entire sequence is not available. However, with the methods described herein, the full-length sequences of the kinases of the invention can be determined, and using the approaches described herein, the C-terminal domain can be identified.

10

SHIPS CONTRACT

5

The term "signal transduction pathway" refers to the molecules that propagate an extracellular signal through the cell membrane to become an intracellular signal. This signal can then stimulate a cellular response. The polypeptide molecules involved in signal transduction processes are typically receptor and non-receptor protein tyrosine kinases, receptor and non-receptor protein phosphatases, SRC homology 2 and 3 domains, phosphotyrosine binding proteins (SRC homology 2 (SH2) and phosphotyrosine binding (PTB and PH) domain containing proteins), proline-rich binding proteins (SH3 domain containing proteins), nucleotide exchange factors, and transcription factors.

The term "coiled-coil structure region" as used herein, refers to a polypeptide

computer algorithms such as COILS (Lupas, A. (1996) Meth. Enzymology 266:513-525).

Coiled-coils are formed by two or three amphipathic \alpha-helices in parallel. Coiled-coils can

serine/threonine kinases (Roe, J. et al. (1997) J. Biol. Chem. 272:5838-5845). Coiled-coil

regions in the proteins of the invention can be identified using these methods. They may

be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the

sequence that has a high probability of adopting a coiled-coil structure as predicted by

bind to coiled-coil domains of other polypeptides resulting in homo- or heterodimers (Lupas, A. (1991) Science 252:1162-1164). Coiled-coil-dependent oligomerization has

been shown to be necessary for protein function including catalytic activity of

15

20

25

The term "proline-rich region" as used herein, refers to a region of a protein kinase whose proline content over a given amino acid length is higher than the average content of this amino acid found in proteins (i.e., >10%). Proline-rich regions are easily discernable by visual inspection of amino acid sequences and quantitated by standard computer

23

30

polypeptides of the invention.

sequence analysis programs such as the DNAStar program EditSeq. Proline-rich regions have been demonstrated to participate in regulatory protein -protein interactions. Among these interactions, those that are most relevant to this invention involve the "PxxP" proline rich motif found in certain protein kinases (i.e., human PAK1) and the SH3 domain of the adaptor molecule Nck (Galisteo, M.L. et al. (1996) J. Biol. Chem. 271:20997-21000). Other regulatory interactions involving "PxxP" proline-rich motifs include the WW domain (Sudol, M. (1996) Prog. Biophys. Mol. Bio. 65:113-132). Proline rich regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the polypeptides of the invention.

5

10

15

20

25

30

The term "spacer region" as used herein, refers to a region of the protein kinase located between predicted functional domains. The spacer region has no detectable homology to any amino acid sequence in the database, and can be identified by using a Smith-Waterman alignment of the protein sequence against the non-redundant protein database to define the C- and N-terminal boundaries of the flanking functional domains. Spacer regions may or may not play a fundamental role in protein kinase function. Precedence for the regulatory role of spacer regions in kinase function is provided by the role of the src kinase spacer in inter-domain interactions (Xu, W. et al. (1997) Nature 385:595-602). Spacer regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the polypeptides of the invention.

Spilling.

The term "insert" as used herein refers to a portion of a protein kinase that is absent from a close homolog. Inserts may or may not by the product alternative splicing of exons. Inserts can be identified by using a Smith-Waterman sequence alignment of the protein sequence against the non-redundant protein database, or by means of a multiple sequence alignment of homologous sequences using the DNAStar program Megalign. Inserts may play a functional role by presenting a new interface for protein-protein interactions, or by interfering with such interactions. Insert regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-terminal, kinase, or C-terminal domains of the polypeptides of the invention.

The term "C-terminal tail" as used herein, refers to a C-terminal domain of a protein kinase, that by homology extends or protrudes past the C-terminal amino acid of its closest homolog. C-terminal tails can be identified by using a Smith-Waterman sequence alignment of the protein sequence against the non-redundant protein database, or by means of a multiple sequence alignment of homologous sequences using the DNAStar program Megalign. Depending on its length, a C-terminal tail may or may not play a regulatory role in kinase function. C-terminal tail regions in the proteins of the invention can be identified using these methods. They may be present as sub-domains of the N-tole terminal, kinase, or C-terminal domains of the polypeptides of the invention.

10

15

5

Various low or high stringency hybridization conditions may be used depending upon the specificity and selectivity desired. These conditions are well-known to those skilled in the art. Under stringent hybridization conditions only highly complementary nucleic acid sequences hybridize. Preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 20 contiguous nucleotides, more preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 50 contiguous nucleotides, most preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 100 contiguous nucleotides. In some instances, the conditions may prevent hybridization of nucleic acids having more than 5 mismatches in the full-length sequence.

20

25

30

By stringent hybridization assay conditions is meant hybridization assay conditions at least as stringent as the following: hybridization in 50% formamide, 5X SSC, 50 mM NaH₂PO₄, pH 6.8, 0.5% SDS, 0.1 mg/mL sonicated salmon sperm DNA, and 5X Denhart solution at 42 °C overnight; washing with 2X SSC, 0.1% SDS at 45 °C; and washing with 0.2X SSC, 0.1% SDS at 45 °C. Under some of the most stringent hybridization assay conditions, the second wash can be done with 0.1X SSC at a temperature up to 70 °C (pg. 421, Berger et al. (1987) Guide to Molecular Cloning Techniques, Meth. Enzym. vol. 152, hereby incorporated by reference herein including any figures, tables, or drawings.). However, other applications may require the use of conditions falling between these sets of conditions. Methods of determining the conditions required to achieve desired hybridizations are well-known to those with ordinary skill in the art, and are based on several factors, including but not limited to, the sequences to be hybridized and the samples to be tested.

WO 00/73469

5

10

15

20

25

30

200

In other preferred embodiments, the invention features isolated, enriched, or purified nucleic acid molecules encoding kinase polypeptides, further comprising a vector or promoter effective to initiate transcription in a host cell. The invention also features recombinant nucleic acid, preferably in a cell or an organism. The recombinant nucleic acid may contain a sequence selected from the group consisting of those set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEO ID NO:7, SEO ID NO:8, SEO ID NO:9, SEO ID NO:10, SEO ID NO:11, SEO ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17. SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEO ID NO:34, SEO ID NO:35, SEO ID NO:36, SEO ID NO:37, SEO ID NO:38, SEO ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEO ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEO ID NO:56, SEO ID NO:57, SEO ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEO ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEO ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEO ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEO ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or a functional derivative thereof and a vector or a promoter effective to initiate transcription in a host cell. The recombinant nucleic acid can alternatively contain a transcriptional initiation region functional in a cell, a sequence complementary to an RNA sequence encoding a kinase polypeptide and a transcriptional termination region functional in a cell. Specific

WO 00/73469 PCT/US00/14842

32

vectors and host cell combinations are discussed herein. The recombinant nucleic acid can also contain the full-length sequence encoding the protein kinase, or a domain, for example.

The term "vector" relates to a single or double-stranded circular nucleic acid molecule that can be transfected into cells and replicated within or independently of a cell genome. A circular double-stranded nucleic acid molecule can be cut and thereby linearized upon treatment with restriction enzymes. An assortment of nucleic acid vectors, enzymes, and the knowledge of the nucleotide sequences out by restriction enzymes are readily available to those skilled in the art. A nucleic acid molecule encoding a kinase can be inserted into a vector by cutting the vector with restriction enzymes and ligating the two pieces together.

5

10

15

20

25

30

The term "transfecting" defines a number of methods to insert a nucleic acid vector or other nucleic acid molecules into a cellular organism. These methods involve a variety of techniques, such as treating the cells with high concentrations of salt, an electric field, detergent, or DMSO to render the outer membrane or wall of the cells permeable to nucleic acid molecules of interest or use of various viral transduction strategies.

The term "promoter" as used herein, refers to nucleic acid sequence needed for gene sequence expression. Promoter regions vary from organism to organism, but are well known to persons skilled in the art for different organisms. For example, in proceed yetes, the promoter region contains both the promoter (which directs the initiation of RNA transcription) as well as the DNA sequences which, when transcribed into RNA, will signal synthesis initiation. Such regions will normally include those 5'-non-coding sequences involved with initiation of transcription and translation, such as the TATA box, capping sequence, CAAT sequence, and the like.

1

of, or consists of a nucleic acid sequence set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ

In preferred embodiments, the isolated nucleic acid comprises, consists essentially

ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35,

SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEO ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEO ID NO:52, SEO ID NO:53, SEO ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID 5 NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEO ID NO:68, SEO ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ * ID NO:78, SEO:ID:NO:74, SEQ ID NO:75, CEQ ID NO:76, SEQ NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEO ID NO:84, SEO ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ 10 ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEO ID NO:105, SEO ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEO ID NO:110, SEO ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, 15 SEO ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or the corresponding full-length sequence, encodes an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:125, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:125, SEQ ID. NO:127, SEO ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID 20 NO:132, SEO ID NO:133, SEO ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEO ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID 25 NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEO ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEO ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID 30 NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID

WO 00/73469

5

10

15

20

25

30

NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEO ID NO:239, SEO ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, a functional derivative thereof, or at least 10, 20, 40, 50, 75, 100, 200, 300 or 500 contiguous amino acids of a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEO ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEO ID NO:134, SEO ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEO ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEO ID NO:174, SEO ID NO:175, SEO ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEO ID NO:214, SEO ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID

NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length sequences or derivatives thereof. The nucleic acid may be isolated from a natural source by cDNA cloning or by subtractive hybridization. The natural source that be mammalian, preferably human, blood, semen, or rissue and the nucleic acid may be synthesized by the triester method or by using an automated DNA synthesizer.

5

10

15

20

25

30

The term "mammal" refers preferably to such organisms as mice, rats, rabbits, guinea pigs, sheep, and goats, more preferably to cats, dogs, monkeys, and apes, and most preferably to humans.

In yet other preferred embodiments, the nucleic acid is a conserved or unique region, for example those useful for: the design of hybridization probes to facilitate identification and cloning of additional polypeptides, the design of PCR probes to facilitate cloning of additional polypeptides, obtaining antibodies to polypeptide regions, and designing antisense oligonucleotides.

By conserved nucleic acid regions, are meant regions present on two or more nucleic acids encoding a kinase polypeptide, to which a particular nucleic acid sequence can hybridize under lower stringency conditions. Examples of lower stringency conditions suitable for screening for nucleic acid encoding kinase polypeptides are provided in Berger et al. (1987) Guide to Molecular Cloning Techniques, Meth. Enzym. vol. 152, hereby incorporated by reference herein in its entirety, including any drawings, figures, or tables. Preferably, conserved regions differ by no more than 5 out of 20 nucleotides, even more preferably 2 out of 20 nucleotides or most preferably 1 out of 20 nucleotides.

By "unique nucleic acid region" is meant a sequence present in a nucleic acid coding for a kinase polypeptide that is not present in a sequence coding for any other naturally occurring polypeptide. Such regions preferably encode 10 (preferably 25, more preferably 50, most preferably 75) or more contiguous amino acids selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124,

SEO ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEO ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEO ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEO ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, 5 SEO ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID.NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, 10 SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEO ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEO ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEO ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, 15 SEO ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEO ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, 20 SEO ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEO ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEO ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or functional derivatives thereof. In particular, a unique nucleic acid region is preferably of mammalian origin and 25 preferably human.

A second aspect of the invention features a nucleic acid probe for the detection of nucleic acid encoding a kinase polypeptide in a sample, wherein said polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139,

HE THEN STILL IN "

2. A.

SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEO ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, 5 SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, · SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:172, SEQ ID NO:179, & SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, 10 SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEO ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEO ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, 15 SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, 20 SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. Preferably, the nucleic acid probe encodes a kinase polypeptide that is a fragment of the protein encoded by an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, 25 SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, 30 SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167,

SEO ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEO ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187. SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, 5 SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID MS:263, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID MO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, 10 SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEO ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID 15 NO:242, or the corresponding full-length amino acid sequences. The nucleic acid probe contains a nucleotide base sequence that will hybridize to a sequence selected from the group consisting of those set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:4, SEQ ID NO:8, SEQ ID NO:9. SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ 20 ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEO ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, 25 SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID 30 NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ

5

10

15

20

25

30

ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or the corresponding full-length sequence, or a functional derivative thereof.

In preferred embodiments, the nucleic acid probe hybridizes to nucleic acid encoding at least 6, 12, 75, 90, 105, 120, 150, 200, 250, 300 or 350 contiguous amino acids of a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:18 NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID

NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or functional derivatives thereof.

5

10

15

20

25

30

RNA in a sample by contacting the sample with a nucleic acid probe under conditions such that hybridization occurs and detecting the presence or amount of the probe bound to kinase RNA. The nucleic acid duplex formed between the probe and a nucleic acid sequence coding for a kinase polypeptide may be used in the identification of the sequence of the nucleic acid detected (Nelson et al., in Nonisotopic DNA Probe Techniques, Academic Press, San Diego, Kricka, ed., p. 275, 1992, hereby incorporated by reference herein in its entirety, including any drawings, figures, or tables). Kits for performing such methods may be constructed to include a container means having disposed therein a nucleic acid probe.

In a third aspect, the invention describes a recombinant cell or tissue comprising a nucleic acid molecule encoding a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186,

of a fire and

10

15

20

25

30

SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEO ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEO ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEO ID NO:213, SEO ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222/SEQ ID NO:223/SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226/ SEO ID NO:227, SEO ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEO ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEO ID NO:237, SEO ID NO:238, SEO ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. In such cells, the nucleic acid may be under the control of the genomic regulatory elements, or may be under the control of exogenous regulatory elements including an exogenous promoter. By "exogenous" it is meant a promoter that is not normally coupled in vivo transcriptionally to the coding sequence for the kinase polypeptides.

The polypeptide is preferably a fragment of the protein encoded by an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEO ID NO:124, SEO ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEO ID NO:129, SEO ID NO:130, SEO ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEO ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID

WO 00/73469

25

30

超级电影经验检查 计

NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID 5 NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID 40:228, SEQ ID NG:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID 80:202, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID 10 NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence. By "fragment," is meant an amino acid sequence present in a kinase polypeptide. Preferably, such a sequence comprises at least 10, 20, 40, 50, 75, 100, 200, or 300 contiguous amino acids a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, 15 SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEO ID NO:145, SEO ID NO:146, SEO ID NO:147, SEO ID NO:143. SEO ID NO:149. SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, 20 SEO ID NO:155, SEO ID NO:156, SEO ID NO:157, SEO ID NO:158, SEO ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEO ID NO:195, SEO ID NO:196, SEO ID NO:197, SEO ID NO:198, SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEO ID NO:210, SEO ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214,

SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or of the corresponding full-length amino acid sequence, or a functional derivative thereof.

In a fourth aspect, the invention features an isolated, enriched, or purified bin se polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEO ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ 10 ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEO ID NO:150, SEO ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ 15 ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:172, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ 20 ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ 25 ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ 30 ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ

ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

By "isolated" in reference to a polypeptide is meant a polymer of amino acids (2 or more amino acids) conjugated to each other, including polypeptides that are isolated from a natural source or that are synthesized. The isolated polypeptides of the present invention are unique in the sense that they are not found in a pure or separated state in nature. Use of the term "isolated" indicates that a naturally occurring sequence has been removed from its normal cellular environment. Thus, the sequence may be in a cell-free solution or a placed in a different cellular environment. The term does not imply that the sequence is the only amino acid chain present, but that it is essentially free (about 90 - 95% pure at least) of non-amino acid material naturally associated with it.

The Good of The Control of the Control

47 The Mary Mary

5

10

15

20

25

30

By the use of the term "enriched" in reference to a polypeptide is meant that the specific amino acid sequence constitutes a significantly higher fraction (2 - 5 fold) of the total amino acid sequences present in the cells or solution of interest than in normal or diseased cells or in the cells from which the sequence was taken. This could be caused by a person by preferential reduction in the amount of other amino acid sequences present, or by a preferential increase in the amount of the specific amino acid sequence of interest, or by a combination of the two. However, it should be noted that enriched does not imply that there are no other amino acid sequences present, just that the relative amount of the control of the contr sequence of interest has been significantly increased. The term significant here is used to indicate that the level of increase is useful to the person making such an increase, and generally means an increase relative to other amino acid sequences of about at least 2-fold, more preferably at least 5- to 10-fold or even more. The term also does not imply that there is no amino acid sequence from other sources. The other source of amino acid sequences may, for example, comprise amino acid sequence encoded by a yeast or bacterial genome, or a cloning vector such as pUC19. The term is meant to cover only those situations in which man has intervened to increase the proportion of the desired amino acid sequence.

It is also advantageous for some purposes that an amino acid sequence be in purified form. The term "purified" in reference to a polypeptide does not require absolute purity (such as a homogeneous preparation); instead, it represents an indication that the sequence is relatively purer than in the natural environment. Compared to the natural level

in the secretary in

this level should be at least 2-5 fold greater (e.g., in terms of mg/mL). Purification of at least one order of magnitude, preferably two or three orders, and more preferably four or five orders of magnitude is expressly contemplated. The substance is preferably free of contamination at a functionally significant level, for example 90%, 95%, or 99% pure.

5

10

15

20

25

30

In preferred embodiments, the kinase polypeptide is a fragment of the protein encoded by an amino acid sequence selected from the group consisting of those set forth in SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ.ID NO.127, SEQ ID NG.128, SEQ ID NO.129, SEQ ID NO.130, SEQ ID SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEO ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEO ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEO ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEO ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEO ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, A Company of the second s SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequences. Preferably, the kinase polypeptide contains at least 10, 20, 40, 50, 75, 100, 200, or 300 contiguous

att of the state of the state of

5

10

15

20

25

30

amino acids a sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEO ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEO ID NO:138, SEO ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEO ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:203, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or a functional derivative thereof.

In preferred embodiments, the kinase polypeptide comprises an amino acid sequence having (a) an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ

ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ 5 ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ TENO:170 SEQ ID NO:172, SEQ ID:NO:173, SEQ ID:NO:174 SEQ ID:NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ 10 ID NO:186, SEO ID NO:187, SEO ID NO:188, SEO ID NO:189, SEO ID NO:190, SEO ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ 15 ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ* ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ 20 ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; (b) an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ 25 ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ 30 ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165, SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ

ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEO ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEO ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ 5 ID NO:195. SEO ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:200, SEQ ID NO: ID NO:210, SEO ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ 10 ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEO ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but 15 not all, of a domain selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail; (c) an amino acid sequence of a domain of arpolypeptide selected from the group condisting of those set forth in SEQ ID NO:122. SEO ID NO:123, SEO ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, 20 SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, 25 SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEO ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEO ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEO ID NO:168, SEO ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, 30 SEO ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187,

ore on a rain.

SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212. 5 SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, 100 SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, 10 SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 where the domain is selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail; or (d) an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, 15 SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEO ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ 10740:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, 20 SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, 25 SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEO ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, 30 SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208,

- The STANDARD STANDARD

5

10

15

20

25

30

SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it tasks one of more, but not all, of the domains selected from the group consisting of C-terminal domain, a catalytic domain, an N-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, an insert, and a C-terminal tail. (The domain demarcations of the polypeptides of the invention are indicated in Table 2 by reference to the kinase domain.)

The polypeptide can be isolated from a natural source by methods well-known in the art. The natural source may be mammalian, preferably human, blood, semen, or tissue, and the polypeptide may be synthesized using an automated polypeptide synthesizer. The isolated, enriched, or purified kinase polypeptide is preferably selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID:NO:134, SEQ ID:NO:132, SEQ ID:NO:133, SEQ ID:NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ

ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:241, and SEQ ID NO:242A.

In some embodiments the invention includes a recombinant kinase polypeptide

10

15

20

25

30

5

selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEO ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEO ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEO ID NO:140, SEO ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEO ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEO ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEO ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEO ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEO ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229,

office and the state of the

5

第400 MERO N

10

15

20

25

30

SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. By "recombinant kinase polypeptide" is meant a polypeptide produced by recombinant DNA techniques such that it is distinct from a naturally occurring polypeptide either in its location (e.g., present in a different cell or tissue than found in nature), purity or structure. Generally, such a recombinant polypeptide will be present in a cell in an amount different from that normally observed in nature.

In a fifth aspect, the invention features an antibody (e.g., a monoclonal or polyclonal antibody) having specific binding affinity to a kinase polypeptide or a kinase polypeptide domain or fragment where the polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEO ID NO:142, SEO ID NO:143, SEO ID NO:144, SEO ID NO:145, SEO ID NO:146, SEO ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ 1D NO:156, SEO ID NO:157, SEO ID NO:158, SEO ID NO:159, SEO ID NO:150, SEO ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEO ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEO ID NO:213, SEO ID NO:214, SEO ID NO:215, SEO ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ

ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. In preferred embodiments, the antibody binds specifically to domains of kinase polypeptides, that are defined *supra*.

5

10

15

20

25

30

By "specific binding affinity" is meant that the antibody binds to the target kinase polypeptide with greater affinity than it binds to other polypeptides under specified conditions. Antibodies or antibody fragments are polypeptides that contain regions that can bind other polypeptides. The term "specific binding affinity" describes an antibody that binds to a kinase polypeptide with greater affinity than it binds to other polypeptides under specified conditions.

The term "polyclonal" refers to antibodies that are heterogenous populations of antibody molecules derived from the sera of animals immunized with an antigen or an antigenic functional derivative thereof. For the production of polyclonal antibodies, various host animals may be immunized by injection with the antigen. Various adjuvants may be used to increase the immunological response, depending on the host species.

"Monoclonal antibodies" are substantially homogenous populations of antibodies to a particular antigen. They may be obtained by any technique which provides for the production of antibody molecules by continuous cell lines in malture. Monoblocal antibodies may be obtained by methods known to those skilled in the art (Kohler et al., Nature 256:495-497, 1975, and U.S. Patent No. 4,376,110, both of which are hereby incorporated by reference herein in their entirety including any figures, tables, or drawings).

The term "antibody fragment" refers to a portion of an antibody, often the hyper variable region and portions of the surrounding heavy and light chains, that displays specific binding affinity for a particular molecule. A hyper variable region is a portion of an antibody that physically binds to the polypeptide target.

Antibodies or antibody fragments having specific binding affinity to a kinase polypeptide or domains of a kinase polypeptide of the invention may be used in methods for detecting the presence and/or amount of kinase polypeptide in a sample by probing the sample with the antibody under conditions suitable for kinase-antibody immunocomplex formation and detecting the presence and/or amount of the antibody conjugated to the

kinase polypeptide. Diagnostic kits for performing such methods may be constructed to include antibodies or antibody fragments specific for the kinase as well as a conjugate of a binding partner of the antibodies or the antibodies themselves.

An antibody or antibody fragment with specific binding affinity to a kinase polypeptide of the invention can be isolated, enriched, or purified from a prokaryotic or eukaryotic organism. Routine methods known to those skilled in the art enable production of antibodies or antibody fragments, in both prokaryotic and eukaryotic organisms.

Purification, enablement, and isolation of antibodies, which are polypeptide melecules are described above.

5

10

15

20

25

30

Antibodies having specific binding affinity to a kinase polypeptide of the invention may be used in methods for detecting the presence and/or amount of kinase polypeptide in a sample by contacting the sample with the antibody under conditions such that an immunocomplex forms and detecting the presence and/or amount of the antibody conjugated to the kinase polypeptide. Diagnostic kits for performing such methods may be constructed to include a first container containing the antibody and a second container having a conjugate of a binding partner of the antibody and a label, such as, for example, a radioisotope. The diagnostic kit may also include notification of an FDA approved use and instructions therefor.

The later of the later

having specific binding affinity to a kinase polypeptide or a kinase polypeptide domain, where the polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:163, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:161, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:177, SEQ

5

10

15

20

25

30

NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198. SEO ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEO ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO.213, SEQ.ID NO.214, SEQ.ID NO.215, SEQ ED NO.216, SEQ ID NO.217, SEQ ID NO:218, SEO ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEO ID NO:224, SEO ID NO:225, SEO ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEO ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEO ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; and where the domains are defined as above. By "hybridoma" is meant an immortalized cell line that is capable of secreting an antibody, for example an antibody to a kinase of the invention. In preferred embodiments, the antibody to the kinase comprises a sequence of amino acids that is able to specifically bind a kinase polypeptide of the invention.

In a seventh aspect, the invention features a kinase polypeptide binding agent able to a kinase polypeptide selected from the group consisting of SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:175, SEQ ID NO:178, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187,

10

15

20

25

30

SEO ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEO ID NO:203, SEO ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEO ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEO ID NO:213, SEO ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEO ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEO ID NO:223, SEQ 1D NO:224, SEQ ID NO:225, SEQ ID NO:226, CEQ ID NO:227, SEO ID NO:228, SEO ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. The binding agent is preferably a purified antibody that recognizes an epitope present on a kinase polypeptide of the invention. Other binding agents include molecules that hind to kinase polypeptides and analogous molecules that bind to a kinase polypeptide. Such binding agents may be identified by using assays that measure kinase binding partner activity, such as those that measure PDGFR activity.

The invention also features a method for screening for human cells containing a kinase polypeptide of the invention or an equivalent sequence. The method involves identifying the novel polypeptide in human cells using techniques that are routine and standard in the art, such as those described herein for identifying the kinases of the invention (e.g., cloning, Southern or Northern blot analysis, in situ hybridization, PCR amplification, etc.).

In an eighth aspect, the invention features methods for identifying a substance that modulates kinase activity comprising the steps of: (a) contacting a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159,

SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179. SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SSEC-ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, . SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEO ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 with a test substance; (b) measuring the activity of said polypeptide; and (c) determining whether said substance The second secon medulates the activity of said polypeptide.

20

25

30

5

10

15

Same and the

The term "modulates" refers to the ability of a compound to alter the function of a kinase of the invention. A modulator preferably activates or inhibits the activity of a kinase of the invention.

The term "activates" refers to increasing the cellular activity of the kinase. The term inhibit refers to decreasing the cellular activity of the kinase. Kinase activity is preferably the interaction with a natural binding partner.

The term "modulates" also refers to altering the function of kinases of the invention by increasing or decreasing the probability that a complex forms between the kinase and a natural binding partner. A modulator preferably increases the probability that such a complex forms between the kinase and the natural binding partner, more preferably increases or decreases the probability that a complex forms between the kinase and the natural binding partner depending on the concentration of the compound exposed to the

and the same of th

5

10

15

20

25

30

kinase, and most preferably decreases the probability that a complex forms between the kinase and the natural binding partner.

The term "complex" refers to an assembly of at least two molecules bound to one another. Signal transduction complexes often contain at least two protein molecules bound to one another. For instance, a protein tyrosine receptor protein kinase, GRB2, SOS, RAF, and RAS assemble to form a signal transduction complex in response to a mitogenic ligand.

or nucleic acids that bind to kinases in cells. A change in the interaction between a kinase and a natural binding partner can manifest itself as an increased or decreased probability that the interaction forms, or an increased or decreased concentration of kinase/natural binding partner complex.

The term "contacting" as used herein refers to mixing a solution comprising the test compound with a liquid medium bathing the cells of the methods. The solution comprising the compound may also comprise another component, such as dimethyl sulfoxide (DMSO), which facilitates the uptake of the test compound or compounds into the cells of the methods. The solution comprising the test compound may be added to the medium bathing the cells by utilizing a delivery apparatus, such as a pipet-based device or syringe-based device.

In a ninth aspect, the invention features methods for identifying a substance that

modulates kinase activity in a cell comprising the steps of: (a) expressing a kinase polypeptide in a cell, wherein said polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146,

SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161,

SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151,

SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171,

10

15

20

25

30

SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEO ID NO:186. SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEO ID NO:201. SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ 12/40:207, GEQ 40 NO:208, SEQ 10 NO:209, SEQ 10 NO:210, SEQ 12 40:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242; (b) adding a test substance to said cell; and (c) monitoring a change in cell phenotype or the interaction between said polypeptide and a natural binding partner.

The term "expressing" as used herein refers to the production of kinases of the invention from a nucleic acid vector containing kinase genes within a cell. The nucleic acid vector is transfected into cells using well known techniques in the art as described herein.

In a tenth aspect, the invention provides methods for treating a disease or abnormal condition by administering to a patient in need of such treatment a substance that modulates the activity of a polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID

NO:162, SEO ID NO:163, SEO ID NO:164, SEO ID NO:165. SEO ID NO:166, SEO ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEO ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO.137, SEO ID NG.138, SEQ ID NO.199, 3EQ ID NO.200, SEQ ID NO.201, SEQ ID . NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. Preferably, the disease is selected from the group consisting of immunerelated diseases and disorders, cardiovascular disease, neurodegenerative disorders, and cancer. Also included are metabolic disorders, such as diabeted medities, and reproductive ! disorders, such as infertility.

5

10

15

20

25

30

Preferably, the disease or disorder is selected from the group consisting of rheumatoid arthritis, artherosclerosis, autoimmune disorders, and organ transplantation. Preferably the disease or disorder is selected from the group consisting of immune-related diseases and disorders, myocardial infarction, cardiomyopathies, stroke, renal failure, and oxidative stress-related neurodegenerative disorders. Most preferably, the immune-related diseases and disorders are selected from the group consisting of rheumatoid arthritis, chronic inflammatory bowel disease, chronic inflammatory pelvic disease, multiple sclerosis, asthma, osteoarthritis, psoriasis, atherosclerosis, rhinitis, autoimmunity, and organ transplantation.

Substances useful for treatment of disorders or diseases preferably show positive results in one or more in vitro assays for an activity corresponding to treatment of the disease or disorder in question Substances that modulate the activity of the polypeptides

preferably include, but are not limited to, antisense oligonucleotides and inhibitors of protein kinases.

The term "preventing" refers to decreasing the probability that an organism contracts or develops an abnormal condition.

The term "treating" refers to having a therapeutic effect and at least partially alleviating or abrogating an abnormal condition in the organism.

5

10

15

20

25

30

The term "therapeutic effect" refers to the inhibition or activation factors causing or contributing to the abnormal condition. A therapeutic effect relieves to some extent one or more of the symptoms of the abnormal condition. In reference to the treatment of abnormal conditions, a therapeutic effect can refer to one or more of the following: (a) an increase in the proliferation, growth, and/or differentiation of cells; (b) inhibition (i.e., slowing or stopping) of cell death; (c) inhibition of degeneration; (d) relieving to some extent one or more of the symptoms associated with the abnormal condition; and (e) enhancing the function of the affected population of cells. Compounds demonstrating efficacy against abnormal conditions can be identified as described herein.

The term "abnormal condition" refers to a function in the cells or tissues of an organism that deviates from their normal functions in that organism. An abnormal condition can relate to cell proliferation, cell differentiation or cell survival. An abnormal condition may also include irregularities in cell cycle progression, i.e., inequalities in normal cell cycle progression through mitosis and meiosis.

Abnormal cell proliferative conditions include cancers such as fibrotic and mesangial disorders, abnormal angiogenesis and vasculogenesis, wound healing, psoriasis, diabetes mellitus, and inflammation.

Abnormal differentiation conditions include, but are not limited to neurodegenerative disorders, slow wound healing rates, and slow tissue grafting healing rates.

Abnormal cell survival conditions relate to conditions in which programmed cell death (apoptosis) pathways are activated or abrogated. A number of protein kinases are associated with the apoptosis pathways. Aberrations in the function of any one of the protein kinases could lead to cell immortality or premature cell death.

The term "aberration", in conjunction with the function of a kinase in a signal transduction process, refers to a kinase that is over- or under-expressed in an organism, mutated such that its catalytic activity is lower or higher than wild-type protein kinase activity, mutated such that it can no longer interact with a natural binding partner, is no longer modified by another protein kinase or protein phosphatase, or no longer interacts with a natural binding partner.

5

10

15

20

25

30

The term "administering" relates to a method of incorporating a compound into cells or vissues of an organism. The abnormal condition can be provented or treated when the cells or tissues of the organism exist within the organism or outside of the organism.

Cells existing outside the organism can be maintained or grown in cell culture dishes. For cells harbored within the organism, many techniques exist in the art to administer compounds, including (but not limited to) oral, parenteral, dermal, injection, and aerosol applications. For cells outside of the organism, multiple techniques exist in the art to administer the compounds, including (but not limited to) cell microinjection techniques, transformation techniques, and carrier techniques.

The abnormal condition can also be prevented or treated by administering a compound to a group of cells having an aberration in a signal transduction pathway to an organism. The effect of administering a compound on organism function can then be monitored. The organism is preferably a mouse, 121, rabbit, guinea pig, co-goat, more preferably a monkey or ape, and most preferably a human.

In an eleventh aspect, the invention features methods for detection the expression of a polypeptide in a sample as a diagnostic tool for diseases or disorders, wherein the method comprises the steps of: (a) contacting the sample with a nucleic acid probe which hybridizes under hybridization assay conditions to a nucleic acid target region of a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:157, SEQ ID NO:158, SEQ

ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEO ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEO ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ 5 ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEO ID NO:190, SEO ID NO:191, SEO ID NO:199, SEQ ID NO:193, SEQ ID NG:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ 10 ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEO ID NO:220, SEO ID NO:221, SEO ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEO ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ 15 ID NO:234, SEO ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, said probe comprising the nucleic acid sequence encoding the polypeptide, fragments thereof, and the complements of the sequences and fragments; and (b) detecting the presence or amount of the lateral ways. the probe:target region hybrid as an indication of the disease. 20

In preferred embodiments of the invention, the disease or disorder is selected from the group consisting of rheumatoid arthritis, artherosclerosis, autoimmune disorders, organ transplantation, myocardial infarction, cardiomyopathies, stroke, renal failure, oxidative stress-related neurodegenerative disorders, metabolic disorder including diabetes, reproductive disorders including infertility, and cancer.

25

30

The kinase "target region" is a nucleotide base sequence selected from the group consisting of those set forth in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEO ID NO:27, SEO ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID

10

15

20

25

30

NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEO ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEO ID NO:43, SEO ID NO:44, SEO ID NO:45, SEO ID NO:46, SEO ID NO:47, SEO ID NO:48, SEO ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEO ID NO:53, SEO ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEO ID NO:60, SEO ID NO:70, SEO ID NO:71, SEO ID NO:72, SEO ID NO:73, SEO ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEO ID NO:85, SEO ID NO:86, SEO ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEO ID NO:96, SEO ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEO ID NO:101, SEO ID NO:102, SEO ID NO:103, SEO ID NO:104, SEO ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or the corresponding full-length sequences, a functional derivative thereof, or a fragment thereof to which the nucleic acid probe will specifically hybridize. Specific hybridization indicates that in the presence of other nucleic acids the probe only hybridizes detectably with the kinase of the invention's target region. Putative target regions can be identified by methods well known in the art consisting of alignment and comparison of the most closely related sequences in the database.

In preferred embodiments the nucleic acid probe hybridizes to a kinase target region encoding at least 6, 12, 75, 90, 105, 120, 150, 200, 250, 300 or 350 contiguous amino acids of the sequence set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:1553, SEQ ID NO:1553, SEQ ID NO:1553, SEQ ID NO:1554, SEQ I

NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO.189, SEQ ID NO.190, SEQ ID NO.191, SEQ ID NO.199, SEQ ID NO.193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or the corresponding full-length amino acid sequence, or a functional derivative thereof. Hybridization conditions should be such that hybridization occurs only with the kinase genes in the presence of other nucleic acid molecules. Under stringent hybridization conditions only highly complementary nucleic acid sequences hybridize. Preferably, such conditions prevent hybridization of nucleic acids having more than 1 or 2 mismatches out of 20 contiguous nucleotides. Such conditions are defined supra.

25

5

10

15

20

Hybridization conditions should be such that hybridization occurs only with the genes in the presence of other nucleic acid molecules. Under stringent hybridization conditions only highly complementary nucleic acid sequences hybridize. Preferably, such conditions prevent hybridization of nucleic acids having 1 or 2 mismatches out of 20 contiguous nucleotides. Such conditions are defined *supra*.

30

The diseases for which detection of kinase genes in a sample could be diagnostic include diseases in which kinase nucleic acid (DNA and/or RNA) is amplified in comparison to normal cells. By "amplification" is meant increased numbers of kinase

WO 00/73469 PCT/US00/14842

66

DNA or RNA in a cell compared with normal cells. In normal cells, kinases are typically found as single copy genes. In selected diseases, the chromosomal location of the kinase genes may be amplified, resulting in multiple copies of the gene, or amplification. Gene amplification can lead to amplification of kinase RNA, or kinase RNA can be amplified in the absence of kinase DNA amplification.

5

10

15

20

25

30

"Amplification" as it refers to RNA can be the detectable presence of kinase RNA in cells, since in some normal cells there is no basal expression of kinase RNA. In other normal cells, a basal level of expression of kinase exists, therefore in these cases amplification is the detection of at least 1-2-fold, and preferably more, kinase RNA, compared to the basal level.

The diseases that could be diagnosed by detection of kinase nucleic acid in a sample preferably include cancers. The test samples suitable for nucleic acid probing methods of the present invention include, for example, cells or nucleic acid extracts of cells, or biological fluids. The samples used in the above-described methods will vary based on the assay format, the detection method and the nature of the tissues, cells or extracts to be assayed. Methods for preparing nucleic acid extracts of cells are well known in the art and can be readily adapted in order to obtain a sample that is compatible with the method utilized.

Another aspect of the invention involves a method of agonizing (stimulating) or antagonizing a target of the invention and a natural binding partner associated activity in a mammal comprising administering to said mammal an agonist or antagonist to one of the above disclosed polypeptides in an amount sufficient to effect said agonism or antagonism. A method of treating diseases in a mammal with an agonist or antagonist of the protein of the present invention activity comprising administering the agonist or antagonist to a mammal in an amount sufficient to agonize or antagonize associated functions is also encompassed in the present application.

In an effort to discover novel treatments for diseases, biomedical researchers and chemists have designed, synthesized, and tested molecules that inhibit the function of protein polypeptides. Some small organic molecules form a class of compounds that modulate the function of protein polypeptides. Examples of molecules that have been reported to inhibit the function of protein kinases include, but are not limited to, bis monocyclic, bicyclic or heterocyclic aryl compounds (PCT WO 92/20642, published

WO 00/73469

November 26, 1992 by Maguire et al.), vinylene-azaindole derivatives (PCT WO 94/14808, published July 7, 1994 by Ballinari et al.), 1-cyclopropyl-4-pyridyl-quinolones (U.S. Patent No. 5,330,992), styryl compounds (U.S. Patent No. 5,217,999), styryl-substituted pyridyl compounds (U.S. Patent No. 5,302,606), certain quinazoline derivatives (EP Application No. 0 566 266 A1), seleoindoles and selenides (PCT WO 94/03427, published February 17, 1994 by Denny et al.), tricyclic polyhydroxylic compounds (PCT WO 92/21660, published December 10, 1992 by Dow), and Denzylphosphonic acid compounds (PCT WO 91/15495, published October 17, 1991 by Dow et al.), all of which are incorporated by reference herein, including any drawings.

10

5

Compounds that can traverse cell membranes and are resistant to acid hydrolysis are potentially advantageous as therapeutics as they can become highly bioavailable after being administered orally to patients. However, many of these protein inhibitors only weakly inhibit function. In addition, many inhibit a variety of protein kinases and will therefore cause multiple side-effects as therapeutics for diseases.

15

20

Some indolinone compounds, however, form classes of acid resistant and membrane permeable organic molecules. WO 96/22976 (published August 1, 1996 by Ballinari et al.) describes hydrosoluble indolinone compounds that harbor tetralin, naphthalene, quinoline, and indole substituents fused to the oxindole ring. These bicyclic substituents are in turn substituted with polar groups including hydroxylated alkyl, and the way of the phosphate, and ether substituents. U.S. Patent Application Serial Nos. 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187) and 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 223/298) and International Patent Publication WO 96/22976, published August 1, 1996 by Ballinari et al., all of which are incorporated herein by reference in their entirety, including any drawings, describe indolinone chemical libraries of indolinone compounds harboring other bicyclic moieties as well as monocyclic moieties fused to the oxindole ring. Applications 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187), 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon

30

25

APRICE TOWNS OF THE

& Lyon Docket No. 223/298), and WO 96/22976, published August 1, 1996 by Ballinari et al. teach methods of indolinone synthesis, methods of testing the biological activity of indolinone compounds in cells, and inhibition patterns of indolinone derivatives, both of which are incorporated by reference herein, including any drawings.

5

10

15

20

Other examples of substances capable of modulating kinase activity include, but are not limited to, tyrphostins, quinazolines, quinoxolines, and quinolines. The quinazolines, tyrphostins, quinolines, and quinoxolines referred to above include well known compounds such as those described in the literature. For chample, representative publications describing quinazolines include Barker et al., EPO Publication No. 0 520 722 A1; Jones et al., U.S. Patent No. 4,447,608; Kabbe et al., U.S. Patent No. 4,757,072; Kaul and Vougioukas, U.S. Patent No. 5, 316,553; Kreighbaum and Comer, U.S. Patent No. 4,343,940; Pegg and Wardleworth, EPO Publication No. 0 562 734 A1; Barker et al., Proc. of Am. Assoc. for Cancer Research 32:327 (1991); Bertino, J.R., Cancer Research 3:293-304 (1979); Bertino, J.R., Cancer Research 9(2 part 1):293-304 (1979); Curtin et al., Br. J. Cancer 53:361-368 (1986); Fernandes et al., Cancer Research 43:1117-1123 (1983); Ferris et al. J. Org. Chem. 44(2):173-178; Fry et al., Science 265:1093-1095 (1994); Jackman et al., Cancer Research 51:5579-5586 (1981); Jones et al. J. Med. Chem. 29(6):1114-1118; Lee and Skibo, Biochemistry 26(23):7355-7362 (1987); Lemus et al., J. Org. Chem. -54:3511-3518 (1989);-Ley and Seng, Synthesis 1975:415-522 (1975); Marwell et al., Magnetic Resonance in Medicine 17:189-196 (1991); Mini et al., Cancer Research 45:325-330 (1985); Phillips and Castle, J. Heterocyclic Chem. 17(19):1489-1596 (1980); Reece et al., Cancer Research 47(11):2996-2999 (1977); Sculier et al., Cancer Immunol. and Immunother. 23:A65 (1986); Sikora et al., Cancer Letters 23:289-295 (1984); and Sikora et al., Analytical Biochem. 172:344-355 (1988), all of which are incorporated

25

30

Quinoxaline is described in Kaul and Vougioukas, U.S. Patent No. 5,316,553, incorporated herein by reference in its entirety, including any drawings.

herein by reference in their entirety, including any drawings.

Quinolines are described in Dolle et al., <u>J. Med. Chem.</u> 37:2627-2629 (1994); MaGuire, <u>J. Med. Chem.</u> 37:2129-2131 (1994); Burke et al., <u>J. Med. Chem.</u> 36:425-432 (1993); and Burke et al. <u>BioOrganic Med. Chem. Letters</u> 2:1771-1774 (1992), all of which are incorporated by reference in their entirety, including any drawings.

提到的自然的数

The state of the

20

25

30

Tyrphostins are described in Allen et al., Clin. Exp. Immunol. 91:141-156 (1993); Anafi et al., Blood 82:12:3524-3529 (1993); Baker et al., J. Cell Sci. 102:543-555 (1992); Bilder et al., Amer. Physiol. Soc. pp. 6363-6143:C721-C730 (1991); Brunton et al., Proceedings of Amer. Assoc. Cancer Rsch. 33:558 (1992); Bryckaert et al., Experimental Cell Research 199:255-261 (1992); Dong et al., J. Leukocyte Biology 53:53-60 (1993); 5 Dong et al., J. Immunol. 151(5):2717-2724 (1993); Gazit et al., J. Med. Chem. 32:2344-2352 (1989); Gazit et al., "J. Med. Chem. 36:3556-3564 (1993); Kaur et al., Anti-Cancer Drugs 5:213-222-(1904); Kaur et al., King et al., Biochem. J. 275:413-418 (1991); Kno et al. al., Cancer Letters 74:197-202 (1993); Levitzki, A., The FASEB J. 6:3275-3282 (1992); Lyall et al., J. Biol. Chem. 264:14503-14509 (1989); Peterson et al., The Prostate 22:335-10 345 (1993); Pillemer et al., Int. J. Cancer 50:80-85 (1992); Posner et al., Molecular Pharmacology 45:673-683 (1993); Rendu et al., Biol. Pharmacology 44(5):881-888 (1992); Sauro and Thomas, Life Sciences 53:371-376 (1993); Sauro and Thomas, J. Pharm. and Experimental Therapeutics 267(3):119-1125 (1993); Wolbring et al., J. Biol. Chem. 269(36):22470-22472 (1994); and Yoneda et al., Cancer Research 51:4430-4435 15 (1991); all of which are incorporated herein by reference in their entirety, including any drawings.

Other compounds that could be used as modulators include oxindolinones such as those described in U.S. patent application Senai No. 08/702,232 filed Augusi 23, 1996, incorporated herein by reference in its entirety, including any drawings.

Methods of Treating a Disease (Enablement - i.e., Dosing)

Methods of determining the dosages of compounds to be administered to a patient and modes of administering compounds to an organism are disclosed in U.S. Application Serial No. 08/702,282, filed August 23, 1996 and International patent publication number WO 96/22976, published August 1 1996, both of which are incorporated herein by reference in their entirety, including any drawings, figures or tables. Those skilled in the art will appreciate that such descriptions are applicable to the present invention and can be easily adapted to it.

The proper dosage depends on various factors such as the type of disease being treated, the particular composition being used and the size and physiological condition of the patient. Therapeutically effective doses for the compounds described herein can be estimated initially from cell culture and animal models. For example, a dose can be

WO 00/73469 PCT/US00/14842

formulated in animal models to achieve a circulating concentration range that initially takes into account the IC₅₀ as determined in cell culture assays. The animal model data can be used to more accurately determine useful doses in humans.

5

10

15

20

25

30

Plasma half-life and biodistribution of the drug and metabolites in the plasma, tumors and major organs can also be determined to facilitate the selection of drugs most appropriate to inhibit a disorder. Such measurements can be carried out. For example, HPLC analysis can be performed on the plasma of animals treated with the drug and the location of radiolabeted compounds can be deter-mined using detection methods such as a X-ray, CAT scan and MRI. Compounds that show potent inhibitory activity in the screening assays, but have poor pharmacokinetic characteristics, can be optimized by altering the chemical structure and retesting. In this regard, compounds displaying good pharmacokinetic characteristics can be used as a model.

Toxicity studies can also be carried out by measuring the blood cell composition.

For example, toxicity studies can be carried out in a suitable animal model as follows:

1) the compound is administered to mice (an untreated control mouse should also be used); 2) blood samples are periodically obtained via the tail vein from one mouse in each treatment group; and 3) the samples are analyzed for red and white blood cell counts, blood cell composition and the percent of lymphocytes versus polymorphonuclear cells. A comparison of results for each dosing regime with the control indicates if foxicity is present.

At the termination of each toxicity study, further studies can be carried out by sacrificing the animals (preferably, in accordance with the American Veterinary Medical Association guidelines Report of the American Veterinary Medical Assoc. Panel on Euthanasia, Journal of American Veterinary Medical Assoc., 202:229-249, 1993). Representative animals from each treatment group can then be examined by gross necropsy for immediate evidence of metastasis, unusual illness or toxicity. Gross abnormalities in tissue are noted and tissues are examined histologically. Compounds causing a reduction in body weight or blood components are less preferred, as are compounds having an adverse effect on major organs. In general, the greater the adverse effect the less preferred the compound.

10

15

20

25

30

For the treatment of cancers the expected daily dose of a hydrophobic pharmaceutical agent is between 1 to 500 mg/day, preferably 1 to 250 mg/day, and most preferably 1 to 50 mg/day. Drugs can be delivered less frequently provided plasma levels of the active moiety are sufficient to maintain therapeutic effectiveness.

Plasma levels should reflect the potency of the drug. Generally, the more potent the compound the lower the plasma levels necessary to achieve efficacy.

In a final aspect, the invention features a method for detection of a kinase polypertide in a sample as a diagnostic tool for a disease or diserder, wherein the method comprises: (a) comparing a nucleic acid target region encoding the kinase polypeptide in a sample, where the kinase polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEO ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO. 162, SEO ID NO. 163, SEQ ID NO. 164, SEQ ID NO. 165. SEQ ID NO. 166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEO ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEO ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID

10

15

20

25

NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or one or more fragments thereof, with a control nucleic acid target region encoding the kinase polypeptide, or one or more fragments thereof; and (b) detecting differences in sequence or amount between the target region and the control target region, as an indication of the disease or disorder. Preferably, the disease or disorder is selected from the group consisting of immune-related diseases and disorders, organ transplantation, myocardial infarction, cardiovescular disease, should, recal factore, excutative stress-related neurodegenerative disorders, and cancer. Immune-related diseases and disorders include, but are not limited to, those discussed previously.

The term "comparing" as used herein refers to identifying discrepancies between the nucleic acid target region isolated from a sample, and the control nucleic acid target region. The discrepancies can be in the nucleotide sequences, e.g. insertions, deletions, or point mutations, or in the amount of a given nucleotide sequence. Methods to determine these discrepancies in sequences are well-known to one of ordinary skill in the art. The "control" nucleic acid target region refers to the sequence or amount of the sequence found in normal cells, e.g. cells that are not diseased as discussed previously.

The term also includes anti-sense molecules drawn thereto.

The invention has been described broadly and generically herein. Each of the narrower species and subgeneric groupings falling within the generic disclosure also form part of the invention. This includes the generic description of the invention with a proviso or negative limitation removing any subject matter from the genus, regardless of whether or not the excised material is specifically recited herein. For example, in some instances the nucleotide sequence of particular kinase polypeptides may not be part of a preferred embodiment.

The summary of the invention described above is not limiting and other features and advantages of the invention will be apparent from the following detailed description of the invention, and from the claims.

BRIEF DESCRIPTION OF THE FIGURES

Figures 1A to 1BB shows the amino acid sequences of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID 5 NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEO ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEO ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEC/ID NO:149, SEQ/ID NO:150, SEQ/ID NO:151, SEQ/ID NO:152, SEQ/ID NO:152 NO:153, SEO ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID 10 NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEO ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEO ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID 15 NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEO ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204; SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID 20 NO:213, SEO ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEO ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID 25 NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

radical production of the second

Figures 2A to 2MMMM shows the nucleic acid sequences of SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID NO:8, SEQ ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID

30

NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, SEO ID NO:46, SEO ID NO:47, SEO ID NO:48, SEO ID NO:49, SEO ID NO:50. SEO ID NO:51, SEO ID NO:52, SEO ID NO:53, SEO ID NO:54, SEO ID NO:55, SEO ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID:NO:68, SEQ:ID:NO:69, SEQ ID NO:70, SEQ ID:NO:77, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEO ID NO:78, SEO ID NO:79, SEO ID NO:80, SEO ID NO:81, SEO ID NO:82. SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEO ID NO:109, SEO ID NO:110, SEO ID NO:111, SEO ID NO:112, SEO ID NO:113. SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121.

All Magnetine and a step-

20

25

30

5

10

15

DETAILED DESCRIPTION OF THE INVENTION

MANAGER STATE OF THE STATE OF T

The present invention relates in part to kinase polypeptides, nucleic acids encoding such polypeptides, cells containing such nucleic acids, antibodies to such polypeptides, assays utilizing such polypeptides, and methods relating to all of the foregoing. The present invention is based upon the isolation and characterization of new kinase polypeptides. The polypeptides and nucleic acids may be produced using well-known and standard synthesis techniques when given the sequences presented herein.

I. The Nucleic Acids of the Invention

Included within the scope of this invention are the functional equivalents of the herein-described isolated nucleic acid molecules. The degeneracy of the genetic code permits substitution of certain codons by other codons that specify the same amino acid and hence would give rise to the same protein. The nucleic acid sequence can vary

10

15

20

25

30

substantially since, with the exception of methionine and tryptophan, the known amino acids can be coded for by more than one codon. Thus, portions or all of the kinase genes of the invention could be synthesized to give a nucleic acid sequence significantly different from one selected from the group consisting of those set forth in SEQ ID NO:1, SEO ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7. SEO ID NO:8, SEO ID NO:9, SEO ID NO:10, SEO ID NO:11, SEO ID NO:12, SEO ID NO:13, SEO ID NO:14, SEO ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID ... NO:23, SEO ID NO:24, SEO ID NO:25, SEO ID NO:26, SEO ID NO:27, SEO ID NO:28, SEO ID NO:29, SEO ID NO:30, SEO ID NO:31, SEO ID NO:32, SEO ID NO:33, SEO ID NO:34, SEQ ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEO ID NO:40, SEO ID NO:41, SEO ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEO ID NO:45, SEQ ID NO:46, SEQ ID NO:47, SEQ ID NO:48, SEQ ID NO:49, SEQ ID NO:50, SEQ ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEO ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEO ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEO ID NO:88, SEO ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NO:104, SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:108, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121. The encoded amino acid sequence thereof would, however, be preserved.

In addition, the nucleic acid sequence may comprise a nucleotide sequence which results from the addition, deletion or substitution of at least one nucleotide to the 5'-end and/or the 3'-end of the nucleic acid sequence shown in SEQ ID NO:1, SEQ ID NO:2, SEQ ID NO:3, SEQ ID NO:4, SEQ ID NO:5, SEQ ID NO:6, SEQ ID NO:7, SEQ ID

NO:8, SEO ID NO:9, SEQ ID NO:10, SEQ ID NO:11, SEQ ID NO:12, SEQ ID NO:13, SEQ ID NO:14, SEQ ID NO:15, SEQ ID NO:16, SEQ ID NO:17, SEQ ID NO:18, SEQ ID NO:19, SEQ ID NO:20, SEQ ID NO:21, SEQ ID NO:22, SEQ ID NO:23, SEQ ID NO:24, SEQ ID NO:25, SEQ ID NO:26, SEQ ID NO:27, SEQ ID NO:28, SEQ ID NO:29, SEQ ID NO:30, SEQ ID NO:31, SEQ ID NO:32, SEQ ID NO:33, SEQ ID NO:34, SEQ 5 ID NO:35, SEQ ID NO:36, SEQ ID NO:37, SEQ ID NO:38, SEQ ID NO:39, SEQ ID NO:40, SEQ ID NO:41, SEQ ID NO:42, SEQ ID NO:43, SEQ ID NO:44, SEQ ID NO:45, @####SEQ ID NO:46, SEQ ID NO:47, SEQ EENOM8, SEQ ID NO:49; SEQ/ID410:50; SEQ IT ID NO:51, SEQ ID NO:52, SEQ ID NO:53, SEQ ID NO:54, SEQ ID NO:55, SEQ ID NO:56, SEQ ID NO:57, SEQ ID NO:58, SEQ ID NO:59, SEQ ID NO:60, SEQ ID NO:61, 10 SEQ ID NO:62, SEQ ID NO:63, SEQ ID NO:64, SEQ ID NO:65, SEQ ID NO:66, SEQ ID NO:67, SEQ ID NO:68, SEQ ID NO:69, SEQ ID NO:70, SEQ ID NO:71, SEQ ID NO:72, SEQ ID NO:73, SEQ ID NO:74, SEQ ID NO:75, SEQ ID NO:76, SEQ ID NO:77, SEQ ID NO:78, SEQ ID NO:79, SEQ ID NO:80, SEQ ID NO:81, SEQ ID NO:82, SEQ ID NO:83, SEQ ID NO:84, SEQ ID NO:85, SEQ ID NO:86, SEQ ID NO:87, SEQ ID 15 NO:88, SEQ ID NO:89, SEQ ID NO:90, SEQ ID NO:91, SEQ ID NO:92, SEQ ID NO:93, SEQ ID NO:94, SEQ ID NO:95, SEQ ID NO:96, SEQ ID NO:97, SEQ ID NO:98, SEQ ID NO:99, SEQ ID NO:100, SEQ ID NO:101, SEQ ID NO:102, SEQ ID NO:103, SEQ ID NG:404; SEQ ID NO:105, SEQ ID NO:106, SEQ ID NO:107, SEQ ID NO:408, SEQ ID NO:109, SEQ ID NO:110, SEQ ID NO:111, SEQ ID NO:112, SEQ ID NO:113, SEQ ID 20 NO:114, SEQ ID NO:115, SEQ ID NO:116, SEQ ID NO:117, SEQ ID NO:118, SEQ ID NO:119, SEQ ID NO:120, and SEQ ID NO:121, or a derivative thereof. Any nucleotide or polynucleotide may be used in this regard, provided that its addition, deletion or substitution does not alter the amino acid sequence of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, 25 SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEO ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, 30 SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163,

10

15

20

25

30

SEO ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173. SEO ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEO ID NO:179, SEO ID NO:180, SEO ID NO:181, SEO ID NO:182, SEO ID NO:183, SEO ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEO ID NO:194, SEO ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, -SEO EN TO 199-SEO TONO:200, SEQ ID NO:201, SEQ ID NO:02.1973 TO BEE 201, 1997 TO BEE 201, SEO ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEO ID NO:209, SEO ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218. SEO ID NO:219, SEO ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228. SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEO ID NO:239, SEO ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, that is encoded by the nucleotide sequence. For example, the present invention is intended to include any nucleic acid sequence resulting from the addition of ATG as an initiation codon at the 5'and of the inventive nucleic acid sequence or its derivative, or from the addition of TTA, TAG or TGA as a termination codon at the 3'-end of the inventive nucleotide sequence or its derivative. Moreover, the nucleic acid molecule of the present invention may, as necessary, have restriction endonuclease recognition sites added to its 5'-end and/or 3'end.

Such functional alterations of a given nucleic acid sequence afford an opportunity to promote secretion and/or processing of heterologous proteins encoded by foreign nucleic acid sequences fused thereto, for example. All variations of the nucleotide sequence of the kinase genes of the invention and fragments thereof permitted by the genetic code are, therefore, included in this invention.

Further, it is possible to delete codons or to substitute one or more codons with codons other than degenerate codons to produce a structurally modified polypeptide, but one which has substantially the same utility or activity as the polypeptide produced by the unmodified nucleic acid molecule. As recognized in the art, the two polypeptides are

functionally equivalent, as are the two nucleic acid molecules that give rise to their production, even though the differences between the nucleic acid molecules are not related to the degeneracy of the genetic code. This is discussed further in the "Functional Derivatives" section, herein.

5

Finally, many of the nucleic acid molecules of the invention are provided as a partial sequence only (Fig. 2A through 2QQ). However, it is standard for one of ordinary skill in the art to obtain a full-length sequence when provided with a partial sequence.

Similarly, when provided with a partial or full-length sequence it is standard for one of ordinary skill in the art to obtain nucleic acid sequence coding for homologous proteins.

Therefore, these nucleic acid molecules are also part of the invention.

10

The characteristics of the protein kinase nucleic acid sequences of the invention are provided in Table 1. The protein kinases fall into 10 known groups: AGC, CAMK, CKI, CMGC, dsPK, EIFK, LIMK, MLK, STE and TK. In addition, there are a significant number of protein kinases that do not belong to any of the known groups, and therefore presumably define new protein kinase groups.

15

Additional characteristics may be found, *inter alia*, in the tables, namely Table 1, Table 2, Table 3 and Table 4, shown below.

. .

II. Nucleic Acid Probes, Methods, and Kits for Detection of Protein Kinnses.

20

A nucleic acid probe of the present invention may be used to probe an appropriate chromosomal or cDNA library by usual hybridization methods to obtain other nucleic acid molecules of the present invention. A chromosomal DNA or cDNA library may be prepared from appropriate cells according to recognized methods in the art (cf. "Molecular Cloning: A Laboratory Manual", second edition, Cold Spring Harbor Laboratory, Sambrook, Fritsch, & Maniatis, eds., 1989).

25

30

In the alternative, chemical synthesis can be carried out in order to obtain nucleic acid probes having nucleotide sequences that correspond to N-terminal, kinase or C-terminal portions, for example, of the amino acid sequence of the polypeptide of interest. The synthesized nucleic acid probes may be used as primers in a polymerase chain reaction (PCR) carried out in accordance with recognized PCR techniques, essentially according to PCR Protocols, "A Guide to Methods and Applications", Academic Press,

10

15

20

25

30

Michael, et al., eds., 1990, utilizing the appropriate chromosomal or cDNA library to obtain the fragment of the present invention.

One skilled in the art can readily design such probes based on the sequence disclosed herein using methods of computer alignment and sequence analysis known in the art ("Molecular Cloning: A Laboratory Manual", 1989, supra). The hybridization probes of the present invention can be labeled by standard labeling techniques such as with a radiolabel, enzyme label, fluorescent label, biotin-avidin label, chemiluminescence, and the like. After hybridization, the probes may be vicualized using known methods.

The nucleic acid probes of the present invention include RNA, as well as DNA probes, such probes being generated using techniques known in the art. The nucleic acid probe may be immobilized on a solid support. Examples of such solid supports include, but are not limited to, plastics such as polycarbonate, complex carbohydrates such as agarose and sepharose, and acrylic resins, such as polyacrylamide and latex beads. Techniques for coupling nucleic acid probes to such solid supports are well known in the art.

The test samples suitable for nucleic acid probing methods of the present invention include, for example, cells or nucleic acid extracts of cells, or biological fluids. The samples used in the above-described methods will vary based on the assay format, the detection method and the nature of the tissues, cells or extracts to be assayed. Acchods for the preparing nucleic acid extracts of cells are well known in the art and can be readily adapted in order to obtain a sample that is compatible with the method utilized.

One method of detecting the presence of nucleic acids of the invention in a sample comprises (a) contacting said sample with the above-described nucleic acid probe under conditions such that hybridization occurs, and (b) detecting the presence of said probe bound to said nucleic acid molecule. One skilled in the art would select the nucleic acid probe according to techniques known in the art as described above. Samples to be tested include but should not be limited to RNA samples of human tissue.

A kit for detecting the presence of nucleic acids of the invention in a sample comprises at least one container means having disposed therein the above-described nucleic acid probe. The kit may further comprise other containers comprising one or more of the following: wash reagents and reagents capable of detecting the presence of bound nucleic acid probe. Examples of detection reagents include, but are not limited to

radiolabelled probes, enzymatic labeled probes (horseradish peroxidase, alkaline phosphatase), and affinity labeled probes (biotin, avidin, or steptavidin).

5

10

15

20

25

30

In detail, a compartmentalized kit includes any kit in which reagents are contained in separate containers. Such containers include small glass containers, plastic containers or strips of plastic or paper. Such containers allow the efficient transfer of reagents from one compartment to another compartment such that the samples and reagents are not cross-contaminated and the agents or solutions of each container can be added in a quantitative fashion from one compartment to another. Such containers will include a container which will accept the test sample, a container which contains the probe or primers used in the assay, containers which contain wash reagents (such as phosphate buffered saline, Tris-buffers, and the like), and containers which contain the reagents used to detect the hybridized probe, bound antibody, amplified product, or the like. One skilled in the art will readily recognize that the nucleic acid probes described in the present invention can readily be incorporated into one of the established kit formats that are well known in the art.

III. DNA Constructs Comprising a Protein Kinase Nucleic Acid Molecule and Cells Containing These Constructs.

The present invention also relates to a recombinant DNA molecule comprising, a to 3', a promoter effective to initiate transcription in a host cell and the above-described nucleic acid molecules. In addition, the present invention relates to a recombinant DNA molecule comprising a vector and an above-described nucleic acid molecule. The present invention also relates to a nucleic acid molecule comprising a transcriptional region functional in a cell, a sequence complementary to an RNA sequence encoding an amino acid sequence corresponding to the above-described polypeptide, and a transcriptional termination region functional in said cell. The above-described molecules may be isolated and/or purified DNA molecules.

The present invention also relates to a cell or organism that contains an abovedescribed nucleic acid molecule and thereby is capable of expressing a polypeptide. The polypeptide may be purified from cells that have been altered to express the polypeptide. A cell is said to be "altered to express a desired polypeptide" when the cell, through genetic manipulation, is made to produce a protein which it normally does not produce or

which the cell normally produces at lower levels. One skilled in the art can readily adapt procedures for introducing and expressing either genomic, cDNA, or synthetic sequences into either eukaryotic or prokaryotic cells.

5

10

15

20

25

30

A nucleic acid molecule, such as DNA, is said to be "capable of expressing" a polypeptide if it contains nucleotide sequences which contain transcriptional and translational regulatory information and such sequences are "operably linked" to nucleotide sequences which encode the polypeptide. An operable linkage is a linkage in which the regulatory DNA sequences and the DNA sequence sought to be expressed are connected in such a way as to permit gene sequence expression. The precise nature of the regulatory regions needed for gene sequence expression may vary from organism to organism, but shall in general include a promoter region which, in prokaryotes, contains both the promoter (which directs the initiation of RNA transcription) as well as the DNA sequences which, when transcribed into RNA, will signal synthesis initiation. Such regions will normally include those 5'-non-coding sequences involved with initiation of transcription and translation, such as the TATA box, capping sequence, CAAT sequence, and the like.

TANK PERMITE

If desired, the non-coding region 3' to the sequence encoding a kinase of the invention may be obtained by the above-described methods. This region may be retained for its transcriptional termination regulatory sequences, such as termination and polyadenylation. Thus, by retaining the 3'-region naturally contiguous to the DNA sequence encoding a kinase of the invention, the transcriptional termination signals may be provided. Where the transcriptional termination signals are not satisfactorily functional in the expression host cell, then a 3' region functional in the host cell may be substituted.

Two DNA sequences (such as a promoter region sequence and a sequence encoding a kinase of the invention) are said to be operably linked if the nature of the linkage between the two DNA sequences does not (1) result in the introduction of a frame-shift mutation, (2) interfere with the ability of the promoter region sequence to direct the transcription of a gene sequence encoding a kinase of the invention, or (3) interfere with the ability of the gene sequence of a kinase of the invention to be transcribed by the promoter region sequence. Thus, a promoter region would be operably linked to a DNA sequence if the promoter were capable of effecting transcription of that DNA sequence.

Thus, to express a gene encoding a kinase of the invention, transcriptional and translational signals recognized by an appropriate host are necessary.

The present invention encompasses the expression of a gene encoding a kinase of the invention (or a functional derivative thereof) in either prokaryotic or eukaryotic cells. Prokaryotic hosts are, generally, very efficient and convenient for the production of recombinant proteins and are, therefore, one type of preferred expression system for kinases of the invention. Prokaryotes most frequently are represented by various strains of *E: cell: However, other microbial strains may also be used, including other becterial; strains.

10

5

In prokaryotic systems, plasmid vectors that contain replication sites and control sequences derived from a species compatible with the host may be used. Examples of suitable plasmid vectors may include pBR322, pUC118, pUC119 and the like; suitable phage or bacteriophage vectors may include γ gt10, γ gt11 and the like; and suitable virus vectors may include pMAM-neo, pKRC and the like. Preferably, the selected vector of the present invention has the capacity to replicate in the selected host cell.

15

Recognized prokaryotic hosts include bacteria such as E. coli, Bacillus,

Streptomyces, Pseudomonas, Salmonella, Serratia, and the like. However, under such conditions, the polypeptide will not be glycosylated. The prokaryotic host must be compatible with the replicon and control sequences in the expression plasmid.

20

To express a kinase of the invention (or a functional derivative thereof) in a prokaryotic cell, it is necessary to operably link the sequence encoding the kinase of the invention to a functional prokaryotic promoter. Such promoters may be either constitutive or, more preferably, regulatable (i.e., inducible or derepressible). Examples of constitutive promoters include the *int* promoter of bacteriophage λ , the *bla* promoter of the β -lactamase gene sequence of pBR322, and the *cat* promoter of the chloramphenicol acetyl transferase gene sequence of pPR325, and the like. Examples of inducible prokaryotic promoters include the major right and left promoters of bacteriophage λ (P_L and P_R), the *trp*, recA, λacZ , λacI , and gal promoters of E. coli, the α -amylase (Ulmanen et al., I. Bacteriol. 162:176-182, 1985) and the ς -28-specific promoters of B. subtilis (Gilman et al., Gene Sequence 32:11-20, 1984), the promoters of the bacteriophages of Bacillus (Gryczan, In: The Molecular Biology of the Bacilli, Academic Press, Inc., NY, 1982), and Streptomyces promoters (Ward et al., Mol. Gen. Genet. 203:468-478, 1986). Prokaryotic

30

25

promoters are reviewed by Glick (Ind. Microbiot. 1:277-282, 1987), Cenatiempo (Biochimie 68:505-516, 1986), and Gottesman (Ann. Rev. Genet. 18:415-442, 1984).

5

10

15

20

25

30

Proper expression in a prokaryotic cell also requires the presence of a ribosome-binding site upstream of the gene sequence-encoding sequence. Such ribosome-binding sites are disclosed, for example, by Gold et al. (Ann. Rev. Microbiol. 35:365-404, 1981). The selection of control sequences, expression vectors, transformation methods, and the like, are dependent on the type of host cell used to express the gene. As used herein, "cell line", and "cell culture" may be used interchangeably and all such designations include progeny. Thus, the words "transformants" or "transformed cells" include the primary subject cell and cultures derived therefrom, without regard to the number of transfers. It is also understood that all progeny may not be precisely identical in DNA content, due to deliberate or inadvertent mutations. However, as defined, mutant progeny have the same functionality as that of the originally transformed cell.

Host cells which may be used in the expression systems of the present invention are not strictly limited, provided that they are suitable for use in the expression of the kinase polypeptide of interest. Suitable hosts may often include eukaryotic cells.

Preferred eukaryotic hosts include, for example, yeast, fungi, insect cells, mammalian cells either in vivo, or in tissue culture. Mammalian cells which may be useful as hosts include

Hela cells, cells of fibroblast origin such as VERO or CHO-K1, or cells of lymphoid origin and their derivatives. Preferred mammalian host cells include SP2/0 and J558L, as well as neuroblastoma cell lines such as IMR 332, which may provide better capacities for correct post-translational processing.

In addition, plant cells are also available as hosts, and control sequences compatible with plant cells are available, such as the cauliflower mosaic virus 35S and 19S, and nopaline synthase promoter and polyadenylation signal sequences. Another preferred host is an insect cell, for example the *Drosophila* larvae. Using insect cells as hosts, the *Drosophila* alcohol dehydrogenase promoter can be used (Rubin, Science 240:1453-1459, 1988). Alternatively, baculovirus vectors can be engineered to express large amounts of kinases of the invention in insect cells (Jasny, Science 238:1653, 1987; Miller *et al.*, In: Genetic Engineering, Vol. 8, Plenum, Setlow *et al.*, eds., pp. 277-297, 1986).

Any of a series of yeast expression systems can be utilized which incorporate promoter and termination elements from the actively expressed sequences coding for glycolytic enzymes that are produced in large quantities when yeast are grown in mediums rich in glucose. Known glycolytic gene sequences can also provide very efficient transcriptional control signals. Yeast provides substantial advantages in that it can also carry out post-translational modifications. A number of recombinant DNA strategies exist utilizing strong promoter sequences and high copy number plasmids which can be utilized for production of the desired proteins in yeast. Yeast recognizes leader sequences on cloned mammalian genes and secretes peptides bearing leader sequences (i.e., prepeptides). Several possible vector systems are available for the expression of kinases of the invention in a mammalian host.

5

10

15

20

25

30

A wide variety of transcriptional and translational regulatory sequences may be employed, depending upon the nature of the host. The transcriptional and translational regulatory signals may be derived from viral sources, such as adenovirus, bovine papilloma virus, cytomegalovirus, simian virus, or the like, where the regulatory signals are associated with a particular gene sequence which has a high level of expression. Alternatively, promoters from mammalian expression products, such as actin, collagen, myosin, and the like, may be employed. Transcriptional initiation regulatory signals may be selected which allow for repression or activation, so that expression of the gene sequences can be modulated. Of interest are regulatory signals which are temperature-sensitive so that by varying the temperature, expression can be repressed or initiated, or are subject to chemical (such as metabolite) regulation.

Expression of kinases of the invention in eukaryotic hosts requires the use of eukaryotic regulatory regions. Such regions will, in general, include a promoter region sufficient to direct the initiation of RNA synthesis. Preferred eukaryotic promoters include, for example, the promoter of the mouse metallothionein I gene sequence (Hamer et al., J. Mol. Appl. Gen. 1:273-288, 1982); the TK promoter of Herpes virus (McKnight, Cell 31:355-365, 1982); the SV40 early promoter (Benoist et al., Nature (London) 290:304-31, 1981); and the yeast gal4 gene sequence promoter (Johnston et al., Proc. Natl. Acad. Sci. (USA) 79:6971-6975, 1982; Silver et al., Proc. Natl. Acad. Sci. (USA) 81:5951-5955, 1984).

WO 00/73469 PCT/US00/14842

5

10

15

20

25

30

85

Translation of eukaryotic mRNA is initiated at the codon that encodes the first methionine. For this reason, it is preferable to ensure that the linkage between a eukaryotic promoter and a DNA sequence which encodes a kinase of the invention (or a functional derivative thereof) does not contain any intervening codons which are capable of encoding a methionine (i.e., AUG). The presence of such codons results either in the formation of a fusion protein (if the AUG codon is in the same reading frame as the kinase of the invention coding sequence) or a frame-shift mutation (if the AUG codon is not in the same reading frame as the kinase of the invention coding sequence).

A nucleic acid molecule encoding a kinase of the invention and an operably linked promoter may be introduced into a recipient prokaryotic or eukaryotic cell either as a nonreplicating DNA or RNA molecule, which may either be a linear molecule or, more preferably, a closed covalent circular molecule. Since such molecules are incapable of autonomous replication, the expression of the gene may occur through the transient expression of the introduced sequence. Alternatively, permanent expression may occur through the integration of the introduced DNA sequence into the host chromosome.

A vector may be employed which is capable of integrating the desired gene sequences into the host cell chromosome. Cells which have stably integrated the introduced DNA into their chromosomes can be selected by also introducing one or more markers which allow for selection of host cells which contain the expression vector. The marker may provide for prototrophy to an auxotrophic host, biocide resistance, e.g., antibiotics, or heavy metals, such as copper, or the like. The selectable marker gene sequence can either be directly linked to the DNA gene sequences to be expressed, or introduced into the same cell by co-transfection. Additional elements may also be needed for optimal synthesis of mRNA. These elements may include splice signals, as well as transcription promoters, enhancers, and termination signals. cDNA expression vectors incorporating such elements include those described by Okayama (Mol. Cell. Biol. 3:280-, 1983).

The introduced nucleic acid molecule can be incorporated into a plasmid or viral vector capable of autonomous replication in the recipient host. Any of a wide variety of vectors may be employed for this purpose. Factors of importance in selecting a particular plasmid or viral vector include: the ease with which recipient cells that contain the vector may be recognized and selected from those recipient cells which do not contain the vector;

10

15

20

25

30

the number of copies of the vector which are desired in a particular host; and whether it is desirable to be able to "shuttle" the vector between host cells of different species.

Preferred prokaryotic vectors include plasmids such as those capable of replication in *E. coli* (such as, for example, pBR322, ColEl, pSC101, pACYC 184, πVX; "Molecular Cloning: A Laboratory Manual", 1989, *supra*). Bacillus plasmids include pC194, pC221, pT127, and the like (Gryczan, In: The Molecular Biology of the Bacilli, Academic Press, NY, pp. 307-329, 1982). Suitable *Streptomyces* plasmids include p1J101 (Kendall *et al.*, Lacteriol. 169:4177-4183, 1987), and streptomyces bacteriaphages such as +C31 (Chater *et al.*, In: Sixth International Symposium on Actinomycetales Biology, Akademiai Kaido, Budapest, Hungary, pp. 45-54, 1986). *Pseudomonas* plasmids are reviewed by John *et al.* (Rev. Infect. Dis. 8:693-704, 1986), and Izaki (Jpn. J. Bacteriol. 33:729-742, 1978).

Preferred eukaryotic plasmids include, for example, BPV, vaccinia, SV40, 2-micron circle, and the like, or their derivatives. Such plasmids are well known in the art (Botstein et al., Miami Wntr. Symp. 19:265-274, 1982; Broach, In: "The Molecular Biology of the Yeast Saccharomyces: Life Cycle and Inheritance", Cold Spring Harbor Laboratory, Cold Spring Harbor, NY, p. 445-470, 1981; Broach, Cell 28:203-204, 1982; Bollon et al., J. Clin. Hematol. Oncol. 10:39-48, 1980; Maniatis, In: Cell Biology: A Comprehensive Treatise, Vol. 3, Gene Sequence Expression, Academic Press, NY, pp. 563-608, 1980).

Once the vector or nucleic acid molecule containing the construct(s) has been prepared for expression, the DNA construct(s) may be introduced into an appropriate host cell by any of a variety of suitable means, i.e., transformation, transfection, conjugation, protoplast fusion, electroporation, particle gun technology, calcium phosphate-precipitation, direct microinjection, and the like. After the introduction of the vector, recipient cells are grown in a selective medium, which selects for the growth of vector-containing cells. Expression of the cloned gene(s) results in the production of a kinase of the invention, or fragments thereof. This can take place in the transformed cells as such, or following the induction of these cells to differentiate (for example, by administration of bromodeoxyuracil to neuroblastoma cells or the like). A variety of incubation conditions can be used to form the peptide of the present invention. The most preferred conditions are those which mimic physiological conditions.

PCT/US00/14842 WO 00/73469 87

IV. The Proteins of the Invention

A variety of methodologies known in the art can be utilized to obtain the polypeptides of the present invention. The polypeptides may be purified from tissues or cells that naturally produce the polypeptides. Alternatively, the above-described isolated nucleic acid fragments could be used to express the kinases of the invention in any organism. The samples of the present invention include cells, protein extracts or membrane extracts of cells, or biological fluids. The samples will vary based on the assay format, the detection method, and the nature of the tissues, cells or extracts used as the sample.

10

5

Any eukaryotic organism can be used as a source for the polypeptides of the invention, as long as the source organism naturally contains such polypeptides. As used herein, "source organism" refers to the original organism from which the amino acid sequence of the subunit is derived, regardless of the organism the subunit is expressed in and ultimately isolated from.

15

One skilled in the art can readily follow known methods for isolating proteins in order to obtain the polypeptides free of natural contaminants. These include, but are not limited to: size-exclusion chromatography, HPLC, ion-exchange chromatography, and immuno-affinity chromatography.

20

25

30

Further, the polypeptides of the invention include the full-length polypeptides that can be identified from the full-length or partial sequences encoded by SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127. SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEO ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEO ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEO ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEO ID NO:148, SEO ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEO ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEO ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEO ID NO:168, SEO ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEO ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEO ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182,

10

15

20

25

30

SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 (Figure 1). In addition, the polypeptides of the invention include the domains of these polypeptides, including, but not limited to, the N-terminal, kinase/catalytic, and C-terminal domains.

The characteristics of the protein kinase nucleic acid sequences of the invention are provided in Table 1. The protein kinases fall into 10 known groups: AGC, CAMK, CKI, CMGC, dsPK, EIFK, LIMK, MLK, STE and TK. In addition, there are a significant number of protein kinases that do not belong to any of the kinewn groups, and therefore a presumably define new protein kinase groups.

Additional characteristics are shown in, *inter alia*, the tables, namely Table 1, Table 2, Table 3 and Table 4, provided below.

V. Antibodies, Hybridomas, Methods of Use and Kits for Detection of Protein Kinases

The present invention relates to an antibody having binding affinity to a kinase of the invention. The polypeptide may have an amino acid sequence selected from the group consisting of those set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEO ID NO:141, SEO ID NO:142, SEO ID NO:143, SEQ ID NO:144, SEQ

ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEO ID NO:156, SEO ID NO:157, SEO ID NO:158, SEO ID NO:159, SEO ID NO:160, SEO ID NO:161, SEO ID NO:162, SEO ID NO:163, SEO ID NO:164, SEO ID NO:165. SEO ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ 5 ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ 10 NO:180, SEQ ID NO:181, SEQ ID NO:152, SEQ ID NO:183, SEQ ID NO:184. SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ 10 ID NO:195, SEO ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEO ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEO ID NO:211, SEO ID NO:212, SEO ID NO:213, SEO ID NO:214, SEQ ID NO:215, SEO ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ 15 ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEO ID NO:236, SEO ID NO:237, SEO ID NO:238, SEO ID NO:239, SEO ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or a functional derivative thereof, or 20 at least 9 contiguous amino acids thereof (preferably, at least 20, 30, 35, or 40 or more contiguous amino acids thereof). Alternatively, the antibody may bind to a part of the polypeptide not provided in the sequences above, but that is present in the full-length sequence of the polypeptide and that is easily obtained using methods standard in the art. 25 Further, the antibody may bind specifically to particular domains of one or more of the kinases of the invention, including, but not limited to, the N-terminal, kinase/catalytic, or C-terminal domains.

The present invention also relates to an antibody having specific binding affinity to a kinase or kinase domain of the invention. Such an antibody may be isolated by comparing its binding affinity to a kinase of the invention with its binding affinity to other polypeptides. Those that bind selectively to a kinase of the invention would be chosen for use in methods requiring a distinction between a kinase of the invention and other

10

15

20

25

30

polypeptides. Such methods could include, but should not be limited to, the analysis of altered kinase expression in tissue containing other polypeptides.

The kinases of the present invention can be used in a variety of procedures and methods, such as for the generation of antibodies, for use in identifying pharmaceutical compositions, and for studying DNA/protein interaction.

The kinases of the present invention can be used to produce antibodies or hybridomas. One skilled in the art will recognize that if an antibody is desired, such a percide could be generated as described herein and used as an immunication. The antibodies of the present invention include monoclonal and polyclonal antibodies, as well fragments of these antibodies, and humanized forms. Humanized forms of the antibodies of the present invention may be generated using one of the procedures known in the art such as chimerization or CDR grafting.

The present invention also relates to a hybridoma that produces the abovedescribed monoclonal antibody, or binding fragment thereof. A hybridoma is an immortalized cell line that is capable of secreting a specific monoclonal antibody.

In general, techniques for preparing monoclonal antibodies and hybridomas are well known in the art (Campbell, "Monoclonal Antibody Technology: Laboratory Techniques in Biochemistry and Molecular Biology," Elsevier Science Publishers, Amsterdam, The Netherlands, 1984; St. Groth et al., J. Immunol. Medicular 35:1-25, 1836).

Any animal (mouse, rabbit, and the like) which is known to produce antibodies can be immunized with the selected polypeptide. Methods for immunization are well known in the art. Such methods include subcutaneous or intraperitoneal injection of the polypeptide. One skilled in the art will recognize that the amount of polypeptide used for immunization will vary based on the animal that is immunized, the antigenicity of the polypeptide and the site of injection.

The polypeptide may be modified or administered in an adjuvant in order to increase the peptide antigenicity. Methods of increasing the antigenicity of a polypeptide are well known in the art. Such procedures include coupling the antigen with a heterologous protein (such as globulin or β -galactosidase) or through the inclusion of an adjuvant during immunization.

10

15

20

25

30

For monoclonal antibodies, spleen cells from the immunized animals are removed, fused with myeloma cells, such as SP2/0-Agl4 myeloma cells, and allowed to become monoclonal antibody producing hybridoma cells. Any one of a number of methods well known in the art can be used to identify the hybridoma cell that produces an antibody with the desired characteristics. These include screening the hybridomas with an ELISA assay, western blot analysis, or radioimmunoassay (Lutz et al., Exp. Cell Res. 175:109-124, 1988). Hybridomas secreting the desired antibodies are cloned and the class and subclass are determined using procedures known in the art (Campbells Decode and Inibody).

Technology: Laboratory Techniques in Biochemistry and Molecular Biology", supra, 1984).

For polyclonal antibodies, antibody-containing antisera is isolated from the immunized animal and is screened for the presence of antibodies with the desired specificity using one of the above-described procedures. The above-described antibodies may be detectably labeled. Antibodies can be detectably labeled through the use of radioisotopes, affinity labels (such as biotin, avidin, and the like), enzymatic labels (such as horse radish peroxidase, alkaline phosphatase, and the like) fluorescent labels (such as FTTC or rhodamine, and the like), paramagnetic atoms, and the like. Procedures for accomplishing such labeling are well-known in the art, for example, see Stemberger et al., I. Histochem. Cytochem. 18:375–1970; Bayer et al., Meth. Bazym. 62:3086, 1939; Bayer et al., Immunol. 109:129-, 1972; Goding, J. Immunol. Meth. 13:215-, 1976. The labeled antibodies of the present invention can be used for in vitro, in vivo, and in situ assays to identify cells or tissues that express a specific peptide.

The above-described antibodies may also be immobilized on a solid support. Examples of such solid supports include plastics such as polycarbonate, complex carbohydrates such as agarose and sepharose, acrylic resins and such as polyacrylamide and latex beads. Techniques for coupling antibodies to such solid supports are well known in the art (Weir et al., "Handbook of Experimental Immunology" 4th Ed., Blackwell Scientific Publications, Oxford, England, Chapter 10, 1986; Jacoby et al., Meth. Enzym. 34, Academic Press, N.Y., 1974). The immobilized antibodies of the present invention can be used for in vitro, in vivo, and in situ assays as well as in immunochromotography.

10

15

20

25

30

Furthermore, one skilled in the art can readily adapt currently available procedures, as well as the techniques, methods and kits disclosed herein with regard to antibodies, to generate peptides capable of binding to a specific peptide sequence in order to generate rationally designed antipeptide peptides (Hurby et al., "Application of Synthetic Peptides: Antisense Peptides", In Synthetic Peptides, A User's Guide, W.H. Freeman, NY, pp. 289-307, 1992; Kaspczak et al., Biochemistry 28:9230-9238, 1989).

Anti-peptide peptides can be generated by replacing the basic amino acid residues found in the pertide sequences of the kinases of the invention with acid and include white maintaining hydrophobic and uncharged polar groups. For example, lysine, arginine, and/or histidine residues are replaced with aspartic acid or glutamic acid and glutamic acid residues are replaced by lysine, arginine or histidine.

The present invention also encompasses a method of detecting a kinase polypeptide in a sample, comprising: (a) contacting the sample with an above-described antibody, under conditions such that immunocomplexes form, and (b) detecting the presence of said antibody bound to the polypeptide. In detail, the methods comprise incubating a test sample with one or more of the antibodies of the present invention and assaying whether the antibody binds to the test sample. Altered levels of a kinase of the invention in a sample as compared to normal levels may indicate disease.

conditions for incubating an antibody with a test sample vary. **Lembation** Conditions depend on the format employed in the assay, the detection methods employed, and the type and nature of the antibody used in the assay. One skilled in the art will recognize that any one of the commonly available immunological assay formats (such as radioimmunoassays, enzyme-linked immunosorbent assays, diffusion based Ouchterlony, or rocket immunofluorescent assays) can readily be adapted to employ the antibodies of the present invention. Examples of such assays can be found in Chard ("An Introduction to Radioimmunoassay and Related Techniques" Elsevier Science Publishers, Amsterdam, The Netherlands, 1986), Bullock et al. ("Techniques in Immunocytochemistry," Academic Press, Orlando, FL Vol. 1, 1982; Vol. 2, 1983; Vol. 3, 1985), Tijssen ("Practice and Theory of Enzyme Immunoassays: Laboratory Techniques in Biochemistry and Molecular Biology," Elsevier Science Publishers, Amsterdam, The Netherlands, 1985).

The immunological assay test samples of the present invention include cells, protein or membrane extracts of cells, or biological fluids such as blood, serum, plasma, or urine. The test samples used in the above-described method will vary based on the assay format, nature of the detection method and the tissues, cells or extracts used as the sample to be assayed. Methods for preparing protein extracts or membrane extracts of cells are well known in the art and can be readily be adapted in order to obtain a sample which is testable with the system utilized.

A kit centains all the necessary reagents to carry out the previously described methods of detection. The kit may comprise: (i) a first container means containing an above-described antibody, and (ii) second container means containing a conjugate comprising a binding partner of the antibody and a label. In another preferred embodiment, the kit further comprises one or more other containers comprising one or more of the following: wash reagents and reagents capable of detecting the presence of bound antibodies.

15

20

25

30

10

5

Examples of detection reagents include, but are not limited to, labeled secondary antibodies, or in the alternative, if the primary antibody is labeled, the chromophoric, enzymatic, or antibody binding reagents that are capable of reacting with the labeled antibody. The compartmentalized kit may be as described above for nucleic acid probe inits. One skilled in the art will readily recognize that the satibodies described in the present invention can readily be incorporated into one of the established kit formats that are well known in the art.

VI. Isolation of Compounds That Interact With Protein Kinases

The present invention also relates to a method of detecting a compound capable of binding to a protein kinase of the invention, comprising incubating the compound with a kinase of the invention and detecting the presence of the compound bound to the kinase. The compound may be present within a complex mixture, for example, serum, body fluid, or cell extracts.

The present invention also relates to a method of detecting an agonist or antagonist of kinase activity or kinase binding partner activity comprising incubating cells that produce a kinase of the invention in the presence of a compound and detecting changes in the level of kinase activity or kinase binding partner activity. The compounds thus identified would produce a change in activity indicative of the presence of the compound.

10

15

20

25

30

The compound may be present within a complex mixture, for example, serum, body fluid, or cell extracts. Once the compound is identified it can be isolated using techniques well known in the art.

The present invention also encompasses a method of agonizing (stimulating) or antagonizing kinase associated activity in a mammal comprising administering to said mammal an agonist or antagonist to a kinase of the invention in an amount sufficient to effect said agonism or antagonism. A method of treating diseases in a mammal with an Laboration and agonist or antagonist of kinary activity comprising administering the agonist or antagonist to a mammal in an amount sufficient to agonize or antagonize kinase associated functions is also encompassed in the present application.

> In an effort to discover novel treatments for diseases, biomedical researchers and chemists have designed, synthesized, and tested molecules that inhibit the function of protein kinases. Some small organic molecules form a class of compounds that modulate the function of protein kinases. Examples of molecules that have been reported to inhibit the function of protein kinases include, but are not limited to, bis monocyclic, bicyclic or heterocyclic aryl compounds (PCT WO 92/20642, published November 26, 1992 by Maguire et al.), vinylene-azaindole derivatives (PCT WO 94/14808, published July 7, 1994 by Ballinari et al.), 1-cyclopropyl-4-pyridyl-quinolones (U.S. Patent No. 5,330,992), styryl compounds (U.S. Patent No. 5,217,999), styryl-substituted pyridyl compounds (U.S. Patent No. 5,302,606), certain quinazoline derivatives (EP Application No. 0 566 266 A1), seleoindoles and selenides (PCT WO 94/03427, published February 17, 1994 by Denny et al.), tricyclic polyhydroxylic compounds (PCT WO 92/21660, published December 10, 1992 by Dow), and benzylphosphonic acid compounds (PCT WO 91/15495, published October 17, 1991 by Dow et al).

Compounds that can traverse cell membranes and are resistant to acid hydrolysis are potentially advantageous as therapeutics as they can become highly bioavailable after being administered orally to patients. However, many of these protein kinase inhibitors only weakly inhibit the function of protein kinases. In addition, many inhibit a variety of protein kinases and will cause multiple side-effects as therapeutics for diseases.

Some indolinone compounds, however, form classes of acid resistant and membrane permeable organic molecules. WO 96/22976 (published August 1, 1996 by Ballinari et al.) describes hydrosoluble indolinone compounds that harbor tetralin,

10

15

25

30

naphthalene, quinoline, and indole substituents fused to the oxindole ring. These bicyclic substituents are in turn substituted with polar moieties including hydroxylated alkyl, phosphate, and ether moieties. U.S. Patent Application Serial Nos. 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187) and 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 223/298) and International Patent Publication WO 96/22:76, published August 1, 1996 by Ballinari et al., all of which are incorporated herein by reference in their entirety, including any drawings, describe indolinone chemical libraries of indolinone compounds harboring other bicyclic moieties as well as monocyclic moieties fused to the oxindole ring. Applications 08/702,232, filed August 23, 1996, entitled "Indolinone Combinatorial Libraries and Related Products and Methods for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 221/187), 08/485,323, filed June 7, 1995, entitled "Benzylidene-Z-Indoline Compounds for the Treatment of Disease" by Tang et al. (Lyon & Lyon Docket No. 223/298), and WO 96/22976, published August 1, 1996 by Ballinari et al. teach methods of indolinone synthesis, methods of testing the biological activity of indolinone compounds in cells, and inhibition patterns of indolinone derivatives.

Other examples of substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity include, but the substances capable of modulating kinase activity includes the substances capable of modulating kinase activity includes the substances capable of modulating kinase activity includes the substance activity includes activities activit are not limited to, tyrphostins, quinazolines, quinoxolines, and quinolines. The 20 quinazolines, tyrphostins, quinolines, and quinoxolines referred to above include well known compounds such as those described in the literature. For example, representative publications describing quinazolines include Barker et al., EPO Publication No. 0 520 722 A1: Jones et al., U.S. Patent No.4,447,608; Kabbe et al., U.S. Patent No. 4,757,072; Kaul and Vougioukas, U.S. Patent No. 5, 316,553; Kreighbaum and Comer, U.S. Patent No. 4,343,940; Pegg and Wardleworth, EPO Publication No. 0 562 734 A1; Barker et al., Proc. of Am. Assoc. for Cancer Research 32:327 (1991); Bertino, J.R., Cancer Research 3:293-304 (1979); Bertino, J.R., Cancer Research 9(2 part 1):293-304 (1979); Curtin et al., Br. J. Cancer 53:361-368 (1986); Fernandes et al., Cancer Research 43:1117-1123 (1983); Ferris et al. J. Org. Chem. 44(2):173-178; Fry et al., Science 265:1093-1095 (1994); Jackman et al., Cancer Research 51:5579-5586 (1981); Jones et al. J. Med. Chem. 29(6):1114-1118; Lee and Skibo, Biochemistry 26(23):7355-7362 (1987); Lemus et al., J.

10

15

20

25

30

Org. Chem. 54:3511-3518 (1989); Ley and Seng, Synthesis 1975:415-522 (1975);

Maxwell et al., Magnetic Resonance in Medicine 17:189-196 (1991); Mini et al., Cancer

Research 45:325-330 (1985); Phillips and Castle, J. Heterocyclic Chem. 17(19):1489-1596
(1980); Reece et al., Cancer Research 47(11):2996-2999 (1977); Sculier et al., Cancer

Immunol. and Immunother. 23:A65 (1986); Sikora et al., Cancer Letters 23:289-295
(1984); Sikora et al., Analytical Biochem. 172:344-355 (1988); all of which are incorporated herein by reference in their entirety, including any drawings.

No. : Quinoxaline is described in Kaul and Vougioukan, U.S. Peters 14., 0,310,553, 11 separate land incorporated herein by reference in its entirety, including any drawings.

Quinolines are described in Dolle et al., J. Med. Chem. 37:2627-2629 (1994); MaGuire, J. Med. Chem. 37:2129-2131 (1994); Burke et al., J. Med. Chem. 36:425-432 (1993); and Burke et al. BioOrganic Med. Chem. Letters 2:1771-1774 (1992), all of which are incorporated by reference in their entirety, including any drawings.

Tyrphostins are described in Allen et al., Clin. Exp. Immunol. 91:141-156 (1993); Anafi et al., Blood 82:12:3524-3529 (1993); Baker et al., J. Cell Sci. 102:543-555 (1992); Bilder et al., Amer. Physiol. Soc. pp. 6363-6143:C721-C730 (1991); Brunton et al., Proceedings of Amer. Assoc. Cancer Rsch. 33:558 (1992); Bryckaert et al., Experimental Cell Research 199:255-261 (1992); Dong et al., J. Leukocyte Biology 53:53-60 (1993); 2352 (1989); Gazit et al., "J. Med. Chem. 36:3556-3564 (1993); Kaur et al., Anti-Cancer Drugs 5:213-222 (1994); Kaur et al., King et al., Biochem. J. 275:413-418 (1991); Kuo et al., Cancer Letters 74:197-202 (1993); Levitzki, A., The FASEB J. 6:3275-3282 (1992); Lyall et al., J. Biol. Chem. 264:14503-14509 (1989); Peterson et al., The Prostate 22:335-345 (1993); Pillemer et al., Int. J. Cancer 50:80-85 (1992); Posner et al., Molecular Pharmacology 45:673-683 (1993); Rendu et al., Biol. Pharmacology 44(5):881-888 (1992); Sauro and Thomas, Life Sciences 53:371-376 (1993); Sauro and Thomas, J. Pharm. and Experimental Therapeutics 267(3):119-1125 (1993); Wolbring et al., J. Biol. Chem. 269(36):22470-22472 (1994); and Yoneda et al., Cancer Research 51:4430-4435 (1991); all of which are incorporated herein by reference in their entirety, including any drawings.

WO 00/73469 PCT/US00/14842

97

Other compounds that could be used as modulators include oxindolinones such as those described in U.S. patent application Serial No. 08/702,232 filed August 23, 1996, incorporated herein by reference in its entirety, including any drawings.

VII. <u>Biological Significance, Applications and Clinical Relevance of Novel Protein</u>
Kinases

5

10 .

15

20

25

30

For each protein kinase in this application, we provide a classification of the protein class and family to which it belongs, a summary of non-cataltyic protein motifs, a profile of its expression in several hundred tissue and cell sources, and a chromosomal location. This information can be used to suggest potential function, regulation or therapeutic utility for each of the proteins.

The kinase classification and protein domains often reflect pathways, cellular roles, or mechanisms of up- or down-stream regulation. Also disease-relevant genes often occur in families of related genes. For example if one member of a kinase family functions as an oncogene, a tumor suppressor, or has been found to be disrupted in an immune, neurologic, cardiovascular, or metabolic disorder, frequently other family members may play a related role.

The expression analysis organizes kinases into groups that are transcriptionally upregulated in tumors and those that are more restricted to specific tumor types such as medanoma or prostate. This analysis also identifies genes that are regulated in a cell cycle dependent manner, and are therefore likely to be involved in maintaining cell cycle checkpoints, entry, progression, or exit from mitosis, oversee DNA repair, or are involved in cell proliferation and genome stability. Expression data also can identify genes expressed in endothelial sources or other tissues that suggest a role in angiogenesis, thereby implicating them as targets for control of diseases that have an angiogenic component, such as cancer, endometriosis, retinopathy and macular degeneration, and various ischemic or vascular pathologies. A proteins' role in cell survival can also be suggested based on restricted expression in cells subjected to external stress such as oxidative damage, hypoxia, drugs such as cisplatinum, or irradiation. Metastases-associated genes can be implicated when expression is restricted to invading regions of a tumor, or is only seen in local or distant metastases compared to the primary tumor, or when a gene is upregulated during cell culture models of invasion, migration, or motility.

Chromosomal location can identify candidate targets for a tumor amplicon or a tumor-suppressor locus. Summaries of prevelant tumor amplicons are available in the literature, and can identify tumor types to experimentally be confirmed to contain amplified copies of a kinase gene which localizes to an adjacent region.

5

Based on these criteria several kinases immediately stand out as being of potential therapeutic relevance. The protein kinases can be divided into the following disease-relevant categories (nucleotide Seq ID #s in parentheses):

10

NO:11), AA435956 (SEQ ID NO:NO:48), AA278842 (SEQ ID NO:88), AA599286 (SEQ ID NO:89), AA826850 (SEQ ID NO:3), HRI (SEQ ID NO:73), MLK4 AA232253 (SEQ ID NO:82), AA883975 SGK 235 (SEQ ID NO:95), AA311714 (SEQ ID NO:101), MPSK1 (SEQ ID NO:110), R19609 (Seq ID111), AA383293 (SEQ ID NO:26).

Prostate-specific: AA234451 (SEQ ID NO:47), TSK4 (SEQ ID NO:93), RIP4 (SEQ ID NO:84), KIAA0965 (SEQ ID NO:8).

15

20

25

30

Oncogenic or proliferation associated: KIAA0781 (SEQ ID NO:38), AA789239 (SEQ ID NO:52), CCRK (SEQ ID NO:54), CLK4 (SEQ ID NO:55), H85389 (SEQ ID NO:97).

Neuronal restricted: CAMKKB (SEQ ID NO:66)

Hematopoietic expressed: PTK9L (SEQ ID NO;22), DRAK2 (SEQ ID NO;29), AI025291 (SEQ ID NO:94)

Angiogenic or endothelial expressed: DRAK1 (SEQ ID NO:31), MAK-V (SEQ ID NO:40), TRAD (SEQ ID NO:44), MOK (SEQ ID NO:57), AA08847 (SEQ ID NO:78), HGP 66444466 (SEQ ID NO:79), RSK4 (SEQ ID NO:16).

Cell cycle regulated: AA454060 (SEQ ID NO:45), KIAA0999 (Mitotic – SEQ ID NO:32), AA579641 (Mitotic – SEQ ID NO:60), AA305176 (Mitotic – SEQ ID NO:6), AA018361 (S1 phase – SEQ ID NO:100).

VIII. Transgenic Animals.

A variety of methods are available for the production of transgenic animals associated with this invention. DNA can be injected into the pronucleus of a fertilized egg before fusion of the male and female pronuclei, or injected into the nucleus of an embryonic cell (e.g., the nucleus of a two-cell embryo) following the initiation of cell division (Brinster et al., Proc. Nat. Acad. Sci. USA 82: 4438-4442, 1985). Embryos can

10

15

20

25

30

be infected with viruses, especially retroviruses, modified to carry inorganic-ion receptor nucleotide sequences of the invention.

Pluripotent stem cells derived from the inner cell mass of the embryo and stabilized in culture can be manipulated in culture to incorporate nucleotide sequences of the invention. A transgenic animal can be produced from such cells through implantation into a blastocyst that is implanted into a foster mother and allowed to come to term.

Animals suitable for transgenic experiments can be obtained from standard commercial sources such as Charles River (Wilmington, MA), Taconic (Germanicova, PV), Marian.

Sprague Dawley (Indianapolis, IN), etc.

The procedures for manipulation of the rodent embryo and for microinjection of DNA into the pronucleus of the zygote are well known to those of ordinary skill in the art (Hogan et al., supra). Microinjection procedures for fish, amphibian eggs and birds are detailed in Houdebine and Chourrout (Experientia 47: 897-905, 1991). Other procedures for introduction of DNA into tissues of animals are described in U.S. Patent No., 4,945,050 (Sanford et al., July 30, 1990).

By way of example only, to prepare a transgenic mouse, female mice are induced to superovulate. Females are placed with males, and the mated females are sacrificed by CO₂ asphyxiation or cervical dislocation and embryos are recovered from excised oviduets. Surrounding cumulus cells are removed. Pronuclear embryos are then washed and stored until the time of injection. Randomly cycling adult female mice are paired with vasectomized males. Recipient females are mated at the same time as donor females.

Embryos then are transferred surgically. The procedure for generating transgenic rats is similar to that of mice (Hammer et al., Cell 63:1099-1112, 1990).

Methods for the culturing of embryonic stem (ES) cells and the subsequent production of transgenic animals by the introduction of DNA into ES cells using methods such as electroporation, calcium phosphate/DNA precipitation and direct injection also are well known to those of ordinary skill in the art (Teratocarcinomas and Embryonic Stem Cells, A Practical Approach, E.J. Robertson, ed., IRL Press, 1987).

In cases involving random gene integration, a clone containing the sequence(s) of the invention is co-transfected with a gene encoding resistance. Alternatively, the gene encoding neomycin resistance is physically linked to the sequence(s) of the invention.

10

15

20

25

30

Transfection and isolation of desired clones are carried out by any one of several methods well known to those of ordinary skill in the art (E.J. Robertson, *supra*).

DNA molecules introduced into ES cells can also be integrated into the chromosome through the process of homologous recombination (Capecchi, Science 244: 1288-1292, 1989). Methods for positive selection of the recombination event (i.e., neo resistance) and dual positive-negative selection (i.e., neo resistance and gancyclovir resistance) and the subsequent identification of the desired clones by PCR have been described by Capecchi, supra and Joyner et al. (Nature 338: 153-156, 1989), the teachings of which are incorporated herein in their entirety including any drawings. The final phase of the procedure is to inject targeted ES cells into blastocysts and to transfer the blastocysts into pseudopregnant females. The resulting chimeric animals are bred and the offspring are analyzed by Southern blotting to identify individuals that carry the transgene. Procedures for the production of non-rodent mammals and other animals have been discussed by others (Houdebine and Chourrout, supra; Pursel et al., Science 244:1281-1288, 1989; and Simms et al., Bio/Technology 6:179-183, 1988).

Thus, the invention provides transgenic, nonhuman mammals containing a transgene encoding a kinase of the invention or a gene effecting the expression of the kinase. Such transgenic nonhuman mammals are particularly useful as an *in vivo* test system for studying the effects of introduction of kinase, or regulating the expression of a kinase (i.e., through the introduction of additional genes, antisense nucleic acids, or ribozymes).

A "transgenic animal" is an animal having cells that contain DNA which has been artificially inserted into a cell, which DNA becomes part of the genome of the animal which develops from that cell. Preferred transgenic animals are primates, mice, rats, cows, pigs, horses, goats, sheep, dogs and cats. The transgenic DNA may encode human STE20-related kinases. Native expression in an animal may be reduced by providing an amount of anti-sense RNA or DNA effective to reduce expression of the receptor.

IX. Gene Therapy

Protein kinases of the invention, or their genetic sequences will also be useful in gene therapy (reviewed in Miller, Nature 357:455-460, 1992). Miller states that advances have resulted in practical approaches to human gene therapy that have demonstrated

positive initial results. The basic science of gene therapy is described in Mulligan (Science 260:926-931, 1993).

5

10

15

20

25

30

In one preferred embodiment, an expression vector containing protein kinase coding sequence is inserted into cells, the cells are grown *in vitro*, and then are infused in large numbers into patients. In another preferred embodiment, a DNA segment containing a promoter of choice (for example a strong promoter) is transferred into cells containing an endogenous gene encoding kinases of the invention in such a manner that the promoter segment enhances expression of the endogenous kinase gene (for example, the promoter segment is transferred to the cell such that it becomes directly linked to the endogenous kinase gene).

The gene therapy may involve the use of an adenovirus containing kinase cDNA targeted to a tumor, systemic kinase increase by implantation of engineered cells, injection with kinase-encoding virus, or injection of naked kinase DNA into appropriate tissues.

Target cell populations may be modified by introducing altered forms of one or more components of the protein complexes in order to modulate the activity of such complexes. For example, by reducing or inhibiting a complex component activity within target cells, an abnormal signal transduction event(s) leading to a condition may be decreased, inhibited, or reversed. Deletion or missense mutants of a component, that retain the ability to interact with other components of the precisin complexes but cannot function in signal transduction may be used to inhibit an abnormal, deleterious signal transduction event.

Expression vectors derived from viruses such as retroviruses, vaccinia virus, adenovirus, adeno-associated virus, herpes viruses, several RNA viruses, or bovine papilloma virus, may be used for delivery of nucleotide sequences (e.g., cDNA) encoding recombinant kinase of the invention protein into the targeted cell population (e.g., tumor cells). Methods which are well known to those skilled in the art can be used to construct recombinant viral vectors containing coding sequences (Maniatis et al., Molecular Cloning: A Laboratory Manual, Cold Spring Harbor Laboratory, N.Y., 1989; Ausubel et al., Current Protocols in Molecular Biology, Greene Publishing Associates and Wiley Interscience, N.Y., 1989). Alternatively, recombinant nucleic acid molecules encoding protein sequences can be used as naked DNA or in a reconstituted system e.g., liposomes or other lipid systems for delivery to target cells (e.g., Felgner et al., Nature 337:387-8,

10

15

20

25

30

PCT/US00/14842

一些人通行交流的

1989). Several other methods for the direct transfer of plasmid DNA into cells exist for use in human gene therapy and involve targeting the DNA to receptors on cells by complexing the plasmid DNA to proteins (Miller, supra).

In its simplest form, gene transfer can be performed by simply injecting minute amounts of DNA into the nucleus of a cell, through a process of microinjection (Capecchi, Cell 22:479-88, 1980). Once recombinant genes are introduced into a cell, they can be recognized by the cell's normal mechanisms for transcription and translation, and a gene product will be expressed. Other methods include: transfection, wherein DNA is into larger numbers of cells. These methods include: transfection, wherein DNA is precipitated with CaPO4 and taken into cells by pinocytosis (Chen et al., Mol. Cell Biol. 7:2745-52, 1987); electroporation, wherein cells are exposed to large voltage pulses to introduce holes into the membrane (Chu et al., Nucleic Acids Res. 15:1311-26, 1987); lipofection/liposome fusion, wherein DNA is packaged into lipophilic vesicles which fuse with a target cell (Felgner et al., Proc. Natl. Acad. Sci. USA. 84:7413-7417, 1987); and particle bombardment using DNA bound to small projectiles (Yang et al., Proc. Natl. Acad. Sci. 87:9568-9572, 1990). Another method for introducing DNA into cells is to couple the DNA to chemically modified proteins.

It has also been shown that adenovirus proteins are capable of destabilizing endesomes and enhancing the uptake of DNA into cells. The admixture of adenovirus described solutions containing DNA complexes, or the binding of DNA to polylysine covalently attached to adenovirus using protein crosslinking agents substantially improves the uptake and expression of the recombinant gene (Curiel et al., Am. J. Respir. Cell. Mol. Biol., 6:247-52, 1992).

As used herein "gene transfer" means the process of introducing a foreign nucleic acid molecule into a cell. Gene transfer is commonly performed to enable the expression of a particular product encoded by the gene. The product may include a protein, polypeptide, anti-sense DNA or RNA, or enzymatically active RNA. Gene transfer can be performed in cultured cells or by direct administration into animals. Generally gene transfer involves the process of nucleic acid contact with a target cell by non-specific or receptor mediated interactions, uptake of nucleic acid into the cell through the membrane or by endocytosis, and release of nucleic acid into the cytoplasm from the plasma membrane or endosome. Expression may require, in addition, movement of the nucleic

10

15

20

25

30

acid into the nucleus of the cell and binding to appropriate nuclear factors for transcription.

As used herein "gene therapy" is a form of gene transfer and is included within the definition of gene transfer as used herein and specifically refers to gene transfer to express a therapeutic product from a cell in vivo or in vitro. Gene transfer can be performed ex vivo on cells which are then transplanted into a patient, or can be performed by direct administration of the nucleic acid or nucleic acid-protein complex into the patient.

All another preferred embodiment, a vector having nucleic soid sequences encoding a protein kinase polypeptide of the invention is provided in which the nucleic acid sequence is expressed only in specific tissue. Methods of achieving tissue-specific gene expression are set forth in International Publication No. WO 93/09236, filed November 3. 1992 and published May 13, 1993.

In all of the preceding vectors set forth above, a further aspect of the invention is that the nucleic acid sequence contained in the vector may include additions, deletions or modifications to some or all of the sequence of the nucleic acid, as defined above.

In another preferred embodiment, a method of gene replacement is set forth. "Gene replacement" as used herein means supplying a nucleic acid sequence which is capable of being expressed in vivo in an animal and thereby providing or augmenting the function of an endogenous gene that is missing or defective in the animal subsection of the contract of the co

X. Administration of Substances

Methods of determining the dosages of compounds to be administered to a patient and modes of administering compounds to an organism are disclosed in U.S. Application Serial No. 08/702,282, filed August 23, 1996 and International patent publication number WO 96/22976, published August 1 1996, both of which are incorporated herein by reference in their entirety, including any drawings, figures, or tables. Those skilled in the art will appreciate that such descriptions are applicable to the present invention and can be easily adapted to it.

The proper dosage depends on various factors such as the type of disease being treated, the particular composition being used, and the size and physiological condition of the patient. Therapeutically effective doses for the compounds described herein can be estimated initially from cell culture and animal models. For example, a dose can be formulated in animal models to achieve a circulating concentration range that initially

WO 00/73469

5

10

15

takes into account the IC₅₀ as determined in cell culture assays. The animal model data can be used to more accurately determine useful doses in humans.

Plasma half-life and biodistribution of the drug and metabolites in the plasma, tumors, and major organs can be also be determined to facilitate the selection of drugs most appropriate to inhibit a disorder. Such measurements can be carried out. For example, HPLC analysis can be performed on the plasma of animals treated with the drug and the location of radiolabeled compounds can be determined using detection methods such as X-ray; CAT-scan, and MRI. Compounds that show potential interpretation in the screening assays, but have poor pharmacokinetic characteristics, can be optimized by altering the chemical structure and retesting. In this regard, compounds displaying good pharmacokinetic characteristics can be used as a model.

Toxicity studies can also be carried out by measuring the blood cell composition.

For example, toxicity studies can be carried out in a suitable animal model as follows: 1)
the compound is administered to mice (an untreated control mouse should also be used);
2) blood samples are periodically obtained via the tail vein from one mouse in each
treatment group; and 3) the samples are analyzed for red and white blood cell counts,
blood cell composition, and the percent of lymphocytes versus polymorphonuclear cells.
A comparison of results for each dosing regime with the controls indicates if toxicity is

present.

At the termination of each toxicity study, further studies can be carried out by sacrificing the animals (preferably, in accordance with the American Veterinary Medical Association guidelines Report of the American Veterinary Medical Assoc. Panel on Euthanasia, Journal of American Veterinary Medical Assoc., 202:229-249, 1993).

Representative animals from each treatment group can then be examined by gross necropsy for immediate evidence of metastasis, unusual illness, or toxicity. Gross abnormalities in tissue are noted, and tissues are examined histologically. Compounds causing a reduction in body weight or blood components are less preferred, as are compounds having an adverse effect on major organs. In general, the greater the adverse

effect the less preferred the compound.

For the treatment of cancers the expected daily dose of a hydrophobic pharmaceutical agent is between 1 to 500 mg/day, preferably 1 to 250 mg/day, and most preferably 1 to 50 mg/day. Drugs can be delivered less frequently provided plasma levels of the active moiety are sufficient to maintain therapeutic effectiveness.

Plasma levels should reflect the potency of the drug. Generally, the more potent the compound the lower the plasma levels necessary to achieve efficacy.

5

10

15

20

25

30

EXAMPLES ...

The examples below are not limiting and are merely representative of various aspects and features of the present invention. The examples below demonstrate the isolation and characterization of the protein kinases of the invention.

EXAMPLE 1: Isolation of cDNA clones Encoding Novel Mammalian Protein Kinases Materials and Methods Identification from cDNA databases and isolation of clones encoding novel protein kinases

Novel kinases were identified from the public EST databases using a Hidden Markov model, abbreviated HMM (Krogh, A., Brown, M., Mian, I. S., Sjolander, K., and Haussler, D. 1994. Hidden Markov models in computational biology: Applications to protein modeling. *J. Mol. Biol.*, 235:1501-1531). The model was built with 70 mammalian and yeast kinase catalytic domain sequences. These sequences were chosen from a comprehensive collection of kinases such that no two sequences had more than 50% sequence identity. ESTs were translated in six open reading frames and were searched against the model. ESTs that had a score of at least 10 against the HMM were then masked for repetitive sequences and vectors and were clustered using MSA. The resulting contigs were searched against known kinases to identify EST clones that encode novel kinases.

Approximately 40% of the ESTs encoding potentially novel kinases did not correspond to the correct EST upon sequence analysis. Most of these discrepancies were resolved by ordering additional clones, however, 14 remained unavailable. These 14 ESTs were amplified from a variety of single-stranded cDNA sources with primers derived from the corresponding EST entry as shown on Table 5. The PCR product was subcloned into a bluescript vector, digested to confirm the presence of a correct size insert and sequenced. Full sequencing of EST and PCR was carried out using a cycle sequencing Big-dye kit

with AmpliTaq DNA Polymerase, FS (ABI, Foster City, CA). Sequencing reaction products were run on an ABI Prism 377 DNA Sequencer.

Table 5: Primers used to clone PCR products corresponding to novel kinases

	ID#	ID#	Parent	5' primer	3' primer
sp	na	8.2	Sequence	Sequence*	Sequence*
Н	33	153	2R22-5-11	GAGATCGRNTTYAARGA	TGTCACNCCNAGNSWCCAN
				RTTYGA	AYRTT
М	81	200	5R57_10_2_	GCTGCTGGACAGTGACT	GAAAGCAAAGCCTTCACAC
ļ. ,	i seesar -		a: TESK2_m	TGTATTT	CTT
H	67	187	5R69_17_2_h	CTCTCACCTCAGGAACT	GCTTGCGGATCTTCTCA
ļ				GG	
H	46	166	SGK309_h	GACATCCTGCCGGCCAA	CGGCCCTGGAGCTGCATCA
1				CTACG	CTA
M	67	228	5R72_16_2_h	TGCGCGACACCATTGAC	CTCAGGGCTTACATACAGA
			•	CAG	G
Н	45	165	5R72_8_2_h	AAAGGAGAACTACATTT	CTTCATCATCTCTAATACAT
				TGAAAAT	TGGTTGG
Н	41	161	Z36720	CAAATTAAGATCATTGA	GGAAACAAAGTCCTTGGCC
				CTTTGGG	TC
Н	115	234	AL031652 -	GTGGACATCTGGTCCCT	GTAGGTCCTTCACTCTTGG
			Pak6	CG	AG

[•] degenerate oligonucleotide residue designation:

__5 N= A,C,G ot T

R = A or G

Y = C or T

S = C or G

W = A or T

10

15

Full-length sequence extension of protein kinases using cDNA and genomic databases

Extension of partial cDNA sequences to encompass the full-length open-reading frame was carried out by iterative blastn searching of the cDNA databases listed in Table 6. All blastn searches were conducted using a blosum62 matrix, a penalty for a nucleotide mismatch of -3 and reward for a nucleotide match of 1. The gapped blast algorithm is described in: (Altschul, Stephen F., Thomas L. Madden, Alejandro A. Schaffer, Jinghui Zhang, Zheng Zhang, Webb Miller, and David J. Lipman (1997), "Gapped BLAST and

PSI-BLAST: a new generation of protein database search programs", Nucleic Acids Res. 25:3389-3402).

Table 6. Databases used for cDNA-based sequence extensions

Database	Database Date	
LifeGold templates	Feb 2000	
LifeGold compseqs	Feb 2000	
IniteGold-compact	Mar 2000	
LifeGold compseqs	Apr 2000	
LifeGold fl	Feb 2000	
LifeGold flft	Apr 2000	
NCBI human Ests	May 2000	
NCBI murine Ests	May 2000	
NCBI nonredundant	May 2000	

5

10

15

20

Extension of partial cDNA sequences to encompass the full-length open-reading frame was also carried out by iterative searches of genomic databases. Three methods were used. The first method made use of the Smith-Waterman algorithm to carry conprotein-protein searches of the closest homologue or orthologue to the partial kinase. The target databases consisted of Genescan and open-reading frame (ORF) predictions of all human genomic sequence derived from the human genome project (HGP) as well as from Celera. The complete set of genomic databases searched is shown in Table 7 below. Genomic sequences encoding potential extensions were further assessed by blastp analysis against the NCBI nonredundant to confirm the novelty of the hit. The extending genomic sequences were incorporated into the cDNA sequence after removal of potential introns using the Seqman program from DNAStar. The default parameters used for Smith-Waterman searches were as shown next. Matrix: blosum 62; gap-opening penalty: 12; gap extension penalty: 2. Genescan predictions were made using the Genescan program as detailed in (Chris Burge and Sam Karlin "Prediction of Complete Gene Structures in Human Genomic DNA", JMB (1997) 268(1):78-94). ORF predictions from genomic DNA were made using a standard 6-frame translation.

10

The second method for genomic sequence-based extensions made use of tBlastn searches of the homologue or orthologue to the partial kinase against the cDNA databases listed in Table 7. The recognition of significant hits in these databases made possible to identify bridging partial cDNA clones. The iterative application of the two methods made possible the assemblage of the virtual full-length sequence for a large number of the kinases presented in this application. All tblastn searches were conducted using a blosum62 matrix, a penalty for a nucleotide mismatch of -3 and reward for a nucleotide moatch of -1.

The last method for defining cDNA extensions from genomic sequence used iterative searches of genomic databases through the Genescan program to predict exon splicing and the Genewise program (http://www.sanger.ac.uk/Software/Wise2/) to predict potential ORFs based on homology to the closest orthologue/homologue.

Table 7. Databases used for genomic-based sequence extensions

Database	Number of entries	Database Date
Celera v. 1-5	5,306,158	Jan 19/00
Celera v. 6-10	4,209,980	Mar 24/00
Celera v. 11-14	7,222,425	Apr 24/00
Celera v. 15	243,044	May 14/00
HGP all Genescan	25,885	Apr 04/00
HGP; Phase 0	4,944	May 04/00
HGP; Phase 1	28,478	May 05/00
HGP; Phase 2	1,508	May 04/00
HGP; Phase 3	9,971	May 05/00

Virtual Extensions

15

20

Human AA826850 (SEQ ID NO: 3, SEQ ID NO:124)

Blastn analysis of the partial AA826850 sequence revealed an extension to encompass the complete ORF in the Incyte EST 238299.1. A frame-shift correction at position 595 of this EST (marked by X in NA sequence) generated an uninterrupted ORF.

Human AA960957 (SEQ ID NO: 4, SEQ ID NO:125)

10

15

20

25

30

Since the initial filing of this application, the partial AA960957 sequence appeared in the public database as the full-length gene for a protein kinase encoded by a gene that maps adjacent to the evc (AJ250839) (ellis-van creveld syndrome and weyers acrodental dysostosis) gene from 4p16.1.

Human 5R79-46-1 h (SEQ ID NO: 5, SEQ ID NO:126)

Blastn analysis of the partial 5R79-46-1 sequence revealed an extension to encompass the complete ORF in the Incyte EST 463894.6. Since the initial filing of this explication, the full-length virtual 5R79-46-1 expeared in the public extracted as the full-length gene for the TANK-binding kinase (TBK1) (Pomerantz, J.L. and Baltimore, D. (1999) EMBO J. 18 (23), 6694-6704). TBK1 participates in NF-kB activation through the formation of a signaling complex with TRAF2 and TANK.

Human AA305176 (SEQ ID NO: 6, SEQ ID NO:127)

Blastn analysis of the partial AA305176 sequence revealed an extension to encompass the complete ORF in the Incyte EST 220937.1.

Human AA256100 (SEQ ID NO: 8, SEQ ID NO:129)

Blastn analysis of the partial AA256100 sequence revealed an extension to encompass the complete ORF through the assembly of three partial clones: Incyte EST 480815.6, KIAA0965 (BAA76809) and AA256100.

Haman AA210825 (SEQ ID NO: 9, SEQ ID NO: 130)

Blastn analysis of the partial AA210825 sequence revealed an extension to encompass the nearly complete ORF through the assembly of three partial clones: Incyte EST 014721.7, and the NCBI EST's AW01158 and AA210825. An insertion of two "N's" at positions 1915 and 1916 generated an uninterrupted ORF. Blastx analysis indicated the possibility of a start Met in the range of 400-450 nucleotides (i.e. compared to the closest homolog, human PKCmu (CAA53384.1). However, no Met was found in this region; rather ORF ends in an in-frame stop preceded by the sequence "RGLLAPGDPPCPPPNPAPATPPSSRLPTELFSNFCDS". It is possible that part of the sequence covered by nucleotide positions 1-400 derived from AW01158 comes from an intron, explaining the absence of a start Met.

Human AA127299 (SEQ ID NO:10, SEQ ID NO:131)

No entries in the database extended this sequence. The 1684 bp insert of this EST contains a 1369 bp intron at the 3' end. Blastx and SW analysis of the 315 bp coding

region revealed homology to the extracatalytic C2 domain of PKC. This EST, may or may not encode a kinase.

Human AA316804 (SEQ ID NO:11, SEQ ID NO:132)

Since the initial filing of this application, the partial AA316804 sequence appeared in the public database as the full-length gene for the PKC family protein kinase EPK2 or PKCnu (AB015982).

Human H19102 (SEQ ID NO:14, SEQ ID NO:135)

5

10

15

20

25

30

extension from the HGP phase 3 contig 3810672 to encompass the complete catalytic domain of this EST. Blastn analysis against the non-redundant database revealed that this gene is found in the cosmid AC005726 from chromosome 17. H19102 may encode a dual catalytic kinase given the homology to S6 kinase. Analysis of genomic sequence upstream of the 5' end of H19102 revealed a non-kinase gene oriented in the same polarity as H19102 suggestive of the start Met for H19102 being close to the 5' end of the H19102 sequence. From this analysis it is deduced that the second catalytic domain of H19102, if present, is most likely located within the 47334-185,215 bp region of the genomic sequence of AC005726.

Human AA476563 (SEQ ID NO:15, SEQ ID NO:136)

Since the initial filing of this application, the partial AA476562 sequence application in the public database as the full-length gene for the protein kinase RPS6KC1 (NM_012424) (Zhang, H. et al Genomics (1999) 61, 314-318), which is an S6 kinase mapping to 12q12-q13.1.

Human AA626690 (SEQ ID NO:16, SEQ ID NO:137)

Since the initial filing of this application, the partial AA626690 sequence appeared in the public database as the full-length gene for the protein kinase RPS6KA6 (AF184965) (Yntema, H.G et al (1999) Genomics 62, 332-343), an S6 kinase commonly deleted in patients with complex X-linked (Xq21.1) mental retardation.

Human AI215680 (SEQ ID NO: 17, SEQ ID NO:138)

Since the initial filing of this application, the partial AI215680 sequence appeared in the public database as the full-length gene encoding a hypothetical protein (AAD30182) from the locus AC006530.4 from chromosome 14.

Human AA887783 (SEQ ID NO:21, SEQ ID NO:142)

10

15

20

25

30

Blastn analysis of the partial AA887783 sequence revealed an extension to encompass the nearly complete ORF through the assembly of three partial clones: Incyte 415390R6 and the NCBI EST's AA887783 and N94726. Since the initial filing of this application, the nearly full-length virtual AA887783 sequence appeared in the public database as the full-length gene encoding SGK3 (AF169035), a serum- and glucocorticoid-induced protein kinase (Kobayashi, T. et al (1999) Biochemical J. 344, 189-197.

Human I.-7865 (SEQ ID NC:22, EEQ ID NO:143)

A cDNA clone encoding the full-length ORF of R47805 was isolated using R47805 as a screening probe. A full-length form for R47805 has also appeared in the public database as

PTK9L (NM 007284), an A6-related protein kinase.

Human H60215 (SEQ ID NO:23, SEQ ID NO:144)

Blastn analysis of the partial H60215 sequence revealed an extension to encompass the complete ORF in the public EST AI275726. This was confirmed through the full insert sequencing of this EST (2,310 bp) which corresponds to the sequence under SEQ ID NO:144.

A different stop codon was predicted for AI275726 compared to H60215 due to a single nucleotide insertion at position 1586 in Ai275725. Evidence for the extra nucleotide comes from EST AI191922.

SGK324_h orthologue of W30246 m (SEQ ID NO:24, SEQ ID NO:145)

Blastn, blastx and Smith-Waterman analyses of genomic databases revealed an extension to encompass the complete ORF corresponding to the human orthologue of murine W30246. Exons predicted from the following sequences were used for contig construction: Celera 17000189645083, 17000057549105 and 11000501939981; Incyte142404.1, HGP_7249119, Incyte 7196489H1, Celera 11000501939981, 17000028165594; Incyte 7249119_3, Celera 17000035772368, 11000502081575 and 17000140274329. The latter Celera sequence provides the N-terminus.

Human AA383293 (SEQ ID NO:26, SEQ ID NO:147)

Blastn, blastx and Smith-Waterman analyses of genomic databases revealed an extension to encompass the complete ORF corresponding for AA383293. Exons predicted from the following sequences were used for contig construction: (numbers in parenthesis

10

15

20

25

30

refer to the aa sequence of the closest homolog (RU2S, NP 057440) used for the Smith-Waterman query): N-term from Incyte 6010175 2 (14-97), Incyte 6981981 (134-184) 7596749 (186-232) Celera 17000020789545 (243-301) CAB75619.1 (310-341)-(56-145 DCX homology) 6010175 2, Celera 17000030058129 (241-262 DCX homology).

Human AA021445 (SEQ ID NO:32, SEQ ID NO:152)

Blastn analysis revealed an extension to encompass the nearly complete ORF corresponding for AA021445. Contig reconstruction was as follows; nucleotides 1-802 AAC21445. A pairwise alignment between the AAO21445 and KIAAO999 revealed three inserts in the extracatalytic C-terminus of 48, 48 and 161 aminoacids. In addition, both AA021445 and KIAA0999 have 15 copies of a CAG repeat. Trinucleotide repeats are often found in genes that linked to neurodegenerative diseases.

Human 2R22-55-1 (SEQ ID NO:33, SEQ ID NO:153)

Blastn analysis revealed an extension in the Incyte EST clone 321074.1 to encompass the complete ORF corresponding to 2R22-55-1.

Human orthologue of AA544838 m (SEQ ID NO:36, SEQ ID NO:156) tBlastn analysis identified the partial human KIAA0135 (U79240) clone as the human orthologue of murine AA544838. Blastn revealed an extension KIAA0135 h (U79240) to encompass the complete ORF. The full ORF was reconstructed from Incyte406786.5, KFZp430051 and KIAA0135 (U79240).

Human orthologue of AI785735_m (SEQ ID NO:38, SEQ ID NO:158)

tBlastn analysis identified the partial human KIAA0781 (AB018324) clone as the human orthologue of murine AI785735. Blastn revealed an extension KIAA0135 h (U79240) to encompass the complete ORF. The full ORF was reconstructed from Incyte 986123.37 KIAA0781 (AB018324).

Human AA207220 (SEQ ID NO: 39, SEQ ID NO:159)

Blastn analysis revealed an extension to encompass the nearly complete ORF corresponding for AA021445. The full ORF was reconstructed from Incyte 402740.1 and AA207220. Frame corrections: deletion of 441 and 595 over Inc402740.1 seq based on blastx to keep frame open; two n insertions 940, 941 over AA207220 to keep frame open. Human AA426580 (SEQ ID NO:40, SEQ ID NO:160)

10

15

20

Since the initial filing of this application, the partial AA426580 sequence appeared in the public database as the full-length gene encoding MAK-V (AJ271722) from chromosome 21q22.1.

Human 5R79-54-1 (SEQ ID NO: 41, SEQ ID NO:161)

Genewise and Genescan analyses of the partial 5R79-54-1 sequence revealed an extension from genomic sequence to encode the full ORF for 5R79-54-1.

Human orthologue of AA542015_m (SEQ ID NO: 42, SEQ ID NO:162)

. 1897 tBlastn chalysis identified KIAA1297 (ABOT) (10). Blastn extended the kind is the control of the control

KIAA1297 sequence to provide the C-terminus through the Incyte 224074.1 EST. The partial ORF consists of a dual catalytic domain flanked by 6 Ig domains and 2 fibronectin repeats. Based on homology to the bt drosophila protein (AAF59316.1), the human form of AA542015 is expected to be missing 16 Ig domains.

Human R19772 (SEQ ID NO:44, SEQ ID NO:164)

The full-length ORF for R19772 was isolated by screening a cDNA library using a probe derived from R19772. Since the initial filing of this application, the R19772 sequence appeared in the public database as the full-length gene encoding Trio (Duet) (AB011422). CDNA library screening revealed multiple isoforms for this gene which are summarized in the Table below.

Table 8. Isoforms for R19772

Kestrl Name	Kestrl AA Acc #	Isoform type	Source	Description*
Trad (Duet)	R19772	В	Skeletal muscle	Deletion of K at 124
				Deletion of Q at 616
				Substitution of E for G at 762
		С	Skeletal muscle	Deletion of K at 124
	· · ·			Deletion of Q at 616
				Substitution of E for G at 762

5

10

15

20

25

		Deletion of 32 aa (160-191)
D	Lung tumor	Deletion of Q at 616
		Deletion of 32 aa (160-191)
E	Lung tumor	Deletion of Q at 616
		Deletion of 32 aa (160-191)

^{*} reference amino acid position are with respect to sequence of Trad (AB011422)

Human AA435956 (SEQ ID NO:48, SEQ ID NO:168)

get to the more temporal theaten with the

Blastn analysis revealed an extension to encompass the nearly complete catalytic region of AA435956. 5' end sequence extension was provided by genomic locus AC007242.3_h (range 44880-43801). Based on blastx analysis, the extended sequence encodes is full-length at the C-terminus.

Human AA397553 (SEQ ID NO: 51, SEQ ID NO:171)

Since the initial filing of this application, the partial AA397553 sequence appeared in the public database as the full-length gene encoding CRK7 (AF227198), a novel CDC2-related protein kinase that colocalizes with interchromatin granule clusters.

Human AA789239 (SEQ ID NO: 52, SEQ ID NO:172)

Since the initial filing of this application, the partial AA789239 sequence appeared in the public database as the full-length gene encoding NKIAMRE (AF130372), a novel kinase deleted in human leukemia.

Human AA631990 (SEQ ID NO:55, SEQ ID NO:175)

Blastn analysis revealed an extension to encompass the full-length ORF for AA631990. The full ORF was reconstructed from 253847.5 and AA631990 and AA207220. Frame corrections: delete 1 C at 1380, delete 2N's at 2033/2034.

Human AA557536 (SEQ ID NO:56, SEQ ID NO:176)

Blastn analysis revealed an extension to encompass full-length ORF for AA557536. The full ORF was reconstructed from AA557536, celera 11000504061899 and the Incyte 097089.1 EST. An 85bp intron was removed from AA557536.

Human N34132 (SEQ ID NO: 63, SEQ ID NO:183)

Full sequencing of EST N34132 (1.3 kb) confirmed that this cDNA encodes a novel NEK-subfamily kinase. Blast analysis against the EST database showed that four

10

15

20

25

30

EST sequences (AA283140, AA283140, AA282911 and N53011) extended the sequence of N34132 at the 3' end to form a 2.31 kb contig. Blast analysis of the new contig against the nonredunat public database showed that the N34132 extended contig overlapped (100% identity) over 228 bp at its 3' end with human KIAA0344 (AB002342), a 5, 787 bp cDNA encoding a 1246 as polypeptide. The 5' 790 bp of the KIAA0344 cDNA (encoding the 58 N-terminal protein sequence) were found to be divergent with respect to the extended 2.32 kb N34132 contig. Evidence that the extended N34132 contig (2.31kb) and KIAA0344 (AB002342) belong to the same game is the following. First, blact analysis of the nucicotide sequences for N34132 and KIAA0344 against the NRN database confirmed that these cDNA's are transcribed from the same genomic locus defined by two overlapping BACs (AC004765 and AC004803) from chromosome 12p13.3. Second, full sequence determination of a PCR fragment amplified from single-stranded cDNA confirmed the junction between the extended N34132 contig and KIAA0344_h (AB002342). The 462 PCR product was amplified with primers CTCCTCAACAGACAGTGCAG (5' primer) and GACATTCTACTACTCGGTCTC (3' primer) designed from the N34132 extended contig and KIAA0344 sequences, respectively. The region of N34132 containing the start Met was isolated by PCR from a testis cDNA library (Clontech).

Human 5R69-17-2 (SEQ/ID NO:67, SEQ/ID NO:187)

The full-length ORF for 5R69-17-2 was isolated by screening a cDNA library using a probe derived from 5R69-17-2.

Human H85811 (SEQ ID NO:68, SEQ ID NO:188)

Tblastn, Smith-Waterman and blastn analyses using cDNA databases revealed an extension to encompass full-length ORF for H85811. The full ORF was reconstructed from Incyte ESTs 202971.8, 034583.3 and 034583.1 and public ESTs H85811 and Al570599.

Human R43524 (SEQ ID NO:73, SEQ ID NO:192)

Blastn analysis revealed an extension to encompass the complete catalytic region and the C-terminus of R43524. Since the initial filing of this application, the partial R43524 sequence appeared in the public database as the full-length gene encoding the heme-regulated initiation factor 2-alpha kinase (HRI) (AF181071).

Human AA088547 (SEQ ID NO:78, SEQ ID NO:197)

10

15

25

Genewise and Genescan analyses of genomic databases revealed an extension to encompass the complete ORF for AA088547.

Human orthologue of AA139478_m (SEQ ID NO:80, SEQ ID NO:199)

Tblastn identified the Incyte 211475.1 as the potential full-length human orthologue of murine AA139478

Human AA232253 (SEQ ID NO:82, SEQ ID NO:201)

The full-length ORF for AA232253 was isolated by screening a cDNA library using a probe derived from AA232253. Since the initial filing of this application, the AA232253 sequence appeared in the public database as the full-length gene encoding SLK (AB011422). SLK is a stress-regulated mixed lineage kinase-like protein that activation of Rac and induction of apoptosis. cDNA library screening revealed multiple isoforms for this gene which are summarized in the Table below.

Table 9. Isoforms for AA232253

Kestrl	Kestrl AA	Isoform	Description*
Name	Acc#	type	
MLK4	AA232253	MLK4	Substitution of C for W at 346
7.77	A to the second of the second	MLK4B	Different Cterm (332-800); seq in wiLk40 is as shown in *

* C-terminus specific to MLK4B

LPLAARMSEESYFESKTEESNSAEMSCQITATSNGEGHGMNPSLQAMMLMGFGDI FSMNKAGAVMHSGMQINMQAKQNSS

20 KTTSKRRGKKVNMALGFSDFDLSEGDDDDDDDGEEEDNDMDNSE

Human H97685 (SEQ ID NO:84, SEQ ID NO:203)

Blastn analysis revealed an extension to encompass the full-length ORF for H97685. The full ORF was reconstructed from Incyte 474824.1 and the public ESTs H97685 and M62021.

Human AI052250 (SEQ ID NO:87, SEQ ID NO:206)

Blastn analysis revealed an extension to encompass the full-length ORF for Al052250. The full ORF was reconstructed from Incyte 396868.1, the public partial cDNA FLJ10074 (minus intron) and the public ESTs and the public ESTs Al052250 and H97685, Al499220 and M62021.

5 Human A

Human AA278842 (SEQ ID NO:88, SEQ ID NO:206)

A nearly full-length cDNA (FL4F12) for AA278842 was isolated by screening a cDNA library using a probe derived from AA278842. A full-length virtual ORF was secretaring FL4F12 and AA278842.

Human AA599286 (SEQ ID NO:89, SEQ ID NO:208)

10

15

20

Since the initial filing of this application, the partial AA599286 sequence appeared in the public database as a full-length ORF (AK000342).

Human AA425725 (SEQ ID NO:90, SEQ ID NO:209)

Since the initial filing of this application, the partial AA425725 sequence appeared in the public database as MSSK1, a serine kinase gene located from human chromosome Xq28.

Human SGK022 orthologue of AA060026_m (SEQ ID NO:91, SEQ ID NO:210)

Tblastn, Smith-Waterman and blastn analyses of cDNA and genomic databases databases revealed a potential human orthologue for murine AA060026. The full-length ORF for SGK022 was reconstructed from genomic locus AC022307.

Human AA399669 (SEQ ID NO:93, SEQ ID NO:212)

Blastn analysis revealed an extension to encompass the full-length ORF for AA399669. The full ORF was reconstructed as follows: sequence 1-1007 from AL136295.2; sequence 1008-2319 from AA399669 and Incyte 428177.1.

Human AA883975 (SEQ ID NO:95, SEQ ID NO:214)

25

30

Genescan and Genewise analyses of the genomic databases revealed an extension for AA883975 to encompass the full-length ORF

Human AA905446 (SEQ ID NO:96, SEQ ID NO:215)

Tblastn, Smith-Waterman and blastn analyses of cDNA and genomic databases databases revealed an extension for AA905446 to encompass the full-length ORF. For the Smith-Waterman analysis murine STK22 (NP_033462) was used as the closest orthologue. Contig formation: range 162133-163687 from HGP_h 6921333_9; removed intron (146-893) predicted from blastx analysis.

15

20

25

30

Human H29974 (SEQ ID NO: 97 SEQ ID NO:216)

Blastn analysis revealed an extension to encompass a complete catalytic ORF for AA399669. The nearly full-length ORF was reconstructed using Incyte 213829.1 and H29974.

Human AA215311 (SEQ ID NO:99, SEQ ID NO:218)

Blastn analysis revealed an extension to encompass the full-length ORF for AA21531. The full ORF was reconstructed from Incyte 067584.1, 022456.1, AA215311 and the reserve complement of CPG_043208.

Human AA018361 (SEQ ID NO:100, SEQ ID NO:219)

The full-length ORF for AA018361 was isolated by screening a cDNA library using a probe derived from AA018361. This yielded clone Sug4-30. Clone Sug4-30, like multiple, independent cDNA clones contained a 181bp intron. The existence of intron-less

RNA's was confirmed by a PCR reaction that generated a product that upon sequence analysis skipped the intron region. The full-length virtual ORF for AA018361 was generated through a contig between AL117482 (seq 1-367) and the sequence for clone Sug4-30.

Human orthologue of AA396601 m (SEQ ID NO:106, SEQ ID NO:225)

tBlastn and Smith-Waterman analyses of genomic sequence revealed an extension to encompass the full catalytic region for the human orthologue of AA396601. The ORF was reconstructed from Incyte 018653.9 (7261449H1, 6891740J1) and genomic sequence CPG 040010.

Human orthologue of AA671275 m (SEQ ID NO:108, SEQ ID NO:227)

Since the initial filing of this application, a potential human orthologue for murine AA671275 appeared in the public database as the full-length ORF for vaccinia related kinase 3 (BAA90769).

Human H05721 (SEQ ID NO:111, SEQ ID NO:230)

Genescan and Genewise analyses of genomic sequence revealed an extension to encompass the full-length ORF for H05721.

Human AI086865 (SEQ ID NO:112, SEQ ID NO:231)

Genescan and Genewise analyses of genomic sequence revealed an extension to encompass the full-length ORF for AI086865. The full-length ORF was reconstructed from Celera 17000102901516, Incyte 243269.1 and public AL1377531.

A CONTRACTOR OF THE PARTY OF TH

Human AA836348 (SEQ ID NO:113, SEQ ID NO:232)

Genescan and Genewise analyses of genomic sequence revealed an extension to encompass the full-length ORF for AA836348.

Human R86668 (SEQ ID NO:14, SEQ ID NO:233)

5

The full-length ORF for R86668 was isolated by screening a cDNA library using a probe derived from R86668. Since the initial filing of this application, the R8668 sequence appeared in the public database as the full-length gene mitogen-activated protein kinase kinase kinase & (MAP3K6) (NM_00467).

Human 2R41-9-4 (SEQ ID NO: 16, SEQ ID NO:235)

10

The full-length virtual ORF for 2R41-9-4 was generated using genomic sequence to provide the Nterminus for the partial ORF predicted from clone 2R41-9-4

Table 10. Sequences deleted from the provisional patent due to duplication with other genes in the patent

Prov. SEQ ID NO: (na)	Prov. SEQ ID NO: (aa)	
160	196	
213	214	
215	. 216	
122	126	
119	123	
148	184	
4	20	
7	23	
205	206 30	
14		
15	31	
35	56	
42	63	
51	72	
44	65	
77	91	

WO 00/73469 PCT/US00/14842

120

78	92
79	93
80	94
157	193

Results

5

10

~:15

20

25

Table 1 documents the results from the analysis of the nucleic acid sequence data. From left to high the data presented is as follows: "Gene name" refers to the EST of 101. fragment that defined the novel kinase. "Species" refers to the organism the sequence was derived from. "ID#" refers to the nucleic acid and amino acid sequence ID number designation from this patent. "Kinase family "and "Kinase group" refers to the protein kinase classification defined by sequence homology and based on previously established phylogenetic analysis [Hardie, G. and Hanks S. The Protein Kinase Book, Academic Press (1995) and Hunter T. and Plowman, G. Trends in Biochemical Sciences (1977) 22:18-22 and Plowman G.D. et al. (1999) Proc. Natl. Acad. Sci. 96:13603-13610)]. "ORF Start", "ORF End", "ORF Length" refer to the open reading frame range and length as calculated by standard nucleic acid translation programs such as MapDraw (DNAStar). "DNA Repeate" refers to regions of low complexity sequence or repetitive elements such as Alu, LINE, SINE, and LTR sequences. The chromosomal location (CHR localization) for 37 of the 110 novel protein kinases is shown on Table 1 (NA, not available). The methods for determining chromosomal position are outlined below, in Example 2.

Table 2 documents the results from the analysis of the amino acid sequence data. From left to right the data presented is as follows. "Gene name" refers to the EST or PCR fragment that defined the novel kinase. "Species" refers to the organism the sequence was derived from. "ID#" refers to the nucleic acid and amino acid sequence ID number designation from this patent. "Kinase family "and "Kinase group" refers to the protein kinase classification defined by sequence homology and based on previously established phylogenetic analysis [Hardie, G. and Hanks S. The Protein Kinase Book, Academic Press (1995) and Hunter T. and Plowman, G. Trends in Biochemical Sciences (1977) 22:18-22 and Plowman G.D. et al. (1999) Proc. Natl. Acad. Sci. 96:13603-13610)]. "nraa Score", "ID match aa", "Identity", "Similar", "nraa Match Acc#", Description" refer to the data obtained using a Smith-Waterman search of the amino acid sequence against the non-

redundant protein database (Matrix: Pam100; gap open/extension penalties 14/1). "Kinase Domain Start", "Kinase Domain End", "Profile Start" and "Profile End" refer to data obtained using a Hidden-Markov Model to define catalytic range boundaries. The profile has a length of 261 amino acids, corresponding to the complete protein kinase catalytic domain. Proteins in which the profile recognizes a full length catalytic domain have a "Profile Start" of 1 and a "Profile End" of 261. The boundaries of the catalytic domain within the overall protein are noted in the "Kinase Domain Start" and "Kinase Domain End" columns.

10 The following abbreviations were used for kinases:

ASK Apoptosis signal-regulating kinase

CaMK Ca2+/calmodulin-dependent protein kinase

CCRK Cell cycle-related kinase

CDK Cyclin-dependent kinase

CK Casein kinase

DAPK Death-associated protein kinase

DM myotonic dystrophy kinase

Dyk dual-specificity-tyrosine phosphorylating-regulated bhase

GAK Cyclin G-associated kinase

GRK G-protein coupled receptor

GuC Guanylate cyclase

HIPK Homeodomain-interacting protein

IRAK Interleukin-1 receptor-associated kin

MAPK Mitogen activated protein kinase

MAST Micotubule-associated STK

MLCK Myosin-light chain kinase

MLK Mixed lineage kinase

NIMA NimA-related protein kinase

PKA cAMP-dependent protein kinase

RSK Ribosomal protein S6 kinase

RTK Receptor tyrosine kinase

SGK Serum and glucocorticoid-regulated kinase
STK serine threonine kinase
ULK UNC-51-like kinase

The following abbreviations were used for species

H Human Afterine, party man ΙVΙ R Rat Fowlpox virus FV M. thermoautotrophicum MT Caenorhabditis elegans CE Drosophila melanogaster DM OS Oryza sativa Schizosaccharomyces pombe SP Tetrahymena pyriformis TP Petunia inflata ΡI Neurospora crassa NC WSV... Medicago sativo **MSV** Moloney murine sarcoma virus SA Squalus acanthias Cucumis sativus CS **GM** Glycine max Lilium longiflorum LL Trichomonas vaginalis TV Mycoplasma pneumoniae MP Dictyostelium discoideum DD Saccharomyces cerevisiae SC MT Methanobacterium thermoautotrophicum

10

15

20

25

Domain and Motif Identification

A Hidden Markov model (HMM) (Krogh, A., Brown, M., Mian, I. S., Sjolander, K., and Haussler, D. (1994). Hidden Markov models in computational biology:

Applications to protein modeling. J. Mol. Biol., 235:1501-1531) was used to identify, both catalytic and extracatalytic domains. Table 4 shows extra-catalytic domains that were identified using the HMM program. Other domains such as coiled-coil and pest motifs were identified as described next.

Petential coiled coil domains were identified using the COLS program (www.ch.embnet.org/software/COILS_form.html). The matrix used was MTIDK with windows of 14, 21, 28 amino acids. Only regions scoring 0.5 or higher were considered to have potential coiled-coil domain region.

Protein sequences containing potential pest motifs were identified using the program PESTfind (www.at.embnet.org/embnet/tools/bio/PESTfind/). PEST regions in proteins are by definition sequences that tend to be rich in proline, glutamic or aspartic acid, argininine and histidine; they have been associated with increased protein turnover rates (Rogers S. et al. (1986) Science 234, 364-368. The algorithm defines PEST sequences as hydrophilic stretches of amino acids greater than or equal to 12 residues in length. Such regions contain at least one P, one E or D and one S or T. They are flanked by lysine (K), arginins (P) or histidine (H) residues, but positively charged residues are disallowed within the PEST sequence. PESTfind produces a score ranging form about -50 to +50. By definition, a score above zero denotes a possible PEST region; a value greater than +5 defines a high probability that there is a PEST domain.

Identification of potential coiled-coil domains and PEST domains in N34132

Potential coiled-coil domains were identified in N34132 (SEQ ID NO:183) using the COILS program. Only regions scoring 0.5 or higher were considered to have potential coiled-coil domain region. The amino acid positions within N34231 scoring for potential coil-coil regions are shown below.

10

15

20

Table 11 coiled-coil domains predicted for N34132

Coiled-coil Region	Amino acid range	Length (aa)
1	124-147	24
2	437-451	15
3	495-526	32
4	1,723-1,749	27

Potential PEST domains were identified in N34132 using PESTfind, a value greater than +5 defines a high probability that there is a PEST domain. The amino acid positions within N34132 scoring for potential PEST regions are shown below.

Table 12 Potential Pest domains identified in N34132

PEST Region	Score	Amino acid range	Amino Acid Length
1	+ 4.91	54-95	42
2	+11.4	537-570	34
3	+31.08	1293-1304	12
4	+10.15	1543-1565	23
5	+ 6.17	1698-1732	35

EXAMPLE 2. Chromosomal Localization of Novel Mammalian Protein Kinases Materials and Methods

Several sources were used to find information about the chromosomal localization of each of the genes described in this patent. First, the accession number for the nucleic acid sequence was used to query the Unigene database. The site containing the Unigene search engine is: http://www.ncbi.nlm.nih.gov/UniGene/Hs.Home.html. Information on map position within the Unigene database is imported from several sources, including the Online Mendelian Inheritance in Man (OMIM,

http://www.ncbi.nlm.nih.gov/Omim/searchomim.html), The Genome Database (http://gdb.infobiogen.fr/gdb/simpleSearch.html), and the Whitehead Institute human physical map (http://carbon.wi.mit.edu:8000/cgi-bin/contig/sts_info?database=release). For example, searching Unigene with W56561, an EST for a MAK-like kinase, the

and the state

5

10

15

20

30

following information is retrieved: Chr.14, D14S65-qTEL. The location of this gene on an "ideogram" of the cytogenetic map of chromosome 14 is also provided, showing that W56561 maps to the bottom of chromosome 14, between 14q31 and 14qTel. If Unigene has not mapped the EST, then the nucleic acid for the gene of interest is used as a query against databases, such as dbsts and htgs (described at http://www.ncbi.nlm.nih.gov/BLAST/blast databases.html) containing sequences that have been mapped already. The nucleic acid sequence is searched using BLAST-2 at NCBI (http://www.ncbi.nlm.nih.gov/cgi-bin/BLAST/nph-newblad) and is used to go by a be able to either dbsts or htgs. In addition to the Whitehead and GDB sites mentioned above. Stanford University maintains a useful site for chromosomal mapping from STS data (http://www-shgc.stanford.edu/RH/rhserverformnew.html). Matches in htgs are often resolved immediately because the genomic region hit is annotated in the htgs entry. If an exact match match is found (defined roughly as 99% identity over a region of about 100 base pairs or longer, excluding any repetitive sequence), then the mapped position of the entry in the database is assigned to the original kinase query. Once a cytogenetic region has been identified by one of these approaches, disease association is established by searching OMIM (see above for URL) with the cytogenetic location. OMIM maintains a searchable catalog of cytogenetic map locations organized by disease. A thorough search of available literature for this cytogenetic region is alo made using Medline (http://www.ncbi.nlm.nih.gov/PubMed/medline.html). References for association of the mapped sites with chromosomal abnormalities found in human cancer can be found in: Knuutila, et al., Am J Pathol, 1998, 152:1107-1123.

Results

25

The chromosomal location for 37 of the 110 novel protein kinases is shown on Table 1. Three of the novel protein kinases were mapped to regions associated with cancer amplicons, as shown on this table. The regions were also cross-checked with the Mendelian Inheritance in Man database, which tracks genetic information for many human diseases, including cancer. References for association of the mapped sites with chromosomal abnormalities found in human cancer can be found in: Knuutila, et al., Am J Pathol, 1998, 152:1107-1123. Association of these mapped regions with other diseases is

documented in the Online Mendelian Inheritance in Man (OMIM) (http://www.ncbi.nlm.nih.gov/htbin-post/Omim).

EXAMPLE 3: Generation of Specific Immunoreagents

5 Materials and Methods

10

Peptide sequences to extra-catalytic regions of novel kinases are chosen which are not homologous to other known kinases based on a Smith Waterman homology search application of the sequence of the sequence

Rabbits are immunized with the KLH-peptide conjugates by four injections three weeks apart. The rabbits are bled ten and fourteen days following the third injection and bled out ten days after the fourth. The serum is checked against the peptide by ELISA.

Table 13. Peptides to be used as immunogens for raising antibodies

Clone Name	SEQ ID NO (aa)	Peptide Sequence	Amino Location
AA8256850	124	KSRDNSRDSSQSEND	339-353
		TEKLKRSQDLPREPLP	372-386
, ,	The state of the state of	RGWREYDIHS	223-232
5R79-46-1	126	FEGPRRNKEVMYK	224-236
		KDDYNETVHKKTE	451-463
		GTHPKDRNVEKLQ	541-553
		EVSKYQEYTNELQET	643-657
AA256100	129	IDDTSNFDDFPESDI	405-419
		TEPDYKSKDWVFL	427-439
		EEKKLRRSQHARKET	61-75
AA210825	130	SNKDTLRKRHYWRLD	507-521
		RHTTRKSSTTLRE	488-500
		FQNNTTNRYYKEIPL	528-542
		GKHRKTGRDVAVK	668-680
		FPTKQESQLRNE	687-698

AA316804	132	ESHVHQEPSKRIPS	239-252
· · · · · · · · · · · · · · · · · · ·	-	HTKRKSSTMVKEGW	409-422
•		PSDLDVERDEEAVK	375-388
		SPGQGKDHKDLSTSI	543-557
R47805	143	EPVGRWDQDYDRAVL	44-58
		KPKGPGGKRGHKRLI	325-339
		PTDVAQLPSRVPRDA	219-233
A.234:53		DPFLWER GNDGSLT	293-307
		HPRPQEKDVWEE	374-385
		RENTDEVFPDEQLSD	340-354
		RSEITQPDRDIPLVR	427-441
AA460132	180	LKSYSTSSKKARPVL	222-236
		KKLDEVRLRGRKRSM	237-251
		ETEKTAQGLSNLAKT	131-145
N34132	183	SGRRRRPTKSKGSKS	1848-1862
		PGTAPSKPPLTKAPV	1474-1488
		VDSDTQPKAPGIDD	1365-1378
		AHSLDKTSHSSTTGL	1253-1267
5R69-17-2	187	GTTREKTDRVKST	178-190
		HSEAPELHGKIRSSN	138-152
		DETVTPPQFSIV	87-98
		QYDVKSEIYS	204-213
AA278842	206	TVDPEKSVRDQAFKA	515-529
		DSSTADRWDDEDWGS	637-651
		SVSEDPTQLEEVEKD	539-553
AA836348	232	NAPTKRPRSSTVTEA	323-337
		LDSEEDYYTPQKVDV	514-528
		GDKASYRQPKHVEKL	409-423

EXAMPLE 4. Expression analysis of Novel Mammalian Protein Kinases GENE EXPRESSION ANALYSIS

Tissue Arrays

5

15

20

25

30

"cDNA libraries" derived from a variety of sources were immobilized onto nylon membranes and probed with 32P-labeled cDNA fragments derived from the gene(s) of interest.

Total RNA or mRNA was used as template in a reverse transcription reaction to generate single-chanded cDNAs (ss.cERV) that were tagged with specific sequences at each end. An oligo dT primer containing a specific sequence (CDS:

AAGCAGTGGTAACAACGCAGAGTACT30VN (V=A,G,C N=A,G,C,T)) anneals at the polyA track at the 3' end of the mRNA and the reverse transcriptase (MMLV RnaseH-) transcribes the antisense strand until it reaches the end of the RNA strand when it adds additional C residues. If a primer (SMII:

AAGCAGTGGTAACAACGCAGAGTACGCGGG or ML2G:

AAGTGGCAACAGAGATAACGCGTACGCGGG) ending with 3 Gs is added, it anneals to the added Cs and the MMLV recognizes the rest of the primer sequence as template and continues transcription. As a result, the synthesized cDNAs contain specific sequence tags at both the 5' and the 3' end. When the 5' and the 3' ends are tagged with the same sequence (CDS and SMII) it is referred to as "symmetric." When the 5' end is tagged with a different sequence than the 3' end (CDS and ML2G) is referred to as "asymmetric." A double-stranded "cDNA library" is then generated by PCR amplification using the 3'PCR and ML2 primers (3' PCR: AAGCAGTGGTAACAACGCAGAGT and ML2: AAGTGGCAACAGAGATAACGCGT) that anneal to the added sequence tags.

The amplified "cDNA libraries" were manually arrayed onto nylon membranes with a 384 pin replicator. The DNA was denatured by alkali treatment, neutralized and cross-linked by UV light. The arrays were pre-hybridized with Express Hyb (Clontech) and hybridized with 32P labeled probes generated by random hexamer priming of cDNA fragments corresponding to the genes of interest. After washing, the blots were exposed to phosphorimaging cassettes and the intensity of the signal was quantified. The amount of the DNA on the arrays was also quantified by treating non-denatured or denatured arrays with Syber Green I or Syber Green II respectively (1:100,000 in 50mM Tris, pH8.0) for 2 minutes. After washing with 50mM Tris, pH8.0, the fluorescent emission was detected

with a phosphorimager (Molecular Dynamics) and quantified. The amount of the arrayed DNA was used to normalize the hybridization signal and the corrected values are tabulated in Table 3.

5 Results

10

15

20

25

30

The results of the microarray expression analysis of the protein kinases presented in this application is shown in Table 3. Data presentation from left to right is as follows: "Tissue" tissue type of the cDNA; "Tumor sym"; indicates that the tissue is derived from a tumor, "sym" refers to the fact that the 5' and 3' primers used to make the sample are the same; "Normal Sym", indicates normal tissue was used to make the sample, with symmetric primers as described above; "Tumor 10", indicates that primary tumor tissue was used to make the cDNA; "Tumor cells", indicates that these cDNA samples were made from cultured tumor cells; "Normal", indicates that these samples are derived from normal tissue or cell lines; "Endos", indicates that these samples are derived from endothelium-related tissue sources; "p53" refers to the status, mutant or wild-type, of the p53 gene in the source samples. Normalized expression values are presented for each gene referred to by its SEQ ID# on the subsequent columns. Genes represented in expression Table 3 are: SEQ ID NO:3 (AA826850), SEQ ID NO:5 (TBK1), SEQ ID NO:6 (AA305175), SEQ ID NO:8 (AA256100), SEQ ID NO:9 (CAB43292), SEQ ID NO:11 🔙 🔠 (EPK2), SEQ ID NO:12 (PKNbeta), SEQ ID NO:14 (H19102), SEQ ID NO:16 (RSK4), SEO ID NO:17 (AAD30182), SEQ ID NO:20 (SGK2), SEQ ID NO:22 (PTK9L), SEQ ID NO:26 (AA383293), SEQ ID NO:29 (DRAK2), SEQ ID NO:31 (DRAK1), SEQ ID NO:032 (AA015726), SEQ ID NO:40 (MAK-V), SEQ ID NO:044 (TRAD), SEQ ID NO:044 (TRAD), SEQ ID NO:45 (AA454060), SEQ ID NO:47 (AA234451), SEQ ID NO:48 (AA436054), SEQ ID NO:49 (AA626859), SEQ ID NO:51 (KIAA0904), SEQ ID NO:52 (AA789239), SEQ ID NO:54 (CCRK), SEQ ID NO:55 (CLK4), SEQ ID NO:56 (AA557536), SEQ ID NO:57 (W56561), SEQ ID NO:60 (AA579641), SEQ ID NO:63 (NEK7), SEQ ID NO:66 (CAMKKB), SEQ ID NO:68 (HIPK2), SEQ ID NO:72 (R19609), SEO ID NO:73 (HRI), SEO ID NO:78 (AA088547), SEQ ID NO:79 (AA449542), SEQ ID NO:082a (MLK4), SEQ ID NO:82 (MLK4b), SEQ ID NO:84 (RIP4), SEQ ID NO:88 (AA278842), SEQ ID NO:89 (AA195964), SEQ ID NO:90 (MSSK1), SEQ ID NO:93 (TSK4), SEQ ID NO:94 (AI025291), SEQ ID NO:95

(AA948538), SEQ ID NO:96 (AA905446), SEQ ID NO:97 (H85389), SEQ ID NO:100 (AA018361), SEQ ID NO:101 (AA311714), SEQ ID NO:110 (AA452647), SEQ ID NO:111 (AA310219), SEQ ID NO:112 (AI086865), SEQ ID NO:114 (MEKK6), and SEQ ID NO:116 (SuRTK106).

5

10

EXAMPLE 5. Kinase assays for Erk, JNK1 and p38 MAP kinases

293T cells were transiently transfected with HA- p38 or co-transfected with Flaguage AL-X4A, kinase-dead MLK4A, wild-type MTK/D or a paragraph and a second at a s

15

Results:

In transient assays wild-type MLK4A and MLK4B (but not kinase-inactive

NSK4A(K45M) of MLK4B(K45M)) activate Erk, JNK1 and p38 MAP kinases:

EXAMPLE 6. RAC1 guanine-exchange factor assay

20

293T cells were transiently transfected with HA-Rac1 or co-transfected with Flagtagged Duet C, Duet E, Dbl and HA-Tiam-1. Cells were lysed 36 hour post-transfection. Cell lysates normalized to contain equivalent amounts of Rac1 were affinity precipitated with immobilized GST-PBD (p21-binding domain of Pak3). Bound proteins were Western blotted and probed with anti-HA antibody to detect levels of activated Rac1. ((This example applies to R199772 (Trad/Duet)(SEQ ID NO:44, SEQ ID NO:164).)

25

Results:

Duet C and Duet E both act as guanine nucleotide exchange factors on Rac1.

CONCLUSION

One skilled in the art would readily appreciate that the present invention is well adapted to carry out the objects and obtain the ends and advantages mentioned, as well as those inherent therein. The molecular complexes and the methods, procedures, treatments, molecules, specific compounds described herein are presently representative of preferred embodiments are exemplary and are not intended as limitations on the scope of the

10

5

It will be readily apparent to one skilled in the art that varying substitutions and modifications may be made to the invention disclosed herein without departing from the scope and spirit of the invention.

All patents and publications mentioned in the specification are indicative of the levels of those skilled in the art to which the invention pertains.

15

The invention illustratively described herein suitably may be practiced in the absence of any element or elements, limitation or limitations which is not specifically disclosed herein. Thus, for example, in each instance herein any of the terms "comprising", "consisting essentially of" and "consisting of" may be replaced with either of the other two terms. The terms and expressions which have been amployed are used as terms of description and not of limitation, and there is no intention that in the use of such terms and expressions of excluding any equivalents of the features shown and described or portions thereof, but it is recognized that various modifications are possible within the scope of the invention claimed.

25

20

In particular, although some formulations described herein have been identified by the excipients added to the formulations, the invention is meant to also cover the final formulation formed by the combination of these excipients. Specifically, the invention includes formulations in which one to all of the added excipients undergo a reaction during formulation and are no longer present in the final formulation, or are present in modified forms.

30

In addition, where features or aspects of the invention are described in terms of Markush groups, those skilled in the art will recognize that the invention is also thereby described in terms of any individual member or subgroup of members of the Markush WO 00/73469 PCT/US00/14842

132

group. For example, if X is described as selected from the group consisting of bromine, chlorine, and iodine, claims for X being bromine and claims for X being bromine and chlorine are fully described.

en de la compressión dela compressión de la compressión dela compressión de la compressión de la compressión de la compressión de la compressión dela compressión dela compressión dela compressión de la compressión de la compressión de la compresi

Other embodiments are within the following claims.

(1) 医克里斯特

5

10

15

20

25

133

What is claimed is:

CLAIMS

An isolated, enriched, or purified nucleic acid molecule encoding a kinase 1. polypeptide selected from the group consisting of SEQ ID NO:122, SEO ID NO:123, SEO ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ 10 NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ. ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEG ID.NO:195, SEQ ID NO:195, SEQ ID NO:197, SEQ ID NO:195, SEQ ID NO:195, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

30

- 2. The nucleic acid molecule of claim 1, wherein said nucleic acid molecule comprises a nucleotide sequence that:
- encodes a polypeptide comprising the amino acid sequence set forth (a) in SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEO ID NO:127, SEO ID NO:128, SEO ID NO:129, SEO ID NO:130, SEO ID 5 NO:131, SEO ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID 210:171 ABOUD NO:172, SEO ID NO:143, SEO ID NO:144, SEO ID NO:145, SEO ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID 10 NO:156, SEO ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID NO:172, SEO ID NO:173, SEO ID NO:174, SEO ID NO:175, SEO ID NO:176, SEO ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID 15 NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:193, SEQ ID NO:199, SEQ ID NO:200, SEO ID NO:201, SEO ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID 20 NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEO ID NO:217, SEO ID NO:218, SEO ID NO:219, SEO ID NO:220, SEO ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID 25 NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242;
 - (b) is the complement of the nucleotide sequence of (a);
 - (c) hybridizes under highly stringent conditions to the nucleotide molecule of (a) and encodes a naturally occurring kinase polypeptide;

encodes a kinase polypeptide having an amino acid sequence (d) selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEO ID NO:125, SEO ID NO:126, SEO ID NO:127, SEO ID NO:128, SEO ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, 5 SEO ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEO ID NO:150, SEO ID NO:151, SEO ID NO:152, SEO ID NO:153, SEO ID NO:154. SEO ID NO:155, SEO ID NO:156, SEO ID NO:157, SEO ID NO:158, SEO ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, 10 SEO ID NO:165. SEO ID NO:166, SEO ID NO:167, SEO ID NO:168, SEO ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEO ID NO:180, SEO ID NO:181, SEO ID NO:182, SEO ID NO:183, SEO ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, 15 SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEO ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214; 20 SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEO ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, 25 SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but not all, of a domain selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail;

(e) is the complement of the nucleotide sequence of (d);

- **(f)** encodes a domain of an amino acid sequence selected from the group set forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130. SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135. 5 SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEO ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEO ID NO:144, SEO ID NO:145. SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, -SEO ID NO:154, SEO ID NO:152, SEO ID NO:153, SEO ID NO:154, SEO ID NO:155 SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, 10 SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEO ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEO ID NO:169, SEO ID NO:170. SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, 15 SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190. SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, `SEQ ID NO!206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, 95Q ID NO:210, (4) 20 SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230. SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, 25 SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, wherein said domain is selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a coiled-coil structure region, a proline-rich region, a spacer region, an insert, and a C-terminal tail;
 - (g) is the complement of the nucleotide sequence of (f);
- 30 (h) encodes a polypeptide comprising an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:

NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID 5 NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID "NO:165, SEQ.JD:NO:166, SEQ.ID NO:167, SEO ID MORES, SEE ID NO:169, SEQ.ID...., ... NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID 10 NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID 15 NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:230,657 ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID 20 NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, except that it lacks one or more, but not all, of the domains selected from the group consisting of an N-terminal domain, a catalytic 25 domain, a C-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail; or

- (i) is the complement of the nucleotide sequence of (h).
- 3. The nucleic acid molecule of claim 1, further comprising a vector or promoter effective to initiate transcription in a host cell.

- 4. The nucleic acid molecule of claim 1, wherein said nucleic acid molecule is isolated, enriched, or purified from a mammal.
 - 5. The nucleic acid molecule of claim 4, wherein said mammal is a human.
- A nucleic acid probe for the detection of nucleic acid encoding a kinase 6. polypeptide in a sample, wherein said polypeptide is selected from the group consisting of 5 SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEO ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEO ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, 10 SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEO ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEO ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, 15 SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID NO:172, SEO ID NO:173, SEO ID NO:174, SEO ID NO:175, SEO ID NO:176, SEO ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEGID NO.187, SEQID MO.188, SEQID NO.189, SEQID NO.190, SEQIE NO.191, SEO ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, 20 SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEO ID NO:202, SEO ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, 25 SEO ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEO ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEO ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242. 30

7. The probe of claim 6, wherein said polypeptide is a fragment of the protein encoded by an amino acid sequence selected from the group consisting of SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEO ID 5 NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEO ID NO:141, SEO ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEO ID NO.147, DEGID NO:148, NEO ID NO:149, SEO ID NO:150, SEO ID NO:151, DEGID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID 10 NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID 15 NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203; SEQ.ID NO:364, SEQ.ID NO:205, SEQ ID NO:206, SEQ ID 20 NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID 25 NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

A recombinant cell comprising a nucleic acid molecule encoding a kinase 8. polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEO ID NO:127, SEO ID NO:128, SEO ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ 5 ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ *ID NO:149_SEQ ID NC:150,6EQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153 SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ 10 ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ 15 ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ 20 ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ 25 ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

9. The cell of claim 8, wherein said polypeptide is a fragment of a protein encoded by an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID 5 NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEO ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEO*ID NO:148, SEQ-ID-FO:140, SEQ ID NO:150, SEQ ID NO:151, SEQ-ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID 10 NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172. SEO ID NO:173, SEO ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEO ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID 15 NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID 20 NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID 25 NO:237, SEO ID NO:238, SEO ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.

An isolated, enriched, or purified kinase polypeptide selected from the 10. group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEO ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEO ID NO:136, SEO ID NO:137, SEO ID NO:138, SEQ ID NO:139, SEQ ID NO:140, 5 SEO ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, CEO ID NO.151, SEO ID NO.152, SEO ID NO.153, SEO ID NO.154, SEO ID NO.154, SEO ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. 10 SEO ID NO:166, SEO ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEO ID NO:176, SEO ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEO ID NO:181, SEO ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, 15 SEO ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEO ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEO ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEO ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:246, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, 20 SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, 25 SEO ID NO:241, and SEQ ID NO:242.

- The polypeptide of claim 10, wherein said polypeptide is a fragment of the 11. protein encoded by an amino acid sequence selected from the group consisting of SEO ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID 5 NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147: SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID 10 NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID 15 NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202 SEO ID NO:203, SEO ID NO:204, SEO ID NO:205, SEO ID NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID 20 NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID 25 NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.
 - 12. The polypeptide of claim 10, wherein said polypeptide comprises:
- (a) an amino acid sequence selected from the group consisting of SEQ

 30 ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ

 ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ

 ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ

ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ 5 ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ LID NO:172, SEO ID:NO:173, SEO/ID:NO:174, SEO ID:NO:175, SEO/ID:NO:176, SEO/ID:NO: ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ 10 ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ 15 ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID MO:227, SEQ ID NO:228, SEQ ID NO:279, SEQ ID NO:230, SEQ ID NO:281, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ 20 ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and **SEQ ID NO:242;**

(b) an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ

10

15

20

25

30

ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ 1D NO:202-SEO JD NO:203-SEO JD NO:204, SEO JD NO:205, SEO JF NO:206, SEO ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242, except that it lacks one or more, but not all of the domains selected from the group consisting of an N-terminal domain, a catalytic domain, a C-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail

forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:18

10

15

20

25

30

NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:225, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:231, SEQ ID NO:237, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 wherein said domain is selected from the group consisting of a C-terminal domain, a catalytic domain, an N-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail.

- 13. The kinase polypeptide of claim 10, wherein said polypeptide is isolated, purified, or enriched from a mammal.
 - 14. The kinase polypeptide of claim 13, wherein said mammal is a human.
- 15. The kinase polypeptide of claim 10, wherein said polypeptide is a

 AA144576, AA116841, AA236100, AA305176, AA210835, AA316804, AA988889,

 N42050, AA476563, AA626690, AA960957, H19102, AA045601, AA107515,

 AA109508 or AA887783 polypeptide.
 - 16. The kinase polypeptide of claim 10, wherein said polypeptide is a H60215, AA197883, AA297313, W30246, AA172300, AA383293, AA542015, H01248, N23936, W44160, 2R22-5-11, 5R72-18-1, AA021445, AA207220, AA426580, AA544838, W90839, 5R79-54-1, AA839940, R19772 or 5R72-8-2 polypeptide.
 - 17. The kinase polypeptide of claim 10, wherein said polypeptide is a AA234451 polypeptide.
 - 18. The kinase polypeptide of claim 10, wherein said polypeptide is a 5R65-16-1, AA061797, AA065538, AA124976, AA397553, AA435956, AA575635, AA626859, AA789239, AI086865, H17727, H29974, AA557536 or N28606 polypeptide.
 - 19. The kinase polypeptide of claim 10, wherein said polypeptide is a AA631990 or W08549 polypeptide.

10

- 20. The kinase polypeptide of claim 10, wherein said polypeptide is a 5R72-16-2, R19927 or R43524 polypeptide.
- 21. The kinase polypeptide of claim 10, wherein said polypeptide is a 5R57-10-2 polypeptide.
- 22. The kinase polypeptide of claim 10, wherein said polypeptide is a AA232253 polypeptide.
 - 23. The kinase polypeptide of claim 10, wherein said polypeptide is a AAA30250, AAA30348, R85588 or N34132 polypeptide.
 - 24. The kinase polypeptide of claim 10, wherein said polypeptide is a AA098024or SuRTK106 polypeptide.
- 25. The kinase polypeptide of claim 10, wherein said polypeptide is a R47805, AA099102, AA589241, H85811, AA013524, AA452647, AA840598, AA088547, AA139478, AA826850, R87679, W65887, H97685, W20810, AA599286, AA425725, AA103218, AA711829, AA060026, AA399669, AA758539, AA883975, AA948538, AA018361, AA215311, AA311714, AA498104, 5R69-17-2, 5R69-23-3, 5R69-26-2, AA118352, AA396601, AA671275, AA278842, AA460132 or H05721 polypeptide.

ting to the second of the seco

- An antibody or antibody fragment having specific binding affinity to a 26. kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEO ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEO ID NO:126, SEO ID NO:127, SEO ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID 5 NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEO ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEC ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEO ID NO:156, SEO ID NO:157, SEO ID 10 NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEO ID NO:162, SEO ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID NO:172, SEO ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEO ID 15 NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ III NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID 20 NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID 25 NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.
 - 27. The antibody or antibody fragment of claim 26, wherein said polypeptide comprises:
- (a) an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ

Martin Control Control

25

30

ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ 5 ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ II/NO:17% SEQ ID NO:177, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ 10 ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ 15 ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ S ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ 20 ID NO:237, SEO ID NO:238, SEO ID NO:239, SEO ID NO:240, SEO ID NO:241, and **SEQ ID NO:242;**

(b) an amino acid sequence selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:1666, SEQ

I will see that the second

5

10

15

20

25

30

ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEO ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEO ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEO ID NO:193, SEO ID NO:194, SEO ID NO:195, SEO ID NO:196, SEO ID NO:197, SEO ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ TO NO:202, SEO ID NO:203; SEO ID NO:204, SEO ID NO:205, SEO TO NO:206, SEO -ID NO:207, SEO ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEO ID NO:218, SEO ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEO ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEO ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEO ID NO:238, SEO ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242, except that it lacks one or more, but not all, of the domains selected from the group consisting of a C-terminal domain, a catalytic domain, an N-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail.

forth in SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:18

The state of the second of the

NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEO ID NO:202, SEO ID NO:203, SEO ID NO:204, SEO ID NO:205, SEO ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID 5 NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID MO:221, SEQ ID:NO:222, SEQ ID:NO:223, SEQ ID NO:224, SEQ ID:NO:225, SEQ ID: NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID 10 NO:231, SEO ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242 wherein said domain is selected from the group consisting of a C-terminal domain, a catalytic domain, an N-terminal domain, a spacer region, a proline-rich region, a coiled-coil structure region, and a C-terminal tail.

参加工作的激化。 化异性

- A hybridoma which produces an antibody having specific binding affinity 28. to a kinase polypeptide selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEO ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID 5 NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEO ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:142, SEO ID NO:149, SEO ID NO:150, SEQ ID NO:151, SEQ 7D NO:152, 550, ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEO ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID 10 NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEO ID NO:179, SEO ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID 15 NO:188, SEO ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202 SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ IO NO:207, SEQ ID NO:208, SEO ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID 20 NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEO ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEO ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID 25 NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.
 - 29. A method for identifying a substance that modulates kinase activity comprising:
- (a) contacting a kinase polypeptide selected from the group consisting

 SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126,

 SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131,

 SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136,

William Land

25

SEO ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEO ID NO:142, SEO ID NO:143, SEO ID NO:144, SEO ID NO:145, SEO ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, 5 SEO ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEO ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEO ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEO ID MO:172, SEQ-IL: NO:173, SEQ TO NO:174, SEQ ID NO:175, SEQ ID NO:178. SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEO ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, 10 SEO ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEO ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, 15 SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEO ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ.ID NO:227, SEQ.ID NO:228, SEQ.ID NO:229, CEQ.ID NO:230, SEQ.ID NO:231, SEO ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, 20 SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEO ID NO:242 with a test substance;

- (b) measuring the activity of said polypeptide; and
- (c) determining whether said substance modulates the activity of said polypeptide.
- 30. A method for identifying a substance that modulates kinase activity in a cell comprising:
- (a) expressing a kinase polypeptide in a cell, wherein said polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID

NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEO ID NO:145, SEO ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEO ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID 5 NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEO ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO.174, SEQ ID NO.175, EEO ID NO.176, SEQ ID NO.177, SEQ ID NO.178, SEQ ID NC:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEO ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID 10 NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEO ID NO:195, SEO ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEO ID NO:200, SEO ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEO ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID 15 NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID 20 NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242;

- (b) adding a test substance to said cell; and
- (c) monitoring a change in cell phenotype or the interaction between said polypeptide and a natural binding partner.

- A method for treating a disease or disorder by administering to a patient in 31. need of such treatment a substance that modulates the activity of a kinase selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID 5 NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEO ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SLQ ID NO:149, SEO ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID 10 NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEO ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID 15 NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200. SEQ ID'NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ED 14 NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID 20 NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID 25 NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242.
 - 32. The method of claim 31, wherein said disease or disorder is selected from the group consisting of immune-related diseases and disorders, cardiovascular disease, neurodegenerative disorders, and cancer.
 - 33. The method of claim 31, wherein said substance modulates kinase activity in vitro.

- 34. The method of claim 33, wherein said substance is a kinase inhibitor.
- 35. A method for detection of a kinase polypeptide in a sample as a diagnostic tool for a disease or disorder, wherein said method comprises:
- contacting said sample with a nucleic acid probe which hybridizes (a) under hybridization assay conditions to a nucleic acid target region of a kinase polypeptide 5 selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129. SEQ ID NO.130, SEQ ID NO.131; SEQ ID NO.132, SEQ ID NO.133, SEQ ID NO.134, (1980) 20 SEO ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, 10 SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEQ ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEO ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEO ID NO:160, SEQ ID NO:161, SEQ ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, 15 SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEO ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEO ID NO:185, SEQ ## NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEQ ID NO:199, SEQ ID NO:193, SEQ ID NO:194, 20 SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEO ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, 25 SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEO ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEO ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, said probe comprising the 30 nucleic acid sequence encoding said polypeptide, fragments thereof, or the complements of said sequences and fragments; and

PCT/US00/14842

WO 00/73469

157

detecting the presence or amount of the probe:target region hybrid **(b)** as an indication of said disease.

The method of claim 35, wherein said disease or disorder is selected from 36. the group consisting of immune-related diseases and disorders, cardiovascular disease. neurodegenerative disorders, and cancer.

5

10

15

20

25

30

- A method for detection of a kinase polypeptide in a sample as a diagnostic tool for a disease or disorder, wherein said method comprises:
- (a) comparing a nucleic acid target region encoding said kinese polypeptide in a sample, wherein said kinase polypeptide is selected from the group consisting of SEQ ID NO:122, SEQ ID NO:123, SEQ ID NO:124, SEQ ID NO:125, SEQ ID NO:126, SEQ ID NO:127, SEQ ID NO:128, SEQ ID NO:129, SEQ ID NO:130, SEQ ID NO:131, SEQ ID NO:132, SEQ ID NO:133, SEQ ID NO:134, SEQ ID NO:135, SEQ ID NO:136, SEQ ID NO:137, SEQ ID NO:138, SEQ ID NO:139, SEQ ID NO:140, SEQ ID NO:141, SEQ ID NO:142, SEQ ID NO:143, SEQ ID NO:144, SEQ ID NO:145, SEQ ID NO:146, SEQ ID NO:147, SEQ ID NO:148, SEQ ID NO:149, SEQ ID NO:150, SEQ ID NO:151, SEO ID NO:152, SEQ ID NO:153, SEQ ID NO:154, SEQ ID NO:155, SEQ ID NO:156, SEQ ID NO:157, SEQ ID NO:158, SEQ ID NO:159, SEQ ID NO:160, SEQ ID NO:161, SEO ID NO:162, SEQ ID NO:163, SEQ ID NO:164, SEQ ID NO:165. SEQ ID NO:166, SEQ ID NO:167, SEQ ID NO:168, SEQ ID NO:169, SEQ ID NO:170, SEQ ID NO:171, SEQ ID NO:172, SEQ ID NO:173, SEQ ID NO:174, SEQ ID NO:175, SEQ ID NO:176, SEQ ID NO:177, SEQ ID NO:178, SEQ ID NO:179, SEQ ID NO:180, SEQ ID NO:181, SEQ ID NO:182, SEQ ID NO:183, SEQ ID NO:184, SEQ ID NO:185, SEQ ID NO:186, SEQ ID NO:187, SEQ ID NO:188, SEQ ID NO:189, SEQ ID NO:190, SEQ ID NO:191, SEO ID NO:199, SEO ID NO:193, SEQ ID NO:194, SEQ ID NO:195, SEQ ID NO:196, SEQ ID NO:197, SEQ ID NO:198, SEQ ID NO:199, SEQ ID NO:200, SEQ ID NO:201, SEQ ID NO:202, SEQ ID NO:203, SEQ ID NO:204, SEQ ID NO:205, SEQ ID NO:206, SEQ ID NO:207, SEQ ID NO:208, SEQ ID NO:209, SEQ ID NO:210, SEQ ID NO:211, SEQ ID NO:212, SEQ ID NO:213, SEQ ID NO:214, SEQ ID NO:215, SEQ ID NO:216, SEQ ID NO:217, SEQ ID NO:218, SEQ ID NO:219, SEQ ID NO:220, SEQ ID NO:221, SEQ ID NO:222, SEQ ID NO:223, SEQ ID NO:224, SEQ ID NO:225, SEQ ID NO:226, SEQ ID NO:227, SEQ ID NO:228, SEQ ID NO:229, SEQ ID NO:230, SEQ ID NO:231, SEQ ID NO:232, SEQ ID NO:233, SEQ ID NO:234, SEQ ID NO:235, SEQ

1.58

ID NO:236, SEQ ID NO:237, SEQ ID NO:238, SEQ ID NO:239, SEQ ID NO:240, SEQ ID NO:241, and SEQ ID NO:242, or one or more fragments thereof, with a control nucleic acid target region encoding said kinase polypeptide, or one or more fragments thereof; and

(b) detecting differences in sequence or amount between said target region and said control target region, as an indication of said disease or disorder.

5

38. The method of claim 37, wherein said disease or disorder is selected from the group consisting of immune-related diseases and disorders, cardiovascular disease, the modes moralive disorders, and cancer.

																								_						_	_	_				_		_				_	_	_	_	_		_	_		_	_	_	_	_	_
CHR localization	110	¥ :	18.5	10.00	00112	\$	12011	19013-013.3	\$	721	¥	¥	CHRIT	1.5(1).7(1).1	Kg21.1	14020-1	NA INA	*	Y.	3014.3	(p31.1-1p32.3	*	\$	¥	2	2421-2426.3	Tollali	11022 1-11022 3	¥	\$	¥	2034-037	¥ 1	1	21911	¥	ş	≨.	3013.3-021	11010.1-11010.Z	1	1	 	\	 	5623-623.3	\$		≨ :	Y	7007	§ 3	20a12 Amplicon	YN.	ž	12013.33
DNA Repeats	*	X 366	1	,		×	×	×	*	-1	┛		Т		X 400	Т	1804-1830	Г	×	*	١	208-227	×	439-438			91-110		81-2281, 1268-12		×	*	Т		×	×	×	*	×	844 B43	-	-	94-110	*	1219-1238	¥	×	167-101	*	910-030	<u> </u>			×	¥	1
Att Length	1000	4360	6763	2187	28	\$52	1392	2824	316	2870	2002	glig G	192	140	6022	1000	1280	757	1338	1047	1320	2078	2		4410	A S	1242	2835	1306	2912	1560	986	36.	1887	2143	125.3	6389	Ē	2501	100	2	2	15.	8	4470	1602	ğ	3	140	200	100	1230	750	1366	943	2000
gyt, eug	2	2 3	5	200	689	282	1477	3060	315	2870	2002	919	200	1900	GEZZ	130	136	733	1373	1947	1739	2082	200	2002	9	286	1242	4078	2176	2167	99	8	2000	1963	2142	7672	200	2	800	100	1830	2	742	689	4470	1607	101	8	2	1000	Agn +	1230	150	1386	ž	2883
ORF Start	-		• 2	8 8	2	•	8	117	-	-	-	2	-		-		2	2	38	-	\$		-	-	-		-	97	170	-	-		. 5	3	-	-	-		- 2	3 8	89	-	7	~	-	•		-	* 1	 - -	-	 -	8		~ i	2
Length A	200	D.F.		22	88	28	464	976	8	8	88	8	8 8		67	8	95	244	440	349	440	28	Ř	8	8 :	273	414	1311	436	729	620	2	988	83	714	87.4	2268	i i	/971	5	478	2	247	206	1490	534	12	211	8	8 9		12	2	8	Ŕ	1962
اقا	200	ı	ı		ı	299	4983	3263	318	873	0282	2	6611		0522	1001	2432	1346	0922	1050	2310	3240	1248	2424	200	200	1245	4321	2311	2190	200	4130	200	2291	2148	2625	7710	123	2004	1620	2452	107	110	2615	4478	1866	1689	380	3	2 5	1,000	13.6	1426	ž	2326	232
Group	¥ i	A P	103C11.	2 2	RON	ğ	NOR	PKC	Y.	Ç.	2	2	Y S	200	, A20	S S	Ş	80K	SOK X	æ	AMPK	š	Y CANA	3			DAPK	ENK	EMK	EMK	ENK	X I	Y A	EWK	ËMK	X	£	١	2 1	2	8	ğ	χĊ	ğ	Š	Š	Š	ğ	ă	5 2		ğ	YGR262 sc	C28C2 08	C38C2 G8	CZGCZ C4
П	Т	Т	Т	T	Τ	200	AGC	YGC	8	Agc	200	3 5	3 5	3 5	3 6	3 5 5	Yac	AGC	YGC	Ahotes	CAMK	š	3	3			Z	Š	CANK	CANK	Š	3	33	Š	CAMK	CAMK	ž	Š		50	8	CMGC	CMOC	CACC	CHCC	CMOC	SWG.	SMG	9		3 2	9	Mcrobial PK	å	S. S.	8
8EQ ID # 100	2	2	22.	2 2	100	128	129	Š	2	<u> </u>	2	3	R I	3		2 2	9	141	142	143	144	2	2			2 2	190	162	153	184	8	3) N	150	180	191	162	2	5	1	19	3	166	170	12	172	12	174	2		1	2	180	ē	2	2
SEG ID 4 res	-	~				_	-	8	9	=	21	2	2	2	2		٩	22	31	z	n,	ž	R	R S	8	ş	Ē	22	ន	Z	2	8	3 8	a	\$	5	42	2	*	3 5	5	\$	40	98	5	62	2	3	3	8	5	2	8	ē	2	2
Prov. Seq. ID_AA	×	÷	2 5	12	28.20	18.20	19	12	ğ	z	z		200	8 2	R	,		82	æ	107	3	×	2	2 3	8 2	8 -	•	8	z	×	٤	* 4	8 =	8	8	r.	×	8	2	ě	2	8	8	×	8	8	=	=	BI.	3 3	<u> </u>	-	ź		음	120
Prov. Seg. 10 HA	H.	-	₹:	= 5	13	7	1	50	2		•	¥	200		01	, ,		13	å	131	ន	4	8	7	3	•	4	2	3	×	\$,	9	47	2	×	B	2	3 9	22	28	Z	=	=	22	=	×	8 1	818	2		ş		147	122
45	Ξ.	3	1	=		3	Ξ	Ξ	Ξ	=	=	ŧ	:	1	4	4	3			Ξ										되	3	=	ᆂ	Ξ	国	Ξ	Ŧ	1	2	1	Ŧ	Ξ	Ξ	Ξ	Ξİ	-		÷	÷		_	-	-	Ξĺ		
Gene Name	BARICZ h	M BARK2 m		1 2/102	1 100 4	E	40	4	4	4 h. EPK2	h PKNDets	E ENOUGH E	T POSSION	T ACCORD	NO.	- L	AA107615 m	E 80	3 h SCHCS, BGKL	h PTKG.	-	£	⊞ SGK324 ⊞		2 4 00 4 00	m DAK? m	h DRAK1 h	AA021445 h	1,	1 h. AAC33487	E	4 S	AACA4638 M 400700 M	9	IO P. MAK V h	4	ے	E BOXOSE E	46		1	9	4 6	77 m	S h CRR7	H OX	E 92	S II COOK II	2000	2	X2 4 5	S = 2	42	SGK034 h	18 m SGK034 m	N34132 h
	1109X	W14457	WESTERS.	V SO	44.04.7	AA11684	AA25610	AA21082	A12729	A31680	¥2080	AUZ 10Z	H19102	200	AA62108	200	AA10761	AA10950	AAB877B	R47805	HB0216	8003	W30246	W.K.C.	20/20	27.77	101248	A0214	2825	R3 (237	W90836	08/80	AA7857	AA20722	AA42868	02/862	80 80 80 80 80 80 80 80 80 80 80 80 80 8	W5420	2/2	200	AA2344.	AA43505	AA62685	AA06179	AA3075	AA7882:	AA1240)	AA5758.	A46319	1	ABOOM	AARTOO	AA4601	S	AA 1032	NEK7 I

[82.8.1 C	(cont'd)
۳.	÷
_	50

CH4 ocalization	≨	1	7023-014	\$	787	¥	★	2	2023	\$	¥	≨	\$		مَرَ	€	¥	¥	÷.	131	N.Y	1923	≨	11g12-g13 Amplicon	¥.¥	. 25		1	1011-011	, in	5	,	_		PE	31 34		ź	£	!A	7	¥	16.13	2	Centrage 1	10% 2-31 Amplican	1	≨	102 3 201.1	200	(2012.3	₹:	¥ 3	NA NA
ē	246-267	Ī	Т	499-621	1	-	-		1	2263-2366	*	*		×	=	602-621	*	*	2219-2230			*	. [1784-1763	, i		*	*	-	*	-			101-729		Ţ.		2251-2286	57-78, 318-337	¥	240-259	·	-	837-857	-	-	1	_	- I		ì	1362-1382		
ORF Length	1606	2	35	22	3513	1659	Š	\$E	88	258	3	1788	176	2766	98	040	123	88	2608	1902	8 2,	300	1516	3424	1940	1599	8	20	676	1074	910	3	3	872	3	į	117	l			1620	38 0	1622	ğ	918	1743	200	22032	2000	2167	200	92	101	1865
ORP and	111	2	36	2872	2002	1911	8	986	980	44	3	1788	1176	2766	1344	ž	121	2400	2888 2888	2062	900	302	1688	22.0	1949	1599	198	820	1244	1174	9	201	BB	9270	777		117	1268	2112	1622	1620	1001	222	ĕ	8	7837	2189	2508	2003	2157	1486	3	100	802
ORP Start	2	_	-	1850	Ē	â	•	R	-	219	-	-	-	-	2	*	2	-	-	Ē	-	-	2	ŝ	•	-	101	147	372	101	-	32	*	- 8			3 -	222	-	•	-	_	-	-	-	8	-	-	_		-	-	3 -	38
YV UBBUT	939	2	2	32	13	ŝ	3	2	8	2	922	8	ă	g	Ħ	280	Ŧ	88	939	ž	202	220	8	2	3	53	268	268	282	ŝ	2	216	3	612		197	a	340	102	0+9	940	33	474	ž	200	188	8	8	ē	718	\$	2	200	3
Le sath NA	3	8	1767	3387	8	ž	ž	200	200	8	8	1701	243	2700	8	8	\$	872	2500	2364	1073	2027	730	2608	1949	1602	1038	1004	1637	1322	ğ	980	1638	0	9760	4878	411	2721	2115	1729	2461	1886	55	ŝ	919	2008	2463	2112	ğ	2180	2680	242	1812	9100
Group	C38C3 08	8 250	X X	CTRI	ONR.	STEK THE	ž	¥	AMA	Endop	Endop	Ž	Æ	¥	ST B	38	, XX	¥χ	¥	ž	æ	SCY1 sc	SCVI PC	SCV1 RC	SLOB?	SRPK	STIC22A	8TK22A	8TIC22A	BTICZZA	ž	¥		2	3		Unions	Chlous	20015	Unique	Creptore	Cripus	¥	XX.	YPL236_BC	4000 os	¥	Ä	STEII	STE20-02	KTK-20	RTK 20	Š	ğ
Femily	Š	ě	ě	ğ	Š	Other	ă	Š		ě	Š	Š	ğ	Special Control	ğ	Š	ě	i d	ð	ě	Other	Othe	S P	ă,	ě	Other	Other	Other	a do	ope.	ğ	ğ	ğ	Š	5 6		8	å	8	Other	je O	ă	Opper	ğ	å	å	STE	STE	STE	STE	¥	¥	3	Š
8EQ 10 6 88	3	8	2	187	92	20	8	Ā	ŝ	8	ğ	93	8	197	8	28	82	Ř	g	g	ž	£	ã	Ŕ	208	2	210	211	212	213	214	520	210	217			2	Z	522	*22	\$22	ŝ	227	82	822	SZ Z	Ŕ	22	£	ž	22	2	E	3 2
6EG ID 8 na 8EG ID 6 se	3	3	8	8	8	8	2	2	2	74	ę	2	2	2	2	8	ē	2	2	ž	8	92	26	28	8	8	19	8	8	a	8	8	à	8 8	2 5	3 5	ā	ŝ	₫	1	106	107	8	\$	9	Ξ	132	=	1	<u></u>	118			121
Prov. Seq. 10 AA	×	3	2	Ž	Ē	*	2	21.1	14		14		Ē	174	*	2	318	=	210	2	35	772	ន្ត	2	161	182	=	186	98	187	2	72	201	× Ş	ş	ŝ		ŝ	*	101	. 881	R	8	×	172	æ	ŝ	124	£3	ğ	129, 130	ŝ	* 6	×
AM Chor Seg ID NA	*	2 5	P	25	2	×	2	2		-	R	*	100	25		2	=	2	8	2	Ž	:	2	ž	\$	\$	×	140	35	151	22	22	8	×	8 3	2		\$	1	161	2 2	X	\$	×	8	3	8	8	121	249	128 127	128,127	* 1	×
3	=		1	=	=	┪	┪	+	+	=				1	1	3	3	=	Ξ	1	3	Ξ	Ξ	1	Ξ	Ξ	Ξ	Ξ	Ξ	Ξ	=	1	Ī	3	1	1	Ξ	T	I	П	Ξ	3	=	3	Ξ	Ξ	Ξ	Ξ	Ξ	=	=	3	1	Ħ
Oere Name	e S	AACOOLOU IN CALIFOR	N CEMANNO	2 1		AAQ2190 h DYRKS	I M DYROG M	DK/2 16 2 N KNW2/ N	II FIRST II KINGUN	1/00005/01945/ n	E STATE OF THE STA	1700013801187 N. IRAKON	E WAYN E	5	44450	E	5R57 10 2 m TESPC2 m	-	_	_	E	2	اء	1 2 P	ه ا	19 P	_	AA060026 m SGK022 m	H 69	4 95	1.0.h	100	T. Section 1	AAA46104 M PCW/4 M	4 19	1 2 2		51 m SGK384 m	9G/0071_2_h	AA118352 m SGK071 m	٦,	E	AA671276 h VRKS	E COM	AA452647 h MPSK1	اء	e 9	482	h WKK8	PAK6 h 5R95-20-11	106 h 2R41-8-4 n	E 15	, and a second	NM 007170 h TESK2
	S S		3	2460 -	2	¥65	N DORG			3		8	2	- X	8 9	E 240744	Ì	3	A137913	19/603	W20810 m	A744236 n	AI052250 A	AZ78842 h	8 200	AA26725 h	2000	888	888	AA758530 h	A665975 n	AA805440 h		442469	44044		SCICIE!	3	90,00	A 1183	018653	200	W 6712	371373	¥838	2 2 2 2	ACCES	8		No.	X X X	AOBO	3	8 2

	Profile	e nd	281	261	281	2	281	281	ž	281	281	281	281	281	261	281	281	281	281	281	281	281	281	281	283	38	261	281	281	261	281	281	281	261		281	281	281	281	281	261	281	281	281	281	281	8	281	281	261	261
	Profile	atar.	1	121	-	-	-	-	242	1		256	-	-	128	-	-	-	-	-	-	72	-	263	-	-	-	-	-	-	-	-	-	1			-	-	22	-	-	-	-	-	186	-		-	-	ដ	23
Kinase	Domain (s)	pue	453	143	286	283	30	310	44	383	907	24	632	818	25	333	459	330 & 883	539	355	354	169	389	4	333	625	297	673	77.1	293	293	321	259	325		307	340	1258	158	271	304	320		2		1239	381	313	471	218	191
Klyans	Donuiln(s)	1111			=		•	PO PY	-24	- 80	.051	C	928	550	-	81	226	2	35	88	88	-	182	2	3	888	65	415	514	8	2	ž	=	74		56	9.	82	_	£	1,1	47	6.0	627 1 1088	 - 	95	9,	8	3		
		Description	[BARK2 [Homo saplens]	Adrenargic receptor kinase, beta 2 (G-protein-linked receptor kir)	Serfredhreonine protein kinase [Homo sapiens]	Serine/Ihreonine protein kinase [Homo sapiens]	TANK-binding kinase 1 [Homo saplens]	KIAA0973 protein [Horno sapiens]	CG7719 gene product [Drosophila melanogaster]	KIAA0965 protein [Homo eaplens]	Protein kinase C, mu [Homo saplene]	Protein kinase C, BETA-II TYPE (PKC-BETA-2) [Homo saplens]	Protein these C, nu [Homo sapiens]	PKNbeta [Nomo saplans]	Protein kinese N beta [Homo saplens]	Ribosomal protein S6 kinase 3 (Homo sepiens)	Ribosomal protein Se kinase, 52kD, polypeptide 1 [Homo saple)	Ribosomal protein S6 kinase, 90kD, polypeptide 6 [Homo saplen	Unknown [Homo sapiens]	SGK (Homo sapiens)	Serum/alucocorticold requisted kinase (Mus musculus)	Protein kinase (Homo saplens)	SGK-like protein SGKL Thomo agrienal	Protein tyrosine kinase 9-like (A6-related protein) (Home saniens	Phosphoprotein [Homo sapens]	DCAMKL1 (DOUBLECORTIN-LIKE AND CAM KINASE-LIKE 1)	CPG16 [Mus musculus]	DCAMKL1 (DOUBLECORTINALIKE AND CAM KINASELIKE 1)	CPG16 [Mus musculus]	Death-essociated protein kinase-related 2	Death-associated protein kinase-related 2	Death-associated protein kinase-related 1	KIAA0999 protein [Homo saplens]	Hypothetical protein F49C5.4 - [Caenorhabditis elegens]	Cdc25C associated protein kinase C-TAK1 (Homo saplens)	Cdc25C associated protein kinase C-TAK1 [Homo saplens]	R31237 1, partial CDS [Homo eaplans]	KIAA0135 gene is related to pirr-1 oncogene. [Homo saplens]	KIAA0135 gene, related to pim-1 oncogene. [Homo sapiens]	KIAA0781 protein [Homo saplens]	KtAA0537 gene product [Homo saplens]	Hormonally upregulated neu tumor-essociated kinase [Homo sa	Skeletal muscle myosin light chain kinase [Gallus galfus]			STK with Dbf- and pieckstrin homology domains [Homo sapiens	MLCK (Dictyostellum discoideum)	CG11533 gene product [Drosophia melanogaster]	CG11533 gene product [Drosophila melanogaster]	PFTAIRE protein kinase 1 [Homo saplens]	Cyclin-dependent kinase-like 1 (CDC2-related kinase) [Homo sa
2.5	Mazida	ACO	CAB45/357.1	NP 037029.1	CAB70471.1	CAB78471.1	NP 03% 86.1	BAA768-17.1	AAF65:94.1	BAA76309.1	NP CO:733.1	P06:27	NP 0':334.1	NP 037437.1	JC7063	AAC32495.1	NP 0385.38.1	NP 055311.1	AAD30182.1	AAD41011.1	NP 3474.1	AAF: 2757.2	AAF27051.1	NP 009215.1	CAACA 19.5	015078	AAF26875.1	015075	AAF28675.1	NP 333217.1	NP 004217.1	NP 534761.1	BAA78343.1	T2242	AAC 15093.1	AAC: 56±3.1	AAC::3487.1	BAA: 3484.1	BAAC 27.84.1	BAA: 4:01.1	NP 0:3355.1	NP_055401.1	AA 375 1 38.1	BAA: 15.1	BAAF: F.35.1		253		AAF5 : 10.1		NP C.) 187.1
	×	Similar	100	8	28	8	8	8	7	흄	8	87	100	90	100	88	5	100	휻	50	8	5	88	ŝ	5	11	2	8	22	5	98	100	90	2	98	ᅙ	ŝ	5	2	힐	8	100	2	5	86	2	8	8	8	۶	75
	×	Identity	100	98	Σ	8	8	\$	9	휻	67	42	100	100	100	8	\$	100	8	100	8	ê	8	2	2	28	6	\$	66	100	91	100	8	51	89	ŝ	8	9	2	2	22	9	3	50	88	5	14	£	22	62	ŝ
9	match	=	687	371	282	7 7	82	2	2	3	919	42	980	889	204	78	469	746	920	430	426	244	378	Š	2	466	98	181	147	372	340	414	1053	3	ž	728	482	1236	3	88	887	714	211	2227	67	1284	114	181	188	138	148
	Length	2	989	378	9	2	8	Ş	2	ş	978	105	890	689	202	384	469	746	640	435	630	244	446	830	\$	88	297	708	808	372	372	414	1311	8	436	622	482	2 2 2 2	ន្ត	928	629	714	874	2288	127	1287	514	208	478	288	247
	nraa	Pscore	2,76-314	1.30E-190		1.40E-137		1.20E-09	1.30E-19	6.10E-181	8.80E-160	1.10E-10	0	9.46-319	1.20E-106	3.60E-12	2.90E-257	7.00E-176	9.60E-222	9.20E-103	2.90E-157	2.00E-76	4.10E-211	5.60E-216	1.40E-19	1.50E-185	1.60E-62	2.80E-48	2.60E-31	3.10E-121	7.90E-93	1.20E-113	5.90E-185	1.20E-45	1.40E-32	1.30E-184	3.50E-126	0	5.10E-69	3.00E-111	7.30E-80	1.40E-244	8.20E-76	o	7.80E-37	0	5.00E-20	3.30E-89	8.60E-98	9.60E-39	7,10E-48
		Group	GRK	GRK	o3C11.1 se	03C11.1 G	03C11.1 ca	NOR	NO.	ZQX Z	PKC	P S	PKC	PKC	PKC	Sek	SGK	S6K	36K	SGK	SGK	SGK	SGK	8	AMPK	CAMK	CAMK	CAMK	CAMK	DAPK	DAPK	DAPK	EMK	EX	EX	EMK	EMK	EMK	EX	EMK	EX	EMK	M.CK	Trto	Trio	Trio	Unique	š	중	S	
		Family	AGC		Agc	Т	Τ	AGC	AGC	Agc	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	AGC	SPA	Atypical	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	SAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	ž	ક	CMGC	CMGC
Patent	Sec	_	122	2	22	2	2	22	97	2	Ş	Ş	132	3	3	-35	28	137	138	139	140	141	142	255	÷	145	148	147	148	149	35	151	162	3	3	2	2	8	2	28	ş	호	5	162	3	20	98	99	167	8	169
Patent Patent	Seq	SP IDS na	1 H	2	4	4	1	D ,	4	4	4	9 E	÷	12	₹ 13	4	9 I	H 18	H 17	H -18	10 M	N 20	12 H	H 22	F 23	H 24	M 25	H 28	M 28	H 29	M 30	E S	4	4	2 1	4	4	4	4	4	_	I Ş	1 4	H 42	M 43	7	Н 85			¥	

) ac	ž	261	261	261	261	- 28 -	261	281	261	291	281	261	261	281	261	281	261	261	261	5 8	281	197		100	281	281	281	281	128	281	æ	28	22	2	118	143	281	261	28.	28.	8	281	ē	æ	ž	æ	ž į	100	
7,6	-	-	235	134	-	-	-	-	-	59	-	235	•	_	89	-	-	-	-	238		٦	8		- 2	-	_	-	ē	-	-	_	<u>=</u>	8	- 3	=	-	-	-	-	-	-	•	-	-	-	<u>+</u>	- 3	
240	1020	385	28	163	483	305	286	284	384	187	267	86	479	327	170	448	286	527	487	103	559 & 1001	200	180	3 5	230	111	316	266	38	259	723	620	22	200	131	305	531	265	288	280	272	267	213	328	408	340	313	200	
ļ-	7.0	•	-		171		†	ş	2	1:31	2	(A)	144	5.3	-	166	72	199	7.1	¥.	080 1 091	À	2	a a		516	32	12	12	18	463	357		20	5 2	230	2	ę.	9	35	12	2		_	Ş	† 	+	+	
Cycin-dependent kinase-like 1 (CDC2-related kinase) litomo es	CDC2-related protein kinase 7 [Homo septens]	NKIAMRE [Homo seplens]	NKIATRE alpha (Rattus norvegicus)	Cell cycle related kinese [Homo saplens]	Cycin-dependent kinase-like 1 (CDC2-related kinase) [Homo sa	Extracellular signal-regulated kinase 7; ERK7 [Rattus norvegicus	Kenal tumor antigen [Homo saplens]	Intestinal cell kinase [Homo sapiens]	MLCK [Rattus norvegicus]	CG10873 gane product [Drosophila melanogaster]	Hypothetical protein [Homo sapiens]	Hypothetical protein [Homo saplans]	KiAA0344 gene product [Homo saplens]	Nuclear receptor binding protein (Homo saplens)	Nuclear receptor binding protein [Homo saplens]	Ca2+/calmodulin-dependent protein kinase kinase beta (Homo e	Hypothetical 33.5K protein - rabbit tibroma virus	Nuclear body associated kinase to IMus musculus	Dust-specificity tyrosine-(Y)-phosphorylation regulated kinase 3	Consideration of the second of	News are the fair factors of the black	CO 10874 same and ind December and indicated in the property of the property o	(AE003587) CG 10873 cens amplier [Description melanecester]	Interdestrial recents secondary kinese M Momo sentenel	Interdeukin-1 receptor-essociated kinase M Promo sapiens	Ire1, inceltot-requiring 1 gene [Mus musculus]	CG\$173 gene product [Drosophila melanogaster]	CG8173 gene product [Drosophia melanogaster]	testis-specific kinase 2 [Homo saplens]	Mixed lineage kinase [Homo sapiens]	Putative protein-tyrosine kinase (Homo saplens)	KIAA0472 protein [Homo saplens]	Receptor meracung protein 3 (Mus musculus)	KIAA 1980 omteh Momo epotenel	CG1973 gene product (Drosophila melanogaster)	Unnamed protein product [Homo saplens]	Serine/threonine khase 23 [Homo sapiens]	Serine/threonine kinase 22A (spermiogenesis associated) (Mus	sertne/threonine kinase 228 (spermiogenesis associated)	Serine/threonine kinase 22A (spermiogenesis associated)	Serine/threonine khase 228 (spermiogenesis associated) [Mus	Serine/threonine kinase 22A (spermiogenesis associated)	Serine/threonine kinase 22B (spermiogenesis associated)	Putative protein kinase [Arabidopsis thalians]	UNC-81-like kinase (ULK) 2 (Mus musculus)		Hypometical protein DKF 29434C131.1 - human (fragment)	Serum-belucible kinasa (Homo sapians)	
NP 00:137.1	AAF36401.1	AAF:365n9.1	AAF 4871.1	NP (38251.1	NP 031740.1	AAD12719.1	NF 53041.1	AAT 17278.1	F20689	AAF:C700.1	CAB : 834.1	CAB70834.1		NP 05 24.1	NP 03/524.1	AA031507.1	2	A-U02.000.1	NP (AUSE/S)	NO 01 10 10 10 10 10 10 10 10 10 10 10 10		AAEKO700	AA: 50: 09.1	NP 000 130 4		NP 036148.1	AAF 48758.1	AAF4573.1	NP CU8101.1	AAF63490.1	AAD29832.1	BAA32317.1	CABERRADO 4	RAA92588 1	AAF58933.1	BA42 3097.1	NP (58195.1	NP C33481.1	NP 033432.1	NP 03:491,1	NP C33482.1	NP 1:134:11	NP 033462.1	AAD*2787.1	BAA77341.1	BAA 7341.1	BAAE 270 4	AAC: 00.75.1	
82	199	82	8	3	2	3	3	B:	=	6	8	8	8	흔	8	B :	7	3 5	38	8 8	٤	2	3	8	88	80	62	S	8	8	8	8	3 5	3	20	9	ş	2	3	3	8	62	8	8	2	3	3 8	2 2	
88	9	2	85	2	5	6	3	B :	8	ş	8	3	8	5	88	B ;	3 2		3 8	8	٤	5	9	8	7.6	82	45	32	85	ള	8	8	3 5	8	2	100	9	ş	\$	\$	8	9	=	8	20	3	3 €	8	•
193	1490	377	228	<u>2</u>	9			223	2	2	88	3	3	2	2/2	8		2 2	3 5	207	ş	5	8	888	203	746	102	ş	2	68	2	3	9 8	798	396	646	88	122	127	12	22	122	2	6	3	8 5	489	27	
982	1480	ž	33	125		\$		72		3	8	2	1882	2	9/2	200		1	3 5	3 0 2	Ş	283	216	286	392	922	225	8	7	8	2	3 8	88	200	808	678	83	388	88	282	8	273	218	25	2	5 6	28.5	S	
2.90E-84	1.10E-264	9.20E-101	1.40E-128	3.00E-08	1.505-242	9.10E-59	4.305-108	1.30E-100	L		_L	1.005-102	6.70E-300	1.10E-254	2.50E-208	3.0UE-140	2	2 405.200	2 SOF DR	2	1.50E-220	2.50E-45	3.70E-45	0	1.20E-170	1.56-323	8.70E-40	6.90E-32	2.60E-17	2.50E-282	9.50E-201	2.20E-150	0.00	1.70E-209	2.20E-157	7.40E-198	5.80E-252	3.80E-53	2.70E-52	4.60E-16	5.10E-123	2.10E-33	2.50E-32	0.000082	0.002482	1 205 88	1.80E-208	8.70E-10	
χQ	Ç	ğ	ğ	Š	100	\$ 100 E	200	220		TURKER BC	27977	2002	CZ8C2 C8	C28C2 C8	27070	TID) Agi	AGVO	DVRK	EFK	EIFK	Endop	Endop	IRAK	IRAK	E E	KYK2 dd	KX2 dd	LIMX	X X	50	200	SCY1	SCY1 sc	SCY1 sc	SLOB?	SRPK	STK22A	STK22	STK22A	STK22A	TSK	Z.			2 2 5 3		Unique	
CMGC	CMGC	CMGC	CMGC	SMO	2000		CONC		18	MC100M					3		Ž	o de	Other	Other	Other	Other	Other	Other	Other	other i	g g		i di		Š		ğ	oge O	Other	Other	g G		o Dela		red C	ego O	Ē	o de	5 8	2 2	5 6	Other	
170	171	1772	133	2	22.0	177	ř		5	3	9		3	8 8	3 5	187		8	9	5	192	193	194	185	188	è	3	8	8	ē ŝ	202	3 2	208	902	207	208	2	210	211	212	2	214	210	218	210	200	82	221	
09 M	4	26 E	4	\$ 2 ≥ 3	1	1	Ļ	Ļ	1	4	4	5 2 E 2	┸	4	1	╀	Ļ.	L	202	L	L	Ц	Ц	H 78	4	4	4	4	4	2 3	1	1	1	ᄂ	Ц	4	4	4	4	4	1	4	1	4	© 6	9	╀	Н	

କ
Ě
홌
=
Š
ž
্ত

	-	200			100 NP 0	100	929	555	6.50E-233	LIMK	ğ	230
2	-	282	8		F	90	462	452	2.80E-137	CDK	CMGC	Ц
5	3	2000		т	-	100	287	367	8.30E-112	SGK	AGC	
69	- 8	3		L	57 NP 0	es S	3	183	5.30E-18	RTK-20	¥	
	-		487	AQ-98465.1 (U40827) protein tyrosine tinasa (Mus muscuhis)	86	38	77	495	4.90E-24	RTK-20	¥	
281	-	700	677	BA484194.1 (AB040812) protein kinase PAK6 [Homo sapiens]	100 BAAG	B	2	25	//05-1//	9150-02	910	-
261	9	629	370	т	t			4,5	7 70E 499	STESO DO	318	
107		9	70	1	t	٤	101	1011	1.10E-291	8TE11	STE	
000	1	3	,	AADS1888.1 (AC007068) unknown (Home seniors)	86 AADS	86	292	636	2.70E-119	NEK	STE	
9	-	284		F 6:654 NEK1 (NIMA-RELATED PROTEIN KINASE 11 (Nue misembal	67	\$	122	698	3.30E-30	NEK	STE	
384	-	\$5	88	AC 41: 58.1 CG4523 gene product Drosophila melanogastari	- S	\$	136	581	5.10E-49	8007	5	
284	-	280	20	AACCRESS.1 MPSK [Homo saplens]	100 100	8	304	309	/.4UE-144	200		
138	63	78	~	BAAB0789.1 (AB031052) vaccinia related kinase 3 [Homo sapiens]	\dashv	78	5	7.7	יוד		3	1
13 8	63	318	247	7	+	3			3	305	ć	
=	42	8	8	T	t	ξ		727	3 10F.283	VRK	oge o	
2	2		-	:	t	7	*	386	0.022948	Unfore	Other	
69	8	5	•	1	42 Pi	S	52	55	0.31334	Unique	Other	
	3 9		 	AA:47318.1 The cana product (Describilla malaccoaster)	61 AA.	42	22	5	0.007385	Unktue	Other	
3	,	1	•	84-30:8078.1 KIAA1284 protein (Horno saniene)	45 84%	S	79	704	0.000126	Unique	ğ	
8		980	ç	CAA 8116.1 Serina/threonine protein kinesa like amteh (Arabidone)s thefier 1	50 CAA	30	38	349	0.000022	Unique	Other	- 1

164 Table 3

fl																
	Yumar eyes	Terrari.	-	Tuesday - No	Toward comp	Hermed.	E-ries.	<u>p</u> 27			\$20, 665 A			\$20 H E	\$20 12 PK	SEQ W HISEQ
nemen plane - Is Sprace profes - Is	_								7480 9151	13081 32266	1202404	20048 118257	106718	1513	19997	P46,70
Department - Dr									4465	9234 376	1477535	36367	32237	33956 1984	13151	17034
manuscry gland - h broky sh			-							9023		4031 63623	21960	7801	7730	
partner - h									9400	3674	334665	\$Q\$Q5	32300	982	11808	71940
Cardinature II Cardinature (Marie III		\vdash	-				_	_	9542	19704	712184	#D467	38500	19477	29290 11010	
Maked Greate + It									18719	8046	967041	85401	30156	23341	13781	103271
placesta b Robel Midrogy - N			1						9763 4797	15468		95705 81089	45070	34271	13047	80312 80064
			₹						3477	1784	122050	6036	40012	11790	\$464	
dead been je polonys al h		-							272	1294	1549111	30100		17021	13000	69677
Maria de la constanta de la co									\$315	9401	429701 1385487	7907	(5)494	31917	34504 11874	JQ518
Author reserve - h		├;	•				-		3012	1915		27471	12313	1000	11874	
ermed interplany - h									3920	9681 \$453	\$36216	7 4 1 C T		11770	12220	42979
		-					-	—	3586 9196	\$453 2766	413001 234006	41491 21584	26102 12872	1229	9994	48325 54755
Bree - h		2	1						3763	4479	230007	24003	16261	11550	8365	46332
Spines - h	ļ		2					_	2394 4121	1519 1921	200005 400007	49111	29875	1676s		10000
Mary No.		- 3	*						2050	419	312007	37613	7500	1000		
		. 2	1						RS42 PRS8	17.72	1,25000	1223		117943	31130	49.4
HPAEC			•				75		7304	0	50000	34171	26274	3979	14479	67067
Traped gland - h		2					8		3670 26571	1973 1923	194711	42838			914Q 15054	43670
RPTEC		-;							6724	37902		25213 88046	49813	15200	18043	70006
HAMEC							\vdash		7791	1964		24124		4715	11713	89184
HCAEC		-3				ᆮ		\vdash	5384 7676	4040	62341	34437	17125	94775 9768	29455	\$17171
Paramen - h		_						=	11000	519	41943	19302	15818	8148 8420	513	48443
lynyti mdo - h Slubský mestis - h		3	}_			_		_	\$132 5005	724	47630	15791 11080 18355	30735 6411 18596	94.20 \$294	3012 2070	94078;
Select Street In		_	•				\vdash	=		2177	146493			1459	2447	98121
t-last- h Crysseyh	 	- 3	-	 				\vdash	7001 9710	745 2472		15383 40817		2515 10164	3930 1902	70722
Danish N		4						\sqsubset	2879 12365	3365	2005	9779	14000	4049	9070	42191
Fetal jergin - ja Sahary pj ja	 		<u>. </u>	 				┢	17.00	3065	2	20505 17344	12177	15819 4150	3047 3230	251/2
(tendo - h		-	_						8062	23900	33514	19983	14006	17832	4300	\$7084
H1319-mind		 		\vdash		363		\vdash	115	367 427	9191 9712	2300 1910	2191	1736 144	134	
Diffully regards						30			- c	15	36470	2725	725	12030	954	197328
8=-13 6=-12		ऻ──	_	 		41	396	\vdash	#1230	1296	583114 84790	49100	10800	30140	3447	82144 58067
carabaltum - N						344		H		342 585	21601 28541	Z 7 7		3651	1243	27729
Sheading -Pr		├				32	¥	-	1977	Ses		26733 24733		2654 333)	7227) 6057	
RETEC Springs made - h		=				332			706	. 0	1941	7347	7055	94631	1180	30798
to made that year, and part	 	 				F 15	\vdash		906 7190	318	6\$14 191277	9607		9005	540 2972	47380 70908
Food bronn - h						320 327			604		217335	6223	320	2046	632	80874
Programa II DET 1480 - manned		\vdash				226	\vdash		6794 197	80		B4119 2027	19530	7917 196	1743	70026
PEPM 30 percent						326			3565		09120	12132	3837	4353	3048	61910
- A			=			314	$\vdash \exists$		4913	4034	653304		1 19850	31221 10150	6216 4760	60463
tracking - h tryank gland - h						314			2530	250 845	1100K3 000401	34400	13185	30303	6310	44946
sufferry (f h						311 208	$\vdash \exists$		<u> </u>	417 447	101154	1900	9484 [42]4	9076 5783	1955	91507 47900
province, is printery plane - is						34			1226	٩	\$196JD	16053	2008	4627	819	34764
parameter - It	\vdash	=	=	\Box		304	H		1134	907 700	901947	9852	36736 8726	7450 72300)	1647 3808	44917 88451
managa giaraj - h Majabar - h			_			軍軍			14712	700	1072119	25967	8608	7366	3927	73421
tendig - h		—	=	\Box		294	-		4347	11127	177026	8300°	30343 16344	1977	9832	87199
Calesa - b	<u> </u>		=			- <u>27</u>			- 66	1597	218030	20791	9707		_ =====================================	1 277×1
									22		- F	A P	3217	CARED	4330	
epul propolino - ja epulatel propolin - ja									5376	1462	417579	27541	13016	30944	5272	90372
turno						270 271				918 2174	34947 98342	211) 4719	2570	3421 8223	1687	60657 84753
HPAEC						273	275		597	123	4967	Ī	1414	653	1062	37166
147382 earling 147382 earling						33			253	88		4467		4100	901	
3 -1 1						2	230									79946
David									1719	4286	2000	19773	1587	19433	300 4370	73547
HI3/2-mmd						225	79		1710	4786 (81	82163	6331	1948	7793	4370 9820	94114 73967 80453
						森和	273		1719 41 707	4296 1991 0 1939	82163 34038 _ 82364	9831 18387 7278	1948 5366 3674	7793 9133 9250	4370 6620 2360 2664	73947 80453 78597 71584
9=-7 2m-9						ANE	271 271		¥ . 3 . 5	4286 981 0 1936 3454	82163 34038 83364 49140	6231 18387 7278 7045	9948 5366 2674 8702	7798 9133 9250 9877	4370 9620 2380 2880 7380	79967 80453 78267 71584 92712
David David						ANE	273		2	4286 901 0 1936 3454 9694	82165 34038 85344 49140 74917	98397 58397 7278 7045 9839 9234	1948 5366 2674 9742 786 1908	7758 9132 9250 9877 7032 4847	4570 9620 2080 2080 2180 2180 3425	46114 73947 80453 78567 71564 92712 43446
David Barr 2 Barr 1 Mandalay - N						AHENNE	271 271		1719 41 707 97 397 498 529	4285 981 0 1930 3454 1934 4004	82163 34028 82364 49140 74913 63891	9231 98387 7276 7045 9879 9236 2060	1948 5306 2874 9702 786 1909 2366	7788 8132 8250 6677 7032 4847 3425	4379 9830 2390 2980 7380 3423 1940 171	40114 73987 80453 78297 71504 92712 43408 41888 23431
David David						AHANNNEE	271 271		17:00 41 797 9 387 485 529 329 486	4286 1911 0 1936 3454 4904 450 2512	82163 24038 82364 49140 74813 63881 6347 6143 136764	\$231 \$8397 7276 7045 8539 \$236 \$286 \$286 \$286 \$4638	1948 5206 2674 9742 796 1908 2386 2384 3782	7798 9130 9290 9877 7032 4847 3425 7634	4370 8630 2390 2886 2380 3425 1046 171 1637 1754	94114 73967 90453 78297 71554 82712 43446 41958 23451 8468 1
Durch Shar-2 Ger-1 Standary - Is Friends - Is Standary - Is						AHANNEEE	271 271		17:00 41 797 9 387 485 529 329 486	4286 1911 0 1936 3454 4904 450 2512	82163 24038 82364 49140 74813 63881 6347 6143 136764	\$231 \$8387 7276 7045 \$679 \$236 \$688 \$688 \$688 \$6416 \$6416	1948 5306 2674 5702 716 1908 2386 2384 3392 1949	7798 9133 9250 9677 7032 4947 3425 7634 19114 1036	4379 9820 2350 2886 2380 3425 1046 171 1837 1754	#4114 79397 80453 78597 71504 82712 43446 43466 43468 23451 46480 80801 30007
Durch Black						ANGUNEEE	271 271		1729 41 99 90 90 90 90 90 90 90 90 90 90 90 90	4286 901 00 1939 2654 4804 4809 0 1912 547 1977	52163 34038 63364 48140 4813 5047 6149 51794 9478 9478 9478 9478 9478	9231 98307 72775 9045 9050 9236 9080 94130 94130 94150 9781	1948 5204 5274 5702 786 1909 2384 2384 2782 1849 2184 5782	7798 9132 9250 9677 7032 4947 3914 1936 9198 569	4370 9620 2090 2090 2090 2000 3425 1094 171 1837 1794 476 1228 1140	#4114 79987 80453 78297 71594 82712 43446 43988 23491 44481 58681 28681 43621 43621 43621 43621 43621 43621 43621 43621 43621
David						an enemerated	200		173 41 20 30 48 48 48 48 48 48 48 48 48 48 48 48 48	4285 901 00 1939 2654 1684 4094 639 91512 847 1977 23737	52165 34030 53364 49140 54912 5391 6349 53176 54185 54185 54185 54185 54185 54185 54185	9231 93387 7279 7095 9239 9239 9419 9419 9419 9419 9419	9648 5295 58742 786 1909 2384 2384 3792 1846 284 2784	7793 9133 9259 9677 7032 4947 3425 7914 1924 9718 568 14801	4379 9620 2390 2006 2007 2423 1949 171 1837 1734 476 1202 1142 1143	44114 73947 90453 79297 71554 93712 43446 41958 33451 44440 1468 146807 44607 44607 7777 77777 77777
Bunel							200		22 年 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日	4286 901 00 1939 2654 4804 4809 0 1912 547 1977	52165 34030 53364 49140 54912 5391 6349 53176 54185 54185 54185 54185 54185 54185 54185	\$231 \$8387 7279 7045 8598 \$236 \$236 \$415 \$781 8667 9406 \$406 \$406 \$406 \$406 \$406 \$406 \$406 \$	9648 53908 2674 5702 786 2386 2386 2384 2384 2484 2484 2484 2585 2484 2484 2484 24	7799 9139 9250 6677 7032 4847 3914 1914 1914 1916 668 14801 294 1951	4379 9620 2390 2006 2007 2423 1949 171 1837 1734 476 1202 1142 1143	44114 72967 80432 72967 90432 7297 71554 43446 41960 3247 4446 4461 8661 8661 8661 9462 947 947 947 947 947 947 947 947 947 947
Paned Sime 2 Sime 3 Sime 1 Sime 4 Sime 4 Sime 5 Sime 6 Sim							200		1739 41 702 9 904 905 905 905 905 905 905 905 905 905 905	4285 981 1630 2654 4654 4654 4589 0 1512 547 1912 947 949 949 949 949 949 949 949 949 949	52163 24030 63364 69163 5981 6917 916 917 917 91837 81837 81837 81839 6395 9395	9231 93387 7279 7045 9539 9236 9236 94139 94139 94139 9410 9400 9400 9400 9400 9400	9948 5306 2074 8702 7988 1908 2308 2308 2308 2308 2404 3792 3945 3945 3957 3957 3957 3957 3957 3957	7799 9132 9230 6677 7032 4847, 3425 7014 1036 9198 660 14601 1211	4379 8620 2360 2866 2866 2866 2866 1971 1971 1971 476 1120 1140 1151 1815 866 579 1041	44114 79907 90453 79507 71504 71504 49406 41900 23431 44406 41900 23431 44406 41900 23431 44406 41900 23431 44406 41900 23431 44406 41900 23431 7047 7047 7047 7047 7047 7047 7047 704
David Bare 3 Bare 3 Bare 3 Bare 1 Bare 4 Bare 4 Bare 4 Bare 6 Bare 6 Bare 7 Bare 8 Bare 7 Bare 8 Bare 7 Bare 8 Bare 7 Bare 8 Bare 7 Bare 8 Bar						ANANNEZEZZE	200		22 年 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日 日	4286 981 1939 2654 4654 459 659 7812 847 1977 92 92 92 93 1977 92 93 1977 92 93 1977 93 1977 93 1977 94 95 95 95 95 95 95 95 95 95 95 95 95 95	52193 24039 40140 5394 40140 5947 5047 6143 4476 814637 53224 4476 814637 53234 5324 5324 5324 5324 5324 5324 532	9331 93367 7279 7045 9336 9336 9336 9415 9415 9415 9416 9400 9400 9400 9400	9948 5308 5308 5702 5702 7940 1959 2394 1945 2494 1846 549 549 549 549 549 549 549 549 549 549	7799 9132 9250 6677 7032 4647, 7036 7036 17016 9198 569 9198 14001 1211 1251 4306	4379 9820 2380 2886 2380 3423 1948 1771 1754 1754 1815 886 578 901 801	44114 72907 80453 16677 17594 92712 45448 4989 23457 4688 4688 4688 2688 2688 2688 2688 2688
David Brand						anannezezzekakes	200		17日 - 17日	(286 (811) (1800	82153 34038 93384 9949 9949 9947 9947 9947 9478 9478 94	\$321 \$537 7777 7045 \$295 \$235 \$235 \$450 \$415 \$415 \$415 \$400 \$415 \$400 \$400 \$400 \$400 \$400 \$400 \$400 \$40	9949 S206 2024 8702 799 1909 21982 2194 1945 1945 1945 674 974 974 974 974 974 974 974 974 974 9	7789 8132 8259 6677 9427 9427 9427 1911 1008 9738 14801 14801 1481	4379 9620 2890 2890 2890 2890 171 1837 171 476 1222 1943 1943 1815 896 579 1041	44114 72927 90423 17627 71524 71524 43408 41930 23421 66602 6662 5662 70127 70127 6662 70127 701
David Barel							200		17.9 411 727 9 981 623 682 682 682 687 887 941 641 641 641 641 641 641 641 641 641 6	4286 981 1939 2654 4654 459 659 7812 847 1977 92 92 92 93 1977 92 93 1977 92 93 1977 93 1977 93 1977 94 95 95 95 95 95 95 95 95 95 95 95 95 95	82153 34038 93384 9949 9949 9947 9947 9947 9478 9478 94	9731 93327 7779 7045 9398 9398 9473 9473 9473 9473 9473 9473 9473 9473	9948 5308 5702 7788 1904 2388 2388 2388 2388 1845 2782 1845 484 184 184 184 184 184 184 184 184 184	7799 9132 9259 6877 7032 4947 3215 1036 9198 569 14801 224 4306	4570 4570 2240 2886 2886 2886 2423 1917 1917 470 1947 1943 1943 1943 1943 1943 1943 1943 1943	44114 72967 90450 17877 17877 17977 17977 17977 17972 4948 4948 4948 4948 18057 18057 18057 18057 18059 1805
Doved Barel							200		17 19 19 19 19 19 19 19 19 19 19 19 19 19	6286 981 1856 1856 1856 1857 1857 1857 1857 1857 1857 1857 1857	E255 3628 3628 39192 39192 5919 5919 5919 7915 7915 7915 7917 7917	9721 93387 7278 7045 9509 9509 9509 9400 9415 9415 9415 9415 9415 9415 9415 9415	9945 S306 J870 7702 7703 1990 2986 2986 2986 2986 2986 2986 2987 3997 3997 3997 3997 3997 3997 3997 3	7789 9133 9133 9133 9239 9877 7937 9947 4947 19314 19314 1934 1934 19401 19401 1941 1941 1941 1941 1941 1	4370 4370 2380 2880 2880 2880 3431 171 1734 1833 1843 1843 1843 1843 1843 1843 1843 1843 1843 1843 1843 1844 1845 1	44114 77367 9052 9052 1597 1597 1597 1597 1597 1597 1597 1597
David Brand							200		178	6286 910 19256 19256 19376 19376 19377 1977 1977 1977 1977 1977 1977 1977 1977 1977 1977 1977 1977 1977 1977 1977 1977 1978 19	E255 3628 3628 39192 39192 5919 5919 5919 7915 7915 7915 7917 7917	9731 93327 7779 7045 9398 9398 9473 9473 9473 9473 9473 9473 9473 9473	9945 S206 J277 796 1972 796 1984 J296 J296 J296 J296 J296 J296 J296 J296	7789 9132 9239 9877 9827 9825 9825 9839 9839 9839 9839 9839 9839 9839 983	4570 4570 2240 2886 2886 2886 2423 1917 1917 470 1947 1943 1943 1943 1943 1943 1943 1943 1943	## 114 72967 89-53 19-97 19-97 19-97 19-97 19-98
Daved Brand							200		17 19 19 19 19 19 19 19 19 19 19 19 19 19	4286 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	E795 MEDIA E504 H100 H100	9231 9337 7778 9459 9235 9235 9415 9415 9415 9415 9415 9415 9415 941	9945 S206 2727 776 1752 2386 2386 2386 2396 1846 1846 1846 2496 1847 2497 2497 2497 2497 2497 2497 2497 24	7788 81333 8259 8157 8157 8157 8157 8157 8157 8157 8157	4979 9820 2399 2896 2896 2996 2997 171 172 173 173 173 173 183 184 194 194 194 194 195 195 195 195 195 195 195 195 195 195	44114 72967 92527
David Bare 3 Bare 3 Bare 4 Bare 5 Bare 6 Bare 6 Bare 6 Bare 6 Bare 6 Bare 7 Bar							200		178	\$286 0 0 0 0 0 10 0 0 0 0 0 0 0 0 0 0 0 0 0	15795 15796 15796 15796 15796 15997 15977 15	9231 9337 7778 9039 9239 9230 9230 9415 9415 9415 9415 9415 9417 9417 9417 9417 9417 9417 9417 9417	9945 5006 2070 1970 1990 1990 2006 2006 1990 2006 1990	7739 7739 7739 7739 7739 7739 7739 7739	4579 4579 4579 4579 4579 4579 4579 4579	44114 72947 92947 92947 92947 92947 92947 92947 92948 92948 92947
Daved Bare 3 Bare 3 Bare 4 Bare 4 Bare 5 Bare 6 Bare 6 Bare 6 Bare 7 Bar							200		17.99 Part P	(286 (811) (190) (19	E795 E795 E755	9221 19387 7778 19454 19595 19	9945 5206 327A 7700 1992 2986 2986 2986 2986 2986 2986 2986 2	7789 51333 5299 5299 5299 5299 5297 5297 5297 5297	4979 9929 2399 2399 2999 1999 1777 1774 1774 1774 1795 1995 1995 1995 1995 1995 1995 1995	44114 72957 92507
David Barel							200		12 1 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6286 6286 0 0 1000 1	12765 12765 12765 12767 12	9221 19387 7778 19454 19595 19	9945 5206 327A 7700 1992 2986 2986 2986 2986 2986 2986 2986 2	7789 51333 5299 5299 5299 5299 5297 5297 5297 5297	4979 4929 2939 2939 2939 1949 1971	44114 72967 90:53 90:53 17987 17987 17984 1921 17984 1921 17984 1921 17984 1921 17984 17984 17984 17984 17984 17984 17984 17984 17984 17984 17985 17985 17985
Devel Browl Brown					79		200		17 19 19 19 19 19 19 19 19 19 19 19 19 19	(286- (881- (190-)) (190-) (19	ETTES 5554 5554 5675 5677	9221 9327 7778 9509 9209 9209 9409 9409 9409 9409 9409 94	998 999 999 999 999 999 999 999 999 999	7789 \$1332 \$2399 \$2797 \$1332 \$2797 \$2399	4079 4029 2399 2399 2399 2399 2499 1727 1727 1737 478 1727 1941 1941 1941 1941 1941 1941 1941 194	44114 77957
David Simil. Sim					- 17		200			(2006) (2	ETTS.	9231 9337 7778 70555 9220 9220 9220 9410 9410 9410 9410 9410 9410 9410 941	9945 5006 5006 5007 7950 7950 7950 7950 7950 7950 7950	7789 51333 51239 5	4979 4929 2399 2399 2399 3423 5999 1777 1877 1877 1877 1877 1877 1877 1	## ## ## ## ## ## ## ## ## ## ## ## ##
David Simal, Sim					-		200		17.12 17.12	Grant Gran	ETTES 5554 5554 5675 5677	9331 9337 7779 7779 7055 9350 9350 9413 9413 9413 9413 9413 9413 9413 9413	9945 9945 9945 9945 9945 9945 9945 9945	7789 \$1332 \$2399 \$2797 \$1332 \$2797 \$2399	4970 \$920 2009 2009 2009 2009 3019 3017	44114 72927
Daved Bared					- A		平 本 四 四			Grant Gran	ETTS. MICHAEL STATE 19193 1	9321 9327 7778 7778 9058	9948 5006 5006 5006 5006 5006 5006 5006 500	7789 81333 8239 8239 8277 7932 7932 7932 7932 7932 7933 7934 1030 8305 8400 1231 1231 1231 1231 1231 1231 1231 12	4570 4570 5590 5790	44114 72927 92527
David Barel					- P		平 本 四 四			Company Comp	12755 12755 12756 12	\$231 \$1337 \$7778 \$729 \$232 \$432 \$432 \$432 \$432 \$432 \$432 \$432	99-99 199	7789 91323 92325 92327 73327 7	4970 9820 2009 2009 2009 2009 2009 2009 2019	44114 72927 92527
David Barel					#1 #3 #4 #8 #8		平 本 四 四		17.88 18.19 19.19	General Control Cont	ETTS. JECTS.	\$121 \$1327 \$227 \$227 \$227 \$227 \$227 \$227 \$227 \$	1948 1950	77188 91539	4270 4270 5820 2280 2280 2280 2280 2290 221 221 221 221 221 221 221 22	44114 77297 7729 77297 77297 77297 77297 77297 7
David Barri A					81 83 86 80 80 91 91 94 94		平 本 四 四			Commonwealth Comm	ETTS ET	\$231 \$1337 7779 \$232 \$232 \$232 \$415 \$415 \$415 \$415 \$415 \$415 \$415 \$415	99-99 500-99 195	77188 91539	4979 4979 4979 4979 4979 4979 4979 4979	## ## ## ## ## ## ## ## ## ## ## ## ##
David Barri A					81 83 86 86 80 81 91 91 91 91 91 91 91 91 91 91		平 本 四 四		17.19 1-17.19	Comment Comm	1975. 1975.	\$331 \$1327 7779 \$252 \$252 \$452 \$453 \$453 \$453 \$453 \$453 \$453 \$453 \$453	998 999 999 999 999 999 999 999 999 999	77188 81532 82532	6979 6920 7299 7299 7299 7299 7299 7299 7299 7	44114 72927
Daved Bared					81 85 86 80 80 81 91 91 94 94 94 94 94 94 94 94 94 94 94 94 94		平 本 四 四			Commonwealth Comm	ETTS ET	\$331 \$1327 7779 \$252 \$252 \$452 \$453 \$453 \$453 \$453 \$453 \$453 \$453 \$453	99-00 100	77188	4570 4570 5520 5520 5520 5520 5520 5520 5520 5	44114 72927 92527
Daved Bared					81 86 86 86 80 80 91 91 91 91 91 91 91 91 91 91 91 91 91		平 本 四 四			Company Comp	ETTS. ACCOUNT.	\$3777 7777 7777 5777	99-00 199	789 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4979 4920 2290 2290 2290 2290 2290 2290 229	44114 72927 92527
David Band Band Band Band Band Band Band Ban					81 84 84 86 86 81 91 91 91 91 91 91 91 91 91 91 91 91 91		平 本 四 四		17.19 1.17 1.17 1.17 1.17 1.17 1.17 1.17	Cape	19753 1976 1975 1976 1976 1976 1976 1976 1976 1976 1976	\$3177 Target Targ	9-9-9 10-9 10	7 mm 1 mm	4979 4971 4971 4971 4971 4971 4971 4971	44114 72927
Daved Bared					81 86 86 86 80 80 91 91 91 91 91 91 91 91 91 91 91 91 91		平 本 四 四			Company Comp	19753 1976 1975 1976 1976 1976 1976 1976 1976 1976 1976	\$3777 7777 7777 5777	99-99 199	789 8 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4979 4971 4971 4971 4971 4971 4971 4971	44114 72947

165 Table 3 (confd)

Column				- 1-	Turner softs		-	285 12			SEQ PM AN		NEC II CAN	12712	SEQ 12 PQ:	4043 4043	BM B
The content of the	He 5787					-			13(29)	1292	37520	29247	9767	6794	8670	48543:	514
The content of the	MOZI	151						\dashv		1085	204414		18734	18348		63303	4830
Column C	M14	147						=				13867		42907		20000	8237
	UNCC-62	¥				\dashv	-	-				13751			2134	30061	£824
	3K MG-38	- 14							5767			(513)	8047		4196	98230	
The column The	SM. MELS	147				-			\$633		43470	12301	4000	4623	7794	30002	3132
10	SKARA	140				Ţ			1107			16806			\$476		18741
Column	D4C7-15	138	-			i			9889		493464	10070	8076	21327	8334		7927
### 19 1 1 1 1 1 1 1 1 1	COLO 205	127				-	H	-				23713		23014	5500		7615
The column The	LOK MAY	195							11629	9		10054	6862	19314	7213	30003	
1	716-10	134					\vdash	\vdash	30021		194916	13000	7300	8546	4045	374(7)	(317
Column	780	192							3384		į	17720				34175	9455
The state of the	CC MA					+			9962	177	94911	19456	16309	8438	4967	30000	6795
## 15	FC-3 :							·—			49634	21015				40444	Spec.
## 15	70F 743	i []]		5					1000	138	38580		2150				
The color of the	C#1	124				-			꽃		772047	13247	3020	10151	20	37800	
Column	SR	32							9123			19090	41974 B419	1723		39104 80465	9858
Column C	RPM 5724	121								217	203577		14358	29767		32578	5287
The color of the	PL49	121							11442	-		12700			2504		6478
Column C	MOLT-4	179							1	300	1086525	16534	9732	41990		25375	-
Company	DC-5802	118				H=		┢═┦	2190 2956	790 3647		19526	20-48:	112367	5687	42300	9903
The color of the	QVCAR-4	110					—		4810		2600707	21767	9515	p1643	968	36130 53017	4575 8613
100 100	OVCAR-3	116				- i-	<u> </u>		4613		882476	13841	4718	10063	2604	34605	6117
The color of the	HOP42	113		==		=		\blacksquare		388		13736	\$854	11036 7184	3280 2006		7962
Table	SF-285	112				=	=		17217	599	379960	27272	12358	10017	6350	47430	8326
Column	\$7-760	Ē			=	+	\vdash	\vdash	3004	1367	233341 1138394	19715	9651 19146		3153	44511	8845
Column	HC3-HE22	109				=			9630	373	\$30300	10794		1205	27#I	84076	1260
Column C	34C3-H46E	197	П				├─		2579		27992	8930	323	6216	Ħ	41 104	4518
	MC1+022M	105				=	=	\Box	6471	921	888327	19440 17540	7954	12434	3103		9532 8744
Section	SNB-19	104							32959	210	108338	20006	1872	20197	1054	61587	9907)
Second S	5K()VJ	793.				F	-	\vdash	B457		302799 108092	13295	E942	15724		39461	
Column	HCH(23	100					_			760	313545	14157	9518	8679			
The color of the	DRÓ/X					-		-		914	16774	10012		8004	3120	31121	4019
Add 19	HCP-82	i ii				-			7900	•	317340	22615	4246		3528	33300	4127
		4					Ė		4478		8872		12450	3004	580	30837	\$236
Tiget	A bendunction Fig. 17.	- 44					=	I		210	1\$3425	22184 11245		19157		22963	
American	TCOP	A				Ė		-	1401	8421		11779		•	0		
Mail	M-1					\vdash	-	<u> </u>			38473	30836					
Mail	A540-4							<u> </u>	#	2972	29599	10727					-
	AB40 - 7					l i -	_		346	1943	00024	16764	Ĭ			Î	
	EXX4											25014 12511			- 6		
Section Sect	BOVX - 3										2000	7740					
Color Colo	EVX-7					- 1		<u></u>	732								9
	0639-7-1	<u> </u>					1	<u> </u>	- ME ((2)11	\$6,000	7983		9			
March	MCF-7 - 4			$\vdash -$		 	 			1050	81146	11012					
### ACTION COLUMN COLUM	MOF-7 - 7						Ε=	-			18967	1949				- :	- 5
Age 1	AUR-RES-1	 						-	475	523	27934						
Part	ADR-RES - 4				-	+	+			47	33000			- 6			- 0
Table	ACR-RES - 5						ļ			770	12823						
변경 - 1	mr 26 - 1	μ				+	 		- 5	21							
Page	WI 38 - 4		=			-		8		373	17801	9317 11360					
Page	W 21 - 1			==		亡	=	I			7 94191	12288					
PMA-1	Distart	=		==		-	-	HEV E	- 5	1202	19493 81937	17033				. 0	
Complete	HM.s-3				=	=	-	PEVE	960	331	1	J 7885					
Testing 1	HeLo-S	=	-			_		PYE		104	37500	9676					<u> </u>
Pricing	741250 - 1		t			\vdash		-	944		9997						
	3/C290 - 3	-	 	<u> </u>		Ŀ			33	207	74744	25061	9				
	191200-5					F :-	-		204	199			-				
Section Column	7H259 - 7	—				\Box	=	14	194	_4270	37307	\$382					
	BKKK-2	F===		\vdash	\vdash	L .	<u>t </u>		401	959	7 20339	9134		1			
Page	DICY-116 - 2		=			-	=		117	379		21130 13627					
Strong S	Dr.120 - 2	-				 	1			100	9 1987/	13005)
Strong S	SP530- Z	 				-	-	-	117	317	4295	13336					1
DACAM-1	SF-200-1	<u> </u>					!	-	811	59		1253)
	IOVCAR-4 - 1	=					_	<u> </u>	35	164	3 101777	10427					
Control Cont	OVCAR-5 - 1					\vdash	\vdash		72	54							,
	CMCARA.2	+					1	*	2	143	3 11063	7003	4	<u> </u>)
Find_1 - 2	ACREA - 2			=		F	-	HEN FE				18374					9
PRITAL	Mala-2	$\pm -$					1=	Annual and A	32		0 6977	9740					
C204.1	584g-2	\bot	-				+	-		257	3 57304	15061					
Color Colo	D11299-2 C334-1						1			1979	7 9547	19400		<u></u>			
	C33A - 2				+	+-	1-			717	6 15150	1997					
1	U206 - 2						-	1		1	9 94007	22177					
1	Hudb - 1					1	$\pm =$	-		al 95	61 35277	11975		1			9
Martin	M 3 - 2					-	-	-			3874	7557	-				
	Mana-1	+	 	 		亡	$\pm =$	\pm	112	325	7 3612	10052					
770 0 8477 2779-12 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Marine - I				-	F	-	+-	100			2040	i				
150 1570 1570 1570 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1001:1	+	 				1=	1		P1	947	zirsi:		<u> </u>			
90 0 15325 1103 0 d d	- D-1-1	=				+-	+-	+	J 516	100	7 _1439	24700			·		
		_								1	0) 1532	1193	<u> </u>	تــــــــــــــــــــــــــــــــــــــ		لـــــــــــــــــــــــــــــــــــــ	

. ..

166 Table 3 (contd)

			N	 !	-		SEQ MS_A	Can d Val	250 and A	220 cm A	200 a CM	(sec 11 F4	THA H	deso sa b	nieta w ka
	I manage or year	Marine open	,	 _	_		4061	4157	130781	49007					0 0
DePung P							1943 1704	353	123284	21586 22363					0 0
DaPang 8 DaPang 11				 1		_	2384	2976	99139	34363					01 0
DirPana 12 DirPana 10				\Box			1621	•	143411	14784		-			0 0
Outrage 10				 - i -		_	1137	11437	1743 174375	25013 67121					
Daffage 2				-			779	親	80117	44171					9
Drag 1 Drag 3 Drag 3				 	-	_	#39	3575	46067	23797 1940	0	- 5			응
DuPure-6				-			447	217	37704	100			11		0 0
Original Control				 -	-	wi	1754 141	1963	104257 30864	74000 11749					8
6007-A				ŀ			3	-	74732	34176			Ú		0 0
HCT-110-7 HCT-110-8 HT20-1 HT20-1 HT20-7 HT20-8							458	- 0		15408			-		8 8
NCT-110-8		-		 			290	2901		10010					0 0
oriza - y				Н		Ĭ	74	3147	6967 58732	9491	- 9				9
9f129 - 8	<u> </u>		 	 	-		191 7346	375		10019					3
						3		•	67679	9730					<u> </u>
\$7\$30 - 8 49-208-7				 -	_	h	\$07 \$02	**	¥2.22	13176	<u>-</u>		<u> </u>		9 6
0.204.7	L a			 -1-											6 6
FF77 148.4 . P	=			 		-		338		10790				<u>!</u>	e
OVCAR4-8						-	124		17818	3	- 0		37		ő ő
					\vdash	-	\$655 \$222	740 3813		11163 17723			3		밁
ACR-RES - B PALS - B				 		HYE		2243	23063	6100		6			0: 0
SW460 - 7 SW460 - 8				\Box		***	120	1081 7328	24521	12811					0:
364489 - 8 311289 - 8	—			 <u> </u>	_		226 102	2363	53003	10761					0! 0
C394 - 7					=	Í	377	3120	11403	6774			<u> </u>		0 0
C25A - B U208 - 7			\vdash	 	 		20	9613 2184		18670 14777					0
U208 - 8						ĺ	20			9829			li I	1	0 0
1949 - 7	=			 		11	\$30 \$32	4034 4497		10006	- 8				8 8
MI 36 - 5 MI 36 - 5	<u> </u>						232	67	9274 915448	7518			ļ! (. 1	0 0
				\vdash			8548 110	00	\$15448 3070	38621 1153	15776	2147	123		4 7008 4 2006
CFL1972 2/17/80			<u> </u>	ᆣ				1976	99018	7471	4936	13063	2335	950	0 \$228
PITANS				\Box			1340 457	684 545	\$791S	9767 8150	4804				9 PM
PETTAGE	ļ		\vdash		-	-	3170		96345	34036	4044 7965	19311			
147308								300		8634	704	7104			2 9007
Dard	<u> </u>			 	173 174 177	-		905 420	9632 8084	3682 1236	193	2025		3002	1000
0 m d				 Ė	177		225		9394	5220	850	170	77	3907	6 4396
in terretarying 2/28/92 (FTC)				 -	207		1083		14465 83661	12519	1950	1111		9037	
PITE 10							174		19013	#610	3000	1901	111	8628	
B. (B. red and S. 27) 177				 -	_		515 394		27263 2713	9059 5219	253 1944	203	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		
Merci CE puly Ar							495	0	200279	19983 19080	2100	30484	162	3467	4580
SA-OS Dámise práy Ar							1291	364	25714 76332	17000	2632 3634	1906 301	158	3212	7 4278 8 7105
Marie Andre Ant				 		3	1983 426	2854	84654	***				<u> </u>	0 0
HCT-416 - 3 HCT-416 - 4							963	٩	99776	9562	•				의 있
HCT-416 - 6 HCT-116 - 6	-			 ⊢+-	\vdash	T		377		13063		1 3			
AB40 - B								, , , , , , , , , , , , , , , , , , ,	3330	7326			· · · · · · ·	2	0 0
H136-3				 	-		720	3771	4000	8015					
BCYX - 6 HT29 - 4				_		I	27	ľ	(493.31)	1249					0 0
16730 - 6				 			400	1200	25013	19176 10900	8		1		8 8
			<u> </u>			<u>a</u>		1386	(4035 (772) (772)	1.4					
CORA-I			<u> </u>			13	- 23		1,000			j :			
OVCAR4 - S				 -	- la em			\$22	25061					11	2 0
9FE30-3						1	391 408	-	83662 36234	\$,361 19917					0 9
SFK30 - 1				 		1	206	148	16367	17742			·		0 0
9F530 - 6						3	- 0	817	27997	14004			 		0 0
OVCAR4-1				 ÷	-			2513 3086		9772			1		0 0
JOYCARIA-8							512	***	6719	7292					0 0
ADPINES - 6				 _	_	Į,	215 711	3902 2112	19634	7377 12210		-			0 0
MO/-1					=	HO'V ES		•	(238)	100			<u> </u>	<u> </u>	0 0
H1200 - 6	\vdash	\vdash		 <u> </u>			313 923	226		11987 9787					9 9
500400 - 3 500400 - 4						I	- 84	204	76400	17095) ¹	9
SW400 - 6				 	\vdash	H	922	2		28236 23008	- 8				
391400 - 6 CIM - 3						_	050		80905	21194				·	0! 0
C334 - 4				-	_		294 428			707			-		
CDA-1							144		10216	9454					PI Q
H-40 - 4				=	\vdash	1	357	8	217525	7427 30612					0 0
U206 - 3 U208 - 4		ь.					917	2742	145703	12520)	0
1/206 - S				=			836 454	1376	81956	17426				<u> </u>	0: G
U208 - 6 W/ 35 - 6		\vdash	<u> </u>	 ÷	\vdash		25	529 4947	6650	1,277% 9025	- 6		,		0 0
(44) - 1 (44) - 4						3	232	4744	57100	12044					0 0
				 		Į	1330 1761	1334 740	\$7673 ###66	17644 27637			I		
\$F,386.5 \$F,386.6						H	1145	8492	10557	27606					
\$7.306.E				تب		Ħ	621 634	1860	40558	30121 12423					o: o
SF-300-0 CuProp-15 Miles - 30	\vdash						1771	2	127630	46046					0 0
annel - 38							1917 1348		290833	90992 63637	- 2	-			0 0 0 0
100 pt - 27 100 pt - 22	—			 	┢═┈	╚	1278	2514	120200	25282			31	21	<u> </u>
OVENRA-S							1063		01000	27974				1	0 0
10 - 10 - 11 - 11 - 11 - 11 - 11 - 11 -				 	\vdash	_	1387	- 15	16400	73912 97514)i		DiO
MR0-01 - 12							1081		100032				1		01 0
Miletal - 12 Miletal - 13 Miletal - 14 Miletal - 15							2111	•	240001 96263	27331					!
- N		==					730	•	194665	16747					
Miles II							933		98746 40277	19300			-		0: 0 0: 0
Milded - 17 Milded - 15				 	┌─┤		400	147	140750	19972					
									20062	9470			3:		0 0

!

167 Table 3 (conto)

The same of the sa	Tener oye	-		Tuturer - So	Toront reside		F	100	520 17 AA	1342 1342	98Q 22 PT 597762	8531	9EQ 29 DR	SEQ 24 DR	8EQ 832 A	#6 m IN	1 43494
gjepni gistri - h Iprojih reals - h		- }							94630	7004	373187	14301	60834	15382 5446	130195	336	2571
have residen - h									Ē	345	117700	11397	81933		73638 5276	154	75 231
marriery gland - h		1				-		_	357 BB 54253	1825	13845 T	1710	7723 829	206 1184	70030	3190	2311
hrein -b persona - h				Į					71540	2036	40029	6878 7425	7247	2972	31495	4955	1246
		7						—	67365	55 25	298725 \$10587	19723	7748 7314	2650 2404	130678	8736 3058	
State Strain - N		1						l	183271	9	167665	Z2024	3636	1198	63217	7424	8436
plecerity - h		10				I			90342	004		8213	8476 12234	6005	178804	1306 (RSS)	4165 4517
playments - It free! techniq - It		1 12	_			—⊸	_	-	749.4	9029		10864	17733	1143	\$4000	877	
Band See-)		173							100.77	2163		11342	19722	2418	38364	279	2130
perhangsi - h		- 5	_			\vdash		-	80783 82918	1479	127000	3000 0127	19797	1000	12900 57400	7544	233 3405
ted hep - h		- 2				-			\$783t	171		2744	1837	505	40574	3077	2917
heart - h		- 77							1 5 S		2999	88	4058	225	31339 21676	1102	2174
want transfer - h		16 10	_				-		46325	1357 6757		3871 1786	14338 3202	13671	30570	2144	1494
opinal cord - h		- 5							84756	1315	153917	21234	5273	1003	21487	787	716
Sheet - In		1						├—	46302		\$3839 \$29409	44H 7530	2272 2004	1234		126	- 43
	ļ —	- 73			 				37827	577	103001	4.5	25700		(LONG)		457
Transition in the second secon		39	7.	1.0					18010	. 963	X7950	20.4			بنتين بن	â	一: : : : : : : : : : : : : : : : : : :
teets h								٠.	- 45		42/019	19180		6722	120548	1733	- 5
HYPAEC	 	77					A		67067	543	42,019 3134	3804	2437	9815		129	
Supred gland - h		79				l			43676		101029	8525	4919 4367	920 364	377Q2 418	:	795
PPTEC		- 2				-	-		42349	303		1077 1077	70004	3721	42087	683	
HARC		- 5					Ш		80164 99678	950	21473	3471 5371	0 8755	2472	7094	397	
- A		. 33	_						60078	*		5371	8755	<u> </u>	37945 198	2848 242	3631
HÇAEÇ		<u>*</u>	_	├──			_	-	\$1717 48143	- 77		2120 4314	118 13335	•	2540		1002
Pyrateria - h hyrydd ywdd - h		- 3	_						94676	_		5499	83795	2010	2025	200	
و جنوب وبعث		Ä	=			=	\vdash	Ι	38349	49		4136	25 9138	319 1908	2006 765		
Speed Green In			_		-		\vdash	<u> </u>	59121 47672	946		- 		-	4365	492	0
Plant - It Deprese, it		-	_						76722	<u> </u>		3341	\$7019	1496 600	2872	220	
Designation - In Festal largey - A		41	_			-	\vdash	\vdash	42101	143			4170	9 X	2529 1981	10 284	3091
Fetal bright- h	 	믬		├	 		\vdash		30177		927	1319	17131		1205		
Substract - h		<u> </u>	_					=	\$7004 12050	12	294	, pass	13574	¥	3443	326	
H1214			_			-	\vdash		12858 8246		-		222	957 347	327	356	
H1213						343			, 700			340	163		1 142		
6m-13						35) 354	354 354		82144	100		23/36	6795	7232			12
Ten- 12					├ ──	364	- 34	<u> </u>	2/729	- F			4027 639	3179 50			71
gerekejken - It breje -h		-	_			- 5			31402	78		0		20 79 81	•	. 0	
IMPTEC						334 334	334		71903			8004	9500	2	479	113	} લુ
						330	\vdash	_	38798	277			\$3857 41	757	367 223	94	- 0
STATE STATE SECURITY STATES						339			47386 70808		8377	29006	10500	93	2749	1212	
Fytal (mylsy -)t D-CT3000-manual						77			00074				\$0838 261101	721	- 29	1110	
the same h			_	├		풄			79625 41371	49	1		0		750	. 325	13
SETTING - passed HEPM (A) windows			_			120			01910		10739		2992 189533	725	3660	1 232	
utanup + h			_			310			BB+63			24906	188533	8075	6343	1297	440
trains- h		-	_	 		318 314	_		40040		1 1484		91900	77173 5340	1895		\$06
thyrald gland- h universed - h			_			311			91587 47908			300 300	36363	1043			0
						300			47908			980	25416 19211	- ***	176	534 660	157
philips should be the second				├──		304		\vdash	34764 44917	17		631	13630	1321	- 20	125	596
percent h						303				9100		F 8443	103603	7974	407	323	9
		=	_			- 202	<u> </u>		72421	-	3470	1072	10230 \$3342	184 8342	4726 2916		
		, <u> </u>				-7-	-	: 	974			12.	1,122				
						- A	L		51/25				777	C230	7943 CS	++	
	-					<u> </u>		i	4164				14000	7708		9	156
enal integral b	-	├	_			- 2			89372				62231	3807	2121	825	
the marrier - h						累			90667 84753		-		27722 9660	351	- 9	0	0 355
married planed - by	\vdash	-	-			277	275	-	27100						.98		
HPAEC HT383-named	-	 	_			200			30010	50		9	20368		741	594	. 0
017363-served						3	_		40114	115		1190		1004	300		
11						274	#	-	73567 59457	T 28*	1 12	100	2291		-		- 0
Bar-8 HT372 corned						224			76267	1	1190	2087	13756	- 9	<u> </u>		
(Ber-7						224	23	-	71554	37			1971	756 1227	-		
20-4 20-1	-	—		 		20 229	231 239		82712 45446	1	500	217	2314	748		\$75	
Ge-1			_			-	227	$\overline{}$	41000				1630	100	9	1 0	1 . 0
Maridian - N		=	_			- 22	\vdash	1	33631	50	Z)		1154		-	136	
Disert - h		-		<u> </u>		215 214			50001		, Je		63631	3007	303	671	
Salad Spage Is						213		_	30007			224	11412	70			
phosphia - N	+	₩-				212	211	_	43829 34737	28	3	1627			·		49
MCAEC Registrato - R			_						70177	1		Z-	6636				
HARES		=	_	\vdash		208	- -	-	40074	19				- 3	1100	336	120
Overlanum - I) Sheketi prancis - I)					 	굙			2019			345	34		9	322	
Paraman - N						201			30007		141		13233				
marky - h	\vdash	\equiv				194	├ ─		20053		8020	170	19857	- :	3921	81	
Selecting of the Control of the Cont	┼					197			21214	32		1731	276	. 54		190	<u> </u>
himme A						193_			23113			1422	86431	8113			
W1-20 72h						179	-		21245 27301			76	75 39127	3097			
							ᆮ		79636	58	0	27724	108553	7184			1
may-1			_			इंग	=		69000				7921	100	449		;; 백
						- 53	-	-	37903 12835			771	2207	229			
ment hong - h				 	-	- 51_			21501	44		, J#1	7610	\$15	740		Ō
Stated Survey - Sp. Stated Streets - Sp. Stated Statement - Sp.			=				=	\vdash	31744	53	1	7] 341	1,2404	1988	M1	249	
HELA-20-621889		-	_		77		-	-	67302						907	-	1 1
HELA-0-03988		-	_		 1	\vdash			\$3022				<u> </u>	156		1 39	Ţ ģ
HELA 40-45100 HELA 40-45100 HELA 40-45100						\sqsubseteq			29774 94380					927		195	9
HELA BARTISMS			_	-	## ##		\vdash	-	56360					791			1 8
PELABORES .				├	90		_		(4,013				1250	2/94		784	<u> </u>
MELA-419-431886			_		N .				43442	1			836	982	426		a d
HELA-123-631699			_				.		34925	95		}—-	290 201	1008 2213		313	980
HCS-HS22M HCS-H60M HCS-HS22			_	 -	148	 		<u> </u>	22012		113		710	1763	491	92	262
HC1+H522	=			=	159				JD164	T	2		\$30	701		180) 3679
310-19			_		152	=	\vdash	-	18876 27275	1		261	370	2401	344		
318-15 518-73 5F-386 5F-386	├ ──				151		Η-	<u> </u>	18325		<u> </u>		154	- 1			<u> </u>
SF-286			_		154				9334	194	•[1			38	24	747	
COM-CEN			_			_	-	-	10035	12			707		291		778
DU-945 HCT 118					193			-	1303		36		672				

168 Table 3 (contd)

				_										-	
Y	-	Hermal eyes	Yumor - to	Tpoor estin	Physical	-	953								T 100 D32 N4 00 D32
789-0				101				2784) 4723	141	104	246	2253	8374	-	
7470				764 188				52705		462	639	771	151	1100	
Kan-3				171	—		-	30045 11952	- 4	771	900	342	336		197 176
CPE 1941 FINA BCIO 791T untrested • Differe				183				21316		1		•) (46)	120 6
(C) party (A+	\vdash			194	\vdash			276823 30104	19		1630	2000	100		0 0 46 30
HOS poly A+				191				23014		187	1000	523	974	790	371 126
MOCAS				g g		_	-	1277	13	-	1384 714	812 994	21		
MCF-7MDR-REB UTOS phanel/j poly as		1		204				8406	-		1294	672	7		867 0
WIEH (Culepun) poly Ar				77		\equiv		12999			14		87		
CCL 137 FBMA 3121/86			 	200 218				83649 21190					- 4		446
PRINCE AND COMPANY OF THE PART AND LOSS.				į				38088 147725	1				36		176 134
CRL 1401 - TPA (2014) BCD			\vdash	20 21	├	_	-	20116			1400	336	44	157	
Ke-1 No.2				. 223				3364		4			236	. 0	- 4
Km-1		 		225 241			-	37530 22340			124		74		
HDP40 HDL14				- 23				19706		1336		D	304	636	
DERAX	E				h				قائد				376	290	
10						ì		23942		99	306	7	954	71.71	il 915ai 14002
PROVINCE DE LA COMPANION DE LA				247	-		┝	34425 38616					1614	1	912 401
ASCRIATCC SR								19566	_	136		254	73	0	<u> </u>
CVCAR-3				250		\vdash	-	27443 34619			962		230		
OVCAR4				250 251 252				10333	47	107		157	194		718 0
DO31				252	-	\vdash	<u> </u>	13454					75. 706		
OVCAN-6 SN12C				253 254				39900	111	336		204	440	9	0 0
SH12C CNCAA-8	$\sqsubseteq =$			7	\vdash	H-	\vdash	19467 49486	19	\$7; Value	562	512	211 913	819	104 C
LCK IMA IGROVI				27		ᆮ		36126	12	200	740	373	1340	300	231 798
SK-MB,-1				250	=		F	34735 1717a	73		1017	1 0	53	377	1 73: 0
SKARLA				259				13827	21,		1 0	941	- 5	1 0	: 54 0
37-638				26	匚	=	\equiv	39531		177	824		340		
5K-ME1-28 pt.862	 			262				対抗 対抗	190	1113		179			55, 336
UACC-257		=		ž	\vdash	=	=	25143	19			210	91	97	612 0
MIH MCF7				265 267		\vdash	=	19129 98835		200	444	807	110	2550	449 583
MONAGE 476				200			=	20015				40			•' 6
HTZ/P MDA-H			— —	279 271	-	┢	┗	39490 37574	72	796	1 0	1	490	2743	429 625
Y70 poly An				273				102504	197	2300		922	101	534	1336 0
HTIESS 24h TPA RINA 9/23		 	\vdash	300	t=-	\vdash	\vdash	2000) 47107						511	367 0
HELA EXPANSION				313				19300				0	31	290	42 0
HTESH ON PERSON HTESH ON PRIMA		-		223	-	\vdash	\vdash	\$2000 40070	10			17290	2761		131 0
HEA HEALTH TOTAL				7				66569		1. (343 0
NC14026				234 237	_		_	23074 19804	<u> </u>		1036	1027	230	1532	
HOP42 MOAMB-231				336				36962			46452	11907	1862	5501	1030 1019
				330			\vdash	23959 11967	,	101			(C360)	10277	0
PC-3 HCC-2805				- 21				23400	12		300		913		
HCC-2904 397-404				245				17789 18302				774	20	401	1336 949
PITTERS				246				4200)			100	1720	771	1465	0 72
COLD 206		<u>-</u>		347	<u> </u>	\vdash	۳	12540 20025				9440	101		1 0
HT218				-3-				71716			2170	770			531 349
Imin										:- :	- 14				
								- 200	460			وُّ نِــــــ	205	L #	
TIL-10		_		368		Н		42915		9636	2300	1942	9625		23 678
NAMES AND THE PARTY OF T				357				76434 23715	531	94082	1996	71000	31271 9416		
96 \$76T HT213			50			\vdash		41736		100			201		
NT Jan								34614 37801	55		3494		28		0 e 55 143
HT136			- 54 - 55		_		$\overline{}$	37790	- 88		784	12374		0	501 : 65
D4T163								30017			254 7304	4944 55230	_	406	141 D
M112			56 56 60 02		\vdash			55004 31376	79		171	3857		0	636 357
MITS			- 63					41901 37107				17006		171	<u>i</u>
HTTTB HTTS4			- M 65		\vdash	\vdash		32270				117739			0 190
(MT188)			8					29571		1		3011	(F)		2043: 27
HT188			97 99		ь—	╚		20113	341		1324	25	36	723	704 0
HT149 HT143			69					20413	-,-		300				
467199 447345	 		20.5					19364 27515	17	1 0	7947	73422		9	231 240
117227			72			=		30808 37705				J 272	42. 76	- 0	[637 31
HT302 HT314			73			_		30027	475		121	10000	317	0	9 0
NOTS:17			70		П			98236 30458	910	2	9316	42506	2003	0	
Historian PGS 198 HT321			77		=			91546	10			12917	180		
347327			90 82					43118 47965	185	17	794	7845	97	163	0 0 040 0
DITUM			- #2		\vdash	-		13000	201		9	7507		197	
HT248			87				=	\$1449 37227	67		182	16307		126	725 99 0 114
HT311	├ ──		170		-	-	_	3770		i		9627	190	j	: 780 0
NT 140			190					(18300)		·		452			207 70
HT281 HT372	⊢—⊣		190			-		36761 43132			30		194 42	9	319. 305
TCGP			207			=	=	30117	•	154	1				(2)
HT100 HT100	 7	-	- 277					18433 17447	<u> </u>		352	1273	35	i a	0 142
HT300			724					36703			9196	19400	1	799	0, 61
HTSD	\vdash		- 221 221		\vdash	_		250.78 466.77		1	-	10761 JM37	250		
3(132) 1(132)			230						436	. (5	<u> </u>	12302			334: 0
MIND	\vdash \vdash \vdash		79		\vdash		\dashv	*****							
HEADA			299			=	=	69000	346		3000	25830	145		0 0
D-(T334	\Box		701		\vdash			48347 17927	251		995	1937	145		, , , , , , , , , , , , , , , , , , ,
HT380			316 317						25) 444	111	2363	40100		794	714 634
HIST					=		7	37000 21000		102		1922			270 D
HTMS			765 754 346					31007			2290	17900		486	275 P
HT157			365					67210 20111		Mis	12307	413	30d		[766; O
T-470 MDA-H	703 361						===	26384 34784		219895	2530	200		18194	99 740
MOA-48-435 MOA-48-231	199		-		-	7		J4764	900 712				321	19625 23542	104 305 140 412
	157														

2.4 2.4 4.4 4.4 4.4

169 Table 3 (conto)

														VI	W 4 2	
	T personal party	Numeri eye	Tumer - la	Turner colle	Harmed.	(min				A SEQ 47 A			<u> </u>		N SEO SA CO	SEO NO CL
Debug ?								(5383 25489	957 34	72 37	-					
Outugal Outugal					Į			44303		J		<u> </u>				
Daffere 11						П	I	24007	-	92	Ι	<u> </u>				
DePung 12					_	\vdash	-	96743 20110								
Culture 10					L			ě		2	<u> </u>				9	0
DeProp 1							_	2	170	1 2						
Defined Defined					_	-	\vdash	Jan 2	39	4	1					
DePose 6								4000	1	6 5			-	!!	9	
DePara 6 DePara 6								3290¢		3 3				-		
A549 - 8						-	-	959		2		1 -				
BOX-8							-	•	77	3I						
16(1-1)1-7 16(1-1)1-7 16(1-1)1-8 16(12)-1 16(12)-1 16(12)-1 16(12)-1							**	771			-	-		 		0
HT29 - 1								-77		9T≇	g					0
NT28-8							-			0 \$	1		6			
SF530 - 7 SP636 - 8						\vdash	-	23	<u></u>	7 32	-		- 1)	
8P636 - 8					- ·	-		17076		2 1		a1 1	0			
J. 250.7								1977	7	21	1				; — — ;	
OVCAR-4 - B OVCAR-4 - F						<u>}</u>	*			;;						
OVCAR4 - 8			 			1	-	4732		0			P		ــــــــــــــــــــــــــــــــــ	
OVCAR4-0								3132		4			P	ļ		
DACF-7 - 8				<u> </u>		⊢	<u> </u>	227						-	i	
ACR FIEL - 8	L		⊢ ·		├─		14×10	101	·		1		0 (
344.6 - 8 344.6 - 7						=	-	1922	<u> </u>	1 7	-	Pl		}		
734466 - B		=	\vdash		-	-		417		4 7	<u> </u>			-		
6/1298 - E CESA - 7	 	<u> </u>								6 1 •		2		,	Pi	<u> </u>
C334 - 8								444	•	0	4		8	4);
U206 - 7	\vdash			—— <u> </u>	 -	-	meters.	20611 4750			L		0	1		, , ,
LQ06 - 4		 					<u> </u>	1303	3 <u>[</u>	0				I !		. 0
Hu68 - 7 Hu68 - 8					\vdash	\sqsubseteq	-	190	21 32			B	0	; 		8 - 8
Det 30 - 6				 	├──		*	130		0	7	0 179	3 260	30	500	2000
159 medulo 1944 CPL 1572 39778								345		•	13	4 183	0 29	<u> </u>	61 617	
Quad					=			•	-		14			•		12475
9-01-14 3-(1-140) 3-(1-140)						 	<u> </u>			0 3	•	0 441	2 21	1		2036
HT385								1971		0		656 874	7 825		1 154	24662
D4T288					\vdash		-		 	P .		9 894		32	28	1915
On-1			<u> </u>	 -		173	-			ē 5			5 84	30	4	<u> </u>
						177				•	1	7 236	à 22			
One 5 One 5 One 5 In the Contract of the Contr					—	-	_					3 367	5 19	1	0 29	
	<u> </u>				┼	227_	-	 		•		763	<u> </u>	62	1 89	1625
HERMAN SCHOOL BLZ										9 3	, ,	3 464	8		201	
andre OE puly Ar						_	-		-		•	286	7 29			2343
ander Oil poly Ar							+—	- **				114			€T	1586
24-06 Daymay) paly Ar									PT _	3	<u> </u>	01 25		25	4 - 9	9073
MC pdy A+ HCT-198-3 HCT-198-4 HCT-198-6 HCT-198-8					_	-	T		12				0	-	0	
HCT-118-4			_		-	-	<u> </u>	434 127	71	×12	8	0	0		0 (
D4CT-118 - 6		İ					1	117		9			9			
A540 - Q					-		<u> </u>			9 24						
HT29-1											71	DI	ăI (
						t		1990	1	Q .	Ď.	ō	al .			
DIT28 - 4									1	7 2		0	9			
MT28 - 4 MT29 - 8								1671		9 3	8	0	9	1		
MT28 - 4 MT28 - \$ MT28 - 3			g 3/2							9 77 2 9 3	8	0 0 0	0 0 0			
91720 - 4 91720 - 5 91720 - 3	<u> </u>										8	0 0 0 0	9			
NT29 - 6 NT29 - 6 NT29 - 7 VIDE - 1 VIDE - 1 CONCEPT - 1 - 6			<u> </u>					987 987			0 8 4 2 2 2	0 0 0 0	9			
PITES 6 PITES 6 PITES 7 PURE 7 1 2 4 PINCANA 6 5 PORCANA 6 5	<u> </u>		- 1/2					1679 1679 1875	7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 7 9 9 1 1 1 1 1	8 6 2 2 2 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4	0 0 0	0 0 0 0 0 0			
9773 - 4 9773 - 5 9774 - 5 9774 - 5 9774 - 5 9774 - 5 9774 - 5 9775 - 2 9775 - 2 9775 - 2	<u> </u>							1670 1670 1870 1870 1870 1870 1870 1870 1870 18		9 7 9 9 1 1 1 1 1	8 6 2 2 2 2 3 3 4	0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			
9773 - 4 9773 - 5 9773 - 7 9773 - 7	<u> </u>		- 4					967 967 537 465 1256			0 6 2 2 2 2 3 4 6 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8 8	0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			9
NT21-6 NT21-6 NT21-6 NT21-7 UNC1-11-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	<u> </u>							## 14070 ## 14070 ## 14070 ## 14070 ## 14070 ## 14070 ## 14070		9 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	D B B B B B B B B B B B B B B B B B B B	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	q			
9778-4 9778-5 9778-7 1002-14-1 1002-14-1 002-04-13 002-04-13 002-04-13 002-04-13 002-04-13 002-04-13 002-04-13 002-04-13 002-04-13 002-04-13 002-04-13	<u> </u>							#67 527 465 225 50 128	1	9 39 39 39 39 39 39 39 39 39 39 39 39 39	D	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			9
9731-4 9731-5 9731-5 9731-5 9731-1 9731-1 9731-2 9731-2 9731-3 9731-5 9731-5 9731-5 9731-5	<u> </u>						eminori eminori eminori eminori est est est est est est est est est est	## 14070 ## 14070 ## 14070 ## 14070 ## 14070 ## 14070 ## 14070	1	9	D	0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			
9731-4 9731-5 9731-5 9731-5 9731-1 9731-1 9731-2 9731-2 9731-3 9731-5 9731-5 9731-5 9731-5	<u> </u>						emiliari seriari seriari sel sel sel sel sel sel sel sel sel sel	9175 9275 9275 9405 9295 9295 9295 9295 9295 9295 9295 92		9 3 9 3 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	D	9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			
#79.4 #79.4 #79.4 #79.4 #79.5 #79.4 #79.5	<u> </u>						THE STATE OF THE S		1	9 77 3 79 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	D	0				
HTD - 4 HTD - 5 HTD - 5 HTD - 5 HTD - 5 HTD - 7 HTD -	<u> </u>						emiliari seriari seriari sel sel sel sel sel sel sel sel sel sel		1	9 77 2 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	D	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
PTD - 4 PTD - 5 PTD - 5 PTD - 7 PTD	<u> </u>						THE STATE OF THE S		1	0 0 0 0 0 0 0 0 0 0	D	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
PTD - 4 PTD - 5 PTD - 5 PTD - 7 PTD	<u> </u>								1	9	D	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
#79-4 #79-5 #79-6 #79-6 #79-6 #79-7	<u> </u>						continued contin	1133 1236 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0				
#779-1 4 #779-1 4 #779-1 5 #779-1 5 #779-1 7 #77	<u> </u>						medical medica		1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Q 777 2 2 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			
#79-4 #79-5 #79-5 #79-6 #79-6 #79-7 #79-7 #79-7 #79-7 #79-7 #79-7 #79-7 #79-6 #79-7 #79-6	<u> </u>			*			contents con		1 0 0 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 77 2 3 9 9 17 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D	Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q				
#779-1 4 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 6 #77	<u> </u>						continued contin	1970 1970	1	Q 77 2 3 0 5 5 5 5 5 5 5 6 9 9 9 9 9 9 9 9 9 9 9 9	D	Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			
#79:4 #79:4 #79:4 #79:4 #79:5 #79:7	<u> </u>						content conten	1979 1979	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Q 77 2 3 0 5 5 5 5 5 5 5 6 9 9 9 9 9 9 9 9 9 9 9 9	D					
#79:4 #79:4 #79:4 #79:4 #79:5 #79:7	<u> </u>						continued contin	1970 1970	1	G 777 2 2 0 0 3 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D					
#79-4 #79-5 #79-5 #79-6 #79-7	<u> </u>						continued contin	91 197 197 197 197 197 197 197 197 197 1	1	G 777 2 2 0 0 3 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D	0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			
#79-4 #79-5 #79-5 #79-6 #79-7	<u> </u>						continued contin	Property Property	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	G 777 2 2 0 0 3 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D					
#79.4 #79.4 #79.4 #79.4 #79.1	<u> </u>						contact contac	Property Property	1 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	G 77 2 3 1 2 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1	D	2				
#79 - 4 #79 - 5 #79 - 5 #79 - 5 #79 - 6 #79 - 6 #79 - 7 #79 -	<u> </u>						mentand in the property of the	19 19 19 19 19 19 19 19		G 77 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	D	2				
#779-1 4 #779-1 4 #779-1 5 #779-1 5 #779-1 6 #77	<u> </u>						mentand mentan	19 19 19 19 19 19 19 19		G 77 2 2 0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	D	2	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
9779-1 4 9779-1 5 9779-1 5 9779-1 5 9779-1 7 977	<u> </u>						mentand in the property of the	1975 1975	1	G 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		2	1			
9779-1 4 9779-1 5 9779-1 5 9779-1 5 9779-1 7 977	<u> </u>						mentand of mentand of	Proceedings Proceded Proceedings Proceedings Proceedings Proceedings Proceedings Proceedings Proceedings Proceedings Proceedings Proceded Proceedings Proceded Proceedings Proceded Proceded Proceded Proceedings Proceded Proceded Proceded Proceded Proceded Proceded Proceded Proceedings Proceded Pro	1	G 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2						
#79 - 8 #79 -	<u> </u>						mentand of mentand of	Proceedings Procedenge Proceedings Proceedings Procedenge Procedenge Procedenge Procedenge Proceedings Procedenge		G 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	D	0	1			
#79 - 8 #79 - 18 #79	<u> </u>						mentand of mentand of	## ## ## ## ## ## ## ## ## ## ## ## ##		9	D		1			
#79 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 - 8 - 172 -	<u> </u>						mentand of mentand of	## (## 1975)	1	9	D		1			
#79 - 8 - 17 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -	<u> </u>						eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated an eminated and an eminated an eminated an eminated and eminated an	# 1	1	C C C C C C C C C C		0	1			
#79:-8 #7	<u> </u>						eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated an eminated and an eminated an eminated an eminated and eminated an	## (## 1997) ##		Q Q Q Q Q Q Q Q Q Q		0				
#779-1 4 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 7 #77	<u> </u>						eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated an eminated and an eminated an eminated an eminated and eminated an	## (#270 1970	1	G 7		0	1			
#779-1 4 #779-1 4 #779-1 5 #779-1 5 #779-1 5 #779-1 7 #77	<u> </u>						eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated an eminated and an eminated an eminated an eminated and eminated an	## ## ## ## ## ## ## ## ## ## ## ## ##	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Q Q Q Q Q Q Q Q Q Q		0				
#779-1 4 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 5 #779-1 6 #77	<u> </u>						eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated an eminated and an eminated an eminated an eminated and eminated an	## ## ## ## ## ## ## ## ## ## ## ## ##	1	Q 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q				
979-1 9 979-1 9 979-2	<u> </u>						eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated an eminated and an eminated an eminated an eminated and eminated an	## (## 1997) ### (##	1	Q		0				
#779-1 4 #779-1 4 #779-1 5 #779-1 5 #779-1 5 #779-1 7 #77	<u> </u>						eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated and an eminated an eminated and an eminated an eminated an eminated and eminated an	## (#270 1970	1	G 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q Q	1			

170 Table 3 (conrd)

These	Terrory.	-	-oym	Tueser - to	T	*******	-	943	38Q M A	4579	1372	4 SEQ 63 M	1177	\$820 68 HE 16736	4750 4750	24167 981827
spheroid glaps) - h Igraph stody - h									1862	7020	34580	3353	13003	2746	7406	21327 144050
	<u> </u>		_			_		Τ	102	8040	12341	3432	6 <u>2012</u> 5	2147	-	061361 103064 4197 30763
hard - h		 				 -	1	†	1947				3136 113657	2784	3679	
personal - h								Ι	2734	2044	1176) <u>25</u> 4	14262	19704	3837	
constrained - h			_	⊢—		⊢	+	+	2187	9835 9838				28061	504	23796 126706
hold broth - h							.t		2102	967	1422	971	7 115506	3298	5290	23245 130701
planette : N		بت	1			_		-	7054	2011	1590	947	7790) 1 2730	31823 4205(
intel listing - h			1.					1	2873	4576 2346	7 19030	617		18405	4446	8670 180508
Print Name II			_						1962	3143	1374	11 1084	3 96727	24011	2114	47817 96205
and a second			1	 	 	╁	 	_	1275 4578		94 14	195 944 596	27130	19074 27714	2251 3082	23301 188829 32855 175336
Andread promotes - N									3644	3467		500	9 0833	1791	1781	9575 128406
hant-h		╆╌	1	 		⊢	┼	-	1230	1812	1729	300	מוזו ופ	16473	2054 1876	8412 108323 15805 254853
and interior - h								1	1836	2379	900	1000	7300	30000	2000	17036 190304
- R							Ţ	-	2970	1507	1 123		, ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	29464 38377	190g	7081 139673
her - h		1 1				_	_		4795 1095	1571 2977	7630		7 3943	100 to 10		4001 114231
Senset .							\blacksquare		484	7218	627	171	4773			neps frame
- Charles		بَـــا	—	2 7		٠,,-	-	+	9019	1942			<u> — </u>	,	- 57	1287
						-			1674	5780	4004	1013	P) 17759		470	33050 115427
HPMEC		بسا	-			_	- 1		294 2504	2047			6 47 <u>98</u> 2 11290	1127	3612	
Styrold gland - h SPTEC								=	. 500	1278		172	9 1801	1919	7946	13253
tymbes-h						Ш	Τ	1	\$137	7462	827	\$113	34729	22943 25487	3360	21168 714306 9425 78553
HANEG			9				+-	+	1200	9162		Z34	5 34917	19410	2007 7493	9425 78583 18360 66624
HCAEC										1001	752	1 (435	17903	1902	4210 72712
Programa - In			9	$\vdash \vdash$		-	-+	+	1745	9176: 1207,	560		2 290	7796	2332 3831	
Spenje nady - je Studeni mendo - je			4				土二		1746		7	107	7927	4536	805	2524 26353
144 Sym 1			_	-			+ =			914	362	t 90 1	1 1095	14304 4678	2211	20674 76356
Phony - It		┤╌┇	}		 		1	t	1610	1151	1 1144	460	999	9000	7114	9482 94284
Dandston - h		4	1			ᆮ		\vdash	1 927		130	103	406	4145	1544	6176 95243
Potal Irray - N		- 4				-	+	+	1970	1631				90ee	3646	3676 81428
Selectly of - N tests - N			1						1000	1736		4360	0	13191	2101	10030 120003
HT210 named		=				- 35	+-	+	- 8	713	129	·	B) 130	191	1614	901 20873 0 24983
HT213-camp)			_			35 36			451	343		11 (1 22	171	1001	336 39436
De-1)		=	=			75	300	=	200	9112	404	1111	5 5137	10567	ju131	14820 172795
Ber 12		_		\vdash		· 34	254	$\pm -$	1700	12894	1 72	2	2012	429	2304	1811 30731
Jaryain - In		二				. X				128	פול		0	150	2300	443 32872
APTEC		—				粟	330	₩	1346	2194 1241	1000	131	257	1976		
h said said talking et?		ऻ				7		1		(m)	K d			*	2900	1 0
Fried body - b						19	\perp		279	0013	630	82	100)	12083		3780 89415 7794 30602 9160 8648 152 37863 2085 68214
Million and		├				#	+	+-	1215	79.77		291	S123			1140 pal-18
ort see - manual						×				201				1316		1160 pulis 152 37663
HEPM 24 september			_			Į	+	-	1317		1050	125	5 274 3 3531	8913 16980	11203	2008 BE214 30226 123075
steppe - h textus - h						38				4036	906	196	2794	12222	8263	1407783 104686
through glassi - Is							1	\vdash		4290		394		10333 2734	2519	98801 134799 4532 101244
orders d h	_					Ŧ		1		6480		233	129	162	3467	3066 70453
- In-						347			- 60	14100		114	735	1127	2496	2133 39846
Marcon - 1						X II	+	┿	- 1994	8503 36341		461	7 220	2636	4045	7395 SE363 16318 S6789
Marker - C						38			1973	1915		324	507	9200		7821 06030
(mate - h						7		₩	1747	103501 408-1				29318 9744	6236	10.00
(App. 1)		:					1		680	981	9	13	::7		2770	(
200y-10-in			. 13.			- 25			205	1471	1494					11 11201 5341 64602
		\vdash				-	+	 	2187	\$305	319	54	943			29427 164067
Dano regreer - N					-	270 271	1		0	746	1972		<u> </u>		1 1953	1804 30233
		<u> </u>	_			- #	275		162	9100 3671	9	371	5 0		2150	675 24322
PACC DITRO						8				3036	229	114	257		2137	407 \$2419
MT383-mmad MT383-mmad						Ħ	Ι	<u> </u>	2212				2 160	1075 7360	3610 4208	2147 71386 18885 157428
Der-11 Bord			_			唨	12	 	- 47				0	2790	20,73	1723 61030
MT3/7-comel						ã	1			3431 14411 3131	412	470	2	17		603 60667
=!		\vdash		<u> </u>		和和	20) 20)	_	3434 778	400	*		727	1907	2734	4367 #3674 3914 31581
Pe-1							薑	\blacksquare	197	\$73H		6	33	2	200	2300 48128
			\equiv			20 20	127		1982 279	3974 400i		141	194 522	7924	3405	9947 48717 363 44378
Prof. Pr		<u> </u>				_#				181	·9	1	28		3000	
desired to the second		_	=			器				461		1	<u> </u>	3148	3705	\$634 \$1804 490 41566
Makel Proprie	_				\vdash	出	1		138	372				3470	2961	7792 50002
HCARC						711	211	I	135	215			117	97	2312	1 1 453769
hold (mile) - h						71	+	 	779	729				971		4176 62146 0 37866
Designation b						74	\perp		319	200	43	1	0	46	1052	236 40642
N-44-1		=				783	+	+	233	379			2	100	2201	734 43570 364 43068
Process - h						寵		<u> </u>	7	8731		190			2346	300 44576
Sebany of - h						<u> </u>	=			3763		T36	411	2173 534	2792	2052 \$3185
HEPM 24 70794 delegant-Drive						196 193	+	 	- 894 B	2839	34		1 3	254	1316	
W1-38 720						1				3111	9	. 204	· v		1383	72 22161
						81		 	-	443	8073			2067		
harq - h	 					- F	1			2411		967	. 0	2940 2379	2150	3946: 98957
		\equiv				15		\vdash	1172	7101				1020	2136	1988 47960
Stand Beng - Is Stand Beng- Is			\dashv			25	1	<u> </u>	77	3213		100	176		1157	6005 39043
Partie highway - In						. 40			300	3600	0	65	9	905	2196	5347 66105
0-ELA-30-031000			\neg		1		+	-	9976	77% 2901			919	1796 791	2750 2330	21228 73028 8883 73885
HELA-40-421689			_		en Fi				301	2784		54	203	1279	2284	6212 75474
HELA-CO-COHOM						=			1983	2701	854	167	90	2720	1297	4070 33776
MFI A-M-CYMMI	\Box						1-		222	12547	253		82	963	1043	2048 61476
945_A-40-431689 945_A-100-431680									1224	(60)			<u> </u>	1344	1767	7022 80408
RAINGIES BAINGIES					M M		-		476	25		195	192	931	1729	3546 4619E
HELA-120-(21600 HELA-120-(21600	\vdash				1		1_	<u> </u>	378 708	92.F			283	907	4168	47400 20044
DICY-HIND			\equiv		149	=	T		262	9027		703		400	3190	13322 79200
MC1-HE22				-	150		+	H-	- 27	3101				379 5514	1671	2900 34405 30387 24666
\$105-71 \$105-71 \$1,300					194 194				47	6471		783	49	2909	3295	17171 20001
e/300		=	=	\Box	.194	_			- 0	H		27	436	HE	1051 944	\$460 18046 2043 12360
			∔		154	_	+	 -	365	1985			436 196	(A)	- 67	203 19083
CCUS.COM																
SP-200 CCRF-CEM CU-445 HCT-115			_		160 162 184		==			2190		944	40	126	1957	13460 18145

.

.

PCT/US00/14842

171 Table 3 (confd)

WO 00/73469

Thomas No. STRT	195	Marmal ayes	Territo	T			p\$3	SEQ. 17	A4 063	14 (K (2)51) [14]	4550 XI P	650 X M				SEE O 40 MA	52Q 664 T
MCF7TACR-RES	153							T	543		70411	771	287	9	19559		380 868 0
Berri	151 140	<u> </u>					\vdash	63	**	95)4 371	72224	19025	2725 2725	257	4194	975	73
UACC-257 UACC-62	M7 345	 				\vdash	\vdash	27	87	1000	7250	4910	111	_	32361	396	311 251
4X ME1.25	144							20	951 230	7	1034	1462	2019	434	4067	176	264
UO31 SKMB,4	143	 				=		-	391		13797	1992		200	18600	1985 490	134
04-12 SIGMEL-2	941	<u> </u>				<u> </u>		J 30	爵	297	50294	2528	827	465	1207 19663	9	329 186
MCT-15 Males-3M	170		F		_	\vdash			730	445		7790	1972	287	2000	542 236	P
COLD 205	137				_	=			73	491	1000	2580	490		8754	344	174
LCX MAY	136 176								22	43	29571		257	190	26226 9406	375	186
THE-10 SHCT 116	134		<u> </u>				\vdash		픮				963		7005 3912		200
786-0 HCC-2969	120 121				_			<u>, , , , , , , , , , , , , , , , , , , </u>	쓸	734		0	194	157	9539	997	25 25
ACHR	178	ļ						×	8		91730	1363	917	(30)	10440		726
PC-I ROF NO	124 129		L					J	틃	305	62661	1075 2149	2477	20041	9254 20024	919	9
	- 17					-		35	띩	J31			140	400	16.Vin	57	
3R			Υ		-			LH	104		6500	7597	1177	CS*	2023	796 423	<u> </u>
A486 RPMs 8225	123						\equiv		465	737	8134	2800	2183	625	13014	. 0	
3M12C HL40	122								55	95	2018		325	771	23830		
MOLT-4 OVCAR-6	120					H		75	鬶	7942	42226		337	1506	4078 0052	100	
M-662 OMCAR-4	110	\vdash						4 9	213	582 1900	18143		347 278	222	5004	1220	
CORF-CEN	116					=		74	120	\$76	100622	2761	(31	476	41360		
OVCAR-3 SF-539	118							34		549	14022	1342 2825	909	360	19293	2417	<u>15</u>
HOP-82 SF-286	113 112					E	_			257		1945	1190	606	7726 \$386	417	637
ASSENTOC	111	-	<u> </u>					47	3		78726	1610	365	363	17019	1514	
NCI-HEZZ	700				\blacksquare	\sqsubseteq		F #	306 511		01020	305	813	276 714	8630		
1125/ INCL-HIGH	- 23									400 384	7917	475	134		17977 17989	904 804	152
SNB-76 NC+002M	\$00 100				oxdot	Ë	<u> </u>	#	101		10250	403 3000	458 4821	海	17F2 26338	894	315
3163-19 31C1-11226	104		— —			=			썲	442	13425	1417	431	2844 906	328854 163325	745 196 743	(25 (F
SKOV3	103							23	9	8	19606	3841	\$22 140		19891	30	61
NCH23	101							42		442	11780	3001	229		11318		·
SOX	- 24							75	꺪	- 0	7825	19522	1971	197	\$4177	11	
140P-42 h Mireklaska 3/31/02 (F12	97							22	쯰		98582 9173	1074 1568	306 5270		12792 401	492 200	1973
3 minut 304C 10/21/02 917	47							18	47	100		2105		150	10270	1003	194
h havelencyles 3/25/82 PMB TCOP	#						_	ž		700	19106	7310		55	\$277	344 1704	171
A640-1 A640-3 A540-4		<u> </u>					7		8			348		4066 4678	- 417 500	超	
A549+4						_	7	-	0				1794	7200	143		
ABAR-7							1		8	9			913	9874 9820	767 675	2339	- 8
BOX 4									0			2000	4210	10801	8	100	- 6
BOX-3 POX-6									8	9			1113	4661 1997	197	705 0	- 8
\$10x-7 MF-7-1							_	ļ	응			463		7et3 110	¥.		· P
Secretary							11				<u>:</u>	96	1949 977		344 5 748	138	
MCF-7 - 6							•		9	0		1191		1029 4028		904	
MCF-7-7 ADR-RES-1							_		왕	- 0		0	2734	2797	997 4998	- <u>\$28</u>	
ADR-RES - 1								-	읭		2	1140	3462 D	4639 2017	1005	901	
ADR-RES - \$									용			40)	200 2004	#62 1956	D POS	9	
ADR-RES - 7 WI 39 - 1					=		₹		D			Q	7794	3040	989 197	1971	9
W1 30 - 3 W1 30 - 4							=		0	O	. 0	1631	2005	9499 8499		_1583	
10/1 36 - 5 10/7 36 - Y							wi	_	8		- 6	1486	7677 3377	3242	312	5m²	
Hide-1					=	=	HYE	 	용	9	0	993	949	1919 4257		80	-:
MA-1					=				9			258 1177	281 1708	9656	546 336 1360	950 173	
PMa-7							HPY DI	\vdash	O.		9	1543	274	4700		<u>Q</u> i	
H1289 - 3								=	8	- 0			2004 431	2347 2212	243	237 546	
9f1290 - 4 9f1290 - 5						=		\vdash	0				121 1438	4674 2276	471	St2	<u>····</u> -위
141200 - 7		=			=				8			450	9863 756	1107 2012	77	D P34	
BOX-1			=						0		ō	1435	620		1946		
HCT-416-1							-		월	D		2900	200	6040 6784	149	776 911	
HTZ8-2 3F530-1				7			1		3	0		1614 313	2541 2130	1945		947	
9F538 - 2 9F-388-1				=	\dashv			<u> </u>	9			919 2143	9447 3277	744 4430	790 836	179	
SF-38-2 OVCAR-4-1 OVCAR-4-2 OVCAR-8-1			=		\Rightarrow				8			336	5072	4967	2964	1245	- 8
OVCAR4-2							F		9[•	٥	2243 1624	19120 13774	251 409	##Z	
OVCAR-6-1									8		•		9663 3797	3000 1736	40) (P)	9	
OyCAR4 - 2 MCF4 - 2 ADRAMS - 2 PMA - 2 SMMA - 3	. —				\dashv	\neg			哥		-	700	3002 1963	945	246	9	
144.1			==				YP		휭	·		B41	1919	\$717	1922 1986	0	9
							15		•		•	1200	1670 700	9813 3897	0	1923 4400	
M1298 - 2 C33A - 1					_				윉	- 8		205	4364		1014 121	\$40 443	
C33A-2				==					황	9	- 0	205 804 2046	1962 7979	-)F0	373	0
U208 - 1							Į		핡	_ •		9100	11204	7877 3330	1903	3676	ő
Hell - 2									å	-;	0	9432 0	1963	9738 2994	243	909	
W130-2 Miles 0-1 Miles 0-2									믱	- :		2505 1158	9997 3116	\$771 0	442	99	
					_	\rightrightarrows	=		ġ.	- 1	- :	4465	2001	13400	344 405	1321	
Miles - 3 Miles - 4 Miles - 1					=		=		•		_ 0	\$420 \$860	11049 41968	13400	ō	1907	
Marini - I					_				왌	0	Ô	4620 1706	381 340 531 3172	310	963 143		-
	=			=	\dashv	\dashv			용	0	0.0	3347 48	131) 21722	273	1175	119 G	
					_				-								

1.25

. .

172 Table 3 (conto)

These contracts	7	-	Times - Ja	عقده معقبال	-	Carrier .	923								HE DAY W B DAY
							-		}		21984 10085	9479 9343	31596 17854	2726 1990	1224
Daffang 4	t										9122		25871	1318	994
Owner 11										1	7501	5276	14761	1857	
Oartes 12	├──				-	—					9482		16746 19425	1020 311	210
DeProp 1	i										3911	12536	8767	835	17652
DePara-3 DePara-3					<u> </u>		<u> </u>			}	77	16360 2946	927	148	60025
DaPang-3 CaPang-1		 		 	──								2762		4773 903
DaPang 4 DaPang 4										-	1170	3020	327	1917	2183
OuPung 4		<u> </u>			⊢	<u> </u>	<u> </u>					\$346 1494	9852		1453 427
A549 - 8 EKVX - 8										1	1073		0400	500	17
HCT-118-7							-					2507	3043		619
HC1-19-1	 			-			1		1		- 1	9117	230/ 2122	701 991	0
HT20-7											444	190		- 0	151
HT29-0							-	بنستا				3008	2170	0	1146
SFER - Y	├	-		 			1			}		6143 10346		1976	200
SFCH-1 SF-28-7				t							77	10346 8801	2712	1196	1054
3F400-6		<u> </u>				ļ			 !		1100		4622	300	
OVER 1		·			}		-		1		===		100	5.4	77.5
								-					1	200	ő
CHCAR-S-9				 		-	1						- 33	7000	196
AUR HER - A							-				46	872	3321	P	0
PMLD-D	\vdash					-	HPY ES	-			1923	225 841	4799	7418	9627
504400 - 7 504400 - 7 504400 - 8							meters.				240	. 870	4928		1106
9 11299 - 4									L. 1		1485	4781	2495	290	40:
CXXA-7 CXXA-8		-		 -		 		00	}	}			2719	9002	637 0
U206 - 7			t		<u> </u>			•			2,015	4049	3014	877	1215.
U208 - 9 Hu48 - 7						=	Ī		L)	31	; 4000	8016	0	0:
14-66 - B				╁	\vdash		1	÷		-			3374	1002	0
DW138 - 8								•			1470		3424		4551
						\vdash		3790	671			,790 4685	1447	6192 \$79	DT
GRL1972 3/17/80	1				<u> </u>	34	<u> </u>	25544 99610			1007	3021	1962	979	236
HT368								22584	_5		7=7	21100	2573	29	0 30
HT396 HT386			— —	—			\vdash	37688 76812		3		2000	5974 1359	316	8
947306								21742	351	1] 0	0	32309	1103	1.85	673: 67·
						173	ĺ	30021				1954	1012	78	176]
8a-6 8a-6					-	173	-	19800 3807				371	943		971 W
h Introductions 2/25403 (FII)											2049	164			1796 106
20-10			$\overline{}$			25	\vdash	45162 9624	25	-	245 1279	773	2244	-00	106
HTD10 N Residents \$435/RQ (FT)		 						44374				4910	2		261
The second secon								29035				8565			
NOOS OS pay As					_			2/4679 27067	- 7	197	3642 16788	3707 9901	1721 674	1048 D	8
SA-C-B Branch poly A- MK poly A-								32134		781	13800	19417	478		983 4K
DICT-118-3											7	1700	7970	297 113	74
HCT-116-4 HCT-116-5	 	-			-	-	11						1247	- "	
HCT-110 -6)		270	F	397	346 302
A546-6 HT20-3					\vdash	\vdash			-			2201 4674	1975 7975	1143	\$13
BOX-6		·					Ħ			0		1949	2370	0	4361
EKYX - 6 MT29 - 4 MT29 - 5							ļ	-			1230	223	3234	191	
						-		- 0				2000	— —	800	363
							<u>s</u>				127			970	7955 (199 40
OVERMAN S.					**	-	*	8		<u>-</u> ا	E		3,75	1750	
ON, ANA - N	í				Ì			•	,		815	100.70	277 is	21	746
SFE20 - 3					$\overline{}$		11				1200	4163 1863	1672 3256	170	746
8F630 - 4 3F636 - 6					-					-	946	5792	2700	414	0
2F530 - \$					dash		*	•			=	5460		540	904
OVCAR4-3 OVCAR4-4						\vdash		• 0		-	1847	3700	7120 2018	28	400
OVCARA - 8 ADR RES - 6								0			236	300	1633	13	0 (
	\vdash		\vdash			ш	ı,		-				2797	43	719
MCF-7 - 6 2Ma - 6							HOVE	٩					4791	94 129	162
141299 - 6								•			309	0	372	0	9 (
5W460 - 3 5W460 - 4			_		\vdash	\vdash	Ħ	8		1 8	-	377	3500	38C) 58C)	2900
EM460 - 5							I				2015	1276	4349	300	14325
59440 - 6 CINA - 3						├ —ヿ	1	00			1702	1920	4\$36 1983	80	1977
C334 - 4							Į				72	77%	451	•	200
C33A - 6	\Box						ı	•				5467 10		8,	- 000
C334 - 0					\vdash	\vdash	1		- :	-			21373 6477		284
Half - 6 Lizos - 3								0			HIR	11036	9621 \$884	10000	\$193
1206-4					\vdash	-	H				1100	6746		1918	2063 (
11208 - 8 11208 - 8	L							8			1794	17007	2989 510	802	210
Naci 10 - 6							•					2318	2946 7121	306	<u></u>
76 98 - 3	 -					-	5	- 8			2401 2760	8467	20060	105 1817	529
37-200-3								•			1194	6180	9451		
3F-200-4 SF-300-4							1	- •			1017	2002	4751	1674	22
37-300-6 37-300-6		-	-		-	-		- ;			1835 1814	3020	3341 84	402	0 0 9005 7190 3387
Oakman 13 Million S 20								۰	•	0	JQ19	12563	12006	2259	9095
20.00							\Box				4071	16917	12550 7866	2007	7190
Affilial - 21 Affilial - 22							\dashv		6			4867 3314	700	7314	651]
OVCAR-5-5											4563	8871	4613	2001	2940 (
MANUAL - 10						-1	—1	0			2320	\$38	475	1673 305	4383 (4383 (
1,850ml - 31 3,600ml - 12											1977	2792	1035	812	17000 (
100ml - 13						\Box	\Box				9770	19471	7191	2922	
Mind N					\vdash			-;			3018 1200	13213	945	N/	4238
January - 15 January - 15 January - 16											1737	982	4	430	
Militari - 17	-				\Box		\dashv		•	8	2243 2479	99 9995	4291	673 1130	423 C
						_					1934	12010	4413	653	
- 12										<u> </u>					1028 6

ýā.

Table 3 (contu)

													_			
Three	Terrore	-	7	Terrany - No.	Terroria.	Normal	(Codes)	753	1 100 D32	1520 45 A	ASEQ 47	Vasso en V	A 250 A V	SEQ 31 K	A SE PARK	SEQ SA COSEQ
principal glovel - Jr Rempts results - Jr	+	1-3		-	——		₩-		10834 2314	-) 20 24	5 10 7 54	18 791 14 867	225 710	1780	
				L					1969		בקוס	7	0 996	301	8 2170 8 1381	7791
manage gland - h	\Box		1						1949 441		0	4	8 27 <u>m</u>	996		0
Bircain -A	↓	-	<u> </u>		<u> </u>		-	-			<u> </u>		549			
percount - h		 	 	 		 	_	_	70		9 7	9 34	# 707 # 763	334		
Contract of the Contract of th									10870		•	9 7	1 852	959	7 933	32295
Marie Sergion - In							\vdash		E2140		27	7	774	561	4 3007	25437
	├	 :				├	-	-	49			11	9 916			
total listany - h propinsa, h		-:	L				· ·	<u> </u>	2337 2943		1 17	3 1	D 8003			
Stand Bone- Is			▔					1	2974		9 71	0 10	0 000	148		
		1	_			L	\vdash		_		17	oL	0 1980	341	8 1120	5831
theat hang - h	 	+			-				3200		- "	3 34	6 19771 0 570	(97	175	20042
chaland property - h heart - h							-		9442					194 47	2 1790	2008
nearl (riseling - ft		,	•						279			6 14	4 703	790	5 443	4172
Hidroy - Is	—			 		-	· ·		<u> </u>				5 23+		701	7039
aginal part - h	+	- 3		 	}				-	-	12		D 967	294	6 550	
Ang - A Sphen - A		2	2						2363			8 10	8 846	330		1 9971 1
		7	•				7		2011	, ,		. 17	/ 300	210		3439
						. منا			ذريقيب سرا			5 - 7	<u> </u>			1217 221771
herts - h		- 7	;—		·	-	*****	in the	ر نے۔ 120	 -		7 7	383	125	- 2	321778 ·
HOME G		1								<u> </u>			5 935	d		I
Property of the last of the la		2	┖						106	1 1	19	\$L	G \$300	180	200	8464
RPTEC		- 3				 			180 3411		;	} 	0 418 0 916	418	2 1587	9500
tentes h		3				_		_		<u> </u>	i i	3 10	Ø 440	712		
- h		1							3001			2 29				
HCAEC	 		<u></u>		─ ─			Н—	194		<u> </u>	5 7	9 573		219	681
Printeg - N	 	- 3		 	\vdash	 	 	 	570 1518		0 19		0 537	2000		
Standard consension - Dr		- 3							*			41	0 241		31	
Closel Dror- h		12							8			0	0 500	907	134	<u> 9i</u>
Pleast - In				-		-		⇤▔	Ī		1	7 3	908	1000	•	
Department b	 			 		\vdash	-	⊢	100	 !			7 463 9 305	875		
Fetal brain - h		- 3							1180			ōl		100	6 145	
Salvery of - N			<u>. </u>						0		P	9 40	7 5511	147	7	0 1
tending - 3)	ļ		٠	H		H	\vdash		172		Z	7 5	3 7444	1966		12733 2
HT213		t —				×	\vdash		. 671		<u> </u>		6 301 6 28			
D17157-mmd						1			2190			9 4	1307	39	21	
Bas-13 Bas-12						2	2		5100			97	3 8650	280	7 248	0
Der 12	 			·		354	264	\vdash	(372)	1	4		G 8406		316	330
erestratum - h	 	 				343	⊢	-	•		,	i i	9 1945 9 1821	117	9	30s
THE TEXT						_ 	390							117	71 9	96
Patrick replace is	\sqsubseteq					33			2714				8 403		521	
B) 404 SHC (#27/82 P//	↓					200	\vdash	\vdash	9						<u> </u>	
Fetal legits - Is htT380-commi		├				费	-	-	3625	-	3 2 2		485			4360 1
Nagitives, Jr	<u> </u>	-							2917			20	0 968			42 547 1
HT140 - manual						321			346 1447			<u> </u>	0 345	1		
PHEPM 34 probability		\vdash		\vdash		*			1447		4		382			
terring - It		├	_			779		-	## 19	1	7				167	9861
through plans - h.						72			3000		22	17	5 3277	440	383	5866
eathery at - h						311					<u> </u>	•	8080	810	27	0
rentan b			_	\vdash		206	-	-	23				9480			
partners - h	<u> </u>					207 205 203 202					3	37 75 3	342	226		205 622 7
manmary gland - It						2			3840 1375		K		5 5370	407		0 1
beder - h	H			-	-		_		1375		370		9051		145	1017
		;—							2010 2010				1 250		- 44	797
	<u> </u>					206			ننتخ							
					·					i	2	<u> </u>	E-11	1 7 1		B43
State of the state		`—						_	221				3911 1290			13-1 7
Parte matter - h									13803		200			1 1 1 1 1 1		224 4
atheret stand - h						ž			. 0			33	5443			824 4
						77	Ш		120				5443	1192		385 1365
PAPAEC			Ξ			270 270 271 271	274		120			10	5443	1192	- 0	385 1365
minoral stand - h HPASC HT380-commi						276 277 276 288	274		9 0 9 0 0			19	8 8448 0 4734 1 3704 2 358	1190 674 242	- 0	234 4 385 1346 9
NOT THE PROPERTY.							224		9 1380 0 0 1287		4	10	9 4734 1 3704 2 935 1 368	1192 674 243 303	913 913 3419 94	824 385 1348 1 0 0 474 1 9621
NOT THE PROPERTY.						器			9389 9387 9387 9387 9387		196	10	9 4734 1 3704 2 308 3 308 5 7954	1192 674 363 7083	913 949 941 94	924 4 385 1346 9 0 0 474 9 9621 9
Ope-11 Cord HT323-comed						10 12 12 12 12 12 12 12 12 12 12 12 12 12	79 79		9 9 9 1297 1297 9		1 130 130 130 130 130 130 130 130 130 13	19	6 6443 0 4734 1 3704 2 1983 6 3683 0 7954 0 6158	1195 674 243 303 7060 660	913 349 349 0 0	924 4 385 1346 5 0 0 474 1 9621 1
Ope-11 Dec-1 HT373 comed						超过起来	224 224		9389 9387 9387 9387 9387) 4	19	6 6448 0 4734 1 3704 2 3685 6 3685 0 7954 0 6758 0 4058	1192 674 363 7660 660 640 2231	912 319 319 0 0 0 0	924 4 385 1346 9 0 0 474 9 9621 1 52 0
THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS						A REPORTED S	超超级		9 9 9 9 92 92 93 97 97 97 97 97			110	6 6448 0 4734 1 3704 0 1985 0 1985 0 1986 0 0 1986 0 4008 0 4138	1192 674 242 303 7060 680 640 2231	0 9 92 349 94 0 0 118 152	924 4 395 1344 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS THE TRANSPORMS							四四 四百		9 9 9 9 93 93 93 93 93 93 93 93 93 93 93		9 9 15 15 15 15 15 15 15 15 15 15 15 15 15	19 19 19 19 19 19 19 19 19 19 19 19 19 1	0 6448 0 4734 1 3704 2 3983 6 3680 0 7954 0 4001 0 6153 0 4939 0 4130	1192 679 245 303 7065 660 642 43 2231 4888	0 92 349 349 0 0 0 114 1152	\$24 \$385 \$1246 \$7 \$0 \$0 \$1246 \$7 \$1221
Per Management Open 1 Open 1 Open 2 Open 3 Open 3 Open 4 Open 4 Open 4 Open 4 Open 5 Open 6 Open 6 Open 6 Open 7 Open 6 Open 7							超超级		9 9 9 9 9 9 9 9 9 9 9 9 9		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	19 19 19 19 19 19 19 19 19 19 19 19 19 1	0 6448 0 4734 1 3704 2 3983 6 3680 0 7954 0 4001 0 6153 0 4939 0 4130	1192 679 245 303 7065 660 642 43 2231 4888	94 94 94 94 94 94 94 94 118 95 95 95 95 95 95 95 95 95 95 95 95 95	\$24
POT Mile Agreement Opport 1 Opport 2 Opport 2 Opport 2 Opport 2 Opport 2 Opport 2 Opport 2 Opport 2 Opport 2 Opport 3 Op							超超级		9 9 9 9 93 93 93 93 93 93 93 93 93 93 93		9 4 130 131 131 131 131 131 131 131 131 131	19 19 19 19 19 19 19 19 19 19 19 19 19 1	0 6448 0 4734 1 3704 2 3983 6 3680 0 7954 0 4001 0 6153 0 4939 0 4130	1192 674 243 300 7060 660 642 2221 4800 717 9	92 944 944 945 945 945 945 945 945 945 945	\$24 365 1340 0 0 0 0 0 0 0 0 0 0 0 0 0
647 Milyappund Cype 11 Store 2 String 2							超超级		0 1280 0 1297 9 97 97 971 0 0 15777 1486		9 41 19 19 19 19 19 19 19 19 19 19 19 19 19	30 10 10 11 10 10 10 10 10 10 10 10 10 10	9	1192 674 367 367 7062 680 643 643 777 9	91 91 91 91 91 91 91 91 91 91 91 91 91 9	\$24 3 3 3 3 3 3 3 3 3
647 Milyappund Cype 11 Store 2 String 2							和和和和		0 1988 9 9 9297 9 9 973 0 0 0 15777 1488		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3 34 10 10 10 10 10 10 10 10 10 10 10 10 10	0 5444 0 4734 1 3704 0 3952 0 3952 0 7954 0 4056 0 4138 0 4138 0 4138 0 4138 0 4158 1 6059 1 6059	1192 674 242 303 7066 669 642 488 777 9 1886 1886	90 90 90 90 90 90 90 90 90 90 90 90 90 9	924 9 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
1972-25 pages of Company of Compa							超超级		0 1988 0 1297 93 93 97 97 97 97 97 97 97 97 97 97 97 97 97		9 41 19 19 19 19 19 19 19 19 19 19 19 19 19	1 10 17 17 17 17 17 17 17 17 17 17 17 17 17	6 6441 0 4734 1 3704 2 3983 2 3983 0 7865 0 7866 0 4030 0 4130 0 4130 0 4150 1 2450 1 5043 1 5044 1 50	1192 674 242 303 686 643 2231 4888 777 0 1986 1986	90 90 90 94 94 94 198 198 9 9 9 9 9 133 9 9	924 9 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
197.28/promet Cyp-11 Cyp-11 Cyp-12 Cyp-12 Cyp-12 Cyp-12 Cyp-12 Cyp-12 Cyp-12 Cyp-12 Cyp-13 Cy							和和和和		0 1480 1297 1297 1297 1297 1297 1297 1297 1297			300 197 197 197 197 197 197 197 197 197 197	9	1192 624 300 7006 642 442 482 777 777 1980 9 1980 221 4982 321 572 573 574 574 574 574 574 574 574 574 574 574	90 90 90 90 90 90 90 90 90 90 90 90 90 9	\$24 9 205 1246 7 205 1
19726-promet (OPE 1.1 OPE 1.1 HT 297-promet HT 2							和和和和		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			300 100 100 100 100 100 100 100 100 100		1193 202 303 303 503 503 503 503 503 503	900 900 900 900 900 900 900 900 900 900	\$24 52 52 52 52 52 52 52
197 Zall-Spraned Cape 1.1 Bard II Bar							和和和和		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			300 300 300 300 300 300 300 300 300 300		1192 2782 303 303 642 643 643 7977 0 0 1980 2231 1980 2331 1980 2481 1980 2481 1980 2481 2481 2481 2481 2481 2481 2481 2481	0 939 949 949 949 949 949 949 949 949 949	\$24 \$25
1977.25 promet Cype 1.1 In the display of the company of the compa							和和和和		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		March Marc	300 300 300 300 300 300 300 300 300 300		1182 949 949 949 949 949 949 949 949 949 94	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24 \$25
1972-197-198-199-199-199-199-199-199-199-199-199							和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		March Marc	200 200 200 200 200 200 200 200 200 200		1182 949 949 949 949 949 949 949 949 949 94	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24
#1728/promet CPP-11 CPP-11 FF 27/promet							和和和和		0 100 100 100 100 100 100 100 100 100 1		March Marc	200 200 200 200 200 200 200 200 200 200		1182 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24
197728-promet Cype 1.1 Cype 1.1 Cype 1.1 Cype 1.1 Cype 2.1 Cype 3.1						和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		March Marc	200 200 200 200 200 200 200 200 200 200		1192 (P.P.) 243 243 243 243 243 243 243 243 243 243	0 0 92 94 95 95 95 95 95 95 95 95 95 95 95 95 95	\$24 \$25 \$1 \$25 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$	
19728-September (Sept. 1972) Chee 1. 1972 - Sept. 1972							和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		March Marc	200 200 200 200 200 200 200 200 200 200		1192 1192	0 92 94 94 95 95 95 95 95 95 95 95 95 95 95 95 95	\$24 \$25 \$1 \$25 \$1 \$25 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$
#1728/promet CPE-11 CPE-11 FF 27 Journal FF 37							和和和和		9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	10 10 10 10 10 10 10 10	200 197 197 197 197 197 197 197 197 197 197	649 649	1192 243 243 243 243 243 243 243 24	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24
1977.28 promet Cap-11 Cap-11 Cap-12 Cap-12 Cap-13 Cap-13 Cap-13 Cap-13 Cap-13 Cap-14 C							和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		March Marc	200 200 200 200 200 200 200 200 200 200		1192 404 205 205 205 205 205 205 205 205	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24 \$25 \$1 \$25 \$1 \$25 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$
197 Zaliporond (Paril 1 Care 11 197 Zaliporond 197 Zaliporo							和和和和		9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	10 10 10 10 10 10 10 10	200 190 190 190 190 190 190 190 190 190 1		1192 1192 1192 1192 1192 1192 1192 1192	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24
1977.28 promet Cype 1.1 Cype 1.1 Cype 1.1 Cype 1.2 Cype 2.2 Cype 2.2 Cype 2.2 Cype 3.2 Cype 3							和和和和		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1	200 200 200 200 200 200 200 200 200 200		1190 970 200 10	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24 \$25 \$1 \$25 \$1 \$25 \$1 \$1 \$1 \$1 \$1 \$1 \$1 \$
#1728/promet #1728/promet #1729/promet #1							和和和和		0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		March Marc	200 200 200 200 200 200 200 200 200 200		1190 212 213 203 203 203 203 203 203 203 20	900 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24
1977.28 promet Cap-11 Life Type Type Type Life Type Type Type Life Life Life Life Life Type Life					71		和和和和		0 1988		Beauty B	200 200 200 200 200 200 200 200 200 200		1186 1186 1186 1186 1186 1186 1186 1186	929 999 999 999 999 999 999 999 999 999	\$24 \$25
#1728/served CPE-11 CPE-11 FF-17/served					81		和和和和		0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		B	200 100 100 100 100 100 100 100 100 100	#449 #449	1190 243 243 263 263 263 273 273 273 273 273 273 273 27	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24 4 5 5 5 5 5 5 5 5
1972-19 (Appendix Company) First Company (Appendix Company) First Compan					11		和和和和		0 1988		Beauty B	250 100		11960 11960	920 920 920 920 920 920 920 920 920 920	\$24 \$25
1972-19 (Appendix Company) First Company (Appendix Company) First Compan					81		和和和和		0 1988		6	252 197	#449 #449	1190 1190 1190 1190 1190 1190 1190 1190	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24 \$25
197728-promet Cype 1.1 Cype 1.1 Cype 1.1 Cype 1.1 Cype 1.1 Cype 2.1 Cype 3.1				81 83 86 88		和和和和		0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Beauty B	200 100 100 100 100 100 100 100 100 100	#### #################################	1186 1186 1186 1186 1186 1186 1186 1186	999 999 999 999 999 999 999 999 999 99	\$24 \$25 \$1 \$25 \$1 \$25 \$1 \$25 \$1 \$25 \$1 \$25	
197728-promet CPE-11 CPE-11 FF 27-promet					81 83 86 88		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		6	129 129	#### #################################	1190 201 201 201 201 201 201 201 201 201 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24
1977.28 promet Cype 1.1 Cype 1.1 Cype 1.1 Cype 1.1 Cype 2.1 Cype 3.1 Cype 3					# 22 # 28		和和和和		0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		6	329 349 7 7 8 7 8 7 8 7 8 9 9 9 9 9 9 9 9 9 9	1449 1449	1190 201 201 201 201 201 201 201 201 201 20	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24
197.285 promet Creek 1. Creek 1. Creek 1. Creek 1. Creek 2. Creek 2. Creek 2. Creek 3. Creek					61 63 66 66 96 96 92 94		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		6	128 128	1499 1499	1186 922 923 924 924 924 925 925 925 925 925 925 925 925 925 925	999 999 999 999 999 999 999 999 999 99	\$24
197728-promet CPP-11 CPP-11 FF-72-promet FF-					81 83 86 88 98 98 98 94 98 148		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		6	122 127		11961 11961	999 999 999 999 999 999 999 999 999 99	\$24
1972 September Company					81 83 86 88 98 98 92 94 94 144 159		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		B	129 129	#449 #449	1190 2452 2452 2452 2452 2452 2452 2452 245	999 999 999 999 999 999 999 999 999 99	\$24
197728-promet Corp. 11 Corp. 11 First Journal Fi					91 63 86 88 98 92 94 94 94 144 159		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Beauty B	200 197 197 197 197 197 197 197 197 197 197	#449 #449	1186 900 900 900 900 900 900 900 900 900 90	999 999 999 999 999 999 999 999 999 99	\$24
197728-promet Corp. 11 Corp. 11 First Journal Fi					61 63 66 68 98 98 98 98 148 148 159 150		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		B	129 129	14:90 14:9	1190 2452 2452 2452 2452 2452 2452 2452 245	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24
197728-promet Corp. 11 Corp. 11 First Journal Fi					61 63 64 64 94 94 94 94 94 144 144 155 151		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Beauty B	129 129	#449 #449	11961 11961	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$24
#1728-promet One 1.1 One 1.1 First Journal Firs					81 83 86 86 86 86 84 88 84 88 194 194 194 194 194 194 194		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Box Color 128	1449 1449	1190 925 925 925 925 925 925 925 925 925 925	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$24	
197728-promet Corp. 11 Corp. 11 First Journal Fi					61 63 64 64 94 94 94 94 94 144 144 155 151		和和和和		6 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		Beauty B	222 197 197 197 197 197 197 197 197 197 197	1449 1449	1186	999 999 999 999 999 999 999 999 999 99	\$24

jes.

at in a minimum and a

174 Table 3 (confd)

These	Tuesday	Normal ayes	Terrer - No	Tuesder codes	Harma	Endo	943								SEQ M CCS	
				- 12	+-	+	+	491		9	B12	4012	44		21543	5443
766-0 T-47D					\pm			777) X	212	4450	7	296		20005. 7187
CR.1441 RMA 830		F		2	=	Ι—	\blacksquare		\vdash			184	271			261
7811 seriospol • Differen		 		181	+-	┼	+-		1	0 0			120	363	192	410
KD poly A+				194			\blacksquare				135	1653		82	201	1662
KB pdyA+ HOS pdyA+ ACHM UNCC-P2 MCF-79AOR-RES				794	+	┼	₩		-	4			201	171	8142	3781 3194
UACC42	-			Ę			=	365			131	1244			1277	1373
MCF-MADR-REI				1	-	—	\vdash			9 3	-					1020
UI CO PROPERTY OF THE PARTY OF	 			201	+-	_	+		-	9 177	72		843		42	9430 1191
468 modulio pri WA				Ą	$\overline{}$	=		5941		0 0		7137		0	0	1191
669 personal personal constraints of the constraint				7	+	₩-	₩		 	90	341				- 8	927 942
WI-36 72h 0.5MFB3, 3th 10% FBB CFR,1041 - TPA (3th 855)				219 720	_	_			I	D . 0	234	944	- 8		0	9
Ken-1 Ken-2 Ken-4				×	$\overline{}$	Ι	\boldsymbol{arphi}	-		0 0		1572	330			1257 1881
				221	+	-		73		177	-				 	1331
HOP42				241	$\overline{}$	Ι	$ldsymbol{\square}$	120		0 0		1 1124	377	0	0	1758 5190
MOLT-4				×	+		+	1225 904	1 -	0 6		9790			3452 2510	71.00
arn						=			1	?!		-	1 23	134	1465	
SPM 8228	<u> </u>			**	=	_		2		_ =	713	-	=P	221	2262	(028
ASHBATCC		<u> - ب ب</u>		240 717 *	 		1			B 80	7.0			10		
5A				249					l			2104	1910	73	Į,	2308 544 13641
OVCAR-3 HCT-18				- 20		₩	+	1047		97	357 62	3417	1567	45 293	163 649	17841
OVCAR4				751		<u> </u>		-		10		4044 562		7	880	9471
10-31			=	252	+=	=	\Box	347				814			463	1647
OVCAR-8 SM2C		 	\vdash	(A) (A) (B)	+	 	ŧ≕						2391		10455	6832
CMCAGA					\perp						13		872	1 0:	2102	1742
LOX SAM TOROVI			\vdash	291	+		\vdash			77	343	8201	671	100	295Q 2367	8100 3837
SK-MEL-2					1			•		916		2346	401	¥34	1374	2004
SKOKS			==	231	=	=	\blacksquare	ľ		9		1190	. 6	194	1499	1437
SK-ME), A SF-630			\vdash	R	+	 	\vdash	1273				1326 6673	190 2291		7614	1485
SHAND, FE				×	\blacksquare	二		961		•		3790	967	o	2959	2063
X-082		$\vdash =$		284 284	+	\vdash	\vdash	157	1		37	8140	4336			1792
MCC-267										I M		977	151	181	- 6	1288 1456
MCF7	$\overline{}$		${f \Box}$	201	-	—		3621		9	26	6230			17404	. 29002
HIZPD				- 77	+-	\vdash	┢┻┦	1247	 - !			1924	2503	87	744	1343 2964
MDA-N				2/1	+-					17		4127		70	1252	7025
Y79 pely Ar				273	\vdash	—	\vdash	8000		17		7232	1900	43	856	18372
HTRUS DAN TPA RIMA 823					+	 	+	2700	1	19	200	3005 2952	, 32 646	- 171	679 84	8294 9575
HELA-EXP-031000				313					L	19		2177	949	34	0	10840 4214
HTRM IN RIVA				 #		—	-	636 447		5		4154 2440				4214 98352
HTTPHT 458 muskelip RMA	—	\vdash	-	221	4	╆	-	2200				3464	3912	111	100 701	1101
DKC1+K228				334 334								2904		100	g	1149
HOPAG				337	+—	⊢	_	7990		72	357	3132 8113	301 4556	181	8222 8554	2679 20031
MOA MB-201 U251				339	\pm		t	16346		= =	- 0	11500	18010	302	141003	38705
PT cade, gady Ar				345 341								1005		- 0	2491	2806
PG-3 HCC-2005	-			343	+		₩	31				3670 7180		139		- 815 1970
SW 430				345								2072		106	- Q 	어
HTHIS				346	1			979				4300 703	8	- 8	3475	19731
COLO 206 HT216				346				4211		0		1703			Ö	1056
PCM-12				346	=						137	1724	842	102	0	1130
NATE OF THE STATE					1		-	197.5	r	70		3797		220		
Vine					=					1			استست		二,	
FD:- 16G TH-PV					 		╌	5344				2E3-	2225		30061	
لظلوطنيقا				- 57				201		i o	Ö	26180	14670	34)	37921	74678
१५ इसम				20)	-		\boldsymbol{arphi}	0	1 6			3		DI DI		1109
917213 917266			R		+		 	195			· ·	\$482	127s		429	40000
HTIM			54 56		.		\blacksquare	.0			31	3941		9	0	2708
off the																
MTYES MTT/FS							 1	ļ		114		3091		9		12179
HT172			54 60							114 35	25	3236 6032	1	9	6	12050
P(T) 130			54 60 67					3537 0		114 35	25 26	9236 9032 4071	\$200 0	0 0 0	9 6 0	746 12850 2202
E711/6			88 88 88					30.7 0		114 20 20	9 25 0	3236 6032		0 0 0	6	12850 2202 23749
HTTS4			50 50 50 50 60					1337 0 1382 0 1382		114 35 29 5	9 25 0 9 9 751	3228 9032 4071 3671 9034 9175	920 0 121 0 1963	9 0 0 94 0 0	9 8 9 104 4 8	12850 2202 25749 2501 1773
711/6 HT136 HT100			55 57 52 64 66					1302 0 0 1302 0 1805		114 25 20 5 6 0 0 0 1 73	95 0 9 9 201 201	3238 8032 4071 3671 9034 9175	\$26 0 0 121 0 1903	9 0 94 94 0	9 8 9 104 4 8	246 12850 2202 25749 2501 1773 2534
71 1/6 FT134 FT136 FT186			54 52 52 64 66 66					1337 0 1382 0 1382		7 114 7 35 8 5 9 0 1 0 1 73 0 0	9 9 9 9 9 9 9 9 9 9	9250 9052 4071 3674 9175 944 444 452	920 0 121 0 1963	0 0 94 0 0 0 0 45	9 6 9 104 6 0 0 0 2 2 2 3	246 12850 2202 25749 2501 1773 2534
SETTING METERA SETTING SETTING SETTING SETTING			50 52 53 61 61 65 67 98					9 337 0 1382 1833 0 0		1 114 2 35 30 30 5 6 0 0 7 1 0 7 1 0 1 0 0 1 0 0 0 1 0 0 0 0	6 265 9 9 257 8 0 9 9 1178	9238 9032 4071 3571 9135 9175 4844 4052 2324	\$240 0 0 121 0 1983 24 0	0 0 0 94 0 0 0 0 45 440	9 8 9 104 6 8 9 9 243 9	246 12850 2202 25749 2501 1773 2534
HTYBO			59 60 52 61 66 66 66 67					1337 0 0 1382 0 1835 0		114 25 26 27 27 27 27 27 27 27 28 29 20 20 20 20 20 20 20 20 20 20	9 9 9 291 0 9 9 9 9 5 1176	9238 9032 4071 3571 9034 9175 4846 4052 2034 4360 8818	928 0 121 0 1983 0 24 6 6	9 94 94 9 0 0 45 440 57	9 9 104 6 8 9 9 9 243 9	240 12850 2202 2874 2871 1773 2834 1384 384 445 2684
HTMQ HTMS HTMS			59 60 51 51 64 65 67 95 60 71					9 337 0 1382 0 1835 0 0 0 3 3 2000 0		1 1144 2 2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2238 6032 5571 5571 5034 5175 684 4052 2324 4080 6818	920 9 121 0 1983 0 2 2 6 6 6 6 7 6	9 94 94 9 0 0 45 440 57	9 0 0 104 6 8 8 8 9 9 223 0 0 0 0 0	240 12850 2207 27745 2801 1773 2804 1386 3046 4845 4727
HTMQ HTMS HTMS			59 60 52 61 66 66 66 67					9 337 0 1392 0 1393 0 1333 0 0 0 3 3 2000 2000		1 114 35 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2238 6032 4071 3571 9034 9175 4844 4052 2034 4340 9815 9815	\$200 0 0 1271 0 1985) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 94 0 0 0 0 45 440 57 190 9 9	9 9 104 6 8 8 8 8 9 9 9 9 9	246 12850 2207 27748 2801 1773 2801 1386 946 946 946 946 946 946 946 946
HTMS HTMS HTMS HTMS HTMS HTMS HTMS HTMS			59 60 51 51 64 65 67 95 60 71					9 9 1335 1835 1835 1835 1835 1835 1835 1835		2 114 355 2 20 3 5 4 0 4 0 5 2 2 2 3 3 3 3 4 0 6 1 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2238 8032 4071 3571 9175 6846 884 4352 2024 4380 8918 4016 8115 4708	9200 0 1271 0 19903 26 0 0 6 6 776 0 977 0 0 0 0	9 9 94 9 0 0 0 0 45 440 9 9 9 9 9 9	9 0 0 104 6 8 8 8 9 9 223 0 0 0 0 0	246 12850 2203 2274 2501 1773 2501 1386 386 386 4127 6144 4127 6144 6153 20350
HT190 HT180 HT183 HT227 HT294 HT294 HT294 HT294			50 92 93 94 95 96 96 97 97 71 72 72 74 76					9 337 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		2 114 2 2 3 3 5 5 0 0 0 1 0 1 0 1 0 1 0 1 0 1 0 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2236 9032 4971 3571 9175 4846 894 4352 2224 4360 9118 4018 4	9200 0 121 0 19803 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 45 440 E7 190 0 0 2 2 2 2 2 2 2 2 2 2 2 2 3 2 3 4 4 3 4 4 4 5 4 5 4 5 6 6 7 7 7 8 7 8 7 8 8 7 8 7 8 8 8 8 8 8	9 0 0 0 104 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2400 (2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200)
HT190 HT180 HT183 HT227 HT294 HT294 HT294 HT294			590 692 693 694 695 695 696 701 71 71 72 72 74 76 77					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 114 1 125 1 20 1 0 1 0 1 0 1 0 1 125 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2238 8032 4071 3571 9175 6846 884 4352 2024 4380 8918 4016 8115 4708	9289 0 1271 0 19873 9 9 976 9776 9277 9277 9277 9277 9277 9	9 94 94 95 95 95 95 95 95 95 95 95 95 95 95 95	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2000 2000 2000 2000 2000 1000 1000 2000 1
11110 1110 11100 11110 11110 11110 11110 11110 11110 11110 11110 1110 1110 11110 11110 11110 11110 11110 11110 11110 11110 11110			50 92 93 94 95 96 96 97 97 71 72 72 74 76					9 337 9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		714 789 789 789 780 720 721 721 721 721 721 721 721 721 721 721	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2236 8032 4071 3571 8175 894 4352 2324 4360 8918 4076 8918 1708 9118 2139 1718	9200 0 121 0 19803 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 94 94 95 95 95 95 95 95 95 95 95 95 95 95 95	9 9 9 104 6 8 8 8 8 8 8 9 9 9 9 9 9 9 9 9 9 9 9 9	2400 (2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200) 2200)
11110 1110 11100 11110 11110 11110 11110 11110 11110 11110 11110 1110 1110 11110 11110 11110 11110 11110 11110 11110 11110 11110			50 50 50 50 50 60 60 60 70 71 72 74 74 77 72 74 77 78					9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		1 1144 1145	0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 9022 4071 9371 9173 944 944 944 944 943 943 943 94	\$500 9 121 121 9 2 121 9 0 121 121 9 0 9 0 9 0 9 0 9 0 9 0 9 0 9 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2000 2000 2000 2000 2000 2000 2000 200
11110 1110 11100 11110 11110 11110 11110 11110 11110 11110 11110 1110 1110 11110 11110 11110 11110 11110 11110 11110 11110 11110			50 51 51 51 51 61 61 61 77 77 72 74 77 77 78 60 61 77 77 77					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 1144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2236 8032 4071 3571 8175 894 4352 2324 4360 8918 4076 8918 1708 9118 2139 1718	\$200 0 127 127 128 20 20 20 20 20 20 20 20 20 20 20 20 20	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 104 104 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	200 (200) 2007 2007 2007 2007 1007 2008 2008 2008 2008 2008 2009 2008 2008
CTT CTT			50 51 51 51 51 61 61 61 77 77 72 74 77 77 78 60 61 77 77 77					9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		7141 7141 7141 7141 7141 7141 7141 7141	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 9022 9071 9071 9071 9071 9071 9071 9071 9071	900 9 9 9 127 127 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	200 200 200 200 200 200 200 200 200 200
Comment			50 50 50 50 50 50 50 50 50 50 50 50 50 5					9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		7141 7141 7141 7141 7141 7141 7141 7141	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2238 5022 4071 5022 5021 5021 5021 5021 5021 5021 502	900 90 91 92 170 90 90 90 90 90 90 90 90 90 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	200 200 200 200 200 200 200 200 200 200
			58 52 52 53 54 54 54 54 54 54 54 54 54 54 54 54 54					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2236 9022 9071 9071 9071 9099 9099 9091 9091 9091	900 9 9 9 177 1787, 24 9 0 9 0 9 0 9 0 9 75 9 75 9 77 9 11973	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2000 22007 22007 2007 2007 2007 2007 20
Common C			50 50 50 50 50 50 50 50 50 50 50 50 50 5					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 1144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 4071 3271 1934 1934 6049	900 9 0 9 0 1271 1271 9 0 9 0 9 0 9 0 9 7 9 7 9 7 9 87 1073	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2000 (2000) (200
Common C			50 50 50 50 50 50 50 50 50 50 50 50 50 5					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 9022 4071 924 9173 944 944 944 945 945 945 945 945	928 929 929 929 929 929 929 929 929 929	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2000 (2000) (200
Comment			50 50 50 50 50 50 50 50 50 50 50 50 50 5					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 3238 4071 3274 3274 3274 3287 3287 3287 3287 3287 3287 3287 3287	\$288 0 0 0 0 1321 1200 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2000 2000 2000 2000 2000 2000 1000 1000
			50 50 50 50 50 50 50 50 50 50 50 50 50 5					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 1444 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2236 9022 4071 3071 904 904 4052 2304 4200 9133 4200 9133 4200 9133 4200 9133 9134 9135 91	988 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2495 (2895) 2207 2707 (2707) (
Comment			50 50 50 50 50 50 50 50 50 50 50 50 50 5					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 3238 4071 3257 3277 3277 3287 4049 4049 4052 4052 4052 4052 4052 4052 4052 4052	\$888 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2490 (2800) 22007 22007 22007 27004 27007
CHTTME			50 50 50 50 50 50 50 50 50 50 50 50 50 5					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		744 1 744 1 745 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 3238 4071 3034 4071 3034 5032 5032 6032 6032 6032 6032 6032 6032 6032 6	\$600 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2495 (2895) 2207 2707 (2707) (
			50 50 50 50 50 50 50 50 50 50 50 50 50 5					9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	744 1 744 1 745 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 3238 4071 4071 8032 4071 8034 8039 8039 8039 8039 8039 8039 8039 8039	\$600 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2000 (2000) (2000) (2001) (200
			50 50 50 50 50 50 50 50					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 744 1 75 1 75 1 75 1 75 1 75 1 75 1 75	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 5022 6071 6071 7874 7874 7874 7874 7874 7874 7874 78	9888 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2007 2007
			50 50 50 50 50 50 50 50					9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		1 144 1 145	4	3236 6022 4071 1036	988 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		281 (280) 201 (280)
			50 50 50 50 50 50 50 50 50 50 50 50 50 5					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 144 1 155	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3236 6071 4071 3234 4021 4022 3236 4022 3236 4022	988 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2017 (2000) (2017) (201
			50 50 50 50 50 50 50 50 50 50 50 50 50 5					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3238 5022	988 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	American (1980) American (19
			50 50 50 50 50 50 50 50 50 50 50 50 50 5					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	4	3238 3238 3238 3238 3238 3238 3238 3238	900 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2800 (1980) (198
			50 50 50 50 50 50 50 50 50 50 50 50 50 5					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5	1 144 1 144	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	300 300 300 300 300 300 300 300 300 300	988 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		2017 (1980) (198
	152		50 50 50 50 50 50 50 50 50 50 50 50 50 5					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 144 1 145	1	2000 2000 2000 2000 2000 2000 2000 200	988 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2017 (1980) (198
CITTUDE	## 152		50 50 50 50 50 50 50 50 50 50 50 50 50 5					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		1 144 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1	300 300 300 300 300 300 300 300 300 300	900 900 900 1800 1800 900 900 900 900 900 900 900	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2007 (1980) (198

Table 3 (confd)

									224 ALL		Naca is a	J	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		1000 At 11	lesia ka sa	HemA 14 6
			-	Terret - No.	7 cm ark	-		pAti									
	CF-7MDR-RES	153									9 9	196	3757		110	1947	490
	(C)	151	 			├	├	⊢		1	0 191 0 190		7031	1480	802		
	MOC-257	147							Ĭ	1			5335	500		913	1483
	MCC42					⊢—	-	⊢				45		311	1 5		450
	X-MEL-29	140			Ш				1				6134	7814	428		900
Section Sect	SK-MEL4	¥					-		601		0 1		476	971	464		- 91
Section Sect		140			.					} 		- 6	340		177	1547	170
The content of the		7					=						914			370	
Column	MC-pages	139	—	├			-	\vdash					(494)		311	1002/	627
Column	CX BAY	3							8436		0 0	191	\$835		, si		1141
## 15 10 10 10 10 10 10 10	99-424	135				_								918	304		
Column	K-10		 									104	380	100	190		404
Column	786-0	132										110	XX		370	374	800
The second sec	CC 2866			├──		\vdash				 		104	400			- //0	863
The content of the		125									0 0		300	4	2750	249	- 2
The content of the		- 12							334	<u> </u>	0	<u> </u>	4 29	إوعبمنانا	¥		
The color of the		128									g		75.5		. 200	- 4	778
Fig.	8	12					_		7941	<u></u>			357	- !			
Section Sect		- 123						-					386	1414	162		564
Second 19	M12C											290	4344	1743	350	1146	104
The state of the	1.40 10174											1 70	3217	85			400
Second 17	DACAR-6	119							1				4625		96	(063	79
The second column 10 10 10 10 10 10 10 1	C-662	_!!}_					-	\vdash			9		7270		- 27	2107	786 204 1280
Main	CCRF-CFM						<u>_</u>	┢			6 ×		3941	198	1973	852	145
The state of the	WCAR-1	115							ž				383		199	291	J 550
Color	F-639			\vdash		_		-	21	1 .	on 3						
Section 1985	F-285	. 112	<u> </u>					\sqsubseteq	67	L	01	210	6431	214	397		700
The color The	ASSESSATION	111		=				\vdash	1174		0 0	193	1 9431	100	654	1201	118
The color The	F-268	710	\vdash							;						963	
School	1281	104									6 6	474	463	640	331	1215	78
Company Comp	C3-14460	197		\vdash		\vdash	Ь.	\vdash	Ä				460	951	 	9	1 43
Marging Marg	IND-75					_	_	_		1 7	 	2		179	349		
Section Sect	96-11	104					\equiv				0 63		3171	1971	491	2044	458
Section Sect	HC3+6226					-		├			0 - 1	1	100	301	- 2	1010	1100
Column		Ŧ							300		0 142		3780	1300	492		
Color Colo	GROVI	195)		- 0					450
Color Colo	BOOK		\vdash				-	\vdash			8	385	3054			151	241
Section Sect	HDP42									Ž	OL	100	3000	1247	54	449	45
The state of the	Shroblanda 3/31/82 #12							_	1161	-	0 121			1635			
Corr	add 545, 107187 F17								1947			325				- 6	221
Section Sect	rcce										0 111		3362	7034	J254	211570	311
The color of the	1860 - 1						-	-				1					
The color of the	1540 - 4			Ш			Ц		-	78	153				0		
Section Sect	04-3												!!	}			}
Color	HOOK - 1								5891	2130	9 205		9		0		L
Prof. Prof. Pr	B(YX-4										1						1
Property Property	BOOK 5			\vdash		_			1036		0 0						
Control Cont	BCVX - 7	-								307	<u> 1 . </u>					12.6	
Control Cont	#CF-1-1	فساده وبايم							- 40		4		1		- T-		-4
Main Main	MC5-7 - 4											فينسبب والأسا	<u> </u>				·
Control Cont	MCF-7-8		-				\vdash									7	}
Control Cont	ADRI-RES - 1									391	135						
COMPANY 1 1 2 2 2 2 2 2 2 2	ADRIARES - 3					\vdash		İ			790	1					!
	NOR-RES - E				-			ī		877	2 04				0		
	ACM-RES - 7								74	- 76	1 11						-
	#1.30 - 3							-	1994								
	m 38 - 4							7		<u> </u>							2
	M.W.1		μ——								}						
Mail	Hela-1							HVS		-						_	1
Mail	14.e-3					=		127	953								
	14.0-4							100 E	2947	700	177	1 0	I				
	tal.s-7							***	4	(582	7	1 0					
	(1299 - 1		$\vdash \vdash \vdash$		—			ì	- ,,			} }	1 2				
	11290 - 4								1150		9 34	- 6					·
Company Comp	<u> 11299 - 5 </u>						ш		911	- 61							
Section Sect	H1256 - 7 N546 - 2								761		1 0						
### STATE PT. SPORT PT.	9(V)(-2								21741		206	0					
State Stat	ICT-118-1			\vdash			\vdash									 8	
Fig. 1	7-17-A									251	i				0		
Second S								Į	1197	1	1 0			<u> </u>	<u> </u>	<u> </u>	
							\vdash				 2			-		- :	1
WALAN	F-530-1							Tradition I	11614	4311	1 205		I		9		=
	F-200-1									707	} 						;
Year	SF-200-1 SF-200-2 OMCAR-4 - 1					_			P		0	1 0					
	SF-289-1 SF-289-2 DWCAR4 - 1 DWCAR4 - 2 DWCAR4 - 1								367	441		_ •				1 0	
	IF-200-1 IF-200-2 DVCAR4 - 1 DVCAR4 - 2 DVCAR4 - 1						\vdash									_	
	IF-200-1 IF-200-2 DVCAR4 - 1 DVCAR4 - 2 DVCAR4 - 1						\vdash	<u> </u>	419	> 01	7		- 8		8		
1,200 1,	F-286-) #-286-2 NGAR4 - 1 NGAR4 - 2 NGAR6 - 2 NGAR6 - 2 NGAR6 - 2						\vdash		416 2761		9 6		- 8		0	-:	
2394	IF-286-1 IF-286-2 2VCAR4 - 1 2VCAR4 - 2 2VCAR4 - 2						\vdash		496 2961 863	1071			- 8		0	-:	
200-12	F-300-1 F-300-2 MCAR4 - 1 MCAR4 - 2 MCAR4 - 2 MCAR4 - 2 MCAR5 - 2						\vdash	橌	416 32901 863 613	1071 714	200 200				0 0		
	SF-200-1 SF-						\vdash		416 3291 863 813 322 316	1071 - 714 - F1	9 52 9 300 1 9 9 57	9	0		0 0	9	
WE 2	FF-200-1 FF-200-2 DVCAMA - 1 DVCAMA - 2 DVCAMA - 3 DVCAMA - 2 DVCAMA - 2						\vdash		476 3761 813 322 318	707 714 171	100 100 100 100 100 100 100 100 100 100	9 9	9	9	0 0 0	9 0	
272 0 172 0 0 0 0 0 0 0 0 0	F-200-1 F-200-1						\vdash		419 279 803 813 322 318 8180 8301 3542	1071 714 171 171 171 171 172	5 150 5 200 6 50 7 57 7 75	9 9 9	9		0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0	
272 0 172 0 0 0 0 0 0 0 0 0	F-200-1 F-200-1						\vdash		416 2761 865 514 322 318 668 8501 2542 2216	1071 714 171 171 171 171 172 184	9 53 9 200 9 50 7 57 1 9 57	9 9		9	9 9 9 9 9	0 0 0 0 0	
272 0 172 0 0 0 0 0 0 0 0 0	F-200-1 F-200-1						\vdash		416 2761 865 514 322 318 668 8501 2542 2216	1071 714 171 0 171 1720 1844 734	9 50 1 200 1 90 1 90 1 97 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9 1 9	9 9 9 0 0 0	9	9 9 9 9 9 9 9	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	SF-200-1 SF-						\vdash		4 16 2741 8613 222 218 8688 8301 2542 2210 6 813	1971 718 1971 1971 1971 1981 1981 1981 1	9 E2 200 E2 E2 E2 E2 E2 E2 E2 E2 E2 E2 E2 E2 E2	9 9 9 9 9 9 9 9	9	9	9 9 9 9 9 9 9 9 9	000000000000000000000000000000000000000	
	F-900-1						\vdash		4 19 270-1 863 913 222 218 8391 2542 2219 4702 0 853 2542 2219 4702 3542	1971 7714 1971 1971 1971 1981 1981 1981 1981 1981	9 50 9 200 9 90 11 9 57 9 57 1 9 9 4 9 4 9 4 11 2 72 2 72	9 9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 9 9	9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	
	SF-200-1 SF-						\vdash		4 19 27901 803 212 212 219 908 8301 2542 2296 4300 6 533 5300	(0) (0) (1) (1) (1) (1) (1) (1) (1) (1) (1) (1	9 ED 9 200 9 200 9 200 1 9 90	9 9 9 9 9 9 9 9 9 9	9	9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9	
	SF-200-1						\vdash		4 19 2701 1 2701	1921 714 971 128 128 146 173 128 101 101 101	9 SD 9 200 9 200 1 9 57 1 9 57 1 9 6 77 1 9 6 4 44 4 11 1 21 1 21 2 772 2 772 2 772 3 772 6 9 6 772 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9	
90d-0 2000 a a a a a a a a a a a a a a a a a	# - 300-1 ** - 500-1 ** - 500-2 ** - 50						\vdash		4 19 2791	1997 714 971 128 128 128 148 173 173 173 173 173 173 173 173 173 173	0 SD 2000 SD 2	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9	

. .

176 Table 3 (confd)

## Company of the com																
The second sec	1	Y	Marin 1970	Tumor - to			Endes	- 20								
The column The				_		╌		-								17285 7940
The state	T-47D				199	1		=	8 405			1074	362		j 3901	19722 3003
Table		<u> </u>					-	-		1953	 	 3	13	139		
Second S	7017 Ditter				183	=			197	1600	<u> </u>		9		943	200 MSE
The second column The		\vdash	-							1 128	8227	17			2815	BEB 5277
Column	ACHN				196		=	Ι	1 0	esed	4	354		1150	4807	14597 2814
The second column The	MCC-2000-WFS					-	 			222	765				1004	2582 1480
Company	UTOS Bilanda print pr				204	\vdash	-			1 7012	2 9	104			1028	917 980
Column C	الالاله طلباط الكالة العالم الكالة الكالة الكالة الكالة الكالة الكالة الكالة الكالة الكالة الكالة الكالة الكا								170	1817	1	62	153		2362	
Sign Triples St. 19 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	CCL 137 RWA 3/21/88				218	_		-	279	100	9	204		36		915 2384
	CRI, 1601 + TPA (200) 8/30				220] 0	6682		31			100	(3) 1918
	N-1	-			771	 	-	Ε-							2712	
Column					223				521	404		31		130	Z347) 60 J03<
Company	HOP-K				M1	-	_	-		236	<u> </u>	71	461		1773	13338 1999 38419 2387
March Marc	EKVX									13063		304	7	3130	- 6467	108714 3025
March Marc	H. 8	•	\	-		-	7.77			1305	572	201				
The column The	FPMI 8238				746			_		135		974			22/72	
Company	ASABATCC	— <u> </u>		 	245	\vdash	-						7			
The color of the	CVCAP-3				240							244	120	1021	2420	7704 2087
	OVCAR-4				- 5			_						97	805	1461 761
	UO31				257			=		3404				143	547	1109 (00)
Part Part	SMI2C	<u> </u>	\vdash	<u> </u>		<u> </u>		\vdash		B117	594	17	199		2475	26805 1631
	OVCARA				254	=				3500	984	73	0	1122	1359	25633 14140
March Marc	IGROVI									6362	754	3		2633	3644	29834 3176
The state of the	3646-4			<u> </u>				=	0	\$305	0	119				4992 1591
The color of the	SX-645)-6				289					3911	0	44	101	1340	1148	3011 1356
	6F-639				201	ļ		\vdash		1222	0	(P)	190		6550	62279 B1554
	K-863				243				967	830	1949	160		9054	4576	195404 6173
	UACC-267			=	384		=					40	_		2399	3496 2508
Second	MCFT				#7				\$23	70000	1 50				9719	79777 80930
Part Part	MDA NO 435			\vdash	209	+ =		 	144	6376	477	- 49	i •	961		
Trigger	MD4-10				771	\vdash		=	776	7065	<u>. </u>	354	92	1296	1836	5886 1880c
Trial in Name	Y78 print A*		\vdash			+-	\vdash	-	- 8		17445	- 2	210		- 5025	24954 7796 26065 7446
Column C	HTESS 346 TPA RMA SIZE				7.50					2001		1458		2296	2492	221 31917
The company 19	HBARDADHIII			-	379	 	—-	-			+	347	900			3044 B1684
The color of the	DYT247								404	-					3494	19622 40401
1972 1988 1987 1988 1987 1988 1987 1988	NOVEMBER 1998						 	 		9101	721	345		1515	2111	
1987 1988	HOP42				737					15300	8	***	78	200	1717	20495 21031
Teaching			\vdash							90374	1171	19234		NOTE:	33000	2025340 11192
1985 1986	PT code puly Ar				340				443	1462		467	19	1997	2005	49062 16290
Title	HCC-3866	_			343	<u> </u>		_		8206		552	500	1782	2250	23673 21676
Column	3W-CR				<u> </u>			\vdash	25		- 0		200	1231	2046 5354	10731 24711
Street	COLORE	-			347	<u> </u>					•	306				(304 (87)
1771 1772	HTZ18				39	-	├─	-				406	154	-		
Fig. Fig.	HTTS1 1									100	45			<u> </u>	3737	497 4560
1						 - -	ļ	-	726						:/25	1 5F*** 608:
19 19 19 19 19 19 19 19	POF 383				25					8672		114			1733	724 2430
	Marine 304	-			37	 				93276	13997	36296	2444		34972	201421 150801
137 1697 20 272	24o 5787				2		_	-				- 64		2301	375	#501 40CE;
Part	14720			52						8087			272	79.3	2581	7541 84143
1975 198	HI 130					\vdash			II21			381	633	7384		
Principal	HTTHES			19					1002	1302	364		253	291	1594	\$40 8124
Property Property	PIT178				<u> </u>	 	-	 	37	19871		250	1 .9	1993	4234 874	19427 8303 0 4634
Triple	PETTIN			. 63						2821	0	-	43	797	1070	4034 4540
Fig. Fig.	P/T176			<u> </u>		 	_	<u> </u>		1277	2364			100	974	8 52715
Part Part	HT188					Ι					1 9		•	863	965	197 4312
First	P(T100)	H				 	\vdash			1000		122	0		1043	3354; 7940
### 17 960 291 588 0 71 3262 383 229 3887 377	HTHS					L			2047	340			- 9	191	828	42 3840
### 1727 74 9 750 0 0 0 0 0 0 0 0 0	PATTERS			- 5 -			\vdash	<u> </u>		3391	630		L 74	2282	2833	200 9000
1971 79 79 79 79 79 79 7	HT227					\vdash	=			6716	•	- 83	163	2400	1929	257 6594
1777 78	MT314			-						10962	136	•	41	270	1766	1196 91083
Fig.	11217	=		7		\vdash	F	=	275	25/10		Ä	- 61		5151	6403 160631
Fig.	HT323			- /1					•	700		1120	50	335	3764	1941 10754
1988	HTIE			- 1		=		<u> </u>	1 20	1960		1	201	934	1737	606 S2000
1721 170 900 2527 0 0 100 2001 1134 87 87 170	PETYME								2007	780	545	142		- 6	100	901 1215
1988	H7348			17					2380	1054	1313	300	203	3900	1570	72/3 4884
Fig.	MTINE			185					2917				<u>_</u>		1950	914 3132
	AT ME		-			—	\vdash	-	<u> </u>			317	- 70			G 2944
Togs	1413/2			791				=				8	104	•	1932	706 1996
Time	709P	==	==			\vdash	-	\vdash	199	24	367	114	107	730	9578	0 18194
Property Property	нтзе7			717						3175			210	1083	1057	731 21621
	HT389							<u> </u>		1212						575 40414 0 2347
### 220 0 39-1 P 50 0 90-1 \$722 -643 29885 #### 250 0 39-1 P 50 0 90-1 \$722 -643 29885 ##### 250 1792 1983 0 0 3000 3000 3000 3000 3000 3000 30	нтап			724					987	4802				1523	2222	1349 3493
17753 279 2 27774 277 277	MIST.			B		\vdash	\vdash	\dashv				156			1678	443 23063
	THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSONS AND ADDRESS OF THE PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TWO PERSON NAMED IN COLUMN TRANSPORT NAMED IN COLUMN TWO PERSON NAMED			201					9	19149			294	196	663	0 548
	147324			200		—		$\sqsubseteq \sqsubseteq$						\$367	9479	14342 67294 2000 3448
	итже			315					49	4833			48			8518 30163
#T1952 325 257 277 0 200 0 0 1241 850 2277 1 7780 0 0 0 1241 850 2277 17780 0 0 0 1241 850 2277 17780 0 0 0 1241 850 2277 17780 0 0 0 1241 850 2277 17780 0 0 0 0 1241 850 1778 1778 0 0 0 0 0 1241 850 1778 1778 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	HT384			317				\vdash		9704	190	249	<u> </u>			11044 48292
	HT162			373					357	7817		306	ı i		1241	966 22977
[47] 163 200 3272 567 1576 2021 484 1534 15340 4534 1534 15340 4534 1534 15340 4534 1534 15340 4534 1534	H7386			- 24				\vdash			1	21		1105	2121	3677 40581 1407: 640471
MDA466-525 179 . 667 17967 2441 2585 09-2 17346 915 13080 33844	7.470	163							3806	36734	547	1576	2021	Ĭ	1536	13760 45.303
The state of the s	MOAN AND AND AND AND AND AND AND AND AND A			-		\vdash	\dashv	\vdash	127	29100 17007	1879	1361	5847	17712	1100	8794 36475 13080 33544
	MOA-MB-221								Fi	80849	2819	2241	1727	42190	2001	

177 Table 3 (confd)

					- I	1240 00		reio ar lei	9 5 64 6 8 8			SEQ 73 HE SEQ 70 AM
These STAT	Themselvy and Man	Terror to	Typesery codes Horizonia	Enden p33	1000	1 4945			3442	20751	2967	£385 £5874
MCF-7IADR-RES	173			\vdash	223	18577	3382	2919 1909	490 2944	22330 11884	1968 3495	2002 64013 22510 81798
MCF7	151					16702		704	437	6271	3000	4021 60408
UACC-257	147				151	94876 9415	7604 P	2146	190	8453	2195 1300	17973 61725 4231 41268
SH MEL-20	195				44	12812	4056 1716	577	770	5176 14005	1071 2232	2980 \$4831 2834 105881
UD-31 36 MER-4	143				112	27302	1994	7944	2900	13116	1215	9595 42911 64 48588
EQN-12	141 140				327	94496	9512 3221	795 785	1927	1981 7340	1317	N/79 62671
DATE OF	139				745 172		771	957 2991	868 2863	4827 10072	2007 2034	7421 71198 7321 42587
Males-3M COLO 205	130				340	9100	2546 2786	430	1949	\$2401	1681	2407 96313
LOKIMM	136			+	301 601			3101 1207	(339	\$151 \$151	1195	8051 33734 2786 36380
TR-16	124			=	540 1011	8627	1917	1908 148	1002 413	23000 117794	9771	11381 42220 1406 38586
796-0	盟					B319	127	1162	947	79000	1670	7153 41600
ACHN	131			1 -	170X	1390	1424	1353	1116 045	8212 21377	1984	3255 P6996 7925 48258
PCA AUF 383	120				577	10302		4327	277	14280 2007	188	3151 46670 13036 43831
DU HI					130	99 (3	100	125	178	4052	2174	
DI HI	124			1 -1-	- **	2713	•	1086	394	754	100	4070 44671
Add	124 123				551		351	1	112	14129	2475	18680 49887 5708 6\$178
RP14 9236 SHIZG	<u> </u>					17323		2502	134	8784	3030 2447 2057	10677 75056
H-40	121					4211	2178	561	811	1354 5501	1313	7713 70188
OVCAR-6	119			\vdash	10+	10544	9273 2234	3442	1977 See	17171	1771	22826 40584 9526 580330
CNCAR-4	119			T	2174	17067	4100	240	184C	14315 4641	1406 9459	21364 44825 7738 85852
CORF-CEN OVCAR-1	111)1640 947	314/3	2364	1091	179	3448	1421	Z9044 42901
\$F-630	194			1. T	1111	6296	3082	8250	834 867	10017	1347	4055 41076 34801 25387
HOP-62 SF-296	112				137				2774	9791 18298	678 1303	10004 47319 00004 51944
ASMIATCC SF-288	111				133	11500		2306	2445 1054	18314	1000	\$420 32504
10CH 1622 U251	108				1919		1946 2197	374	1263 1811	17962 29319	2725	19365 43496 10888 \$3640
14C3-14488	107				100	11964	2329 127	9.790	976 25	15224 20030	1506	23436 40200 1580: 40398
SNB-76 NC)-H322M	104			 	#	13057	3334	2512	473	11000	7105	70063 68264
SHE-19 HC1+R28	104			上上	92	10491	1912	2967	372	7963	4474	9129 52719 13486 103482
88-04-3	1002			T	877	12936	\$71 1786	740 5827	452 716	8154 1791	27 20	8202 \$1778 30367 84401
SQHQVI EBOVX	100				97	10801	1796 3057 866	295 3388	965 217	3354 4065	3272 3076	7900 55870 21182 42470
OVCAR-8					36	723	2433 7367		574	8534	1948	41(34) 48858
HOP-EZ h Phresiana 301/EZ (F12				1	190	12057		2536	792 215	12362 24750	2365 1914	21301 88630 6366 92800 19146 75029
B) =64 (MC) 10/21/02 (FIT	47			1	3 475	3414	9	477	90 7014	26797 16944	1176	5161 73676
h terriforopian 3/2562 #10 TCGF	#				100	12463		30015	791	9839	2428	9414 61036
A640-1 A640-3 A640-4				- 3			947		- 6	1876 317	331	14808 19283 2847 10181
A\$40-4					1						157	11425 16682 15446 13362
A649 - 8 A549 - 7						3015	9		9	1983	201	12240 20201
BOX-1 BOX-4	-					_ escal	211	7440		2358 2883 1342	9003	27454 14020 70154 19451
90/X-3				100.00	6 1	4185 3062	447		- 8	1342	38	7(18 16820 18082 27268
BOXY-2						\$306	1404	300	- 8	1233	1305	5245 36816
ENVI MOST-1 MOST-7 - 3 MOST-7 - 6	ļ			- 584				127.7		- 2		98275 *1247
			·				7.5					34367
MCF-7 - 7						2815		341 4465	0	300 1135	310 960	\$136 \$4332 46432 43329
ADRHES - 1 ADRHES - 3						7444	204	7943	- 3	583	715	8379 15827
ADR-RES - 4 ADR-RES - 5	-						612	79 5674		1947 872		10854 22984 18216 11995
ACID-RES - 7						907		1519	- 8	635 480	310	4944 17965 23066 21030
W138-1 W138-3					1	9560	317	2902	. 0	2774	777	23796 13274
W136-4	F			- H			8	1987	- 8	2790 1977	72	25808 14200 8638 17103
W138 - 7				1470	6	9101 2972	1945	125	. •	763	1033 361	12862 13382 8660 13266
H44-1						9135	709 767	2900	- !	206 263	304 919	19037 12311 11208 10796
HALE-S				15.5		8774	344	2000	9	2128	834	36267 16512
Hala-7				- 32	4	8057	- 8	1929	1 PL	1673 498	790 790	19576 19187 13200 13628
H1389 - 1 H1389 - 3				-	9.			3636	- 8	581	\$47 _867	4946 13467 32366 13525
H1250-4				-		2290	<u> </u>	2000		1547	852	9675 17047
241298 - 7 A640 - 2				11		1770		792	- :	===	479	13976 7767 14837
BOX-2					4		9			884 1687	396 1862	16174 16569 13342 61632
HCT-918 - 1 HCT-918 - 2				-		19457		3292	0	\$106	***	84456- 12001
>1736 - 2 SFS30 - 1				100			90% 197			15\$1 774	F81 285	
36130 - 2	=			-		19900		913		3283	247 1170	10461 14633
9F-288-2				, maga		9717	9	10847		2007	1179	27525, 14365
OVCAR4 - 1				 	-	4982	705	2277	- 8	1685 1972	676 583	23042! 38463
CHICARA I						3130	360	230	0	391	200 279	12736 11007 6066 11566
C-1-1-1						2290	291	4687		630 814	122	7463 11764
ADRAGES - 2 PMLs - 2	 			1674		8147 1460	0	6306	0	4474	P47	40273 13088
\$W480 - 1 \$W460 - 2					<u> </u>		- 37	3388		1990 915	1162	44883 <u>27143</u> 28876 19496
\$90400 - 2 HT290 - 2						7912		1636		1502	864	23857 24461
C33A - 1	\vdash					3255	604	428	8	570 173	230 200	8221 8913
C39A - 2 LEOS - 1 LEOS - 2						18292	748	5798	- 8	2118 3282	1061	\$2566 31199
1466 - 1						7177	447	1001	8	1135	415	11463 [1664]
1600 - 2	\vdash					13625	403	1003		3364 1993	792	9780 17897 11794 15250 12591 14813
W136-1				1			8	2716	0	1113 1018		13385 14118
101-d - 2 Miles - 3				 		12100			0		406	44133 14636
highed - 4 Maked - 5		-+		+-+-	-	9006		R	0	1997	140	0 11982
				\vdash		15347		0002		3794	1258	9031 27144 20029 23061
ARMS -				1		1713		7		2077	1080	

178. Table 3 (contd)

The state of the																
Section		Territoria.	100,000	T	Spinish bages		-	100								
Column C	CoPung 6			i						35301		3497		2019		23078 149
The state of the	DaPung-R						├		 		-			0 4367		62757 122 49305 131
Section Sect	DaParage 11									19274					882	58943 118
The state of the	DePure 19							_		18011		1365	1	4270		34062* 114
The second sec	DePere 1					-	-			837	1 - 8	13705		1528	783	19252 181
	Out and 3										1171	B515	1 (503	923	31807' 256
The state of the	0-7-0-4					\vdash	-			377			 		. 680	801 251 10031 125
The content of the	Our mod									2000		- 9		496	462	1929 96
Column C	A540 - B			 			├─			4014	- B	7001				34350 141
The color of the								764		294	907		1	D] 812	478	8413 128
Color Colo	HCT-110-8						├			5165	3010	1981		0 302	391	
Color Colo										1063	1			207	1	9105 131
The state of the	MT29-8									(30)		2902		0 709	ă	16207 197
The state of the	SPTIB-7									986	- 8	150		954	Pti	14375 160
The state of the	SF-246-7										1999	700		1316	430	14248 154
Company Comp	57-376-Ş CACABA - 7) . det -apa is gef.				 -		 -	7.7	··· 3	\$07			100	
## 15 1	6vcAR 4 · 0									1 5000	700	45151	1 221	3077		173
March Marc	(WCK*(-)						├──			9291	91046					270 4
March Marc	MCF-7 - B						H	ľ		4047	342	1396		942	451	15001 150
Section Sect	ADR-RESI- 6								- 1	4033				479		7975 125
Section Sect	PRLO- 8 SW450 - 7		—							3041				1004	212	13765 114
Section Sect	34448 - A			==						3980		1133		215	400	19027 195
Section Sect	H1290 - 0						\vdash		•		7	193	⊏∹	904	301	1065 . 117
Col.	C33A - 6							-		4364				1980	1472	9025 360
Section Sect	U201-7						\vdash		 	646C		(E)	1	1824	271 614	21345 186 33498 112
March Marc	Hull - 7							w		4239	1784	463		300	614	10006: 163
Company Comp	Hu00 - 8					\vdash						1101	 	2294		7101 125
No. of Control No.									211	7947		4997	12	7 11943	2200	4332 1230
	CPL 1972 3917MI			-			-			1 1425	. 79	ઝ	 	4171	2011	
Color	Milan								415	10871	300	192	22	1211	1604	96 912
175	HT379					\Box	\vdash									481 845 3271 1188
173	DFT308								- 40	436		L A	16	7 1905	2614	74801 733
117 1 1 1 1 1 1 1 1	-7						172		147	2903			- 4	1053	3603	2513 477
Second S	Ber 6		-	-			177	-			518	709	-	213		763 374
Column	N harriston 2020/02 PM										9		87	1001		200 443
	200-19				-		257	-		9951		127		604	6317	
	37162 613								. 100	4777		30		1863	3407	119 632
Accordant Big 17.20 0 18.51										70					2510	2304 - 773
	SA-OE (Sheek) poly Ar									31225		101	167	1 2913	2963	3973 629
Main Main	Table perby Are							_				36		4200		
No.	HCT-118-4									3679	177	838		799	241	10340 132
March Marc	14CT-118 - \$						\perp			8836	209	724				13663 194
Trans.										m		42			315	2191 146
Trans.	HIZD-3									3211	1117			1884	511	
Trans.						-				771	1434	676		-	400	(3685 217
No. No.	14729 - S					Ĺ				3499	1303			1383	1083	271
No. No.									-		1,000				7.	
Second S										545			!			411111
Process Proc	OCCUPATION OF THE PROPERTY OF								1	3879	112.5				- 84	
Property Property	3F539 - 3							ı		904	177	206) 929)	100	8632 193
Process Proc	SF530 - 4			\vdash								224	 :	913		4084 136
CAMAN	37939 - 4							Į,		9794	•	. 0	1	7721	362	14823 207
NACAMA	OVCAR4-1			\vdash		\vdash									45	8731 138
Marche March Mar	CVCAR-6-6									2030				706	106	310) 112
March	AUR-RES - 6						_	-			320	1852	 		195	
								ΗVB		8103	. 0	2136		1130	874	70075 771
	H1296 - 8									1457	70	10		1104	449	9019 163 15516 ***
	399489 - 3									4794		34.0				47025 142
Second Column C	SN 400 · [Ĭ		7997	582	9867		1396		37625 101
Color Colo	3494001 - 6			— —			\vdash			4970		495			173	7148
1230-1 1230 1330	C33A-4							į			P	(2)			534	8045 77
wide - 6 Med - 6 O Spin 0 0 Spin 0 Date 0 Bar 10 Left 0 1228 Left 0 1228 <td>C33A - 6</td> <td></td> <td></td> <td></td> <td></td> <td>-</td> <td>\vdash</td> <td></td> <td></td> <td>4227</td> <td>199</td> <td>75</td> <td></td> <td></td> <td>Ç66</td> <td>1907 171</td>	C33A - 6					-	\vdash			4227	199	75			Ç66	1907 171
	1 mag - 4									6850				501	205	4949 133
Control Cont	U206 - 3			-	-	-									6/3	
	LIZOR - E							-	Ī	9100		4001		1013	476	50416 212
1987 2	U206 - 0	==					-	į		9431		0		1983	300	30463 181
Mail Mail	W) 38 - 6 Hu00 - 3									10577	10235	1233		2012		30617 133
1,500 4 mpters 0 6577 700 11169 0 1346 923 1636 16							=			17277	1953	3275		21 2413		20235 200
Company Comp	5F-38-4								9	8637		11166	-	1340	925	10000, 183
	EF-369-6									13125		249			1137	27875 180
Minut 2	3F384									15804						32106 247
	Maried - 20						=		•	15885	į į	4710		2461	740	11291; 202
	Market - 21	==		-		-		┝━┦		12072			 		777	1945/: 208 44915 212
Second S	OVCAR4-1							-		7348		5016		1167	122	16027 161
	Militaria - 10					\neg	=	\vdash		6712		4700	1	TOTAL PART	170	
Address Columbia	100-01 100-01-12								0	10644		3990		2290	624	43027 199
1 0 17775 0 2006 0 E74 1635	- 1											863		1993	810	\$7\$12 _ 170
	Militaria 18													B34	964	20174 157
	- 10 miles									7517		56		1777	710	16220 - 120
0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	Address - 17				\dashv	—	-	 -				290		3444	9679	
														1175	949	

.

179 Table 3 (confd)

There	7-11-1	Marmal oyes	Tuest - to	Turney code	-	Ender	p#3	SEQ 78 A	SEQ 8634		SEQ M R	SEO IS A	SEQ IN A	82Q NO 161	SEQ 23 YE	SEQ IN A
minute plant - h	F	1					=	8	336	98727	2949	19672	3677	1304	300	13731
tyrigh pode - h barry proper - h		1 3	t					Š	160 467	980	259	P[90000	5274	918 447	351	12523
haranta Albard - p					<u> </u>		\vdash							36.20	900 61	2064
Strain -N partoress - N								9	120	9094	1702	10023	2001	1052	241	11500
curringly — h polytoxy gland - h		1		-	-	\vdash		127			8162 9271	94237 5 13445	10828	4741		21132
field (main - fr			ļ			=		171	354	10000	2384	1 18343	3445	612	55	
tog (100-17 - h		 1				_		717	-	10004			6384 5311	- 35	201	14830
provide, h		12						51		11315		7 222974	717	1870	74	1 1687 8614
Aparl Bree- h substruct - h		- 7	<u> </u>				=	- 9	207 833	13040	779	102290	8580	2030	75	9485
solvery gl lt fund harg - lt		- 1	-	_			_	791	100		1971	19004 19175		1076 22813	177	13841 3341
eledated presently - It Present - Its		1 7						200	1004	119083	150	8200	2290	6761	O i	4512
arrad Intenting - Is		- #				\vdash		230 314	29	25312 6142	1410			1270	46	7578
regiment count - It		20						85	340	7754	1100	8430	740	877	. 41	3603
Drus - h Sylvan - h		72				├-	-	772	254	4036 6062				304	333	1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
		. 2	-					170			LF		ار <u> </u>	337	23	
					-			<u>}</u>	37			1		277		
Appendix - h		7				71	_	17,	12	\$ 1270 \$780		112/3	340	700 \$29	- 3	7079
toyal glad - h		- 2							229	1304	909	110345	7230	1494	322	10434
RPTEC		- X						122	- 43	·	422	115750		378 3477	1621	8046 15045
PARC		1					Ĺ	1 0	797	16746	611	15884	1037	300	421	20117
eterog - h		33)	+		-	\vdash	\vdash	105	1977	@1570 11102	1172	04304 272304			81	18397 6100
Process -)		8				=		1 6	130	20503	324	12710	Z384	1626	9	7344
Spright mode - It Shekari mangig - It	_	- #				<u> </u>				7145 3362		187211	70.7	913		2563 3016
Maria Despt. 10			1		\Box	=		436	37	6637	888	95096	411			6085 4438
Pleast - It		7						124	234	3423	1473	15100	42	2) 100	333	8408
Program, h Charleston - h		- 61	\vdash			=					447	ESTX	76	334	96	6523
Falal Joyde - Is Salvery gl Is		- 8						504	704 170	4203	457	11072	1547		380 187	3300
tests - h						F	F	441 150	216 34	5677	1724	33397	4085	370	394	2357
HT213-named					1				_		123	•	9	308	42	2673 883
HT15					ik	<u> </u>		2541	-	1 8		3991		1438	67 186	4904 (490)
200-12			1			*		4181	44	100	800	30403	630	673	283	19145
hydryd)	-				**	_	┝	253	156			1		97	0	29Q2 2843
APTEC					334	- 5		280	199	H	845	1 494		47		216
hymph made - b In paids SMC 19071/90 #17		 					_	16		903	1502		126	#2 0	9 9 947	
Fred train - h					329	П		940		5021	2000	(0)113	442	986 119	147 146	
(A) And responsed		\dagger			127		\vdash	710		272	1125 285	20100	196	\$7 1	9	3002 9000 7302
247 148 - married		\vdash		<u> </u>				253			236 851	77902		307	204	2382 1980
HEPM 3d uniquited views - h		<u> </u>			量			447	3480	8764	1770	110877		1031	1.34	13,291
tractus - h	<u> </u>				374 374	\vdash	\vdash	230	250 470	26295	1250	1904	3426	1002	70 273	9214 14507
Ospeld gland - It enthropy (L - It					711	Ш		EQ.	2	42	730	314	173	0	192	1713
processor, h		-					⊢	250	21	300	293 649		145		159	1665 1666 2540 8017 3607 3607 3607 3607 3607 3607 3607
					74			146	11	196	477	857	436		. 0	7540
recently pland - h blassier - h			- · · ·						7754	27964	1446	181733	905	400	10	390
jacks - h			=					3409 737.5	1134 34/	7085	1174		3676	2577 1000	1201	15783
eliume :			i	-	一器					700			A LANGE OF STREET			
end mako-h		ł			78		-		45	1830	1 3		419	301	- 1	2077
uludotal mustalo - la						Ш		(33	1800	30493	\$1847		3133	1226	- 	19795
home manage - h minand giand - h					m		_	- ;	00	632	5111 100	744	29		100	19.786 3010 3644 1817 5466
HPAEC					275	275		176	124	97					73	1817
HT 200 record		<u> </u>			#	Ш			- 8	1	250			19	0	1922
David					-	22s	<u> </u>	527	1403					17	31 130	7455 5430
HT373-numel					234			149	9		407	! 2161	734		52	2290
	 	 	 		- #	23 25	<u> </u>	1952	112	194	440		179	122	- :	4770
Deril						Z			٥	747	367		50	50		6602
D=-1			<u> </u>		#	TO TO	ᆮ	200 61		1001	351		195	133	- 32 - 49	2036
Primet - It					216		μ	200	9		770	674		171 215	104	1979
Annual has h					1			35			365		125		0	2852 843 3804
HICAEC		\vdash			213 211	ž	<u> </u>			1 0			190	189	75	1167
fluted bretty - It					270			186	145		476		873	100	182	5873
PREC Designation - In					ą s	\vdash	⊢	115 235	9	125	297			72	70 18	2710 2007
Shahim merdiy - h					E			128	15	320	307	140	63	30	Oi.	831
Paramer - h			<u> </u>		221		=	189	25		301		154	63	•	1426
					12			13	**	2102	349	1290	190	119		3606
HEFM 3d TOFRI Jegargadi (Niger) Repres -b		<u>t </u>			782			- 44	195	213	201		366		76	712
W1-36 72h					179				67	· · · · · •	160	-		171	- :	712 Z307
hirte h								440	386	447	218		1374	867	25	7307 13413
labor - h Josef - h			H=		-	ш	\vdash	166	213 196	191 3427	234	-	\$77 B89	675 281	113	- (8)
fedel have - ft								149	113	465			. 0		21	*
Select Protect In Select Selectory - In	H			oxdot	## ##		_		79	200	174 545	1225	275	100 216	9	2007 5612
HELA-20-021200			=	7				213	967	121	372	804		190	0	8486 5410
HELA-0-031000				. #1 . #3					174 253	275		201		210	0	9647
HELA-00-001806					=			83	•	257	267			296 247	- 9	4351
HELA-B-031888 HELA-B-031888				_==)40 242	203		\$77			<u> </u>	163	7036
()+E3.A-403+031888						=		33 138	\$15 143	616 724	600		190	9		7081
D45.A-116-631889 D45.A-126-631889	\sqsubseteq			#				49			L P\$14	•	105	67	- 0	3080
PECA+Q22M HCL+H99				# F F				0	- 0		110	3218	514 1738	205	36	8636 8465
MCH45Z2				150				Ů		9100	155	241	7		34	2572
SPG-19 SPG-75		<u> </u>		152				91	136	(MAD)	73	4751	918 1175		794	1606 5215
罗·湖				150				342 52		3462		1004	37	102	0	1198
SF-295 CCRF-CEM			\vdash	199 190		=		52	- 8	\$7903 ##3	445	1 3	97	0	37 121	957 1619
DQ-145				162						7045	179	W521	186	202	97	
HCT 118				1			1 7	â	20	3437	611	372		<u> </u>	1471	701

....

PCT/US00/14842 WO 00/73469

180 Table 3 (contd)

Times Yuman ayas Mannahayas Cadida Timed T	168 199 199 171 191 193 193	Amenial Codes pt3	779 724 132 60 0 235 40 0	9 19781 1332 9 29330 4542 5 19539 3670 0 9 1822	9 793 9 793 3093 4163 65 2854 6713 9	138 0 3686 414 0 11686 61 0 2573
1984	100 100 171 181 183		9 23 9 23 40 0	9 25330 4542 5 19539 3670 0 0 1622	2013 4160 65 2564 6713 6	138 0 3686 414 0 11686 61 0 2573
T-470 Tem 900 171 101 183 183		0 230 40 C	5 198530 3870 0 0 1822 1 0 0	65 2659 6713 9	414 0 11005 61 0 2573	
Ren-S ERR, 4441 FMA REN FOT deviated o Distance FOS gets Av HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS HOS	185 183		0 34	4 <u> </u>	1791 0	
70 pth Ar 903 pth Ar 907th LINCO-42 8007-790-9455	183					
70 ath Ar HOS with Ar ACH LINCO 42 MCF, PADRINES				ol 81 321	111 0	0 0 264
MORAL MORAL MARKET MARK	799	1 1 1 -	218	541 2325 1363 3389	<u> </u>	
MICF-79ADR-RES	190		0 12		949 147	190 63 1971
settent diameter and an	200	1	100	1487 402	2173 244 215 149	U 0 2027
UTOS Develó pelo pe	20		112		0 79 \$15 8	252 724 498
WYSH (Colours) poly for 450 modulo nGOVA			1946	2134 2543	838 990	0 107 8071
CCL 137 (49A 32749)	219	-		282 (894 91 3383	0 25 416 635	943 6 2126 194 0 3256
W1-36 77th 0.5%FBS, 3th 1615 FBS CPL 1641 • TPN (2010 BCB	ZA		0 134	6 9	0[5 71 1173
	221	 	18 9	D 2177	141 9	
Ne4	229		0 23	0 622	0 11 1863 186	
HOP-82			96 <u>1</u> 10	9963 1038	2000 007	160 46 5219
500	1 2	1 1	0 22	22076 1994		
	28		0 1087	1	**	200
ASABATICS	749	+			0 168	
SR	249		0 103	3 18413 855	1602 550 160 0	17 0 2103
DVCAR-3	250		0 140 120		201 596	8 55 9053
NCT-15 CNCAR4	[[171	2361 64 367 480	9j 1400	0 147 1002
UC-31 OVCAR6			0 1	577 3409	D: 1477	8 0 4219
\$M12C	2	1	496 C		0 9	1.29 0 1761
COVERAGE	294		0 263	82575 1963	3616 1363	6 150 9349
IOROVI	257 258	+	9 140 71 0 161	0002 234	505 126 1854 8	48) 567 1296
SK-04-3	290		0 11	4761 313	1919 681	0 71 1009
9F-619	290)	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 	159	73632 1663	2000 925	498 174 4144
SK-MB,36			187 0 0 11	14342 546	0 0 1579 433	# 9 1275 74 49 2390
C-562 UNCC-257	253		0 8	2 0586 1900	775 91	109 6 1237
MIN MCF7	#5 #7	1	128 29	1 1256 677 23780 5288	709C 0	715 0 14882
MOA MB-436	200		0 0	1 1791 363	0 147	290 125 4005
HTZZ9	770	 -	3 3	14738 415	D 67 D 441	336 0 4136
Y78 paly A+	773		11 11 281	0004 4474	D) 1300	0 345 12179
TO-KDIS gaily Are HTTEGE SIGN TIPIN FROM (RCZ)	300	1_ 1	25 38 71		PI	40 153 766
HELA-EXPAINING	313		37 6	6 4774	0 9 19719 0	
HTTESS ON FROM	323		292 (50 4108	270 277	462 83 5452
	336		942 M		#287 491 1915 0	
901409 90740	7037			10827 2336	0 236	130 0 3071
HONG HONNE 21 1231	339	+	833 1127 486 1746	734667 10006	98772 9588 90562 28673	1967 45 13815 1674 0 19652
PT cells poly.Ar	349		0 112	2 6025 779	D] 445	120 27 2004
PC-3	341	 	613 27	7506 1212	98117 1617 708 179	529 0 3085
984-609	345			23034 1150	9481 32 0 15	343 0 3467
MTNIQ COLO 265	37		17 6	3 355 995	004 0	481 C 940
157298					.a 72	
7001 .7781	_ جو له جي		30 200	1 162 2.36	01 192	204) 1 1 14 14 14 14 14 14 14 14 14 14 14 14
	r i	1	# # P	n' tests	140	190 9 1942
9/DIF 363	1 1 1 1		253 1831		3:45 192 30193 4000	710: 0 1987
TIC-08			1422 1373	162135 14630	51277 9990	967
96 5767 HT243	60 299	+	184 4	21190 1280 797 2103	1167 1033 0 960	336 0 14318
MT286	1 12 T		174	9 647 3338		994 0 19208
HT 136	94 10	 	174		6 0	86 6 15006
HT163	59	 	713	710 7500 2017 1404	6 412 1866 0	161 117 6436 719 0 13133
MT172	92		111	95 7348	0 0	29 5 8824
orrizal orriza	100	++-	384 kg	92 3379 947 3414	6 G21	40 0 0023
9/T164				<u> </u>	Q e	0 12319
errisat errysa	- 1	 	43 12	6 6 1991)	el o	340 182 2969
P/TVP			43 63	3620 3600	0: 654	
MTHS	1 2		342 7	1300 6305	Q 200	298 0 1951
HTTHE		+	12	2004 4775	e 0 0 1015	6 6 6 70 70 70 70 70 70 70 70 70 70 70 70 70
HT227 HT302	72		143 (2016 7306	1450 4134	721 170 25615
भारते भारते	74	+	230 1	974 3847 346 7388	0 936 706 979	865 236 13106
11-4-4-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	7			0; 2002	21 0	69' OL 57
41327	70	 			1133 0	
erass .			49	0 4194		0 0 6152 9 192 1394
HT205 F(196 HT206 HT201	15		(42) 794	190 5529	0 38 8 1017	0. 0 3439 5 111 6105
07311	179		220 G	0 2176	D 130	\$ \$11 B105
HTPA	185		230 117	6 0	91	186 150 746
NIZPI	199		303 G		380 0 0 298	301 6 405 133 944 436
TOO!	207		94 17	P 1460	9 9	10 9 3112
61,460	20 21 21	 			9 46	149 0 4196
HT100 HT107 HT100	1 24 1		343 6	ol B(10004)	12719 127	327 115 4916
17379	72		716 0 170 per	32 1871	0 0	128 0 P422
	230		30 101	122 3106	97 136 192 630	53 0 3919
MT3/7	7		955 B1 0 127		0 38 1382 66	41 0 283 123 8 8375
MT3/T MT3/T MT3/Z	1 230		616 E	0 6791 0 2712	0 196	123 6 8375 361 273 6736
HT394	1 2					301 279 6756 31 206 3177
HT394	790 391 314		1980	1 2290 7221	354 197	
61738 61738 61738	i iii		198 E3	1 2290 7221	Ø[981	788 0 7792 30 190 9247
61395 61739 61739 617362	316 317 319 325		200 00 415 0	2280 322 0 8694 164 3247 220 2151	0 981 0 17 0 0	189 0 7792 20 100 5242 0 6 20
HT289 HT289 HT289 HT289 HT289 HT289 HT280 HT280 HT280	315 317 319 323 258		1980 0 83 2674 200 08 419 0 369 00	2280 742 0 8604 164 2267 1 228 2151 0 0 2119 0 4119	0 981 0 17 0 8	789 0 7792 20 100 9742 0 6 20 0 9 3671
#1398 #1398 #1398 #1398 #1398 #1392 #1392 #1398 #1398 #1398 #1398 #1398 #1398	316 317 319 325		1980 0 63 29174 200 09 4119 0 300 00 400 4	2200 722 0 0004 164 2247 220 2151 0 2719 0 4418 36166 3656	0 981 0 17 0 9 0 0 1981 3865 179678 2616	790 9 7792 30 100 9-23 9 9 20 0 9 20 0 9 3471 60 0 565 113 9 2021
67284 67285 67282 67284 67284 67385 67385 67385	315 317 319 323 258		1980 1 63 2674 209 68 4175 68 369 109	2200 522 0 884 2047 504 2047 228 2151 0 2119 0 4419 36100 3650 90419 8919 90226 4640	0 981 0 17 0 8	799 0 7792 20 199 5342 0 0 0 20 0 0 0 30 0 0 0 565 113 0 2021 152 774 6201 197 0 9000

181
Table 3 (confd)

Thomas															
	·	-			Ī		7 41								560 S3 75 S60 M
MCF-7mCR-RES	197				-		_	ZD 454	199	133345 62589	3763	281680 173547	1 040 1	234	83 F
	151		l						N	22491	3044	213251	402	499	71 44 54 62 1 70 6
MH4 UACC-257	- 13						_	*			5726	996.76 495.58	734 7177		78 8
UACC-287	14							Š			8515		3123	34	0 0
SK MF3, 20	144							-		36141	6515	(511)	676 520	130	24 11
VO-31 SK-ME3,-6	100					\vdash		104			92x8 6798	73371	1053	≅ √.	11 2
KIN-12	141							416		244	3364	80853	100	17	182 3
	92							171		15009	2346 3013	134925	27 500	167	
HCT-18 Mdrm-3M								140	195	22100	5765	137983	277	271	0 3
COLO 205	177							154	211 146	21011	941	114441	942 9478		
LOX INVI	122				-	-		150		11595	3350 3617	11224	766		210 K
TX-10	134							•	137	23997	4146	79774	1989	130	0 6
HCT 116 785-0	100				-			1060 225	- G4	7195 28715	2014 2039	119724 102477	702 3314	-	263 7- 42 6
HCC-398	172							•	190	17067	6569	127791	485	965	9 9
ACC-30M ACM PC-3	- 33										4256	97808 90476	473		
PC-1	170				_	_	-	199			3603	1. 99643	\$917 377	794	8 7
ROF SEC									71	1334	3431	17439	224	118	·- ·- 11
					-	~				12167	7004	:33	- 2		41 6
34	13								12 - 12		2000	P4334	15	110	0 •
PAPAS (228)	171					\vdash \vdash		***			2814 7362	12904 20041	100 542	47	768 4 84 118
\$90.2G	127							613	190	925	6301	450	300	34	173 214
HL/40 MCLT-4	120										5372	83742	1345		0 3
CHICARS	 !!! 					-		425			4872	41219		1260	70
OVEAR4								-	244	21940	2514 3462	133148	M657		1 0 3
CCRF-CBI	116				$\vdash =$	\Box		- 46	32	16290	 	113784	1945	32	
ONCAR-S SP-EM	114							217	·	14100	2685 2692	- 57	7363	575	0 9
HOP-42	113							491	153	36839 21130	1330 3578	72100	2536 3313		
NOP-92 SF-285 ASMATOC	112				\vdash		世—	7000	32	4499	4014	130100	3006	Z	0 •
SF-291	110							0		23477	2917	136766	991	- 44	416 2
NCH4622	179					Н	-	700		33090	7465 \$808	811730 148017	1964	27 98	113 4 253 7
11751 2001-14688	184							179	214	1 . 27634		46575	3914	71	
316-75	104				—	\vdash	=	212	330	6061 23147	1962 4126	72919	1908 1194	143	
MCS-HG22M 2948-13	- 199							130	56	9400	2902 9630	17270	1903		<u>) 67 6</u>
8945-19 HCH-1228						ш		211	111			11321 19430	4083 8044	20	
MCHGS	102		\vdash			ᆸ		319	432	P1716	2391 2394	2376	1016	167	64 8
helición	199								283	6158	2107 4584	19131 9729	1772	417	215 12
BOX					\vdash		<u> </u>	100	100	28193 \$123		290	613 2072	373	il DI S'
HOP42	3								254	19997	7191	2949 2004	18079	301	0 12
HOP-42 h Streetmen 3/31/42 #12	13						_	315	295	22446	6764 7340	190946	99	454	! D: 4
p managed 35865 816 p managed 35865 816	-		<u> </u>		L -		_	L		13000	9192	100018	. 116	117	0. 5
TCGP		==			\vdash						6238	81485	341	22	0 14
AS40 - 1	├		\vdash		— —	 	1		1 2		\$3185 46138	- 8	3072		276
A549 - 3 A549 - 4					\Box			•		116	46136 46247		1943		342
A349 + \$	-		$\vdash =$		$\vdash \neg$		H	98	, 300 Si	2539 431	72967	-	2147		
A549 - 7 EXXI - 1						${f f f f f f f f f f f f f $		9	304	2006	in the second				132
EXCAC-4	=				Ш	\blacksquare	mederá		223	714	150881		16041		
EXXI-3 EXXI-8							įį			1208	37631		300		187: 2
ERCOL-Y	==						-				7435	0	מיז		0
MGF-2 1 MGF-2 1 MGF-2 1 MGF-2 1	-						<u> </u>	:			4150 3764a		- 3		124
MOTA : 7							ž r		1,52	1025	327				ii #i
MCF-1-+					\vdash		E==		9	<u> </u>	2794	-			
						L	ĭ		744	1 10110	88435	-	2747	•	912 1
ADR-RES - 3								9	611	7007	43052		860		175 1
ADA-RES - 4 ADA-RES - 5			<u> </u>			\vdash	ii			<u> </u>	30517		1779		,
ADR-RES - 7							1	•	473	4304			19050		0!
W138 - 1	1				\vdash	\vdash	J.	9	95		67921 49671	8	19250		110, 2
W) 36 - 3 W) 36 - 4										1422	44001		6330		0: 1
M136-8					-	П					48543 22973	- 8	19729		780 7
107 38 - 7 Hale - 1	├─ ┤					╚	# Y 3		347	•	36078	0	967		1 140 1
Hale-3							ě		140	1254	46780	- 9	750		
Hida- 6	==				\vdash	\vdash		-	941	3030		- 8	1303		
Phila-7							HV H			140	40004		858		151 1
H1298 - 1 H1298 - 3	\vdash				-					330	22779	-	1006		
Price-3						-							14541		94
h11280 - 4									3304	1020	36500				
H1280 - 4									2004	9020	36506 15450		6635	1	1 11
191280 - 4 191280 - 5 191280 - 7							H		300	9628 80 4627 2762	35506 15450 23664 36578		9035 1127 1186)(<u>118</u>]
BOX-2								9	, 300 300 300 300	9628 80 4627 2762 85	26500 18450 23404 24578 73357		9835 1127 1166 8234		0 115 0 0 0 0
BOX - 2 BOX - 2								9	350 363 361 165	9628 80 4627 2762 66	36508 15450 23484 38578 73357 62248		9835 1127 1188 8238 1884		9 115 9 0 9 60 1
DAXX-2 HCT-816-1 HCT-916-2								9	9394 919 901 1003 1003	9628 80 4627 2762 85 308 54	36506 15490 23994 36573 73357 62246 122522 34694		8835 1127 1106 3106 8236 1884 7636		9 116 9 9 9 9 90 1 9 90 1 1 0 1
MANU- 2 MCT-110- 1 MCT-110- 2 MTB- 2 SPEN- 1								9	9394 919 901 1003 1003	9628 80 4627 2762 85 308 54	36506 15450 23444 36578 73367 62248 122527 34858		8835 1127 1106 3106 8236 1884 7636		9 115 9 0 9 60 1
PROVI - 2 1007-1-10-1 1007-1-10-2 1073-3 19730-1 19730-1								9	984 941 945 11 14 14 14	9628 80 4627 2762 65 308 54 558 430 21 21	36500 18450 23997 73357 62248 12252 34859 22537 22537	9 9 9 9 9	9835 1127 1166 8234 1884 7636 121 2052 4620 3529		115 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
PROVI - 2 1007-1-10-1 1007-1-10-2 1073-3 19730-1 19730-1								000000000000000000000000000000000000000	9594 961 961 961 961 961 961 961 961 961	9628 80 4627 2762 65 308 64 839 430 211 266 228	36500 18460 23404 3657 3657 6224 12257 3444 72547 25347 6004	0 0 0 0 0 0	9835 1127 1168 8238 1884 7636 121 2052 4823 3528 8048		1 115 9 9 9 9 9 9 9 9 9
PROF. 2 DAYA - 2 NGT-146 - 1 NGT-146 - 2 NGT-146 - 2 NGT-16 - 2 NG								9	9394 941 965 11 16 18 18 18 18 18 18 18 18 18 18 18 18 18	9628 80 4627 2762 65 308 54 888 830 21 208 1238 2209 220	36500 15450 23444 38573 73357 62245 122523 34454 22547 22547 23344 43044 6004	9 9 9 9 9	9835 1127 1195 9239 1804 7636 121 2052 4620 9329 6086 7179		115 0 0 0 0 0 0 1 0 0 1 0 7 170 0 1 170 0 1 170 170 170
980-2 5007-3 807-18-1 807-18-1 807-18-2 97-38-3 97-38-7 97-38-7 97-38-3 000-1-3 000-1-3								9 9 9 9 9 9 9	9394 961 961 1805 140 140 150 150 150 150 150 150 150 150 150 15	9628 80 4627 2792 65 308 58 58 59 21 220 220 780 60 221	36500 15450 2949 3857 73357 62248 32522 3485 22527 22547 4374 4374 4086 4086 4086	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	8635 1127 1108 8239 1804 121 2652 4620 2329 6008 7179 1143		115 0 0 0 0 0 0 0 0 170 0 0 170 0 0 170 0 0 170 170 170 170 170
980-2 5007-3 807-18-1 807-18-1 807-18-2 97-38-3 97-38-7 97-38-7 97-38-3 000-1-3 000-1-3								9 9 9 9 9 9 9 9 9 9	9994 943 943 1965 11 144 152 164 164 164 164 164 164 164 164 164 164	9628 80 4627 2792 65 300 64 830 21 200 1228 1228 220 710 0	36500 15450 23494 36573 73557 72567 22567 22567 22567 22567 43076 40090 40090 40090 25746	0 9 9 9 9 9 9 9 9	8635 1727 1766 8274 1864 1205 4620 3529 6069 7174 1149 913		115 0 0 1 00 1
PROF. 2 DYACATOR 1 DYACATOR								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	3994 913 1913 1913 1913 1913 1913 1914 1914 1915 1	9628 80 4627 2782 55 308 84 850 21 225 220 220 90 0	26500 23494 28578 73357 62242 312522 31252 22547 23544 43074 40084 42305 40084 20084 20084 10085 20132 20132	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	8835 1127 1198 8236 1384 1285 2052 4628 8048 7174 1148 913 622		115 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9
###:-1 \$25/01-8-1 \$25/01-8-1 \$25/01-8-1 \$25/01-8-2 \$78-8-1 \$78-8-1 \$78-8-1 \$78-8-1 \$78-8-2 \$78								9 9 9 9 9 9 9 9	2004 1 1931 1941 1941 1941 1941 1941 294 1941	9628 80 4627 2792 65 308 94 558 830 21 228 220 710 0 0 0	36500 19450 23864 38578 92248 92248 92242 94899 22387 9388 9099 42305 4088 30055 28199 1934 1934 1934 1934 1934 1934 1934	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	8835 1127 1166 8236 1200 121 2652 4620 1332 8066 7179 1149 917 622		115 19 19 19 19 19 19 19
1982-1 1971-19-2 1971-19-2 1971-19-2 1971-19-2 1971-19-2 1971-19-2 1971-1-2								9 9 9 9 9 9 9 9 9	1994 1947 1947 1955 1955 1965 	9 9028 9 800 4027 2792 96 96 96 98 98 98 98 98 98 98 98 98 98	38500 38500 2889 38578 73577 73577 62240 42257 22507 42074 42105 4000 28749 42105 4000 28749 41107 4000 28749 41107 4000 28749 41107	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	8835 9127 9108 8229 1804 7630 121 2052 4020 4020 9127 912 622 800 913 913 913		115
### - 1 \$VY-1-# - 1 \$VY-1-# - 1 \$VY-1-# - 1 \$VY-1-# - 2 \$VY-1-# -								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$390 \$170 \$170 \$180 	96284 9628	38500 38500 2880 2880 28570 52572 22507 2250	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(805) 1127 1188 6228 1884 7600 121 2052 4020 4020 4020 7717 912 913 913 914 915 916 917 917 917 917 917 917 917 917 917 917		115 115 1 1 1 1 1 1 1
988-1 35/01-8-1 167-18-2 978-1 978-1 97-38-								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	290 193 194 194 195 195 196 196	96284 9628	38500 38500 25901 25901 2597 2557 2557 4220 3469 2590 2590 26	0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	(MICS) 1927 1928 1929 1949 1949 1959 1959 1959 1959 1959 195		10 115 1 15 1 15 1 15 1 15 1 15 1 15 1
### 1 1 1 1 1 1 1 1 1								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$390 \$40 \$40	94284 9428	38500 38500 25901 25901 2557 2557 2557 42501	0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	(MICS) (1927) (1927) (1938) (1948) (1		1 115 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
988-1 35/01-4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$594 \$195 \$195 \$195 \$195 \$195 \$195 \$195 \$195	1400 1400	38500 38500 2299 38577 3257 3257 3257 3257 2290 6009 4335 6009 2579 4335 5000 2579 8009 2579 8009 2579 8009 2579 8009 2579 8009 8009 8009 8009 8009 8009 8009 80	0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	(miss) (m		1 115 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1982-1 1971-18-1								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	2004 919 919 919 919 919 919 919 91	14281 1428	38500 21989 22989 2577 73567 73567 73567 22507 22507 25707 25707 25708 25709 2	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(805) (807) (118) (118) (118) (118) (118) (118) (127) (127) (127) (127) (127) (127) (127) (127) (127) (127) (127) (127) (127) (127) (127) (127) (127)		1 115 1 15 1 15 1 15 1 15 1 15 1 15 1
### 1 ### 1								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$594 \$43 \$45 \$45 \$45 \$45 \$45 \$45 \$45 \$45	46283	38500 21980 21980 2577 73567 73567 73567 22527 23507 23507 2550 2550 2550 2550 2550 2550 2550 2	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	(805) (1927) (1938) (19		115
1982-1 1970-18-1 1970-18-1 1970-18-1 1970-18-2 1970-18-2 1970-1 1970-18-2 19								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$590 \$150 \$150 \$150 \$150 \$150 \$150 \$150 \$15	1	385000 21988 25787 73367 73367 73367 72367 22367 22367 4235 4039 4039 4039 4039 4039 4039 4039 4039	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	(805) (1927) (1938) (19		2 115 1 15 1 15 1 15 1 15 1 15 1 15 1 1
1000 1000								9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$594 \$150 \$150 \$150 \$150 \$150 \$150 \$150 \$150	16281 1628	38500 21980 25790 25777 73367 52522 22507 22507 42355 4009 3600 3600 3600 3600 3600 3600 3600 3	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	6035 6035 6035 6035 6035 6035 6035 6035		115
1000-1-1 1000-1-1									\$394 \$15 \$17 \$17	14624 14627 14627 1563 1563 1563 1563 1563 1663 1	385000 21988 21988 21988 73357 73357 72357	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	## (## (##) ## (##)		2 115 1 15 1 15 1 15 1 15 1 15 1 15 1 1
1 1 1 1 1 1 1 1 1 1								0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	\$594 \$194	HEAD	385000 345000 245000 245000 733577 73357 733577 73357 7357 73357 73357 73357 73357 73357 73357 73357 73357 73357 73357 73	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	(0.05) (0		115
986-1 1070-14-1									\$394 \$15 \$16 \$17 \$17	1628 1628	385000 348000 24800 25800 73357	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	60.55 60.55		2 115 1 15 1 15 1 15 1 15 1 15 1 15 1 1

.

182 Table 3 (confd)

There .	Y-mar-eyes	-	- 10	1	ľ		763	Med to W	580 M2-1	2747			520 BD AA	SEC SO ME		
Drivers								Ť	2748	#3	7282		8613		48	1 633
D-Pung 4								- 8	727	15 2578	300S	- 0		- 0		
DaPung-11 DaPung-12			-					0		1963			700	. 9	0	1770
Dall-read 6									34	0	2386	. 0	19777	0	1 0	815
0.000						_	_			286	14634	: •		8	P6 45	309 383 384 801 923 482 945 2322
Differed Differed Onfered Differed									213	4967 7867	1000	-	3713		364	504
Our A					\vdash				2005					8		923
DiPurg-5 DiPurg-5 A549 - 8									1999	4742		9				442
A540 - 8 BKVX - ()					_		7	•	194	4921	9515 7453					2322
HCT-196-7							1		173	E34	2229		1578	0	72	1999
HCT-198-8							7				4763	-				957
HT29 - 1 HT29 - 7							I	0		80	4763 1467			9	85	- 441
HT20-0			├					0		643	3819 2600		342 1533			
SF330 - 8									1007	176	3610		4118			1851
15 Jac 7			<u> </u>	ļ 	_					2813 1825	\$34 t 3676	- 8	2540 4138	- 8	124	
SVGMA	,سرء								100	9	- 250		4138 534		140	200
> AR4 - 8 (\^2 AR4 - 7		-				-					1000		2132	- 8		
OLCARA-B									7/8	476	1362					671
MCF-7 - 8		_			_		-					<u> </u>		8		1287
ACRAGE-S							HPV PA		1303	1636			984		200	631
SH400 - 7 SH400 - 0			- 	 	<u> </u>	\vdash		- 8	1123	493	2733	0	1176		330	147
H1290 - S						=	į	•	211	7200	2019		3001	-	50	77
C33A - 7 C33A - 0						\vdash	Ш			223	7043	- 8			215	1 100
U208 · Y					=				720	1467	\$357		3402		113	971
U206 - 8 Hulli - 7					$\vdash \vdash$	\vdash							9392			857
H-68 - 0		=					wt				4081	1	7004	9		1100
W1 30 - 8 456 modulo PMA				-	 -	\vdash	•			10713	1470	157513	855	- 2		3436
CRL1572 317789								•		154	137	100	2	21		2241
Dav4 HT3m			 	 		∟"	\vdash	110	20		433	137	909 22	254	540	795.
HT378									30		404	10		44		3943
167306 647308					\vdash	<u> </u>	ш	ı	101		521	•	207			646
Qued Será						772		105		0	149	249 44				4987
Bord Bord		 	-		<u> </u>	-122	⊢	40		220	179		-		103	3450
to harmitrocytes 2/29/07 #19								99 87			215	2734		01 154	8	5000
919			-	-	 	277	-	4	72	621		740	165	181	8	1821
HT010 In Marahaman 3/21/02 #12										391	337	<u> </u>	\$19	- 9	311	1992
			 			-	\vdash	73	. 87	4386	483	294			11	1200
periodic h. NOMIG-OB poly A+ SA-OB (Manus) poly A+								530		- 21	129	6062		704	v 249) 678 5
MK poly A+ HCT-116 - 3	 	-		-			-	ǰ		917	195	-	271 1347 5346			
HCT-118-4 HCT-118-8							٠			234	3019		5346 (1146)			307 1004 1304
HCT-118-8					—		-			383		-				1304
							144						1999			
A349-1							-				2178				9	
MCT-110-6 A500-0 MTX1-3 ENVX-0							1		300	9678 41	2176 1967 2437		190 190		180 92	987 888
HIZD-4									301	9678 41	2176 1867 2437 2500	9	193 187 464		150 150	1100 2529
HIGH-1 ENT-0 HIZD-4 HIZD-5									302 132 31	9878 41 0 1383	2176 1967 2437 2506 7667		190 187 484 - 629	9	92 92 90 0	1100 2531
HIGH-1 ENT-0 HIZD-4 HIZD-5									300 100 31 470	9878 41 0 1383	2176 1967 2437 2506 7667		190 187 187 494 - 629 150	9	92 93 90 90 90 90	1100 2529
MINA-9 MINA-9 MINA-4 MINA-5 MINA-5 MINA-3 MINA-4 MI									30 53 31 48 48 21	0 9678 41 0 1383 0	2176 1967 2437 2506 7667 6234 2567 3076		990 197 494 900 900 900 700	0	92 92 93 90 90 90 90 90 90 90 90 90 90 90 90 90	901 1102 9121 1221 1221 1221 1221
9102 - 3 6172 - 4 6173 - 5 6173 - 6 6173 - 6 6173 - 6 7073 - 6 7074 - 6 7074 - 6 7074 - 6									302 532 31 470 - 100	0 9676 41 0 1383 0	2176 1967 2437 2506 7667 6236 2867 3076 		9750 1977 494 923 1921 2752 1990 317		9 750 92 0 0 0 0 0 0 0 0 675	900 1100 900 120 120 120 120 120 120 120 120 120 1
P102 - 1 ENV2-0 P172 - 0 P173 - 0 P174									302 122 31 480 470 - 100 111	0 1978 41 0 1363 0 2363 3.37 452 4536	2178 1987 2639 2500 7987 4234 2887 3078 3078 3183 3280 2721		9 193 197 494 - 629 193 293 199 199 199 200		9 180 92 9 0 0 0 0 0 5 675	983 1100 9832 123 123 477 877 124 125 127 127 127 127
PIG-1 ENVI-0 PITS-1 PITS-1 PITS-1 PITS-1 PITS-1 PITS-1 PITS-1 PITS-1 PITS-1 PITS-1 PITS-1 PITS-1									300 132 31 478 478 100 100 111 111 31	907 913 913 913 90 90 903 903 450 903 904 903 904 903	2778 1987 29837 2599 27837 6234 2599 2773 5831 5803 2729 2729		9 1930 1474 494 523 183 2742 2742 2742 1961 1961		0 1930 932 94 0 0 9 0 0 0 9 0 0 0 9 0 0 0 9 0 0 0 9 0 0 9 0 0 9 0 0 9 0 0 9 0 0 9 0 0 9 0 0 9 0 0 9 0 0 9 0 0 9 0 0 0 9 0 0 9 0 0 0 9 0 0 0 9 0 0 0 9 0 0 0 9 0 0 0 9 0 0 0 9 0 0 0 0	984 1100 2523 523 477 477 867 1231 1052 1231
FIGURE 2 EVYA-6 EVYA-7 EVYA-6 EVYA-7									200 100 100 100 100 100 100 100 100 100	9179 918 919 919 919 929 929 929 929 929 929 929	2179 1987 2437 2500 7987 4334 2582 3075 3031 2602 2721 2239 2787		9 193 147 494 - 623 153 - 5217 - 275 - 194 - 194		91 92 93 94 95 95 95 95 95 95 95 95 95 95 95 95 95	984 1100 2523 523 477 477 867 1231 1052 1231
FIGURE 2 EVYA-6 EVYA-7 EVYA-6 EVYA-7									1900 1900 1900 1900 1900 1900 1900 1900	9078 9178 9179 9179 9079 9079 9079 9079 9079 9079	2179 1987 2437 2500 7887 3078 3078 3038 3280 2721 1883 2787 1885 2787 1885 2787		9 9193 1947 494 1952 1952 2752 2752 2752 2752 1965 1967 1967 1967 1969 1969 1969 1969 1969		9 1900 9	981 1100 2832 122 122 123 124 104 104 124 104 124 144 144 147
100-1 1070-1									1900 1900 1900 1900 1900 1900 1900 1900	9078 9178 9179 9179 9079 9079 9079 9079 9079 9079	21797 19077 2509 7907 2509 2507 2507 3078 3259 3259 2721 2695 2747 1905 2747 2747 2747 2747 2747 2747 2747 274		9 9 150 150 150 150 150 150 150 150 150 150		9 1900 9	1100 8520 1220 1221 1231 1247 1241 1241 1241 1241 1241 1241 124
1127 - 1 1173 - 1 1174 -									1900 1900 1900 1900 1900 1900 1900 1900	9 9 979	21791 19877 2500 2500 2501 25077 250		9 913 192 193 193 193 193 193 193 193 193 193 193		9 1900 9	1100 1100 1100 1100 1100 1100 1100 110
1127-1 1177-1 1177-1 17									920 920 930 470 100 111 112 93 94 95 96 96 97	0 (973) 451 451 451 453 453 453 453 453 453 453 453 453 453	21791 2437 2508 2508 2508 2508 2508 2508 2508 2721 2608 2721 2721 2721 2721 2721 2721 2721 272		9 1930 1477 494 694 5527 5527 5527 5527 5527 5527 5527 552		9 1989 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	100 100 100 100 100 100 100 100 100 100
2127-1 21									900 900 900 900 900 900 900 900 900 900	0 9729 9444	21791 2637 2538 2538 2539 2531 2531 2531 2531 2531 2531 2531 2531		9 1933 949 922 952 953 955 223 955 220 940 940 940 940 940 940 940 940 940 94		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	100 100 100 100 100 100 100 100 100 100
1127-1 11									90000000000000000000000000000000000000	0 9033 903 903 903 903 903 903 903 903 9	8179 1987, 2500 7887, 2500 7887, 2500 2807, 2507		9 1933-1944 494-194 1953-1953 1953-1953 1953-1954 1954-1	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	100 100
									9 90 90 90 90 90 90 90 90 90 90 90 90 90	0 9739 973 973 973 973 973 973 973 973 97	8179 1997 2007 2009 2009 2009 2009 2009 2009 2		9 1939 1479 1479 1479 1479 1520 1520 1520 1520 1520 1520 1520 1520		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	100 100
1912-1 19									900 900 900 91 91 91 91 91 91 90 90 90 90 90 90 90 90 90 90 90 90 90	0 1979	8179 1987 2500 2500 2501 2507 2507 2507 2507 2507 2721 2721 2721 2727 2727 2727 2727 27		9 1933 1947 1949 1953 1953 1955 1955 1955 1955 1955 195		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	999 990 1100 1200 1210 12
1127 - 11									9 90 90 90 90 90 90 90 90 90 90 90 90 90	0 1972 1972 1972 1972 1972 1972 1972 1972	8179 1987 2506 2506 2506 2507 2617 3033 373 373 373 373 373 373 373 373 3		9 1933 1477 1494 1494 1537 1537 1537 1537 1537 1537 1537 1537		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	999 990 900 900 900 900 900 900 900 900
1182-1 11									900 900 900 933 487 900 900 900 900 900 900 900 900 900 90	0 973 973 973 973 973 973 973 973 973 973	8179 1987 2009 2009 2009 2007 2007 2007 2007 200		9 1932 1921 1921 1921 1931 1931 1931 193		9 1988 9	100 100
									900 900 900 933 487 100 111 112 113 114 115 115 115 116 116 116 116 116 116 116	0 973 973 973 973 973 973 973 973 973 973	81794 19877 2500 2500 2500 2507 2507 2507 2507 25		9 1939 1939 1939 1939 1939 1939 1939 19		9 1988 9	97- 98- 1100 120- 120- 120- 130- 140- 140- 140- 140- 140- 140- 140- 14
									900 900 900 933 487 100 111 112 113 114 115 115 115 116 116 116 116 116 116 116	0 973 973 973 973 973 973 973 973 973 973	8179 1997 2509 2509 2509 2509 2507 2507 2507 2509 2509 2509 2509 2509 2509 2509 2509		9 1937 1937 1937 1937 1937 1937 1937 193		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	97-100 97-
							THE TOTAL PARTY OF THE TOTAL PAR		9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 977 978 978 978 978 978 978 978 978 978	81794 19877 24157 25167 25167 2517 2517 2517 2517 2517 2517 2517 251		0 1932 147 147 147 147 147 147 147 147 147 147		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	100 100
							THE TOTAL PARTY OF THE TOTAL PAR		6 200 200 200 200 200 200 200 200 200 20	0 9978 9978 9978 9978 9978 9978 9978 997	81799 1907 20137 2		9 1977 11/2		9 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	\$60 \$60
							THE CONTRACT OF THE CONTRACT O		6	0 9978 9978 9978 9978 9978 9978 9978 997	21791 19877 2509 2509 2509 2509 2509 2509 2509 2509		9 1979 1979 1979 1979 1979 1979 1979 19		9 1 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	\$200 \$200
							THE CONTRACT OF THE CONTRACT O		6	0 9978 9978 9978 9978 9978 9978 9978 997	8179 19877 2509 2509 2509 2509 2509 2509 2509 2509		9 1977 1978 1978 1978 1978 1978 1978 197		9 1 22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	\$200 \$200
1927 1 1972 1 1972 1 1973 1 19							THE TOTAL PARTY OF THE TOTAL PAR		C C C C C C C C C C	0 9979 9979 9979 9979 9979 9979 9979 99	27P2 27P2 2P2 2P2 2P2 2P2 2P2 2P2 2P2 2P		9 1975 1975		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	\$200 \$200
1/20-1 1 1 1 1 1 1 1 1 1							THE STATE OF THE S		Color Colo	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2772 2772 2772 2772 2772 2772 2772 277		9 1977 1978 1978 1978 1978 1978 1978 197		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	1 1 1 1 1 1 1 1 1 1
1127-7 11							THE STATE OF THE S		Color Colo	0 0 997 997 997 997 997 997 997 997 997	277 P2		9 1977 1978 1978 1978 1978 1978 1978 197		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Property Property
9:122-1 9:122-							THE STATE OF THE S		Color Colo	0 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	2772 27		9 1959 1959 1959 1959 1959 1959 1959 19		9 1999 1999 1999 1999 1999 1999 1999 1	Property Property
							THE STATE OF THE S		C C C C C C C C C C	0 9978	2772 27		9 1977 1978 1978 1978 1978 1978 1978 197		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Property Property
							THE STATE OF THE S		C C C C C C C C C C	0 9978	2772 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2		9 1977 1979 1979 1979 1979 1979 1979 19		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Page Page
1127-7 1 1 1 1 1 1 1 1 1							THE STATE OF THE S		Color Colo	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	2772 2772 2772 2772 2772 2772 2772 277		9 1979 1979 1979 1979 1979 1979 1979 19		9 1999 1999 1999 1999 1999 1999 1999 1	Page Page
1127-7 1 1 1 1 1 1 1 1 1							THE STATE OF THE S		Color Colo	0 9 997 997 997 997 997 997 997 997 997	2777 2777 2777 2777 2777 2777 2777 277		9 1977 1979 1979 1979 1979 1979 1979 19		9 1 239 1 24	Page Page
9:127-1 9:127-							THE STATE OF THE S		C C C C C C C C C C	0 997 997 997 997 997 997 997 997 997 99	277 P2 P2 P2 P2 P2 P2 P2 P2 P2 P2 P2 P2 P2		9 1 147 1 14		9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	Page Page
1/201-1 1/20							THE STATE OF THE S		Color Colo	0 0 999 1 1155 1 1	2772 2772 2772 2772 2772 2772 2772 277		9 1977 1978 1978 1978 1978 1978 1978 197		9	Page Page
1:127-1 1:127-							THE STATE OF THE S		Color Colo	0 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	27 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P 2 P		9 1 147 1 14		9 1999 1999 1999 1999 1999 1999 1999 1	Page Page

J R 3 Table 3 (contd)

Thomas	Terror	Terrori error	Tumer - 1a	Terretoria.	-	-	953	320 BS A	20 M A	SEQ 17 M	EG WA	A TOP DESCRIPTION	660 116 A	SEG 111 A	560 1E
salvanej gland - Jr Sprogili posto - Ir		1 1			-	_	_	145	520 1220	9317 11929		19807	1700	19401	962 19
Seno marror - N								•	833	3254		6045	4191	19545	1113 4
marriagy gland - h		 1 -				-	-	121			403 (1944	452 2517	1581 9005		563 24 745 12
broto-b						Ш		543	905	1779		4340	4367	15743	
cyreleton - h		1			<u> </u>			342			44712 21432	4632 8617	3800 4163	70814 27771	1117 11 1388 51 1158 18
pilatery glassi - h Salai jurala - h			L					0	1302		20240	4881	7001	90130	1549 25
photoste-h		11						1000	818 1190	7534 9450	4384 16797	80eg 85e3	3491 4326	\$1723 34771	1725 M. 2075 49
total tedray - h		1 12						543	1911	796	7300	610	3472	14650	144 30
had her h		11						346 641	123		4142	1436 2508	63 58	14900	907 917 1128 18
Rading-A		 		<u> </u>				1184	609	3015	12136	8067	122	20032 18162	1638 971
statistic respira - h	Ш							349	605	B08	3019	1198	1491	#13f12 41333	1787] 93
hand: A		1 12	 			\vdash			708	3722 3531		3280	2070	10871	1154 277 1713 198
amai jetypiny - h history - h		10						801	386		14671	49.75	4912	20005	1331 12
apted cord - h how - h		71	₩			⊢	├─-	1080	294 428	1505 1911		1780 1885	946 3114	18458 19447	1954 6 1435 4
Tolera - S								727	248	4992	8027	3417	1391	-	1000 4
Margarith		- 23				ļ	}. -				3229	1901	7001	13028 (COS)	172
3-1-h				<u> </u>		1		16430	2914	نفتن	(231	29181	107	67369	
HPAEC		27	<u> </u>			2%		790	414 187	\$000		7713	(T).	11803	301
typni glani - h							<u> </u>	(40)	800	1230	4784	3196	2000	21987	S10 24
APTEC		39	$\overline{}$			38		191	916	- 0		1057 1077	3123	1220 13172	777 1555 \$60
hering- h		2	 	 	_	-		579	740	4384 250	54	115	3000 3014	1023	11907 20
telement - İt		29							818	2915	6459	3400	1347	20000	1100 67
HEARC	-	2 2		_	-		-		290			72	3408 1827	1110	806 630
Process - h broad made - h								746	473	. 442	301	- 11	1001	(45)	946 1
Sandan Lincot - H		- 2				1	\vdash	- 8	373	19			341 3211	1307	720 1854
Print her-h									130	1343			1194	3363	050
Opening.h Chrodorom - h		40			-	\vdash	—	143 966		- Bits	135	363 11	2619 2936	\$41 D	1218
Constantion - h		R						63	400		573	454	1700	377	
Sathway al, - h		9	\vdash		F	=	F	7653	421	154		145 3678	. 1997	1341	1245
HT210 corred	=				34			0			i0		7371 734	53	1846 348
D(T213-mmmd		ļ			. 263		_			200		9	120	. 0	194
HT(Permi Sect)		ᆫ			36	364		4105	9000	345	634	72)	977	2%	
Boy-12 contribution - h		ļ	\sqsubseteq		25 25 34	244		725	1319	1250	304 225	90 35	4008	182 64	1521 165 950
Constraining - Is Seedy - Is		\vdash			344	<u> </u>			. 0	32			311		462
SPTRC				<u> </u>	224	234	=		340		- a	20	744	0 45	104
Spengels provide - In In product SNATE, \$10(2)(10)2 (8))?					 			90					- 9 1		987
Petel Israel - It								1967	3885		1912	100	3029	4\$8	1452 7
P(T)(S) named		 			327	⊢	\vdash	, 200				- 8	114	I 192	429 1834 9
HT140 - parmet					226 221			219	45		•	0	•	72	765
HEPHI 24 settented	ļ	 	 		320	-	⊢	2010		774			2576 Q02	21 471	1311 1067 3
teghan - N		Ì						912			1132	1683	_2542		701 1
Ungrated galanti - In					394	-		706	271	ê		2547 47	2347	300 251	730 2
materia di Li				L	3			Se	551	47	135	242	100	167	462
producty gland - h			_		347		_	304	910 79	158			1874 F25	\$36	401 749
pancross - h mannery gland - h					類	l			1476		1984	675	1378	-	933
manney glad - h								7742	9579	7195	123 2085	77 3779	304 4067	324	
Aur A			<u> </u>		2			2296			10.	731	2176		7 1 1
De care	and the second						-	1217		8	1800				- 80:
The same of the sa					70	į			9		1413	764		9	540 901 Z
emel (ripeline - le electrici rimerile - le					景			1434 2280		-			1987	207	901 Z
hone courter - h extremel gigant - h					277				744		•	240	1362	374	1994
MPAEC			-		276	276		3		967		113	\$ 3	191 194	801 963
HT383-comed			<u> </u>						9	9347	101			24	738
0ar-11 8ar-4					239 25	帕	_	8	300	322	367 127	**	175	7967 461	14ED 781
HT273-minut					274	45		70			191	194	1276	•	1532
Ga-7		=			29	-	\vdash	0	234	447 265	153	61	70	1984	962 917
6-1	t	<u> </u>			77	77	<u> </u>	316	916	9	12	25			719
P=1				=	227	227	\vdash	194	297			95	, 14g	1017	\$47 483
Hand- h		t		<u>├</u>	77		<u> </u>	-;	408			0	1 X X		1007
demonstrative of the second of		\vdash			714				779	291	193	276 87	741	983 182	976 1042
Jakes (Inc.) h		<u> </u>			212	\vdash		*		100	307	. 614	512	533	945
HCAEC					Z11 .	Z11	F						100		71(3 580
total train - Is HANEC					- FE			L i	317		101		3 23		751
Oundergrow - h					8		F		180 141	279	-	•	733 115		785
Sheked miredy - h Cyregem - h	\vdash				-		\vdash		473		125	0	-		725
ineta - N					189			95	704	. 0	111	100	<u> </u>		461 636
Salvary of - In HEPM 3d TOPPS description (19 has	$\vdash =$				185			43			196		79		347
The state of the s					183			.4\$7	452		340	119 78	2341 386	107	978 377
m-20 /20	\vdash	 			20		_	- 8	178 873			100	1195	64	
hough reads - h								Ů	2301			740	2577	343	804
titing - h	—		 -		24		\vdash	- 32	625	240	325	119	909 336	- B	767 522
Marie Samo - In					8			Ī	400	954			814	0	447
and the same of	<u> </u>		$\vdash \vdash \vdash$		38	₩		-		314	20 213	45 136	\$ ¥	0	726
A DOWN				79					409	115	700	Q	326	454	79
HELA-BORNE			\vdash	<u>91</u>		=	-				291	ů	**	102 321	1374
HELA IN COLUMN								491	687	•	755	51	#		646
HELA-B-COVERY		-		-			\blacksquare	27	980 226			271	6211 3141	1347 176	2176 1086
HELA-00-021000 HELA-100-021000	ш			- 12				•	_ 6	•	285	219	1	313	3134
763,A-795-031900				X				194	136	328		<u> </u>	172	780 247	1073
HEA-13-17-17-18				144				<u> </u>	210 77	79	330	2183	677	47	
162-1400		=		146							236	1214	188		431 32
NC-HEZZ		 		196 193			\vdash	275	194	185	134	1241 553	1020	Bi	220 ;
S46-19 S46-75				154				1	342		200	527	ž	227	906
195.38		├		196 198			\vdash	- 8	341 440 87	2340	173	342	8		182 742 4
COSE-CEM				188				231	343	405	175	IEEE	7	23	484 19
DU446 HCT 1H			\Box	187			\vdash	34	255	211		E 3	367		204 130

- - -

៥. ៖

184 Table 3 (contro)

There .	Yumarayan	Hermel-tym	Yumar - to	-	-	factor p	**	N N P38	SEQ M A	SEO 17 H					920 112 A 820 114 M
			 		+		_	220		30			713	- 82	300
786-0 1-470			 	100	1						101		107		1956 O
Ken 7				171					3	190		6	33 A		E30C
CRI, MAI RIMA ACOD		⊢—		181	-										
7811 pripared • Diame 305 pply A*		+	-	194	 		- 	8					23		303 C
HOS maly A+				194	\vdash					121	136	163	18		474 0
ACHH				190	-	-		111							9530
UNCC-RE MCF-7MOR-RES				77	+ -	-		227					132	1772	257 0
				304				305	524			73	3421	136	431 0
Widt (Colours) poly At		—			 	\vdash		713				250	474		197 10
CCI 177 RIM NOVEL			7 7	714	1-			247)711 181	- 44	27	100	1341		856 0 452 6
W1-26 720 0.5% FBS. 240 10% FBS				218					198		111	30	115		452 II
11 LG (Catagory) and Ar- WISH (Catagory) and Ar- 458 mention and Ar- CCL 127 FOR 327488 W1-38 726 0.574788, 366 1074 FBS CSL 1441 + TPA (24%) accel				720 721	+								212	100	477 6 577 0
Ken-1 Ken-2				721				, o				190	117	-	478 845
Ken-4 HOP-42				725	\vdash						5 21		*	9	467 6
HOP42		-		241	+		-						767		294 1994
MOLTA MAY		<u> </u>								!L	. JA	4.4	72		\$270
76.43	·			, KS	Ţ		اب-				T#		#S		18 917
20746 0226	<u> </u>	<u>.</u>			├ ──	r			45	-	100	1017	100		*** 117 e
AS48/ATCC			=:=	347			=	725	106		312	1 27	X		528 981
	ļ	<u> </u>			-	-	—∔	- 8		1127		294	82		i425i0
OVCAR-3 HCT-15			 	- 340 270	 		- 1	. 19		- 5	321 449	1543	631		206 270 464 (662
OVCARA				Z1						421	77	463	45		196 0
1001				7	 -	 		194	270			67	1335		41 0 351 305
DVCAR-6 SH12C	 		 	253								8728 1416	200	452	351 305 687 0
OVCARA				254							19	193	200		276 0
LCX NAVI			 	25	-	┡╼╼╄	-		841	454	732	2190		367	703 0
IGROVI SKAELA	<u> </u>			<u> </u>								47	344		204 0
314.043		\sqsubseteq		<u> </u>		\Box	\dashv		\$12			63 4	3.7	415	. 653 0
SICARD.4 SF-630		 		200	+	\vdash		211	- 3	-	154	1929 2049	321 1951		453 0 1121 9
26.462.28				1						1923	0	1302	1027	0	\$37 6
36 ME - 38 X-503		-		263	\vdash	\vdash	-	62		780	257	473	*	23	544 302
MACC-257		-			+	 -	-+					2105 414	505 115	114	493 0 196 8
MCF7				<u> </u>				404 472			2572	17639	1423		1304 0
MDA-MB-436		\vdash		250		\Box	=	0			136	1953	108		80 C
HT279 MOA-H	 	 		270 271	1	\vdash		76			0	1376	1085	947	221 0
				- #1			ᅼ		810	\$27	314 1711	1974	3167		1661 1821 8 C13
TOHOS party An HYTELSS John TPA FRAN 8223 HELA-EXP-451666 HYTELSS SIN RIVA	\vdash	-		1	 	\vdash	_		159	187	1711	2315	1851		513 8 404 0
HELA DIPLOMP				200	t	\vdash	_ +		383	207		37	-	0	200 0
HITEMS ON PINA				37			=	906			129	225	129	0	1575 3006
MT367 eta medulo 1990				20				339					1282	- 8	749 0 901 4155
				2		\vdash		 ,				3462	444		\$14 0
HOP-82				337						211	957	413	4901	· · · · · · · · · · · · · · · ·	16 0
MDA 149-221		-		336		┷		9653 39521					11997	1195	9033 3276 1018: 3184
LEST PT code poly for								136			292	-	221		141
PC-3				341 343			_	363	1320			3005	1677		1051 858
NCC-3001 SW-620	<u> </u>			34			\rightarrow	300	1338	200	44 20	1152	46Q		465 0 423 0
HT192				Į				0	212	100		217		,	
COLO 206				347			_	0	<u> 145</u>				97	115	375 0 446 0
HT219	\vdash		·	341	+	- +	-1					980	377		
20 No.				350			=		476		^				0 دور
				351		├			476 2064	_ =	#27 436		700		
PITANS ATMENTS No. 1				- 163 - 163	1			177	45%			445	195		
TIG 10				356			\Box	4314	2783		654	3338	4922	462	1376 8137
Marine-364				367	₩-	\vdash	-	1125		+	1434		#861 205	1635 142	1824 2340 545 354
14, 5781 147213			- 53		1			····-ö	961			17	1300		249 0
HTZE			- 52				=		902 646				1622	110	439 0 351 8
HT KING HT KING			8		1	\vdash		;					365 762	- 6	925 0
P-(7103			5				=		299		47	0	870	9	462 0
HT170	$\vdash =$				-				7799 1113			30 41	1722		1136 D
HT1772 HT1CH	} —		- 8			_			B12	7	254		, B22	0	- ES 0
MT176			- 14					•	148		163	**	-	78	600 37
Pritisa		$\vdash =$									- 54	279	167 801	00	383 0
HT 186					 - 			:				P1		- 6	679 0 451 301
P(T100)								329	470			134	180	769	1629 0
никі		\vdash	8.8		 		-+		20			0 27	419	- 8	728 9 1802 0
HTML HTML			,				=	-44			339	84)	1127	1 0	9602 0 2057 277 1137 706
HÍZŽÍ						\Box		312		304		791	1707	95 9837	1137 700
HTTOCK			7		\vdash		-	- 8	33	-	704	175	- 7	727	912 0 912 0
HT214 HT217			T A					100	900		760	190	3100		
#425 114			-7		\vdash	- T			536			6	#46 #39	435	380 B
भारत भारत			70					78 1			113	- 6	940	173	1110 g
			19					45	346	•	128	01	576	161	9C00 0
						\vdash	-+	0	480		128	91	210 112	0 373	173 0 1349 182
												• • • • • • • • • • • • • • • • • • • •			
			165 177 1798					221			- 0	75	0	. 101	916] 136
HTENS HTM HTM HTM HTM			199			\exists	\equiv		1007	1	52	- 3	967	101	946 138
HTTON HTTAN HTTAN HTTAN HTTAN			17/8 18/5 187					o O	377		52 165	28 0	(FSA	901 0	946 D 517 0
MITAN MITAN MITAN MITAN MITAN MITAN MITAN			178 186 187 188					0	9867 277 0 581		9 52 165 63	25 0 0	959 961 300	901 0 0	946 09 517 0 653 0 676 0
HTSS HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE			17% 185 187 188 191 287					0 0 0 0 421	9867* 277 0 581	9	9 52 165 63	25 0 0	959 961 300	901 0 0	946 136 946 0 517 0 653 0 576 0 653 9
HTSS HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE			17% 185 187 188 191 287					0	9867 277 0 581 980	9	9 52 105 53 197 109	0 0 0 0 0 0	959 961 390 375	901 0 0 0 0 142	946 9 846 9 817 0 453 0 476 0 663 9 345 0
HTSS HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE HTTHE			176 185 187 189 191 267 219 217					0 0 0 0 421	9867 277 0 581 989 0 9	0 7 7 0 0 0 173	9 52 165 53 157 160 43 276	28 0 0 0 0 0 86 84 203	959 961 975 135 403	901 D D D 142 67	946 9 946 9 517 0 653 0 655 9 665 9 345 0 251 1009 773 2900
H235 FT 68 FT 78 F			178 199 197 199 207 219 219 211 224					0 0 0 0 0 421	9867 277 0 581 980 0 1099 7099	0 7 7 0 0 0 173	92 925 937 937 939 45 2275	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	959 961 327 327 133 403 1186 408	901 0 0 0 142 67	946 136 946 0 517 0 453 0 453 0 455 0 345 0 251 199 773 2390
H235 FT 68 FT 78 F			178 188 187 189 191 207 219 219 229 229 229 229					0 0 0 0 0 421 0 224	9007 0 000 000 000 0 0 0 0 0 0 0 0 0 0 0	0 0 7 0 0 0 172	9 52 165 53 537 1639 43 275 286	200 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	959 961 329 275 135 403 1186 408	901 0 0 0 142 67	946 136 946 0 517 0 453 0 453 0 455 0 345 0 251 199 773 2390
HIZES FITTES FIT			178 188 187 189 189 287 217 221 224 220 220 220 220					0 0 0 4(1) 0 224 8 0	1007 277 9 581 600 9 9 9 909 219 247 172 71	9 7 7 9 9 173 0 0	9 52 165 53 187 189 43 275 289 0 380 280 280	26 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	859 901 300 375 135 403 1186 408 207	901 0 0 0 142 97 0 0 9 9 9 9 858	946 138 946 0 0 517 0 517 0 518 0 653 0 653 9 345 0 771 2389 772 2389 772 2399 774 0 774 0
61256 67146 67146 67146 67146 67146 67146 67146 67146 67147			17% 197 198 198 191 207 277 224 220 220 220 220 220					0 0 0 421 9 224 8 0	1007 277 9 581 600 9 9 9 909 219 247 172 71	9 7 7 9 9 173 0 0	9 S22 1905 C3 1957 C3	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	859 901 300 375 135 403 1186 408 207	901 0 0 0 142 67 0 0 9 258 67 88 87	946 59 517 0 0 517 0 0 517 0 0 517 0 0 0 517 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
11336 11719 11721 11721 11721 11721 11721 11721 11721 11727			17% 197 198 198 191 207 277 224 220 220 220 220 220					0 0 0 4(1) 0 224 8 0	1987 277 9 891 980 9 9 7999 219 247 172 171 30	0 0 7 0 0 123 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 S27 1957 1959 1959 1959 1959 1959 1959 195	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 0 0 0 0	939 901 370 375 135 403 1184 408 902 207	901 0 0 0 142 67 0 9 9 255 87 86 296	946 59 517 0 0 517 0 0 517 0 0 517 0 0 0 517 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
61236 FFTHE FFT			178 188 189 199 207 210 225 226 226 226 226 226 226 226 226 227 228 228 228 228 228 228 228 228 228					P D D 0 421 P 9 224 8 9 9 9	1007 277 0 581 90 9 9 9 7099 219 247 172 11 20 2039	9 9 9 173 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 522 905 527 905 637 909 45 275 286 0 386 290 89 9 9 385 286	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 20 0 1 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	859 901 375 535 403 1186 408 902 207 707 707 919 917	901 0 0 0 142 67 0 0 0 9 258- 80 280 280 280 280 280 280	##6 138 ##6 50 50 50 50 50 50 50 50 50 50 50 50 50
FILES FITTED FIT			17% 180 187 190 207 217 226 226 228 228 228 228 228 228 228 228					0 0 0 0 421 8 9 224 9 9 9	1007 277 0 581 90 9 9 9 7099 219 247 172 11 20 2039	9 9 9 173 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	9 522 905 527 905 637 909 45 275 286 0 386 290 89 9 9 385 286	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 1 1 20 0 1 1 1 0 1 0 1 0 1 0 1 0 1 0 1 0 1 0	859 901 375 535 403 1186 408 902 207 707 707 919 917	901 0 0 0 142 67 0 0 0 9 258- 80 280 280 280 280 280 280	##6 128 ##6 128 ##6 5
10256 17716 17726 17721 17721 17721 17721 17722			178 189 187 190 191 287 277 224 220 220 220 220 220 220 220 220 220					6 0 0 0 421 224 8 9 9 9 9	1007 277 9 881 900 9 9 1099 219 247 172 21 300 1249 944 44 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 525 195 195 195 195 195 195 195 195 195 19	29 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	959 961 375 375 1184 408 962 207 9 9 387 979 970 970 970 971 127	901 0 0 0 142 67 0 0 0 9 258- 80 280 280 280 280 280 280	##6 128 ##6 128 ##6 9 ##7 0 ##
61256 6714 6714 6714 6714 6714 6714 6714 671			17% 180 187 190 207 217 226 226 228 228 228 228 228 228 228 228					0 0 0 0 421 8 9 224 9 9 9	1007 277 0 581 90 9 9 9 7099 219 247 172 11 20 2039	9 9 9 173 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	0 525 615 617 618 618 618 618 618 618 618 618 618 618	20 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	859 801 379 375 135 603 1100 603 207 207 207 207 207 207 207 207	901 0 0 0 0 0 0 142 67 67 9 9 258- 87 88 284 193 193 193 193 194 197 194 194 194 194 194 194 194 194 194 194	##6 128 ##6 128 ##6 5
11256 11714 11714 11714 11714 11714 11714 11714 11714 11714 11717			178 189 187 199 191 207 217 229 229 220 220 220 220 220 220 221 221 221 221					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9007 2777 9 9 9 9 9 9 9 7 9 7 172 173 1349 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9 1955 1955 1955 1955 1955 1955 1955 19	290 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1	859 801 379 375 135 603 1100 603 207 207 207 207 207 207 207 207	901 0 0 0 0 0 0 142 67 67 0 0 0 0 255 66 286 286 286 281 137 281	PHS 128
1936 1936			178 189 187 199 191 207 217 229 229 220 220 220 220 220 220 221 221 221 221					0 0 0 0 421 2 2 2 4 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9007 277 900 900 900 900 900 249 247 172 173 1240 900 900 900 900 900 900 900 9	0 0 0 7 7 9 0 172 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 1955 1955 1955 1955 1955 1955 1955 195	290 0 0 0 0 0 0 0 0 0 0 0 0 1 1 1 1	\$59 \$61 300 375 535 535 535 540 507 507 507 507 507 507 507 50	901 0 0 0 0 0 0 142 142 0 0 0 0 0 0 9 9 254 254 254 254 254 157 157 157 157 157 157 157 157 157 157	PHS 128
11256 11714 11714 11714 11714 11714 11714 11714 11714 11714 11717	193		178 189 187 199 191 207 217 229 229 220 220 220 220 220 220 221 221 221 221					0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	9807 277 980 980 980 9 9 9 9 907 172 172 200 900 900 900 900 900 900 90	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	0 9 9 9 9 19441 19	250 9 0 9 0 9 0 9 4 9 4 9 1 1 1 1 1 1 1 1 1 1 2 1 2 1 3 1 3 1 3 1 3 1 3 1 3 1 3 1 3	859 801 379 375 135 603 1100 603 207 207 207 207 207 207 207 207	901 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	PHS 128

1 KG

185 Table 3 (contd)

	_							Tana 64 44	Taka as A	820 ST #			100 ALC A			(eeo 44- 6
Name of the STATE	Types oyst	Hormed ogna	1 - M	Tuesde della		ł	933	2527	943			2000	1 12004		865 862	14242
MCF-7INDIA-REB	191							491	817	1977	991		10679 23634		862	0
MGF7	151 149							9433 3631	1234		2101		3479	7359	1308	7270
UACC-257	147					=		402)		1206	2274	2137	11063 4403		8	967
LIACC-RZ SK-MEL-20	- 146					-	-	2546 JRDH	157		1173	1215 721	37000	1531	\$40 \$05	429 2945
VO31 SKMEL6	- 14							5324	497	3107	604	442	3000	1020	1536	11997
SK-M21,6 KO4-12	142 141					-		1338	311			27	78384 3403	2994 379	901 443	3305
SEAST A	140								196	1944	1741	479	19972	1717	911	3811
HCT-18 Males-3M	139						_	4862 1296	486		1930 2361	1148		2364	979	1620 2800
COLD 705	134				l			3530	191			9417		231	963 3214	1103
LOX 664	136					_		3634	552				23902	2457	867	1985
70° 424	134					├─		4591	311		885	494		2033	#20 #21	
HCT 116	137							1224	384	579	1534	323	(844)		797	
786-8	122		Ь—					2294	163		1212		11940	2319 868	904	
ACHN ACHN	131	t						2784 2287	29 486	200	1076	976	36000	2654	852	
PC-3	129							8613	379		711		13846	7:00	943	
1144		·			_		***	9412	317	93	911					
PC#41								2183	~	1 0			19003			1986
SR AND AZES SHIZE	125	 				، ﴿	├	3471 5481				360		10429	346 626	941 9032
RPM 8226	123							1961	- 44	44			1926		663	854
3M12C	122	├ ──			_		 -	2000	194					11036 365	034 634	. =37
HL40 HOLT-1	120							5003		1010	522	1507	4271	710	1206	
OVCAN-8	112							1 1390	173				8653	1900 1008	825 1001	
CHCAR-4	114		t		\vdash	<u> </u>		3767 1254	294		1025	2720	E345 11490	3863	1253	2657 1344
COST CEM	114					\vdash		6623	150	1588	2577	123	29992	Z314	DE1	134
SF-ED#	116				\vdash	├	\vdash	3627	190		804 717	1527	12156	1342 863	862 882	1468
HOP42	113						=	455		1558	677	265	1924	3406	342	1027
9F-295 A548AYDC	112	\vdash					F	3817	6.30	75	114	801	57964 20229	1680 3221	941 1074	- n
\$F-264	110					ᆮ		2250	940		583	1914	11930	4509	643	1006
HC3-H632								1284		1176	1767		7210	+ 1466 3610	974 526	1034
U251	108		 		<u> </u>	\vdash	t	2200 2274	208 440	1277	928	936	17929		676	
MC3-HMED SHB-76	109							1146	226	P	405	200	4322	1334	722	0
NC3-1022M SNB-19	104				\vdash	\vdash	1	2006	434 374			9947 456	20462 4368	338 2106	\$60 812	327 1908
76C5+10276	187							8463	125	i 0	1140	750	4795	. 1992	1001	<u> </u>
SW COL 3	982 981					ш		6105 6603	419		9085	615	13274 7912	5271 446	547	
NCI-HZ3 ISROVI	- 74						_	312					10757		49	
SVX	 					Ш		212 1881	570	77		P15	17099	1357	340	942
OVCAR4					_	-	\vdash	3654 2307	138			150	13230	376	79Q 687	461
1 Brookway 20142 #12	7							334	8	195	200	21	1710	8	1434	
THE MARKET STATE OF THE PARTY O	47							Di	19		321 193	, e	120d 123d	80715 87715	1342 9436	7962
h implementes 2/25/02 PM TCOP	7							1000	737	4716	402	636	2721	1945 363	34	1742
A\$40 - 1							3		- 9			30		363	B25	
A60 - 3			-		-		T		-		· _6321			607	404	. 0
A640 - 1 A640 - 3 A640 - 4 A640 - 5						Ш	-			ه ــــــــــــــــــــــــــــــــــــ		210		90	626	9
A646 - 7 BCVX - 1			⊢—			_	-		-		1962	V14	- 0	570 428	563 617	⊢
BKVX-4						Ш					43000			657	703	
B(VX-3						\vdash		:	-		834	207		283	709 759	
BOX-7								_ 0	,		1576	72	0	125	807	0
MCF-7-1							<u> </u>		- 2							
				(Birton)			=				1100	, s	1			
MCP-7 - 7							w			. 4	1 100	100		-, ;	630	
ADB-SEG-1							75		-		3005	- 0		4	7343	·
ADRINES - 1 ADRINES - 3											525			7600		<u>-</u>
ACR-RES - 6						\vdash					477	112		. 0	835 500	
MOR-RER - 7											7502	. •			670	
W138 - 1			\vdash		\vdash	F	3 8	-					 8	2197 581	954 559	
WI 36 - 1									_		751	79		548	548	
Was-							1				3721		- 0		2	
HALA-1							HEV 54	- 8			12421				1073	
Hd.g-3 Hd.g-4									0		843	263		N	884	
Mile-4					\vdash	├─		1 8			1100	816		985 1402	E7	0
Hala-S Hala-Y							WY CE			0	104	460		0	801	<u> </u>
H1250 - 1			—									:			702	
H1290 - 3 H1290 - 4							Ī	0			3070			147	1242	i
H1280 - 1							H								57s	
A540 - 2							¥	ō			4379	141	- 8	406		
EKVX-2							1	- 8			2003 8687	143		1327	373	
HCT-118-1 HCT-118-2	==						į.				37% 1380	44		250	\$16 1046	
NT20-2							1	•	ı		1380	180	•	1005	1046	
SFE20 - 1 SFE20 - 2		<u> </u>			-		11	-	-		1 2474	10		397	719	
27-200-1							į				317	2004		1212	1005	Г
1F-28-1 1F-28-2								- 8			560 89	202 019		451 375	953 1271	
OVCAR-1-1 OVCAR-1-2							l.	6	•		1543	196	0	214	1300	
OMCARA-1							H	0	•		581	154	- 8	470	914	
OVCAR4-2			\vdash				ĺ	99	8	- 8	1433				8	
MCF-7 - 1 AOR RES - 2							Į	٥				130	- 9		786	
CHARLA	-				-	—	į	•		6	6	i 632		1170	760 865	├
\$4440 - 2							į				. 7826	1023		543	879	. 0
11280 - Z					\Box			000			2573 19767	19		1147	1143 865 248	- 8
C33A - 1			=								1155		- 5	114	248	
U206 - 1							Ī	0			85	196	ق ا	560	867	
U2CB - 2 Hu8B - 1							1					163 467	- :	1008	8	├
160							7	٥	ļ		PAS			\$46	\$31	•
W136-2						=	Ĭ	00			3H78 285	57	- 8	P61	1129 634	<u> </u>
Militaria - 1	= -							0		i	3297	407	•		572	
antitud - 1								٥			804	300	D		610 681	0
					$\overline{}$						0	77		313	PR3	- 8
Maria . I								*			1430	1	0		414	
hillered - B						-	\vdash	- 8		0			8		867 1234	

Table 3 (contd)

Theyen	7	Mermel sym	Terrar - So_	·	Married	D-d-s	p\$3	880 96 A	HALL SE A	SEQ P IN	seq 👐 A	JEEQ 101 A		deta fri J	TEQ HI A	120 114 M
Defense?									<u></u>			259	 9	178	766	9
7-4			.			-		-								3
DePurp 8		}										477		119	72	
DePeng-12											1 0	50				
DaPere-11 DaPere-12 CaPere-19 DaPere-1		├ -					-	-		H 2				12		
Defense?		 			ļ						202			20	737	
OuPurg-3 OuPurg-4														33	B70:	열
DePart 1							—		-			77		366	764	
Outrage 6		<u> </u>				ĺ	ĺ) (40		-	1967	0
AGG-B							T		بسلا			79			622	
BOX		 	 -			_			} 				 ;	32	573	
HCT-116-9 HCT-116-8		1)	844	122		170		
M729 - 1							_		99						633	
HT29 - 7		 			_	_				 			1 (
HT29 - 6 SF639 - 7		<u> </u>					W4				175	55		2	654	
TEXTS. I						_	¥		1						623	
57-36-7 57-36-8	!	 				_		-						<u> </u>	949	51
27 AB 4 - 7							j			1	1305	57	<u> </u>			/si
					-	7.45				<u></u>	107	1	.— '			
CARA-7								_	i - · · - i	i i				81	130	-
DACF-7 - 0							1			·	*	1994		510	800	
ADRI RES - S						_		_			3013 2243	117			9032 675	
3W400 - 7		<u> </u>					3		9		1001	462			1925	6
SW490 - 8		ļ				=			1 .	·	7326	417			712	9
117.230 - 0						_									737	
CDA-7		t									1913			, S3	1063	ó
U208 - 7											2184	1 0		1		. 0
URO6 - 8		 		Ι	Н.	\vdash	× -		3					17	615,	
Huss - 8											4497	<u>'L</u>		301	576	
W1 36 - B						_	M	ï		1 - 8		1464	170			
CRL1672 31780		t		L:-	<u> </u>	=		Ī			304		40	ei 445	338	1013
Dav-4						-		22	404		25	153	877	2377	1229	2000
M7364		 			\vdash	-	 -	170		-		70	\$10.72		922	
HT378 HT365		<u> </u>						27	360		870		408	307	1937	3835
HTT305						ļ				-			-			62094
to-1						122	-	I			34	115	F	100		
To- 4						177		52	300	341	194		460	11. 999	E21	· · · · · · · · · · · · · · · · ·
Ber-8 In handstroping 272542 (FIS Ber-19 HTB18							-		112	7	-	19		151	919	- 9
HIBM		 . 				77	-		-					40		
5 Standards 3(316)2 (F12									36		91	4				
The second secon												946	194 153	!	1021	_ =
DARRIG-OB parks A*																
NA CHE SANASANA AN						_	-	104					211	1 211	606	
SA-OS Bilanda paly A+						Ш		\$ E	1 1994		\$772 778	1395	211 224	1 211	606 1231	194
SA-CS Blanch sub-A- Bitt pub-A- HCT-116-3								3.5	399		\$72 776 2964	1365 1365	271	27 28 30	1231	186
SA-OS (Manda est) A+ ME puly A+ HCT-116-3 HCT-116-4							1111	179	190		\$77 774 2964	1365 1365 180	220	20 30 30 100	1231 615	185 0
SA-CS @Annibit only An- 365 publy An- 14CT-116-3 14CT-116-4 14CT-116-5							1,717	179	190		972 779 2064 0 377 240	1395 1395 180 56 44	200	211 284 342 140 754	1231 615 1 106 1 410	185 0
SA-OS pales A pale A pa								104	190		973 779 2964 0 377 340 4340	1395 1395 180 56 14 0	238	211 284 384 384 385 403 403	1231 675 106 414 889 915	186 0 0 0
SA-OS Bibanda sub Ar- MK _by Ar- NCT-110-2 NCT-110-4 NCT-110-5 ACT-110-6 AA00-0 91720-3								104	1 1200 1200 1 1200 1 1 1000 1 1000 1 1000 1 1000 1 1000 1 1000 1 1000 1 1000 1 1000 1		\$72 778 2964 0 377 349 4349 3771	1395 1395 140 56 141 0 0 150 150	220	311 383 149 159 163 371	1231 1 815 1 106 414 888 1 915 1 803	185 0
54-C5 Manufal sph A* MR pub A* NCT-116-3 NCT-116-5 NCT-116-6 NCT-116-6 NCE-116-6								110			\$77 778 2964 6 377 349 4349 3771	1395 1395 1800 56 141 0 0 1000 1000	220	211 284 294 294 294 294 294 294 294 294 294 29	1231 515 109 414 889 915 803 915 604	186 0 0 0
3A-O3 (Remed pays A* MR pays A* 9CT-198-3 9CT-198-3 9CT-198-4 9CT-198-6 9CT-198-6 9CT-198-6 9CT-198-6 9CT-198-6 9CT-198-6 9CT-198-6 9CT-198-6								170			\$72 778 2944 6 377 340 4349 3771 6 0 1381	1365 1365 190 98 98 0 0 100 100 100 100 100 100 100 100 10	220	211 281 381 1 382 1 193 1 203 1 203	1231 1231 105- 106- 1 414 109- 1 915- 1003 1004 1004	9 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0
SA-OS (Patenda egis Ar ant pais Ar 1007-7181-2) 1007-7181-3 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6								170	1 120 120 1 120 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		\$72 778 2944 6 377 340 4349 3771 6 0 1381	1365 1365 190 98 98 0 0 100 100 100 100 100 100 100 100 10	2)4s	211 288 362 1609 1609 261 271 171 811 812	1231 1156 1266 1 414 1 688 1 815 1 803 1 803 1 804 1 711 970 1 558	98 00 00 00 00 00 00 00 00 00 00 00 00 00
SA-OS (Patenda egis Ar ant pais Ar 1007-7181-2) 1007-7181-3 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6						T		170			972 770 2984 6 377 349 4374 9 771 0 0 1388 9 1497 447	0.00 1.000 1	2)40 2)40 	211 288 362 1609 1609 261 271 171 811 812	1231 615 109 1414 889 915 903 1 903 1 903 1 903 1 904 1 919 1 919 1 919 1 919	186 196 0 0 0 0 0 0 0 0 0
SA-OS Planete upt Ar Bar pin Ar Bar pin Ar BCT-198- 4 BCT-198- 4 BCT-198- 4 BCT-198- 5 BCT-198- 6 BCT-198-								170			972 778 2984 6 377 246 4345 3771 6 0 0 1286 429 429 429 429	939 1390 98 98 90 90 90 90 90 90 90 90 90 90 90 90 90	22	21 28 34 140 75 103 242 27 177 187 28	1231 615 179 444 689 955 955 955 955 957 971 971 971 971 971	186 196 0 0 0 0 0 0 0 0 0
SA-OS (Patenda egis Ar ant pais Ar 1007-7181-2) 1007-7181-3 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6 1007-7181-6								110			973 777 2984 6 377 3771 0 0 1386 0 9 1298 447	1399 1390 589 644 0 0 1000 0 0 298 425 151	228	21 28 34 140 75 103 242 27 177 187 28	1231 615 179 444 689 955 955 955 955 957 971 971 971 971 971	90 90 90 90 90 90 90 90 90 90 90 90 90 9
\$4.05 Memois right Ar Bit gaps								190			973 772 2944 0 377 346 4349 0 0 0 138 9 929 427 427 427 427 427 427 427 427 427 427	1998 1990 98 98 90 1900 90 90 90 1994 42 1995 1995 1995 1995 1995 1995 1995 199	22	21 28 34 140 75 103 242 27 177 187 28	1221 675 108 108 1 410 1 975 1 975 1 970 1 711 1 970 1	186 196 0 0 0 0 0 0 0 0 0
SA OE Blanch oph Ar Bar pph Ar Bar pph Ar BCT-181-2 BCT-181-3 BCT-181-4 BCT-181-5		2						179	77 3900 3000 3000 3000 3000 3000 3000 30		973 771 2844 0 0 377 3977 0 0 0 0 1388 439 420 420 420 420 420 420 420 420 420 420	1399 1390 1990 988 0 0 1900 0 2989 7984 442 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	210	211 284 383 1400 175 1005 227 177 817 817 817 817 817 817 817 917 917 917 917 917 917 917 917 917 9	1221 615 109 109 109 109 109 109 109 109 109 109	186 196 0 0 0 0 0 0 0 0 0
\$4.05 Memoria ordy Ar Mar page		Z						179	77 19 19 19 19 19 19 19 19 19 19 19 19 19		973 771 2844 0 0 377 3977 0 0 0 0 1388 439 420 420 420 420 420 420 420 420 420 420	1399 1390 1990 988 0 90 1900 0 288 1994 442 1 113 1997 1997 1997 1997 1997 1997 1997 1	200	211 211 211 211 211 211 211 211 211 211	1221 615 108 108 109 1 905 1 905 1 905 1 905 1 906 1 9	186 196 0 0 0 0 0 0 0 0 0
SA OS Blanch oth Ar Bar yes Ar 187 118 - 3 187 118 - 3								179	3 79 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		(72) (77) (78) (78) (78) (78) (78) (78) (78	1539 1539 1539 1539 154 154 154 155 155 155 155 155 155 155	200	211 288 38. 190 193 193 177 177 193 193 193 193 193 193 193 193 193 193	1221 615 109 414 915 903 903 903 904 904 1007 1007 1007 1007	186 196 0 0 0 0 0 0 0 0 0
\$34.05 Blanch oth Art Bill sight Art Bill sig								179	3 79 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		(72) (72) (73) (74) (74) (74) (74) (74) (74) (74) (74	\$39.00 \$3	200	271 271 271 271 271 271 271 271 271 271	1 1231 1 615 1 109 1	186 196 0 0 0 0 0 0 0 0 0
34.05 Blanch oph Ar 38. pp Ar 187.181-2 187.181-3 1								179	3 79 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		[72] [77] [78] [78] [78] [78] [78] [78] [78	539 539 549 560 600 600 600 600 600 600 600	200	271 271 271 271 271 271 271 271 271 271	1231 915 1915 1915 1915 1915 1915 1915 191	186 196 0 0 0 0 0 0 0 0 0
34.05 Blanch oph Ar 38. pp Ar 187.181-2 187.181-3 1		Y						190			[72] [72] [73] [74] [75] [75] [75] [75] [75] [75] [75] [75	\$39 399 \$40 \$40 \$40 \$40 \$40 \$40 \$40 \$40 \$40 \$40	200	271 271 271 271 271 271 271 271 271 271	1231 915 1915 1915 1915 1915 1915 1915 191	98 00 00 00 00 00 00 00 00 00 00 00 00 00
3-A CD Memorit sign Ar Am part Ar								190			[72] [73] [74] [75] [75] [75] [75] [75] [75] [75] [75	539 399 190 190 190 190 190 190 190 190 190 1	200	271 281 384 1900 1905 1905 1905 1905 1905 1905 1905	1231 1 (125) 1	186 196 0 0 0 0 0 0 0 0 0
34.05 Bloomin onto Ar. 34.05 Bloomin onto Ar. 147.141-2 147.141-2 147.141-3 147.141								190			[72] [72] [73] [74] [75] [75] [75] [75] [75] [75] [75] [75	\$39.50 \$39	279	271 271 271 271 271 271 271 271 271 271	1231 1505 1505 1505 1505 1505 1505 1505 15	186 196 0 0 0 0 0 0 0 0 0
3-A CS Manufactury Are Assessment Are assessment Are assessment Are assessment Are assessment Are assessment Are assessment Are assessment Are assessment Are assessment Are assessment Area a								190			172 172 172 172 172 172 172 172 172 172	535 1999 1990 1	279	271 271 271 271 271 271 271 271 271 271	1231 1321 1325 1335 1335 1335 1335 1335	186 196 0 0 0 0 0 0 0 0 0
34.05 (Bauchi ogh Ar 38. pp. Ar 187.181-2 187.181-3 187.181-4 187.181-4 187.181-3								179			972 974 984 984 984 984 985 987 987 987 987 987 987 987 987 987 987	CSS CSS	271	271 283 283 295 297 277 277 287 287 297 297 297 297 297 297 297 297 297 29	1271 1785 1786 1786 1786 1786 1786 1786 1786 1786	98 00 00 00 00 00 00 00 00 00 00 00 00 00
3.4.05 Memoria orde Ar. 3.4.05 Memoria orde Ar. 3.4.05 Memoria orde Ar. 3.4.05 Memoria orde Ar. 4.4.05 Memoria orde A								190			\$72 \$76 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10 \$10	SSE SSE	271	271 38. 192 193 195 195 195 195 195 195 195 195 195 195	1271 1871 1872 1872 1872 1872 1872 1872	186 196 0 0 0 0 0 0 0 0 0
3.4.05 Memoria orde Ar- 3.4.05 Memoria orde Ar- 14.7.14.2 14.7.14.3 14.7.14.4 14.7.14.4 14.7.14.5 14.7.								179			\$72 \$75 \$75 \$75 \$75 \$75 \$75 \$75 \$75 \$75 \$75	535 535	29	271 281 282 283 283 284 285 287 287 287 287 287 287 287 287 287 287	1271 1871 1872 1872 1872 1872 1872 1872	186 196 0 0 0 0 0 0 0 0 0
SA. CS. Blanch oth Ar.								190			\$72 2946 0 4347 377 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	536 536	279	271 28. 29. 29. 29. 20. 20. 20. 20. 20. 20. 20. 20. 20. 20	1271 1271 1271 1271 1271 1271 1271 1271	98 00 00 00 00 00 00 00 00 00 00 00 00 00
3-A CS Memoria ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America ogis Ar America og America ogis Ar America og Ame								199			172 172 172 172 172 172 172 172 172 172	1995 1995	229	271 283 284 285 287 287 287 287 287 287 287 287 287 287	1231 1231 1231 1231 1231 1231 1231 1231	186 196 0 0 0 0 0 0 0 0 0
3-A CS Marchingth Are 3-A CS Marchingth Are 197-191-2 197-191-3 197-191-3 197-191-4 197-191-4 197-191-3							ret. with a second of the seco	199			672 2944 2944 2777 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1935 1935	279	271 283 284 285 287 287 287 287 287 287 287 287 287 287	1231 1231 1231 1231 1231 1231 1231 1231	186 196 0 0 0 0 0 0 0 0 0
3-A CS Marchingth Are 3-A CS Marchingth Are 197-191-2 197-191-3 197-191-3 197-191-4 197-191-4 197-191-3							Tell Services of the services	119			\$72 \$74 \$75 \$75 \$75 \$75 \$75 \$75 \$75 \$75 \$75 \$75	1935 1935	279	271 363 363 363 364 365 365 365 365 365 365 365 365 365 365	1271 1271 1271 1271 1271 1271 1271 1271	
3-A CE Memorit order Ar American Service Servi							THE CONTROL OF THE CO	119			\$72 \$72 \$72 \$72 \$72 \$73	1995 1995	27	271 283 284 287 287 287 287 287 287 287 287 287 287	1201 911 911 911 911 911 911 911 911 911 9	98 00 00 00 00 00 00 00 00 00 00 00 00 00
34.05 Blanchington Ar. 35.05 Blanchington Ar. 15.11 1.3 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4							Tell control of the c	119			F72	1995 1995	27	271 281 281 282 283 284 285 285 285 285 285 285 285 285 285 285	1271 1271 1271 1271 1271 1271 1271 1271	
34.05 Blanchington Ar. 35.05 Blanchington Ar. 15.11 1.3 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4							Tell and tel	119			\$72 2946 360 360 360 360 360 360 360 360 360 36	1995 1995	27	271 281 282 283 284 285 285 285 285 285 285 285 285 285 285	1231 1231 1231 1231 1231 1231 1231 1231	
34.05 Blanchington Ar. 35.05 Blanchington Ar. 15.11 1.3 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4 1.4							Tell and tel	170			\$72 2944 2777 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1995 1995		271 283 284 285 297 297 297 297 297 297 297 297 297 297	1231 1231 1231 1231 1231 1231 1231 1231	
34.05 Beauth gets Ar. 34.05 Beauth gets Ar. 34.05 Beauth gets Ar. 34.05 Beauth gets Ar. 35.05 Beauth gets Ar. 36.05 Beauth gets Ar.							Tell and tel	119			172 172	1995 1995		271 281 282 283 284 285 285 285 285 285 285 285 285 285 285	1231 1231 1231 1231 1231 1231 1231 1231	
34.05 Beauth gets Ar. 35.05 Beauth gets Ar. 147.151.4 147.151.5							Tell and tel	170			F72	1995 1995	27	271 271 271 271 271 271 271 271 271 271	1271 1271 1271 1271 1271 1271 1271 1271	
3- C. Barrell ogh Ar 3- C. Barrell ogh Ar 1- C. C. C. C. C. C. C. C. C. C. C. C. C.							Tell and tel	119			F72	Base Base	27	271 281 282 283 284 285 285 285 285 285 285 285 285 285 285	1271 1271 1271 1271 1271 1271 1271 1271	
34.05 Blanch oph A- 34.05 Blanch oph A- 34.05 Blanch oph A- 34.05 Blanch oph A- 35.05 Bla							Tel. Services of the services	170			\$72 \$72 \$72 \$72 \$72 \$73 \$73 \$74 \$75	1995 1995		271 283 284 287 287 287 287 287 287 287 287 287 287	1231 1231 1231 1231 1231 1231 1231 1231	
SA-OS Beauth agts Ac as page 1 as page 1 as page 1 as page 1 as page 1 as page 2 as pa							Tell and tel	119			\$72 2946 340 340 340 340 340 340 340 340 340 340	1985 1985		271 283 284 287 287 287 287 287 287 287 287 287 287	1231 1231 1231 1231 1231 1231 1231 1231	
SA-OS Barnels ages Ac and page							Tel. Services of the services	119			F72	1995 1995	311	271 281 282 283 284 285 285 285 285 285 285 285 285 285 285	1201 1201 1201 1201 1201 1201 1201 1201	
SA.CS Bearing age Ar							Tel. Services of the services	119			\$72 2944 2944 2777 0 0 0 0 0 0 1328 0 0 0 0 1328 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1995 1995	311	271 281 282 283 284 285 285 285 285 285 285 285 285 285 285	1271 1271 1271 1271 1271 1271 1271 1271	
SA. CS. Blanching on Ar.							Tel. Services of the services	119			\$72 2944 2944 2777 0 0 0 0 0 0 1328 0 0 0 0 1328 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	1995 1995		271 281 282 283 284 285 285 285 285 285 285 285 285 285 285	1271 1271 1271 1271 1271 1271 1271 1271	
3-A CS Bearshington Are and part Are and par							Tel. Services of the services	170			F72 2984 2984 2984 3491	1995 1995	27	271 272 272 272 272 272 272 272 272 272	1231 1231 1231 1231 1231 1231 1231 1231	
SA. OS. Blanching on Ar.							Tel. Services of the services	119			F72	1995 1995	27	271 281 282 283 284 285 285 285 285 285 285 285 285 285 285	1201 1201 1201 1201 1201 1201 1201 1201	
SA.OS, Blanch oth Ar.							Tel. Services of the services	119			F72	1935 1935		271 281 282 283 284 285 285 287 287 287 287 287 287 287 287 287 287	1201 911 911 911 911 911 911 911 911 911 9	
SA. OS. Blanching on Ar.							Tel. Services of the services	119			F72	1935 1935		271 281 281 282 283 283 283 283 283 283 283 283 283	1231 1231 1231 1231 1231 1231 1231 1231	

Table 3 (confd)

	1-	1	19	Years and	14.	72.4.		
Theres	T	- L		<u> </u>		-	724	ध्यद् ।स
and part - h			t					
- h					=		二	
Dender 💠					_	_) j
- (1-1)						├		
conduction - h		 	 					p u
paramy gland - It			 			-		
Antal broke - h		100	 				 	1 5
grippento - jr Dubal Malegy - jr	-	11			I	-	Γ_	3
		13						>
Read Burn- It	L							- 5
anthory at - h		19						
fined have - h		1 15	1					
		19	 		-	_		<u> </u>
heart - h and similar - h		17	ļ			-		<u> </u>
<u>ا - وتنسب ایسه</u>		 						- :
hidray - h		12	_			_	-	-
halosy - h spinet sayd - h		20 21	 -	 	——			1 1 2 2 2 2 2 3 4 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5
Sphen-h	-	- 5	 			_	 	
acu A		77 -						-
emagh A) N :					7	
The same of the sa					_	L	_	
HARC		_79	<u> </u>			-		
trouble gland - b RPTEG	ļ	29 30						-
RPTEC		- 2			_	79		
		<u> </u>				_	-	
		- 23	t	t	$\overline{}$	1		
HCAEC		<u> </u>	Τ'					,
		(25	L					
Typengals people - Is		L						7
Shelety) provide - N		- Ž						
- A	 _	39 39	ļ		₩	⊢ −	-	
		39	 			—		⊢ !
Combinery - It		41				-		!
Constitution in	 -	47	 					 <u>!</u>
Peter breds - Is	⊢	9	 				-	
Schwygl - h	 	 	_		t —			· · · · ·
unds - b HT318-comed					_ 198			
N17374444						\Box		
0					1	391	二	12
0 1 2					***	354		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
owybalian - h					211	-	\vdash	
					342	394	-	_
RPTEC					39		_	
hough redo - h hough redo - h				_	- 133	-		
Fyed broth - h					-			•
107318					-			
HT 100 carried Organicals HT 100 carried					32			3
HTHM - manual					321	_		
1654 34 esterior						⊢	_	
ylanya - N						_		i
Service plant - b					314		_	
Shing Speed - P	_				- 111	⊢		-
		_			300			
entropy of the control of the contro					-			
	_				**			3
- A					g			
					702			
teetig - Is		-	<u> </u>		X	├ ─	\vdash	
399-11					<u> </u>	<u> </u>	-	<u></u>
The second secon					774	-	_	3 2 2
	;	******						·
	-				į,			
					279			-
hone manag -); advand gland - h					m			
MPAEC					71	7/1		
HT383 married					7			
HT300 persons Bas-11								
Be-11					<u> </u>	20		
b	<u> </u>					75	-	
HT373 name					- <u>724</u>	Ħ	_	_
8er-7			1					
De-1	$\overline{}$				723		_	
					Ē	734		-
Bart .					A A	734		
bladdyr - h					Ē			
Sheet - h					A A N N E	734		
Pleast - h eterracis di					A A N N E	734		
					ANNERE	734		- 1
					ANNERES	A RIN		- 79
oternacis di Salah Baya- Is placaritga- Is					4888EEE	734		
oternacis di Salah Baya- Is placaritga- Is					AARREARE	A RIN		39
otomich - Bi Nod Pay- N Jesentja - Bi HCAEC Nod Patho- Bi HoseC					A 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	A RIN		39
etermech					AANNEERERE	A RIN		39
elements - fi find free- fi pleasing - fi House - fi House - fi House - fi House - fi					电影电影工程器是电影	A RIN		39
elements fil. And Pery-fil. pleasings fil. PACAGE Mand Swebs-fil. PACAGE Swebs-fil. PACAGE Swebs-fil. PACAGE Transman - fil. Transman - fil.					ANNUZZZZZENEK	A RIN		39
elements fil. And Pery-fil. pleasings fil. PACAGE Mand Swebs-fil. PACAGE Swebs-fil. PACAGE Swebs-fil. PACAGE Transman - fil. Transman - fil.						A RIN		39
oternati, fi hand Beg-fi, phasetigle, fi SCASEC hand broths fi 1965C Dandware - fi, Standard remails - fi, Persons - fi, Standard remails - fi, Standard - fi Standard - fi Standard - fi Standard - fi Herrit Mar (1979) (description (Chings)						A RIN		39
elements, it is had begin in the begin in th						A RIN		
elements 4, filter from 1, filter fr						A RIN		
elements 4, filter from 1, filter fr						ARR		
elements 4, filter from 1, filter fr						ARR		
chemich, fi. Sind Hore, h.						ARR		
chemich, fi. Sind Hore, h.						ARR		
chemist, fi. Sinst Hour, h.						ARR		
chemist file. Interface h. I						ARR		
elements 4. h hand from h hand from h h hand from h h h h h h h h h h h h h h h h h h h				5		ARR		
chemich fi. Manifere h. Manifere h. Michael L. Mic				=		ARR		
chemich fi. Manifere h. Manifere h. Michael L. Mic				# H		ARR		
chemich fi. Manifere h. Manifere h. Michael L. Mic				# ES		ARR		
chemich fi. Manifere h. Manifere h. Michael L. Mic				# ES		ARR		
stements 4, the state from 1,				#		ARR		
stements 4, the state from 1,				#		ARR		
stement 4. h had have h, h had have h, h had have h, h had have h, h h h h h h h h h h h h h h h h h h				# # # # # # # # # # # # # # # # # # #		ARR		
Amenda di Manda Marcia di Manda Marcia di Manda Marcia di Manda Marcia di Manda Marcia di Manda				# # # # # # # # # # # # # # # # # # #		ARR		
elements 4. Manufacer 1. Man				# # # # # # # # # # # # # # # # # # #		ARR		
Annual A. Man Say, M. Man Say, M. Man Say				81 E3 66 68 98 92 92 94 199 198		ARR		
commant di hand flore h. h. placenta h. h. PACACE .						ARR		
schemach di hand flour h. h. placesting h. h. placesting h. h. placesting h. h. placesting h. h. placesting h. h. placesting h.						ARR		
chemath. 4. Mant Tare. 1. Mant Tar				81. 88. 88. 98. 98. 98. 98. 98. 108. 118. 129. 152. 154. 156.		ARR		
Annual A. Man Say, Man Say, M				FI		ARR		
chemist 4, films face 1, films				81. 88. 88. 98. 98. 98. 98. 98. 108. 118. 129. 152. 154. 156.		ARR		

PCT/US00/14842 WO 00/73469

188 Table 3 (confe)

	T		14	17	100	15 mars	- Dig	1070 196 S												
Tiesee			1	- 10		-	-	7												
784				100			\Box	- 9												
Cold.1 788-0 1-470 Pitro-3 CRI, Mel 1 Rept. BCO TEST surfered + Differen	-			1 19		+	1-	 ,#												
CR MAI TON BOD				171 1#1	_	\pm		' 6												
781T unbrusted + Dilliams				183																
KG pely A* HGS pely A* ACHI LUCC 40 HGS 7MOR REI	├──		 	183 194 196 196		+-	1	-77												
ACIO				194				12												
UNCC-62				- 28	-	-														
DITOS (Namely) poly ar				200 204 204			\mathbf{t}	7												
WISH (Colleges) pay A:				206	T	\blacksquare		3												
460 market m/864	 +			204 276 278 228 221		+	┿	 												
101-36 72h 8.07LF58, 34h 107L F85				210																
CAL 1441 • TPA (249) SCR				229	\vdash	=	-	72												
Km-1			 	 	1—	+-	1	78												
Nen-1				223 224 341 342 343 344 345 346		\rightarrow														
HOP-42	 			347	+-	+	┼─													
edical .		:: k		20		1						,						· 🚣		
U.C.				<u> </u>	 	+-		0 0 0 0 0 0 0	en Constant			_		٠.	٠.			Ξ.		
100 B778				200	-			- 6					,					•		
ABHRATOC				247	$\overline{}$	_	F :-	<u> </u>												•
SR	 			249 240 250 251	+	+-	+	3												
her is				250																
OVCAR-I				<u> </u>		+	1	 의												
The Control of the Co				3	_	1	$\pm -$	700												
SMZC				254 255		I		0												
OXCARA	\vdash			255	+	+	+	⊢—- લ્લ												
LOR BMM ISROY1 384MEL-3 364MEL-3 564MEL-3 85-309	 -			294 297	_	\pm	1	- G												
SK46.3				254 239		=	1.	10												
3K-0K-1	├			270	+-	+	+-	 												
2F-ED9				281	\pm	\perp	1	8												
\$X.44(3.78	\Box		ļ.——	280 281 282 283 284 284 287	\perp		\leftarrow													
M-862	├		 		+	+-	+	 												
M14					\pm			22 23 0												
MCF7					_	1	\leftarrow													
NOVER OF			 	270	+	+	+-) (B) 0 0												
19-452 19-462 1-4602				271		\perp	\blacksquare													
Y78 paly Ar	- I			773	+	_	+													
10:106 pdy A*	-					+	+	747 147 15												
HELA-EXP4031888	<u> </u>			78 33 31			$ldsymbol{\Box}$	i ii												
HTTESS ON FORA				327 323	4—	_	-													
917367 AFR madds 1916	 		 	221	+-		\pm	126												
MCHEZIS				334	1															
HOP4S				337 338	+	+-	+-	0 61												
M3A-94-201				- 53	_	-	1	1				•								
PT cults print A*				340		1	_													
PC-3	\vdash			341	+	+	1	 												
VIII.					$\overline{}$		-													
PILLENS				341	#	#	_	140									•			
COTO THE				347	丰			760									•			
MITING COLO 386 MITING COLO 386				347					<i>:</i>			•			, e .	1.		Se .		ے ہے۔
OCLO 365 FORES COLO 365 FORES -411\$1				347												Augusta	مراجع	Berri		
907 192 901.0 305 97395 97395 277151 A001				347								i niligi,				. Jegin	e m	\$1".		
907 300 907 300 907 300 907 300 907 300 907 300 907 300 907 300				- M - M - M 						٠.		10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1				Page		\$1"		- 25
907 100 100 100 101 100 101 101 101				- M - M - M 						• .						houns	Figure 19	教		
SOUTH STATE				347				90 - 20 - 0 - 460 - 0 - 363 - 361 - 6		•						. Agent	¥ garjan	教		
SOFTED STORY SOFTED STORY SOFTED STORY SOFTED SOFTE				- M - M - M 						· .			J. 1.	ti _{je} ,		Assertion 1	Start M	数人"。		
THE STATE OF THE S			52	- M - M - M 				90 - 20 - 0 - 460 - 0 - 363 - 361 - 6	a Landon	• .						the second	A garage	· ·		
SPECIAL SPECIA			52 64 60	- M - M - M 				90 - 20 - 0 - 460 - 0 - 363 - 361 - 6	a Landon	• .						A Page 1000	₩ yan ya	\$ 1 mm		
500 MS 500 MS 172K 100 KS 172K 100 KS 172K 100 KS 100			52 64 60 58	- M - M - M 				90 - 20 - 20 - 400 - 30 - 30 - 30 - 30 - 30 - 30 - 30 -		• .						A Parameter Services	분 (40) 3 %	\$ 1 mm		
			52 64 69 84 90	- M - M - M 				90 - 20 - 10 - 400 - 363 - 363	a Landing	•		113.55				Par non-	북 (40) (19	·		
997-500 1			52 64 68 88 88 80 82 82	- M - M - M 				90 - 20 - 10 - 400 - 363 - 363		•						The second	₩ gan pe	·		
900 M 900 M			52 64 98 98 99 99 90 40 40	- M - M - M 				90 - 20 - 10 - 400 - 363 - 363		÷						A Page Association of the Control of	₩ .ger. 20	妻が		
######################################			52 64 68 88 88 80 82 82	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	in the second	•						the second	Figure 199	· 大		
			52 64 98 98 99 99 90 40 40	- M - M - M 				90 - 20 - 10 - 400 - 363 - 363	in the second	•	1 g/					A Part of the Control	분 gen 3 * ,	大変を		
######################################			51 64 69 78 92 92 93 94 94 94	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		• .						Andrews Comments	¥ gerge	\$ 1	w P	
997-500 MM 977-700 MM			52 64 98 98 99 99 90 40 40	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	in the second	•		The second secon		\$ _{\text{\tin}\text{\tex{\tex}		Angers of the second	₩ (1912 (19)			
######################################			51 64 69 90 91 91 91 94 91 91 91 71	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		•		The second secon				Anna Carlo	₹ ger p			
######################################			51 64 69 89 90 83 83 83 83 84 94 95 96 97 77 77	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9			1 25 1 22					Andrew Control	북 (40 년)	我们的		
######################################			51 64 69 98 92 92 93 95 96 96 97 98 99 77	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9	in the second	•						A training of	Fig. 9.	· 教育		
			53 64 69 98 95 95 95 96 96 97 97 97 97 97 97 97 97 97 97 97 97 97	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9		·						Mesery Comment	er gegare	我不停!		
#			51 64 69 98 92 92 93 95 96 96 97 98 99 77	- M - M - M 				## 1		•							₩	養好		
SPECIAL SPECIA			52 64 69 99 90 90 90 90 91 91 91 91 91 91 91 91 91 91 91 91 91	- M - M - M 				0 0 0 0 0 0 0 0 0 0		•							e gran	· 大学		1
			52 64 69 99 90 90 90 90 91 91 91 91 91 91 91 91 91 91 91 91 91	- M - M - M 				0 0 0 0 0 0 0 0 0 0									में कुछ हैं।	養を		
917323 HT327 HT335 HT346			\$2 64 68 69 60 60 60 60 60 60 60 60 60 60 60 60 60	- M - M - M 				## ## ## ## ## ## ## ## ## ## ## ## ##		· ·							er ger	· 美沙		
917323 HT327 HT335 HT346				- M - M - M 				## ## ## ## ## ## ## ## ## ## ## ## ##									₩ yeer i	養を		
917323 HT327 HT335 HT346			\$4.000	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9					3. 13 3. 13				e grate	· · · · · · · · · · · · · · · · · · ·		- 200 5
917323 HT327 HT335 HT346			54	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9									H. Green	養を		
917323 HT327 HT335 HT346			54	- M - M - M 				9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9				HARRY					¥ gro i•	· · · · · · · · · · · · · · · · · · ·		200
917323 HT327 HT335 HT346			54	- M - M - M 				C		· · ·								養養を		
917323 HT327 HT335 HT346			54 64 64 69 99 92 92 94 94 95 96 97 97 97 97 97 98 98 98 98 98 98 98 98 98 98 98 98 98	- M - M - M 				C			- 2.3 - 1.2.	Military Military					में कुल हो। व	養を		
917323 HT327 HT335 HT346			54 64 64 69 69 69 60 60 60 60 60 71 71 71 71 71 71 71 71 71 71 71 71 71	- M - M - M 				C		•		HARRY					er ger ge	養養		* 200 %
917323 HT327 HT335 HT346			54 64 64 69 69 69 60 60 60 60 60 71 71 71 71 71 71 71 71 71 71 71 71 71	- M - M - M 				0 0 0 0 0 0 0 0 0 0				Higgs .					e genter	養を		
917323 HT327 HT335 HT346			\$4	- M - M - M 				0 0 0 0 0 0 0 0 0 0					3. 13				¥ groge	· 秦孝·····		200
17130 17131			54 64 64 69 69 69 60 60 60 60 60 60 60 60 60 60 60 60 60	- M - M - M 				10		•							H yeste	養を		
17130 17131				- M - M - M 				10				HARRY					¥ groge	· 秦孝·····		
17130 17131				- M - M - M 				100 100		· · ·							₩ yeer de	養佐		
17130 17131			64 64 64 64 64 64 64 64 64 64 64 64 64 6	- M - M - M 				100 100				Miles					¥ gro a•.	養を		
17130 17131			\$4	- M - M - M 				日本		· · ·		Maga.					₩ gent de	養養		
17130 17131			54	- M - M - M 								Militaria.					¥ grade	養を		
17130 17131			54	- M - M - M 				Page Page		•			3. 17				e grate	- 養育な		4.200
17130 17131			\$4	- M - M - M 				100 100				Military and the second					e genter	養養		
17120 17121 17122 17122 17123 17124 17124 17124 17127			54	- M - M - M 				Page Page									¥ groge,	· 秦孝		
TITES TI	PD SE		54 64 64 69 69 69 69 69 69 69 69 69 69 69 69 69	- M - M - M 				B				Military and the second					e gentale	養養		
17130 17131	191 191 191 192 193		54 64 64 69 69 69 69 69 69 69 69 69 69 69 69 69	- M - M - M 				Page Page									¥ gro i•.	- 養養		n diament

Table 3 (contra)

TI	155	Harmad eyes,	Tuesdy - No	Tables ands	Acres 1		200	
	153							0 0
MCF7	151	 			-	<u> </u>		
UACC-357	147			t				22
UNCC-62	145						ļ	22 0 10
SKMEL38 UO31	143							=
UO31 SKMELS	142					ļ		
904-)2 SK-MEL-2	141 140	 	 			_		263
Suct.45	139						L	326
Malmo 3M COLO MS	T 18				_		_	181
	137							
59-420	136							0000
TIG-08 HCT 116 786-0	124		_			-	-	 :
786-0	132							32
HCC-2008 ACHN PC-3 ROF 385	131						_	
PG3	129				-	Н		279
ROF 363	177							
DU-146 C441	177		 -					70 276
SR .	126							
A488								
RPM 8338 SNI2C	122							136
SN12C 14,40 MOLY-4	121							118
	119					-	_	116
OVCAR-S IC-862 OVCAR-4	118							36 942
OVCAR-4	117		\vdash		\vdash	-	\vdash	342
CONF.CEM CMCAR-3	118 118							191
SF-470	114					Ш		
3F-286	113		\vdash	\vdash	\vdash		_	181
ASSESTED	111							110
87-269	110					\vdash	\vdash	137
8F-249 NCI-HS22 UZS1	100		=				╚	304
INCOMPANY.	100							9
\$18-75	106		-	<u> </u>	_	_		
10(3-1/3-22M SNB-19	105 194							8 2 8
NCI-HZ28	7					j		8
NCHES	101	\vdash			_	_	_	20 24
IGRIOVI EKVI	100							•
OVCVA-1	-						_	- 54
140P42					ŀ		Ш	9
D. Streetscarte 201/82 #12	812					_		## P
h and SMC 102182 PIT h landragen 20282 PIS	- 4					_		135
TCGP	**							
A540 - 1 A440 - 3		-	\vdash			_	11	579 379 468
1A449 - 4							J	454
A849 - S							1,	267
A849-7 ENVX-1								
) H
ENX-3 ENX-5				-	_			- 46
6NY7 MC/-1-1 MO-1-1							meter)	1977
MC/-1-1							=	500
F-1.4							-	
22.F.Y - \$ 36.F.Y - 7								
ADB-RES-1							J	200
ADR-RES - 1 ADR-RES - 3								
								150
ADARES -4							ij	79
ADR-RES - 5								
ADR-RES - 5								70 10 0
ADR-RES - 5								79
ADRAES - 4 ADRAES - 5 ADRAES - 7 W130 - 1 W130 - 2 W131 - 4								Z PLATON ALL
ADR-1623 - 4 ADR-1628 - 7 W130 - 3 W130 - 4 W130 - 6 W130 - 7								Z PLATON ALL
ADP-RES - 6 ADP-RES - 7 W130 - 1 W130 - 3 W130 - 4 W131 - 5 W131 - 7								2 2 3 0 3 3 5 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6
ADM-03-14 ADM-03-15 ADM-03-15 W1 31-1 W1 31-2 W1 31-6 W1 31-1 W1 31-1								
AJIM-05 - 4 AJIM-05 - 5 AJIM-05 - 5 AJIM-05 - 7 WI 30 - 1 WI 30 - 6 WI 30 - 7 WI 40 - 5 WI 40 - 5								
ADM-68-4 ADM-68-8 ADM-68-7 MI 32-3 MI 32-4 MI 32-4 MI 32-4 MI 32-4 MI 32-5 MI 32-5								
ARMORES - 4 ARMORES - 5 ARMORES - 7 W132-1 W132-1 W132-1 W132-2 W132-3 W132-4 W132-4 W132-7 W132-4 W132-7 W132-4 W132-7 W132-1 W132-1 W132-1 W132-1 W132-1 W132-1 W132-1								
ADMESS - 4 ADMESS - 4 ADMESS - 5 ADMESS - 5 ADMESS - 5 ADMESS - 5 ADMESS - 5 ADMESS - 5 ADMESS - 6 ADMESS - 6 ADMESS - 6 ADMESS - 6 ADMESS - 6 ADMESS - 7 ADMESS - 6 ADMESS - 7								
APPASS-14 APPASS-14 APPASS-15 APPASS								100 Per 11 Per 1
AUDAGS - 4 AUDAGS - 5 AUDAGS - 7 AUDAGS								100 Per 11 Per 1
AUPLESS - 1 AUPLES								Page Page
ADMINISTRATION OF THE PROPERTY								
ADMINISTRATION OF THE PROPERTY								
AUDICES								Page Page
APPLESS - 1 APPLES								Page Page
AUDICES								Page Page
APPLESS - 1 APPLES								Page Page
AUDICES								Page Page
APPASS - 1 APPASS - 1 APPASS - 1 APPASS - 1 APPASS - 1 APPASS - 2								Page Page
APPARES								た 世紀 で 日
APPA(25) - 1 APPA(た 世紀 で 日
ADMISS								た 世紀 で 日
APPLESS -1 APPLESS -1								た 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本
APPLESS -1 APPLESS -1								た 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本 日本
APPLESS -1 APPLESS -1								たまして、
APPASS - 1 APPASS - 1 APPASS - 2 APPASS - 3 APPASS - 3 APPASS - 3 APPASS - 3 APPASS - 3 APPASS - 4 APPASS - 3								たまして、
ADM-85-14 ADM-85-14 ADM-85-14 ADM-85-14 ADM-85-15 ADM-81-15								たまして、
APPASS -1 APPASS								た
APPLESS -1 APPLESS -1								た
ADMINST AND ADMINS								注:
ADMISS								注:
ADMINISTRATION OF THE PROPERTY								注:
AUDICIS - 4 AUDICIS - 4 AUDICIS - 5 AUDICIS - 7 AUDICI								た

190 Table 3 (contd)

Darleys I		Hermal open		N		-	120	days ded
	Yanga aya	مراه وحدادا	Commer - To			-	_	SPQ 116
			· ·					2
DeParts 4								
Mary 11								E
Def						_		3
DePung-19			├──	 -	 			ľ
Defense 1			_		1			
President State of the State of								2
Defress &								
DePene-9							_	
A549 - 8							-	
A549 - 8 BKVX - 8						_	4	
HCT-114-7				_	_	_	-	
HCT-198-D							-	- 3
1729 - 1 1729 - 7			<u> </u>					ĺ
1729 - 0								-
FE30-7							_	
SP(3) - 8 SF-280-7			└				=	1
SF-200-7							1	- 4
			-					
								
MEANA J							-	4
ONCAR-6 - 8							-	ľ
4CF-7 - 9								
ACR FREE - 0			ــــــ			_		-
Hela-B			 -		-		7 7 B	
190420 - 7 190420 - 8			 					*
919490 - 8 41298 - 8							į	
-13A . 7							I	
724-7 234-8								
1205 - 7			<u> </u>				-	<i></i>
1206 - 8					<u> </u>			نــــا
Net - 7					-	-	Ξ	
						_	¥	
MI 30 - 8			 				_	
								
CRL16/2 3/17/00						84		z
HTSM								
HT378								1
HT306					-		\vdash	
HT206 HT208				_	<u> </u>		-	44
					-	555	_	- 7
						777		- 44
lerd hydropina 3/25/82 (HI	-							
Nov-10						25		
MTR:							\Box	
						_	-	
1					_	_	_	_
MINIS CE pay Ar SA CS Dambé pay Ar					_		_	
SA-CIS DAMPE SET (**				_			_	
							¥	
HCT-118-3 HCT-118-4							1	
HET-118-4							1	
HCT-118-E						_		
A440-6					_		1	\$6 \$1
HT20 - 3								
SKVX- 6 HT29 - 4 HT29 - 6					_			
HTZD-4			· · ·					
M729-4	-		-					
OCCUPATION OF THE PARTY OF THE			\sim					ľ
OVCAR-4 -4					-		-15	
ONCORR . 1							نخ	
OVCAR							Y4	
39431-3						·	1	
SFR30-4					_			
3F630 · 5							1	\vdash
97510 · 6								<i>T</i>
							1 × 1	
DVCNR-4							7 T	22
							1 × 1	7
OVCARS-4 OVCARS-S ADRIES-S								7
OVCAR-6-4 OVCAR-6-6 ADR-RES-6 MCF-7-6								7
OVERRA-4 CVERRA-4 ADRIES-8 MENT-9 HMA-8								22 3 2
0y0x18-4 0y0x18-6 0y0x18-6 0x0x18-7-9 H04-6 H128-8								22 26 26 27
DyCAR-8-4 OVCAR-8-6 ACR-628-6 NCF-7-0 HM-8-6 H328-8 SW481-3								22 26 26 27
DYCHIG-4 CINCARA-5 ADR-RES-6 MCC-7-6 H44-5 H128-8 SIN48-3 SIN48-3								22 2
CYCAR-4-4 CYCAR-4-5 ADRIES - 6 MCF-7-6 PHA-6 PHA-6 PHA-6 SH468-3 SH468-4								22 2
DYCHAR-4 DYCAR-1 ADR-RES-6 MCF-7-8 MCF-7-8 MCF-7-8 MCF-7-8 SMMB-1 SMMB-1 SMMB-1 SMMB-1 SMMB-1 SMMB-1								22 26 25 25 27
ONCOMB - 4 ONCOMB - 9 ADD-RES - 9 NOC-7 - 9 NOC-8 - 5 NOC-8 - 5 SIMMB - 3 SIMMB - 3 SIMMB - 8 SIMMB - 9								22 2 2 2 2 2 2 1
DYCHAR-4 DYCAR-1 ADR-RES-6 MCF-7-8 MCF-7-8 MCF-7-8 MCF-7-8 SMMB-1 SMMB-1 SMMB-1 SMMB-1 SMMB-1 SMMB-1								22 2 2 2 2 2 2
ONCOMB - 4 ONCOMB - 9 ADD-RES - 9 NOC-7 - 9 NOC-8 - 5 NOC-8 - 5 SIMMB - 3 SIMMB - 3 SIMMB - 8 SIMMB - 9								22 26 25 25 27
POPOMAN - 4 POPOMAN - 4 POPOMAN - 5 POPOMAN - 5 POMAN - 5 POMAN - 7 POMAN -								2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
990049-4 990049-5 ADM-81-5 ADM-81-5 BIRDER-5							2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	
Oppose - 1 Oppose - 1 Oppose - 2 Oppose - 3 Oppose - 3 Oppose - 3 Oppose - 3 Oppose - 4 Oppose - 4 Oppose - 4 Oppose - 5 Oppose - 5 Oppose - 6 Oppose - 7								2 2 2 2 2 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Pypone - 4 Pypone - 4 Pypone - 5 Pone - 5 Pypone - 5 Py								22 2 2 2 2 2 2 2 2 3 1 1 1 2 2 3 3 3 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4
Pypend - 4 Pypend - 4 Pypend - 5 Pypend - 6								22 25 25 25 27 27 27 31 31 31 41 41 41 41 41 41 41 41 41 41 41 41 41
PyCAR9-1 PYCAR9-1 DOMEST-5 DOMEST-5 DOMEST-5 DOMEST-5 DOMEST-5 DOMEST-6 DOMEST								22 25 25 25 27 27 27 31 31 31 41 41 41 41 41 41 41 41 41 41 41 41 41
PyCANA-1 PYC								22 25 25 25 27 27 27 31 31 31 41 41 41 41 41 41 41 41 41 41 41 41 41
PyCARA-1 PYCARA-1 CONTROL - CO								2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PyCARA-1 PYCARA-1 CONTROL - CO								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PyCANA-1 PYC								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PyCANA-1 PYCANA-1 BOTA-1-8 BOTA-1-9 BOA-6 PYBB-9 SHOR -1 SHOR -1 CDA-1								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Python 9-1 Python 9-1 ADM-11-1 ADM-11-1 ADM-11-1 BERGE - 1 BERGE - 2 BERGE - 2 BERGE - 3 B								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PyCANA-1 PYC								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PAPARA - A PAPARA - A								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PyCARA-1 PYCARA-1 BOTA-1 BO								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Python 9-1 Python 9-1								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Python 9-1 Python 9-1								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PyCARA-1 PYCARA-1 CONTROL - CONTROL - CONTROL -								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
PyCARA-1 PYCARA-1 CONTROL - CONTROL - CONTROL -								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Python 9-1 Python 9-1								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Python 9-1 Python 9-1								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Python 9-1 Python 9-1								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
Python 9-1 Python 9-1								22 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2

WO 00/73469

4	
•	
2	
╩	

xostdcns)	3,7		in 497-577	(21; Pt.) domain 417-532		072-1113				Actin type III domain 301-390, 1697-1779	Ilin domain 788-851; PH domain419-528					598-8©7	
Extra-Catalytic Domains (Amino acid positicins)	Regulator of G political signating domain 54-175; PH domain 559-652	PH domain 245 : 37	Phorbol esten/\acylglycerol binding domain (C1 domain) 238-287; PH domain 497-577	Phorbol esters/diacylglycerol binding domain (C1 domain) 155-204 and 272-321; Pt. comain 417-532	PX domain 13: 120	Vitamin K-dependent arboxylation/gamma-carboxygiutamic (GLA) domain 1072-1113	JBA domain 327-365	PAS domain 133-186, 247-280, 354-386	WD domain, Cobest repeat 674-711	Innunoglobulin (b. nain 1-82, 97-153, 221-277, 518-578, 1617-1678; Fibronectin type III domain 301-380, 1697-1779	RhoGEF domain 235-405; Fibronactin type III domain 870-965; Immunoglobulin domain 788-951; PH domain419-528	Death domain 28-108	PQQ enzyme tupeat 39-76	SAM domain (Sterila alpha motif) 337-408	PX domain 16-122	Regulator of chromosome condensation (RCC1) 387-427, 427-480, 483-532, 598-857	P21-Rho-binding domain 11-69
Length_AA	688 Reg		978 Phx	880 Ph	448 PX	1311 Vits	729 UB	1330 PA	874 WE	2287 Im	1287 Rh	596 De	922 PQ	800 SA	649 PX	836 Re	719 P2
Group		GRK	PKC	PKC	SGK	EMK	EMK	EMK	MLCK	Trio	Trio	IRAK	IRE	MLK	8018	XX XX	STE20-02
Family	AGC	AGC	AGC	AGC	AGC	CAMK	CAMK	CAMK	CAMK	CAMK	CAMK	Other	Other	Other	Other	STE	STE
104 ea	122	123	8	132	142	152	2	8	10	162	2	185	197	ន	88	232	234
SP ID# na ID#	r	7	ß	Ξ	2	ន	3	ဗ္တ	ŧ	42	4	78	78	82	8	133	115
8	핃	: ≥	I	Ξ	İ	II	3	I	II	I	I	₹ H	I	I	I	I	I
Gene Name	X69117 h beta adrer	AA144574 m	AA210825 h	AA316804 h	AA887783 h	AA021445 h 3	R31237 1 h AAC33	408788,5 h	Z36720 h	SGKO88_h	R19772 h	17000139801197 h,	AA088547 h	AA232253 h	AA599288 h	AA836348 h	PAK6 h

FIGURE 1A

SEQ ID NO: 122_X69117_H BARK2_H
MADLEAVLADVSYLMAMEKSKATPAARASKRIVLPEPSIRSVMQKYLAERNEITFDKIFN
QKIGFLLFKDFCLNEINEAVPQVKFYEEIKEYEKLDNEEDRLCRSRQIYDAYIMKELLSC
SHPFSKQAVEHVQSHLSKKQVTSTLFQPYIEEICESLRGDIFQKFMESDKFTRFCQWKNV
ELNIHLTMNEFSVHRIIGRGGFGEVYGCRKADTGKMYAMKCLDKKRIKMKQGETLALNER
IMLSLVSTGDCPFIVCMTYAFHTPDKLCFILDLMNGGDLHYHLSQHGVFSEKEMRFYATE
IILGLEHVHNRFVVYRDLKPANILLDEHGHARISDLGLACDFSKKKPHASVGTHGYMAPE
VLQKGTAYDSSADWFSLGCMLFKLLRGHSPFRQHKTKDKHEIDRMTLTVNVELPDTFSPE
LKSLLEGLLQRDVSKRLGCHGGGSQEVKEHSFFKGVDWQHVYLQKYPPPLIPPRGEVNAA
DAFDIGSFDEEDTKGIKLLDCDQELYKNFPLVISERWQQEVTETVYEAVNADTDKIEARK
TAKNKQLGHEEDYALGKDCIMHGYMLKLGNPFLTQWQRPYFYLLYSNELSWPGGGESRGNL
LTMEQILSVEETGIKDKKCTLFRIKGGKQFVLQCESDPEFVQWKKELNETFKEAGRIERR
APKFLNKPRSGTVELPKPSLCHRNSNGL

SEQ ID NO: 123_AA144574_M BARK2_M CFVVYRDLKPANILLDEYGHVRISDLGLACDFSKKKPHASVGTHGYMAPEVLQKGTCYDS SADWFSLGCMLFKLLRGHSPFRQHKTKDKHEIDRMTLTVNVQLPDAFSPELRSLLEGLLQ RDVSQRLGCGGGGARELKEHIFFKGIDWQHVYLRKYPPPLIPPRGEVNAADAFDIGSFDE EDTKGIKLLDCDQDLYKNFPLVISERWQQEVVETIYDAVNADTDKIEARKKAKNKQLGQE EDYAMGKDCIMHGYMLKLGNPFLTQWQRRYFYLFPNRLEWRGEGESRQSLLTMEQIMSVE ETQIKDRKCILLRIKGGKQFVLQCESDPEFAQWLKELTCTFNEAQRLLRRAPKFLNKPRA AILEFSKPPLCHRNSSGL

SEQ ID NO: 125_AA960957_H
MGGNHSHKPPVFDENEEVNFDHFQILRAIGKGSFGKVCIVQKRDTKKMYAMKYMNKQKCI
ERDEVRNVFRELQIMQGLEHPFLVNLWYSFQDEEDMFMVVDLLLGGDLRYHLQQNVHFTE
GTVKLYICELALALEYLQRYHIIHRDIKPDNILLDEHGHVHITDFNIATVVKGAERASSM
AGTKPYMAPEVFQVYMDRGPGYSYPVDWWSLGITAYELLRGWRPYEIHSVTPIDEILNMF
KVERVHYSSTWCKGMVALLRKLLTKDPESRVSSLHDIQSVPYLADMNWDAVFKKALMPGF
VPNKGRLNCDPTFELEEMILESKPLHKKKKRLAKNRSRDGTKDSCPLNGHLQHCLETVRE
EFIIFNREKLRRQQGQGSQLLDTDSRGGGQAQSKLQDGCNNNLLTHTCTRGCSS

SEQ ID NO: 126_TBK1_H

MQSTSNHLWLLSDILGQGATANVFRGRHKKTGDLFAIKVFNNISFLRPVDVQMREFEVLK

KLNHKNIVKLFAIEEETTTRHKVLIMEFCPCGSLYTVLEEPSNAYGLPESEFLIVLRDVV

GGMNHLRENGIVHRDIKPGNIMRVIGEDGQSVYKLTDFGAARELEDDEQFVSLYGTEEYL

HPDMYERAVLRKDHQKKYGATVDLWSIGVTFYHAATGSLPFRPFEGPRRNKEVMYKIITG

KPSGAISGVQKAENGPIDWSGDMPVSCSLSRGLQVLLTPVLANILEADQEKCWGFDQFFA

ETSDILHRMVIHVFSLQQMTAHKIYIHSYNTATIFHELVYKQTKIISSNQELIYEGRRLV

LEPGRLAQHFPKTTEENPIFVVSREPLNTIGLIYEKISLPKVHPRYDLDGDASMAKAITG

VVCYACRIASTLLLYQELMRKGIRWLIELIKDDYNETVHKKTEVVITLDFCIRNIEKTVK

PCT/US00/14842 WO 00/73469

FIGURE 1B

VYEKLMKINLEAAELGEISDIHTKLLRLSSSQGTIETSLQDIDSRLSPGGSLADAWAHQE GTHPKDRNVEKLQVLLNCMTEIYYQFKKDKAERRLAYNEEQIHKFDKQKLYYHATKAMTH FTDECVKKYEAFLNKSEEWIRKMLHLRKQLLSLTNQCFDIEEEVSKYQEYTNELQETLPQ KMFTASSGIKHTMTPIYPSSNTLVEMTLGMKKLKEEMEGVVKELAENNHILERFGSLTMD GGLRNVDCL

SEQ ID NO: 127 AA305176 H

MDPTAGSKKEPGGGAATEEGVNRIAVPKPPSIEEFSIVKPISRGAFGKVYLGQKGGKLYA VKVVKKADMINKNMTHQVQAERDALALSKSPFIVHLYYSLQSANNVYLVMEYLIGGDVKS LLHIYGYFDEEMAVKYISEVALALDYLHRHGIIHRDLKPDNMLISNEGHIKLTDFGLSKV TINRDINMMDIFTTPSMAKPRODYSRTPGQVLSLISSLGFNTPIAEKNQDPANILSACIS ETSQLSQGLVCPMSVDQKDTTPVSSKU KSCLETVASNEGMEVRCLITENLLQSRKKLATE SASSOSHTFISSVESECHSSPKWEKDCOV

SEO ID NO: 128 AA116841 M TRPIPWPEGEEKLSDNAQSAMDMLLTIDDSKRAGMRELKQHPLFSEVDWENLQHQTMPFV POPDDETDTSYFEARNNAOHLTVSGFSL

SEQ ID NO: 129 AA256100 H

MAMTAGTTTTFPMSNHTRERVTVAKLTLENFYSNLILQHEERETRQKKLEVAMEEEGLAD EEKKLRRSQHARKETEFLRLKRTRLGLDDFESLKVIGRGAFGEVRLVQKKDTGHIYAMKI LRKSDMLEKEQVAHIRAERDILVEADGAWVVKMFYSFQDKRNLYLIMEFLPGGDMMTLLM KKDTLTEEETOFYISETVLAIDAIHQLGFIHRDIKPDNLLLDAKGHVKLSDFGLCTGLKK AHRTEFYRNLTHNPPSDFSFQNMNSKRKAETWKKNRRQLAYSTVGTPDYIAPEVFMOTGY NKLCDWWSLGVIMYEMLIGYPPFCSETPQETYRKVMNWKETLVFPPEVPISEKAKDLILR FCIDSENRIGNSGVEEIKGHPFFEGVDWEHIRERPAAIPIEIKSIDDTSNFDDFPESDIL OPVPNTTEPDYKSKDWVFLNYTYKRFEGLTQRGSIPTYMKAGKL

SEQ ID NO: 130_AA210825 H

SHOW THE STATE OF THE STATE OF THE STATE OF

DSLLPTPALGTPLPIPWPVGSLRTPLSLESTRSPTQRLLPSTPKDPAILRSPPPARSFLG SPLSHHLLTRSRGSRTQGPPGPPGGSRVGSRRAVPGLPPWPPPPHYPAGLPGSPGPGSPP PPGGLELQSPPPLLPQIPAPGSGVSFHIQIGLTREFVLLPAASELAHVKQLACSIVDQKF PECGFYGLYDKILLFKHDPTSANLLQLVRSSGDIQEGDLVEVVLSASATFEDFQIRPHAL TVHSYRAPAFCDHCGEMLFGLVROGLKCDGCGLNYHKRCAFSIPNNCSGARKRRLSSTSL ASGHSVRLGTSESLPCTAEELSRSTTELLPRRPPSSSSSSASSYTGRPIELDKMLLSKV KVPHTFLIHSYTRPTVCQACKKLLKGLFRQGLQCKDCKFNCHKRCATRVPNDCLGEALIN GDVPMEEATDFSEADKSALMDESEDSGVIPGSHSENALHASEEEEGEGGKAQSSLGYIPL MRVVQSVRHTTRKSSTTLREGWVVHYSNKDTLRKRHYWRLDCKCITLFQNNTTNRYYKEI PLSEILTVESAONFSLVPPGTNPHCFEIVTANATYFVGEMPGGTPGGPSGQGAEAARGLX **ETAIROALMPVILQDAPSAPGHAPHRQASLSISVSNSQIQENVDIATVYQIFPDEVLGSG** OFGVVYGGKHRKTGRDVAVKVIDKLRFPTKQESQLRNEVAILQSLRHPGIVNLECMFETP **EKVFVVMEKLHGDMLEMILSSEKGRLPERLTKFLITQILVALRHLHFKNIVHCDLKPENV** LLASADPFPOVKLCDFGFARIIGEKSFRRSVVGTPAYLAPEVLLNQGYNRSLDMWSVGVI MYVSLSGTFPFNEDEDINDQIQNAAFMYPASPWSHISAGAIDLINNLLQVKMRKRYSVDK SLSHPWLQEYQTWLDLRELEGKMGERYITHESDDARWEQFAAEHPLPGSGLPTDRDLGGA **CPPODHDMQGLAERISVL**

SEQ ID NO: 131 AA127299 H IOFIIVGAKDLLAMDSNGLSDPYIKITNLSQKTKVIKKTLTPTWNETFFVHFPEKTTLEL ECWDHDTFSDDFIGKASISLAEIPALAEVDMWIDMKTKKGEFAGK

FIGURE 1C

SEO ID NO: 132 AA316804 H MSANNSPPSAQKSVLPTAIPAVLPAASPCSSPKTGLSARLSNGSFSAPSLTNSRGSVHTV SFLLQIGLTRESVTIEAQELSLSAVKDLVCSIVYQKFPECGFFGMYDKILLFRHDMNSEN ILQLITSADEIHEGDLVEVVLSALATVEDFQIRPHTLYVHSYKAPTFCDYCGEMLWGLVR OGLKCEGCGLNYHKRCAFKI PNNCSGVRKRRLSNVSLPGPGLSVPRPLQPEYVALPSEES HVHOEPSKRIPSWSGRPIWMEKMVMCRVKVPHTFAVHSYTRPTICQYCKRLLKGLFROGM OCKDCKFNCHKRCASKVPRDCLGEVTFNGEPSSLGTDTDIPMDIDNNDINSDSSRGLDDT EEPSPPEDKMFFLDPSDLDVERDEEAVKTISPSTSNNIPLMRVVQSIKHTKRKSSTMVKE GWMVHYTSRDNLRKRHYWRLDSKCLTLFQNESGSKYYKEIPLSEILRISSPRDFTNISQG SNPHCFEIITDTMYYFVGENNGDSSHNPVLAATGVGLDVAQSWEKAIRQALMPVTPQASV - CTSPGOGKDHKDLSTSISVSNCQIQENVDISTVYQIFADEVLGSGQFGTVTGGKHRKIGR DVAIKVIDKMRFPTKQESQLRNEVAILONLHHPGIVNLECMFETPERVFVVMEKLHGDML EMILSSEKSRLPERITKFMVTQILVALRNLHFKNIVHCDLKPENVLLASAEPFPQVKLCD FGFARIIGEKSFRRSVVGTPAYLAPEVLRSKGYNRSLDMWSVGVIIYVSLSGTFPFNEDE DINDQIQNAAFMYPPNPWREISGEAIDLINNLLQVKMRKRYSVDKSLSHPWLQDYQTWLD LREFETRIGERYITHESDDARWEIHAYTHNLVYPKHFIMAPNPDDMEEDP

SEO ID NO: 133 PKNBETA H MEEGAPRQPGPSQWPPEDEKEVIRRAIQKELKIKEGVENLRRVATDRRHLGHVQQLLRSS NRRLEOLHGELRELHARI LLPGPGPGPAEPVASGPRPWAEOLRARHLEALRROLHVELKV KOGAENMTHTCASGTPKERKLLAAAOOMLRDSOLKVALLRMKISSLEASGSPEPGPELLA EELOHRLHVEAAVAEGAKNVVKLLSSRRTODRKALAEAQAQLQESSQKLDLLRLALEQLL EQLPPAHPLRSRVTRELRAAVPGYPQPSGTPVKPTALTGTLQVRLLGCEQLLTAVPGRSP AAALASSPSEGWLRTKAKHORGRGELASEVLAVLKVDNRVVGOTGWGOVAEOSWDOTFVI PLERARELEIGVHWRDWRQLCGVAFLRLEDFLDNACHQLSLSLVPQGLLFAQVTFCDPVI **ERRPRLORQERIFSKRRGQDFLRRSQMNLGMAAWGRLVMNLLPPCSSPSTISPPKGCPRT** RGPSPPASPTRKPPRLQDFRCLAVLGRGHFGKVLLVQFKGTGKYYAIKALKKQEVLSRDE IESLYCEKRILEAVGCTGHPFLLSLLVCFQTSSHARFVTEFVPGGDLMMQIHEDVFPEPQ ARFYVACVVLGLQFLHEKKI I YRDLKLDNLLLDAQGFLKIADFGLCKEGIGFGDRTSTFC GTPEFLAPEVLTOEAYTOAVDWWALGVLLYEMLVGECPFPGDTEEEVFDCIVNMDAPYPG FLSVOGLEFIQKLLQKCPEKRLGAGEQDAEEIKVQPFFRTTNWQALLARTIQPPFVPTLC GPADLRYFEGEFTGLPPALTPPAPHSLLTARQQAAFRDFDFVSERFLEP

SEQ ID NO: 134_AI021023_M PKNBETA_M LKWDNLLLDAQGFLKIADFGLCKEGIGFGDRTSTFCGTPEFLAPEVLTQEAYTRAVDWWG LGVLLYEMLVGECPFPGDTEEEVFDCIVNMDAPYPGFLSVQGLEFIQKLLQKCPEKRLGA GEQDAEEIKVQPFFRTTNWQALLARTIQPPFVPTLCGPADLRYFEGEFTGLPPALTPPAP HSLLTARQQAAFRDFDFVSERFLEP

SEQ ID NO: 135_H19102_H
GGNIRGPWARGWKSLWTGLGTIRSDLEELWELRGHHYLHQESLKPAPVLVEKPLPEWPVP
QFINLFLPEFPIRPIRGQQQLKILGLVAKGSFGTVLKVLDCTQKAVFAVKVVPKVKVLQR
DTVRQCKEEVSIQRQINHPFVHSLGDSWQGKRHLFIMCSYCSTDLYSLWSAVGCFPEASI
RLFAAELVLVLCYLHDLGIMHRDVKMENILLDERGHLKLTDFGLSRHVPQGAQAYTICGT
LQYMAPEVLSGGPYNHAADWWSLGVLLFSLATGKFPVAAERDHVAMLASVTHSDSEIPAS
LNQGLSLLLHELLCQNPLHRLRYLHHFQVHPFFRGVAFDPELLQKQPVNFVTETQATQPS
SAETMPFDDFDCDLESFLLYPIPA

FIGURE 1D

SEQ ID NO: 136 AA476563 H

MEFFRIDSKDSASELLGLDFGEKLYSLKSEPLKPFFTLPDGDSASRSFNTSESKVEFKAQ
DTISRGSDDSVPVISFKDAAFDDVSGTDEGRPDLLVNLPGELESTREAAAMGPTKFTQTN
IGIIENKLLEAPDVLCLRLSTEQCQAHEEKGIEELSDPSGPKSYSITEKHYAQEDPRMLF
VAAVDHSSSGDMSLLPSSDPKFQGLGVVESAVTANNTEESLFRICSPLSGANEYIASTDT
LKTEEVLLFTDQTDDLAKEEPTSLFQRDSETKGESGLVLEGDKEIHQIFEDLDKKLALAS
RFYIPEGCIQRWAAEMVVALDALHREGIVCRDLNPNNILLNDRGHIQLTYFSRWSEVEDS
CDSDAIERMYCAPEVGAITEETEACDWWSLGAVLFELLTGKTLVECHPAGINTHTTLNMP
ECVSEEARSLIQQLLQFNPLERLGAGVAGVEDIKSHPFFTPVDWAELMR

SEQ ID NO: 137_AA625690_H

MLPFAPQDEPWDRÉMEVFSGGASSGEVNGLKMVDEPMEGEADSCHEGVVKEIPITHE VKEGYEKADPAQFELLKVLGQGSFGKVFLVRKKTGPDAGQLYAMKVLKKASLKVRDRVRT KMERDILVEVNHPFIVKLHYAFQTEGKLYLILDFLRGGDVFTRLSKEVLFTEEDVKFYLA ELALALDHLHQLGIVYRDLKPENILLDEIGHIKLTDFGLSKESVDQEKKAYSFCGTVEYM APEVVNRRGHSQSADWWSYGVLMFEMLTGTLPFQGKDRNETMNMILKAKLGMPQFLSAEA QSLLRMLFKRNPANRLGSEGVEEIKRHLFFANIDWDKLYKREVQPPFKPASGKPDDTFCF DPEFTAKTPKDSPGLPASANAHQLFKGFSFVATSIAEEYKITPITSANVLPIVQINGNAA QFGEVYELKEDIGVGSYSVCKRCIHATTNMEFAVKIIDKSKRDPSEEIEILMRYGQHPNIITLKDVFDDGRYVYLVTDLMKGGELLDRILKQKCFSEREASDILYVISKTVDYLHCQGVVHRDLKPSNILYMDESASADSIRICDFGFAKQLRGENGLLLTPCYTANFVAPEVLMQQGYDAACDIWSLGVLFYTMLAGYTPFANGPNDTPEEILLRIGNGKFSLSGGNWDNISDGAKDLL SHMLHMDPHQRYTAEQILKHSWITHRDQLPNDQPKRNDVSHVVKGAMVATYSALTHKTFQPVLEPVAASSLAQRRSMKKRTSTGL

SEO ID NO: 138 AA215680 H

MSLVACECLPSPGLEPEPCSRARSQAHVYLEQIRNRVALGVPDMTKRDYLVDAATQIRLA
LERDVSEDYEAAFNHYQNGVDVLLRGISVDENKE-REAVERITKYLKE AEEIFNCHLOR
PLSSGASPSAGFSSLRLRPIRTLSSAVEQLRGCRVVGVIEKVQLVQDPATGGTFVVKSLP
RCHMVSRERLTIIPHGVPYMTKLLRYFVSEDSIFLHLEHVQGGTLWSHLLSQAHSRHSGL
SSGSTQERMKAQLNPHLNLLTPARLPSGHAPGQDRIALEPPRTSPNLLLAGEAPSTRPQR
EAEGEPTARTSTSGSSDLPKAPGGHLHLQARRAGQNSDAGPPRGLTWVPEGAGPVLGGCG
RGMDQSCLSADGAGRGCGRATWSVREEQVKQWAAEMLVALEALHEQGVLCRDLHPGNLLL
DQAGHIRLTYFGQWSEVEPQCCGEAVDNLYSAPEVGGISELTEACDWWSFGSLLYELLTG
MALSQSHPSGIQAHTQLQLPEWLSRPAASLLTELLQFEPTRRLGMGEGGVSKLKSHPFFS
TIOWSKLVG

SEQ ID NO: 139 SGK H

MTVKTEAAKGTLTYSRMRGMVAILIAFMKQRRMGLNDFIQKIANNSYACKHPEVQSILKI SQPQEPELMNANPSPPPSPSQQINLGPSSNPHAKPSDFHFLKVIGKGSFGKVLLARHKAE EVFYAVKVLQKKAILKKKEEKHIMSERNVLLKNVKHPFLVGLHFSFQTADKLYFVLDYIN GGELFYHLQRERCFLEPRARFYAAEIASALGYLHSLNIVYRDLKPENILLDSQGHIVLTD FGLCKENIEHNSTTSTFCGTPEYLAPEVLHKQPYDRTVDWWCLGAVLYEMLYGLPPFYSR NTAEMYDNILNKPLQLKPNITNSARHLLEGLLQKDRTKRLGAKDDFMEIKSHVFFSLINW DDLINKKITPPFNPNVSGPNELRHFDPEFTEEPVPNSIGKSPDSVLVTASVKEAAEAFLG FSYAPPTDSFL

SEQ ID NO: 140 AA107515 M

MTVKAEAARSTLTYSRMRGMVAILIAFMKQRRMGLNDFIQKIASNTYACKHAEVQSILKM SHPQEPELMNANPSPPPSPSQQINLGPSSNPHAKPSDFHFLKVIGKGSFGKVLLARHKAE

FIGURE 1E

EVFYAVKVLQKKAILKKKEEKHIMSERNVLLKNVKHPFLVGLHFSFQTADKLYFVLDYIN GGELFYHLQRERCFLEPRARFYAAEIASALGYLHSLNIVYRDLKPENILLDSQGHIVLTD XFQLRRIEHNGTTSTFCGTPEYLAPEVLHKQPYDRTVDWWCLGAVLYEMLYGLPPFYSRN TAEMYDNILNKPLQLKPNITNSARHLLEGLLQKDRTKRLGAKDDFMEIKSHIFFSLINWD DLINKKITPPFNPNVSGPSDLRHFDPEFTEEPVPSSIGRSPDSILVTASVKEAAEAFLGF SYAPPVDSFL

SEQ ID NO: 141 AA109508 M

HLQRERFLEPRARFYAAEVASAIGYLHSLNIIYRDLKPENILLDCQGHVVLTDFGLCKE GVEPEDTTSTFCGTPEYLAPEVLRKEPYDRAVDWWCLGAVLYEMLHGLPPFYSQDVSQMY ENILHQPLQIPGGRTVAACDLLQSLLHKDQRQRIGSKADFLEIKNHVFFSPINWDDLYHK RLTPPFNPNVTGPADLKHFUFFFTQEAVSASIGCTPDTVASSSGASSAFLGFSYAPEDDD ILDC

SEQ ID NO: 142 AA887783 H

MQRDHTMDYKESCPSVXIPSSDEHREKKKRFTVYKVLVSVGRSEWFVFRRYAEFDKLYNT LKKQFPAXALKIPAKRIFGDNFDPDFIKQRRAGLNEFIQNLVRYPELYNHPDVRAFLQMD SPKHQSDPSEDEDERSSQKLHSTSQNINLGPSGNPHAKPTDFDFLKVIGKGSFGKVLLAK RKLDGKFYAVKVLQKKIVLNRKEQKHIMAERNVLLKNVKHPFLVGLHYSFQTTEKLYFVL DFVNGGEGHVVLTDFGLCKEGIAISDTTTTFCGTPEYLAPEVIRKQPYDNTVDWWCLGAV LYEMLYGLPPFYCRDVAEMYDNILHKPLSLRPGVSLTAWSILEELLEKDRQNRLGAKEDF LEIQNHPFFESLSWADLVQKKIPPPFNPNVAGPDDIRNFDTAFTEETVPYSVCVSSDYSI VNASVLEADDAFVGFSYAPPSEDLFL

SEQ ID NO: 143 R47805 H

MAHQTGIHATEELKEFFAKARAGSVRLIKVVIEDEQLVLGASQEPVGRWDQDYDRAVLPL LDAQQPCYLLYRLDSONAQGFEWLFLAWSPDNSPVRLKMLYAATRATVKKEFGGCHIKDE DFGTVKDDUSBAGYQKHLSSCNAPAPLTSAERELQGIBINEVETETSVESKEGELGGEFAF FLQPEAQRALQQLKQKMVNYIQMKLDLERETIELVETEPTDVAQLPSEVPRDAARYKFFL YKHTHEGDPLESVVFIYSMPGYKCSIKERMLYSSCKSRLLDSVEQDFHLEIAKKIEIGDG AELTAEFLYDEVHPKOHAFKOAFAKPKGPGGKRGHKRLIRGPGENGDDS

SEQ ID NO: 144 H60215 H

MSKLRMKRRASDRGAGETSARAKALGSGISGNNAKRAGPFILGPRLGNSPVPSIVQCLAR KDGTDDFYQLKILTLEERGDQGIESQEERQGKMLLHTEYSLLSLLHTQDGVVHHHGLFQD RTCEIVEDTESSRMVKKMKKRICLVLDCLCAHDFSDKTADLINLQHYVIKEKRLSERETV VIFYDVVRVVEALHQKNIVHRDLKLGNMVLNKRTHRITITNFCLGKHLVSEGDLLKDQRG SPAYISPDVLSGRPYRGKPSDMWALGVVLFTMLYGQFFFYDSIPQELFRKIKAAEYTIPE DGRVSENTVCLIRKLLVLDPQQRLAAADVLEALSAIIASWQSLSSLSGPLQVVPDIDDQM SNADSSQEAKVTEECSQYEFENYMRQQLLLAEEKSSIHDTRSWVPKRQFGSAPPVRRLGH DAOPMTSLDTAILAQRYLRK

SEQ ID NO: 145 SGK324 H

MASTRSIELEHFEERDKRPRPGSRRGAPSSSGGSSSSGPKGNGLIPSPAHSAHCSFYRTR
TLQALSSEKKAKKARFYRNGDRYFKGLVFAISSDRFRSFDALLIELTRSLSDNVNLPQGV
RTIYTIDGSRKVTSLDELLEGESYVCASNEPFRKVDYTKNINPNWSVNIKGGTSRALAAA
SSVKSEVKESKDFIKPKLVTVIRSGVKPRKAVRILLNKKTAHSFEQVLTDITEAIKXASG
VVKRLCTLDGKQVRVTCVHLPDFFGDDDVFIACGPEKFRYAQDDFVLDHSECRVLKSSYS
RSSAVKYSGSKSPGPSRRSQISAHGRSSSNVNGGPELDRCISPEGVNGNRCSESSTLLEK
YKIGKVIGDGNFAVVKECIDRSTGKEFALKIIDKAKCCGKEHLIENEVSILRRVKHPNII

FIGURE 1F

MLVEEMETATELFLVMELVKGGDLFDAITSSTKYTERDGSAMVYNLANALRYLHGLSIVH RDIKPENLLVCEYPDGTKSLKLGDFGLATVVEGPLYTVCGTPTYVAPXIIAETGYGLKVD IWAAGVITYILLCGFPPFRSENNLQEDLFDQILAGKLEFPAPYWDNITDSAKELISQMLQ VNVEARCTAGQILSHPWVSDDASQENNMQAEVTGKLKQHFNNALPKQNSTTTGVSVIMVS GRROVWPDCGAGLEVFELGSRELPSHGSWCLP

SEQ ID NO: 146_W30246_M SGK324_M
TKSSSSPTSPGSFRGLKISAQGRSSSNVNGGPELDRCLSPEGVNGNRCSESFPLLEKYR
IGKVIGDGNFAVVKECVDRYTGKEFALKIIDKAKCCGKEHLIENEVSILRRVKHPNIIML
VEEMETATDLFLVMELVKGGDLFDAITSSTKYTERDGSAMVYNLANALRYLHSLSIVHRD
IKPENLLVCEYPDGTKSLKLGDFGLATVVEGPLYTVCGTPTYVAPELIAETGYGLKVDVW
AAGVITYILLCGFPPFRSENNLQEDLFDQILAGKLEFPAFFNDNITDSPCVCFPKCM

SEQ ID NO: 147_AA383293_H
PAAKRVVVYRNGDPFFPGSQLVVTQRRFPTMEAFLCEVTSAVQAPLAVRALYTPCHGHPV
TNLADLKNRGQYVAAGFERFHKLPPYQAFCLSVFRNGDLVSPPFSLKLSQAASQDWETVL
KLLTEKVKLQSGAVRLCTLEGLPLSAGKELVTGHYYVAVGEDEFKDLPYPALSTRGLLAA
GNEAHLRSGVGTVAGSPKPLGRKAKKETCLIVTLTLKYQQSETSRDGQSFPSGVIGVYGA
PHRRKETAGALEVADDEDTQTEEPLDQRAAQIVEQVTCLQDFFGDDDVFIACGPEKFRYA
QDDFVLDHSRRRLLREHQAGFEKLRRTRGEEKEAEKEKKPCMSGGRRMTLRDDQPAKLEK
EPKTRPEENKPERPSGRKPRPMGIIAANVEKHYETGRVIGDGNFAVVKECRHRETRQAYA
MKIIDKSRLKGKEDMVDSEILIIQSLSHPNIVKLHEVYETDMEIYLILEYVQGGDLFDAI
IESVKFPEPDAALMIMDLCKALVHMHDKSIVHRDLKPENLLVQRNEDKSTTLKLADFGLA
KHVVRPIFTVCGTPTYVAPEILSEKGYGLEVDMWAAGVILYILLCGFPPFRSPXXGDQDE
LFNIIQLGHFEFLPPYWDNISDAAKDLVSRLLVVDPKKRYTAHQVLQHPWIETAGKTNTV
KROKOVSPSSDGHFRSQHKRVVEQVS

MPTAPVLRPPPPATPAPPAPSRPAPPIPGHRGPCDHSLKCLSSKISERKLPGF#LFAGR
GPLEKPVLGPRGAVMPLFSPQSSLHSVRAEHSPLKPRVVTVVKLGGQPLRKATLLLNRRS
VQTFEQLLSDISEALGFPRWKNDRVRKLFTLKGREVKSVSDFFREGDAFIAMGKEPLTLK
SIQLAMEELYPKNRALALAPHSRVPSPRLRSRLPSKLLKGSHRCGEAGSYSAEMESKAVS
RHQGKTSTVLAPEDKARAQKWVRGKQESEPGGPPSPGAATQEETHASGEKHLGVEIEKTS
GEIVRCEKCKRERELQLGLQREPCPLGTSELDLGRAQKRDSEKLVRTKSCRRPSKAKFTD
GEEGWKGDSHRGSPRDPPQEMRRPNSNSDKKEIRGSESQDSYPQGAPKAQKDFVEGPPAV
EEGPIDMRREDRHTCRSKHAAWLRREQQAEPPQLPRTRGEEKQAEHEKKPGGLGERRAPE
KESKRKLEEKRPERPSGRKPRPKGIISADVEKHYDIGGVIGDGNFATVKECRHRETKQAY
AMKMIDKSQLKGKEDIVDSEILIIQSLSHPNIVKLHEVYETEAEIYLIMEYVQGGDLFDA
IVENVKFPEPEAAVMITDLCKAFVHMHDKNIVHRDVKPENLLVQRNEDKSITLKLADFGL
AKYVVRPIFTVCGTPTYVAPEILSEKGYGLEVDMWAAGVILYILLCGFPPFRSPERDQDE
LFNIIQVGQFEFLSPYWDNISDAAKDLVRNLLEVDPKKRYTAEQVLQHPWIEMVGHTNTG
NSQKEESPNSLGHFQSQHKKVAEQMP

SEQ ID NO: 149_DRAK2_H
MSRRRFDCRSISGLITTTPQIPIKMENFNNFYILTSKELGRGKFAVVRQCISKSTGQEYA
AKFLKKRRRGQDCRAEILHEIAVLELAKSCPRVINLHEVYENTSEIILILEYAAGGEIFS
LCLPELAEMVSENDVIRLIKQILEGVYYLHQNNIVHLDLKPQNILLSSIYPLGDIKIVDF
GMSRKIGHACELREIMGTPEYLAPEILNYDPITTATDMWNIGIIAYMLLTHTSPFVGEDN
OETYLNISQVNVDYSEETFSSVSQLATDFIQSLLVKNPEKRPTAEICLSHSWLQQWDFEN

FIGURE 1G

LFHPEETSSSSQTQDHSVRSSEDKTSKSSCNGTCGDREDKENIPEDSSMVSKRFRFDDSLPNPHELVSDLLC

SEQ ID NO: 150_W44160_M DRAK2_M
MSRRRFDCRSVSGLLTTTPQTPIKTENFNNFYTLTPKELGRGKFAVVRQCISKSTGQEYA
AKSLKKRRGQDCRAEILHEIAVLELARSCPHVINLHEVYENATEIILVLEYAAGGEIFN
LCLPELAEMVSENDVIRLIKQILEGVHYLHQNNIVHLDLKPQNILLSSIYPLGDIKIVDF
GMSRKIGNASELREIMGTPEYLAPEILNYDPITTATDMWNIGIIAYMLLTHTSPFVGEDN
QETYLNISQVNVDYSEEMFSSVSQLATDFIQSLLVKNPEKRPTAESCLSHSWLQQWDFGS
LFHPEETSGSSQIQDLTLRSSEEKTSKSSCNGSCGAREDKENIPEDGSLVSKRFRFDDSL
PSPHELVPDLFC

and the property of the second

SEQ ID NO: 151_H01248_H, DRAK1_H
MIPLEKPGSGGSSPGATSGSGRAGRGLSGPCRPPPPPQARGLLTEIRAVVRTEPFQDGYS
LCPGRELGRGKFAVVRKCIKKDSGKEFAAKFMRKRRKGQDCRMEIIHEIAVLELAQDNPW
VINLHEVYETASEMILVLEYAAGGEIFDQCVADREEAFKEKDVQRLMRQILEGVHFLHTR
DVVHLDLKPQNILLTSESPLGDIKIVDFGLSRILKNSEELREIMGTPEYVAPEILSYDPI
SMATDMWSIGVLTYVMLTGISPFLGNDKQETFLNISQMNLSYSEEEFDVLSESAVDFIRT
LLVKKPEDRATAEECLKHPWLTQSSIQEPSFRMEKALEEANALQEGHSVPEINSDTDKSE
TEESIVTEELIVVTSYTLGQCRQSEKEKMEQKAISKRFKFEEPLLOEIPGEFIY

SEQ ID NO: 152 AA021445 H MPARIGYYEIDRTIGKGNFAVVKRATHLVTKAKVAIKIIDKTOLDEENLKKIFREVOIMK MLCHPHIIRLYQVMETERMIYLVTEYASGGEIFDHLVAHGRMAEKEARRKFK0IVTAVYF CHCRNIVHRDLKAENLLLDANLNIKIADFGFSNLFTPGOLLKTWCGSPPYAAPELFEGKE YDGPKVDIWSLGVVLYVLVCGALPFDGSTLONLRARVLSGKFRIPFFMSTECEHLIRHML VLDPNKRLSMEQICKHKWMKLGDADPNFDRLIAECQQLKEERQVDPLNEDVLLAMEDMGL DKECTLOSLRSPAYDHYSALYSLLCDREKRHKTLRLGALFSMPRALAFQAPVVFFARDAS TAMNISVPQVQLINPENGIVEPDGTLNLDSDEGEEPSPEALVRYLSMRRHTVGVADPRTE VMEDLOKILPGFPGVNPOAPFLOVAPNVNFMHNLLPMONLOPTGOLEYKEOSLLOPPTLO LLNGMGPLGRRASDGGANIQLHAQQLLKRPRGPSPLVTMTPAVPAVTPVDEESSDGEPDO EAVORYLANRSKRHTLAMTNPTAEI PPDLQRQLGQQPFRSRVWPPHLVPDQHRSTYKDSN TLHLPTERFSPVRRFSDGAASIQAFKAHLEKMGNNSSIKQLQQECEQLQKMYGGQIDERT LEKTQOOHMLYQQEQHHQILQQQIQDSICPPOPSPPLQAACENOPALLTHQLQRLRIQPS SPPPNHPNNHLFRQPSNSPPPMSSAMIQPHGAASSSQFQGLPSRSAIFQQQPENCSSPPN VALTCLGMQQPAQSQQVTIQVQEPVDMLSNMPGTAAGSSGRGISISPSAGQMQMQHRTNL MATLSYGHRPLSKQLSADSAEAHSLNVNRFSPANYDOAHLHPHLFSDOSRGSPSSYSPST GVGFSPTQALKVPPLDQFPTFPPSAHQQPPHYTTSALQQALLSPTPPDYTRHQQVPHILO GLLSPRHSLTGHSDIRLPPTEFAQLIKRQQQQRQQQQQQQQQEYQELFRHMNQGDAGSL APSLGGOSMTERQALSYONADSYHHHTSPOHLLQIRAQECVSQASSPTPPHGYAHOPALM HSESMEEDCSCEGAKDGFQDSKSSSTLTKGCHDSPLLLSTGGPGDPESLLGTVSHAQELG IHPYGHQPTAAFSKNKVPSREPVIGNCMDRSSPGQAVELPDHNGLGYPARPSVHEHHRPR ALORHHTIONSDDAYVQLDNLPGMSLVAGKALSSARMSDAVLSQSSLMGSQOFQDGENEE CGASLGGHEHPDLSDGSQHLNSSCYPSTCITDILLSYKHPEVSFSMEQAGV

SEQ ID NO: 153_2R22-5-11_H
MTAVYMNGGGLVNPHYARWDRRDSVESGCQTESSKEGEEGQPRQLTPFEKLTQDMSQDEK
VVREITLGKRIGFYRIRGEIGSGNFSQVKLGIHSLTKEKVAIKILDKTKLDQKTQRLLSR
EISSMEKLHHPNIIRLYEVVETLSKLHLVMEYAGGGELFGKISTEGKLSEPESKLIFSQI
VSAVKHMHENQIIHRDLKAENVFYTSNTCVKVGDFGFSTVSKKGEMLNTFCGSPPYAAPE

FIGURE 1H

LFRDEHYIGIYVDIWALGVLLYFMVTGTMPFRAETVAKLKKSILEGTYSVPPHVSEPCHR LIRGVLQQIPTERYGIDCIMNDEWMQGVPYPTPLEPFQLDPKHLSETSTLKEEENEVKST LEHLGITEEHIRNNQGRDARSSITGVYRIILHRVQRKKALESVPVMMLPDPKERDLKKGS RVYRGIRHTSKFCSIL

SEQ ID NO: 154_R31237_1_H, AAC33487

MSTRTPLPTVNERDTENHTSHGDGRQEVTSRTSRSGARCRNSIASCADEQPHIGNYRLLK

TIGKGNFAKVKLARHILTGREVAIKIIDKTQLNPTSLQKLFREVRIMKILNHPNIVKLFE

VIETEKTLYLIMEYASGGEVFDYLVAHGRMKEKEARSKFRQIVSAVQYCHQKRIVHRDLK

AENLLLDADMNIKIADFGFSNEFTVGGKLDTFCGSPPYAAPELFQGKKYDGPEVDVWSLG

VILYTLVSGSLPPDGQNLKELRERVLRGKYRIPFYMSTDCENLLKRFLVLNPIKRGTLEQ

TMKDRWINAGHEEDELKPFVEPELDISDQKRIDIMVGMGYSQEEIQLSTENGKYDEITAT

YLLLGRKSSELDASDSSSSSNLSLAKVRPSSDLNNSTGQSPHHKVQRSVSSSQKQRRYSD

HAGPAIPSVVAYPKRSQTSTADGDLKEDGISSRKSSGSAVGGKGIAPASPMLGNASNPNK

ADIPERKKSSTVPSSNTASGGMTRRNTYVCSERTTADRHSVIQNGKENSTIPDQRTPVAS

THSISSAATPDRIRFPRGTASRSTFHGQPRERRTATYNGPPASPSLSHEATPLSQTRSRG

STNLFSKLTSKLTRSRNVSAEQKDENKEAKPRSLRFTWSMKTTSSMDPGDMMREIRKVLD

ANNCDYEQRERFLLFCVHGDGHAENLVQWEMEVCKLPRLSLNGVRFKRISGTSIAFKNIA

SKIANELKL

SEQ ID NO: 155_W90839_M

KGPSWSSRSLGARCRNSIASCPEEQPHVGNYRLLRTIGKGNFAKVKLARHILTGREVAIK

IIDKTQLNPSSLQKLFREVRIMKGLNHPNIVKLFEVIETEKTLYLVMEYASAGEVFDYLV

SHGRMKEKEARAKFRQIVSAVHYCHQKNIVHRDLKAENLLLDAEANIKIADFGFSNEFTL

GSKLDTFCGSPPYAAPELFQGKKYDGPEVDIWSLGVILYTLVSGSLPFDGHNLKELRERV

LRGKYRVPFYMSTDCESILRRFLVLNPAKRCTLEQIMKDKWINIGYEGEELKPDTELKEE

RMPGRKASCSAVGSGSRGLPPSSPMVSSAHNPNKAEIPERRKDSTSTPNNLPPSMMTRRN

TYVCTERPGSERPSLIGNIGKENSSGESRYPPASGSSGSLAPPSGERSRLARGSTIRSTFH

GGQVRDRRAGSGSGGGVQNGPPASPTLAHEAAPLFSGRPRPTTNLFTKLTSKLTRRVTDE

PERIGGPEVTSCHLPWDKTETAPRLLRFPWSVKLTSSRPS

SEO ID NO: 156 406786.5 H MEVGGLTVFEEDORCLSQSLPLPVSAEGPAAOTTAEPSRSFSSAHRHLSRRNGLSRLCOS RTALSEDRWSSYCLSSLAAQNICTSKLHCPAAPEHTDPSEPRGSVSCCSLLRGLSSGWSS PLLPAPVCNPNKAIFTVDAKTTEILVANDKACGLLGYSSODLIGOKLTOFFLRSDSDVVE **ALSEEHMEADGHAAVVFGTVVDIITRSGEKIPVSVWMKRMRQERRLCCVVVLEPVERVST** WVAFQSDGTITSCDSLFAHLHGYVSGEDVAGQHITDLIPSVQLPPSGQHIPKNLKIQRSV GRARDGTTFPLSLKLKSQPSSEEATTGEAAPVSGYRASVWVFCTISGLITLLPDGTIHGI NHSFALTLFGYGKTELLGKNITFLIPGFYSYMDLAYNSSLQLPDLASCLDVGNESGCGER TLDPWQGQDPAEGGQDPRINVVLAGGHVVPRDEIRKLMESODIFTGTOTELIAGGOLLSC LSPQPAPGVDNVPEGSLPVHGEQALPKDQQITALGREEPVAIESPGQDLLGESRSEPVDV KPFASCEDSEAPVPAEDGGSDAGMCGLCQKAQLERMGVSGPSGSDLWAGAAVAKPQAKGO LAGGSLLMHCPCYGSEWGLWWRSQDLAPSPSGMAGLSFGTPTLDEPWLGVENDREELOTC LIKEOLSOLSLAGALDVPHAELVPTECOAVTAPVSSCDLGGRDLCGGCTGSSSACYALAT DLPGGLEAVEAOEVDVNSFSWNLKELFFSDOTDOTSSNCSCATSELRETPSSLAVGSDPD VGSLQEQGSCVLDDRELLLLTGTCVDLGQGRRFRESCVGHDPTEPLEVCLVSSEHYAASD RESPGHVPSTLDAGPEDTCPSAEEPRLNVQVTSTPVIVMRGAAGLQREIQEGAYSGSCYH RDGLRLSIOFEVRRVELOGPTPLFCCWLVKDLLHSQRDSAARTRLFLASLPGSTHSTAAE LTGPSLVEVLRARPWFEEPPKAVELEGLAACEGEYSQKYSTMSPLGSGAFGFVWTAVDKG KNKEVVVKFIKKEKVLEDCWIEDPKLGKVTLEIAILSRVEHANIIKVLDIFENOGFFOLV

FIGURE 11

MEKHGSGLDLFAFIDRHPRLDEPLASYIFRQVRAGQSRLVSAVGYLRLKDIIHRDIKDEN IVIAEDFTIKLIDFGSAAYLERGKLFYTFCGTIEYCAPEVLMGNPYRGPELEMWSLGVTL YTLVFEENPFCELEETVEAAIHPPYLVSKELMSLVSGLLQPVPERRTTLEKLVTDPWVTQ PVNLADYTWEEVFRVNKPESGVLSAASLEMGNRSLSDVAQAQELCGGPVPGEAPNGQGCL HPGDPRLLTS

SEQ ID NO: 157_AA544838_M 406786_M
TRPHPCLDEPLASFIFRQLVSAVGYLHSQGIIHRDIKDENIVIAEDFTIKLIDFGSAAYL
ERGKLFYTFCGTIEYCAPEVLIGNPYRGPELEMWSLGVTLYTLIFEENPFCEVEETMEAV
IHPPFLVSQELMSLLSGLLQPCPEQRTTLEKLIRDPWVTQPVNLASYTWEEVCRTNQPES
GLLSAASLEIGSPSPSEMAQREGICGPPAPRETRGDQHCLHLKDPSLPVS

SEQ ID NO: 158 AA785735 H MVMADGPRHLQRGPVRVGFYD1EGTLGKGNFAVVKLGRHR1TKTEVA1K11DKSQLDAVN LEKIYREVQIMKMLDHPHIIKLYQVMETKSMLYLVTEYAKNGEIFDYLANHGRLNESEAR RKFWOILSAVDYCHGRKIVHRDLKAENLLLDNNMNIKIADFGFGNFFKSGELLATWCGSP PYAAPEVFEGOOYEGPOLDIWSMGVVLYVLVCGALPFDGPTLPILRQRVLEGRFRIPYFM SEDCEHLIRRMLVLDPSKRLTIAQIKEHKWMLIEVPVQRPVLYPQEQENEPSIGEFNEQV LRLMHSLGIDQQKXIESLQNKSYNHFAAIYFLLVERLKSHRSSFPVEQRLDGRQRRPSTI **AEQTVAKAQTVGLPVTMHSPNMRLLRSALLPQASNVEAFSFPASGCQAEAAFMEEECVDT** PKVNGCLLDPVPPVLVRKGCQSLPSNMMETSIDEGLETEGEAEEDPAHAFEAFQSTRSGQ RRHTLSEVTNQLVVMPGAGKIFSMNDSPSLDSVDSEYDMGSVQRDLNFLEDNPSLKDIMLANOPSPRMTSPFISLRPTNPAMQALSSQKREVHNRSPVSFREGRRASDTSLTQGIVAFRQ HLONLARTKGILELNKVQLLYEQIGPEADPNLAPAAPQLQDLASSCPQEEVSQQQESVST LPASVHPQLSPRQSLETQYLQHRLQKPSLLSKAQNTCQLYCKEPPRSLEQQLQEHRLQQK ${\tt RLFLQKQSQLQAYFNQMQIAESSYPQPSQQLPLPRQETPPPSQQAPPFSLTQPLSPVLEP}$ ${\tt SSEQMQYSPFLSQYQEMQLQPLPSTSGPRAAPPLPTQLQQQQPPPPPPPPPPRQPGAAPA}$ ·PLOFSYOTCELPSAASPAPDYPTPCQYPVDGAQQSDY: "GPDCPRSPGLQEAPSSYD?" AL SELPGLFDCEMLDAVDPQHNGYVLVN

SEQ ID NO: 159_AA207220_H

MESLVFARRSGPTPSAAELARPLAEGLIKSPKPLMKKQAVKRHHHKHNLRHRYEFLETLG

KGTYGKVKKARESSGRLVAIKSIRKDKIKDEQDLMHIRREIEIMSSLNHPHIIAIHEVFE

NSSKIVIVMEYASRGDLYDYISERQQLSEREARHFFRQIVSAVHYCHQNRVVHRDLKLEN

ILLDANGNIKIADFGLSNLYHQGKFLQTFCGSPLYASPEIVNGKPYTGPEVDSWSLGVLL

YILVHGTMPFDGHDHKILVKQISNGAYREPPKPSDCLXGLIRWLLMVNPTRRATLEDVAS

HWWVNWGYATRVGEQEAPHEGGHPGSDSARASMADWLRRSSRPLLENGAKVCSFFKQHAP

GGGSTTPGLERQHSLKKSRKENDMAQSLHSDTADDTAHRPGKSNLKLPKGILKKKVSASA

EGVQEDPPELSPIPASPGQAAPLLPKKGILKKPRQRESGYYSSPEPSESGELLDAGDVFV

SGDPKEQKPPQASGLLLHRKGILKLNGKFSQTALELAAPTTFGSLDELAPPRPLARASRP

SGAVSEDSILSSESFDQLDLPERLPEPPLRGCVSVDNLTGLEEPPSEGPGSCLRRWRQDP

LGDSCFSLTDCQEVTATYRQALRVCSKLT

SEQ ID NO: 160_AA426580_H, MAK_V_H
MPAAAGDGLLGEPAAPGGGGGAEDAARPAAACEGSFLPAWVSGVPRERLRDFQHHKRVGN
YLIGSRKLGEGSFAKVREGLHVLTGEKVAIKVIDKKRAKKDTYVTKNLRREGQIQQMIRH
PNITQLLDILETENSYYLVMELCPGGNLMHKIYEKKRLEESEARRYIRQLISAVEHLHRA
GVVHRDLKIENLLLDEDNNIKLIDFGLSNCAGILGYSDPFSTQCGSPAYAAPELLARKKY
GPKIDVWSIGVNMYAMLTGTLPFTVEPFSLRALYQKMVDKEMNPLPTQLSTGAISFLRSL
LEPDPVKRPNIQQALANRWLNENYTGKVPCNVTYPNRISLEDLSPSVVLHMTEKLGYKNS

FIGURE 1J

DVINTVLSNRACHILAIYFLLNKKLERYLSGKSDIQDSLCYKTRLYQIEKYRAPKESYEA SLDTWTRDLEFHAVQDKKPKEQEKRGDFLHRPFSKKLDKNLPSHKQPSGSLMTQIQNTKA LLKDRKASKSSFPDKDSFGCRNIFRKTSDSNCVASSSMEFIPVPPPRTPRIVKKPEPHQP GPGSTGIPHKEDPLMLDMVRSFESVDRDDHVEVLSPSHHYRILNSPVSLARRNSSERTLS PGLPSGSMSPLHTPLHPTLVSFAHEDKNSPPKEEGLCCPPPVPSNGPMQPLGSPNCVKSR GRFPMMGIGQMLRKRHQSLQPSADRPLEASLPPLQPLAPVNLAFDMADGVKTQC

SEO ID NO: 161 Z36720 H MDTKLNMLNEKVDQLLHFQEDVTEKLQSMCRDMGHLERGLHRLEASRAPGPGGADGVPHI DTOAGWPEVLELVRAMQQDAAQHGARLEALFRMVAAVDRAIALVGATFQKSKVADFLMQG RVPWRRGSPGDSPEEWVKEEEVCFMPPVPPAPGAAGQSLQKDKGFLSAEQGIWATLMTLV INVTAANKERVEBEGGKPKIIVLSTSGVQSDAKEPGEBSQKADVLEGTAFRLPPIFAGGLG ADPAOAVVSPGOGDGVPGPAQAFPGHLPLPTKVEAKAPETPSENLRTGLELAPAPGRVNV VSPSLEVAPGAGOGASSSRPDPEPLEEGTRLTPGPGPQCPGPPGLPAQARATHSGGETPP RAALLKGAVAPGFSRRDLVFPSIFCACLGISIHIQEMDTPGEMLMTGRGSLGPTLTTEAP **AAAOPGKOGPPGTGRCLQAPGTEPGEQTPEGARELSPLQESSSPGGVKAEEEQRAGAEPG** TRPSLARSDDNDHEVGALGLQQGKSPGAGNPEPEQDCAARAPVRAEAVRRMPPGAEAGSV VLDDSPAPPAPFEHRVVSVKETSISAGYEVCQHEVLGGGRFGQVHRCTEKSTGLPLAAKI ${\tt IKVKSAKDREDVKNEINIMNQLSHVNLIQLYDAFESKHSCTLVMEYVDGGELFDRITDEK}$ YHLTELDVVLFTRQICEGVHYLHQHYILHLDLKPENILCVNQTGHQIKIIDFGLARRYKP REKLKVNFGTPEFLAPEVVNYEFVSFPTDMWSVGVITYMLLSGLSPFLGETDAETMNFIV NCSWDFDADTFEGLSEEAKDFVSRLLVKEKSCRMSATOCLKHEWLNNLPAKASRSKTRLK SOLLLOKYIAQRKWKKHFYVVTAANRLRKFPTSP

SEQ ID NO: 162 SGK088 H GEMALFECTVAGPTDVEVDWLCRGRLLQPALLKCKMHFDGRKCKLLLTSVHEDDSGVYTC KLSTAKDELTCSAPLTVRPSLAPLFTRLLEDVEVLEGRAARFDCKISGTPPPVVTWTHFG CPMESSENTRLRODGGLHSLHIAHVGSEDEGLYAVSAVNSEGOAHC CAQUY «ZEFPTAAS GPSSKLEKMPSIPEEPEOGELERLSIPDFLRPLODLEVGLAKEAMLECQVTGLPYP1ISW FHNGHRIOSSDDRRMTOYRDVHRLVFPAVGPQHAGVYKSVIANKLGKAACYAHLYVTDVV PGPPDGAPQVVAVTGRMVTLTWNPPRSLDMAIDPDSLTYTVQHQVLGSDQWTALVTGLRE PGWAATGLRKGVOHIFRVLSTTVKSSSKPSPPSEPVQLLEHGPTLEEAPAMLDKPDIVYV VEGQPASVTVTFNHVEAQVVWRSCRGALLEARAGVYELSQPDDDQYCLRICRVSRRDMGA LTCTARNRHGTOTCSVTLELAEAPRFESIMEDVEVGAGETARFAVVVEGKPLPDIMWYKD EVLLTESSHVSFVYEENECSLVVLSTGAQDGGVYTCTAQNLAGEVSCKAELAVHSAQTAM **EVEGVGEDEDHRGRRLSDFYDIHQEIGRGAFSYLRRIVERSSGLEFAAKFIPSQAKPKAS** <u>ARREARLLARLOHDCVLYFHEAFERRGLVIVTELCTEELLERIARKPTVCESEIRAYMR</u> OVLEGIHYLHQSHVLHLDVKPENLLVWDGAAGEQQVRICDFGNAQELTPGEPQYCQYGTP **EFVAPEIVNOSPVSGVTDIWPVGVVAFLCLTGISPFVGENDRTTLMNIRNYNVAFEETTF** LSLSREARGFLIKVLVQDRLRPTAEETLEHPWFKTQAKGAEVSTDHLKLFLSRRRWQRSQ ISYKCHLVLRPIPELLRAPPERVWVTMPRRPPPSGGLSSSSDSEEEELEELPSVPRPLQP EFSGSRVSLTDIPTEDEALGTPETGAATPMDWQEQGRAPSQDQEAPSPEALPSPGQEPAA GASPRRGELRRGSSAESALPRAGPRELGRGLHKAASVELPQRRSPGPGATRLARGGLGEG EYAQRLQALRQRLLRGGPEDGKVSGLRGPLLESLGGRARDPRMARAASSEAAPHHQPPLE NRGLQKSSSFSQGEAEPRGRHRRAGAPLEIPVARLGARRLQESPSLSALSEAQPSSPARP SAPKPSTPKSAEPSATTPSDAPQPPAPQPAQDKAPEPRPEPVRASKPAPPPQALQTLALP LTPYAQIIQSLQLSGHAQGPSQGPAAPPSEPKPHAAVFARVASPPPGAPEKRVPSAGGPP VLAEKARVPTVPPRPGSSLSSSIENLESEAVFEAKFKRSRESPLSLGLRLLSRSRSEERG PFRGAEEEDGIYRPSPAGTPLELVRRPERSRSVQDLRAVGEPGLVRRLSLSLSQRLRRTP PAORHPAWEARGGDGESSEGGSSARGSPVLAMRRRLSFTLERLSSRLQRSGSSEDSGGAS

FIGURE 1K

GRSTPLFGRLRRATSEGESLRRLGLPHNQLAAQAGATTPSAESLGSEASATSGSSAPGES
RSRLRWGFSRPRKDKGLSPPNLSASVQEELGHQYVRSESDFPPVFHIKLKDQVLLEGEAA
TLLCLPAACPAPHISWMKDKKSLRSEPSVIIVSCKDGRQLLSIPRAGKRHAGLYECSATN
VLGSITSSCTVAVARVPGKLAPPEVTQTYQDTALVLWKPGDSRAPCTYTLERRVDGESVW
HPVSSGIPDCYYNVTHLPVGVTVRFRVACANRAGQGPFSNSSEKVFVRGTQDSSAVPSAA
HQEAPVTSRPARARPPDSPTSLAPPLAPAAPTPPSVTVSPSSPPTPPSQALSSLKAVGPP
PQTPPRRHRGLQAARPAEPTLPSTHVTPSEPKPFVLDTGTPIPASTPQGVKPVSSSTPVY
VVTSFVSAPPAPEPPAPEPPPEPTKVTVQSLSPAKEVVSSPGSSPRSSPRPEGTTLRQGP
PQKPYTFLEEKARGRFGVVRACRENATGRTFVAKIVPYAAEGKPRVLQEYEVLRTLHHER
IMSLHEAYITPRYLVLIAESCGNRELLCGLSDRFRYSEDDVATYMVQLLQGLDYLHGHHV
HLDIKPDNLLLAPDNALKIVDFGSAQPYNPQALRPLGHRTGTLEFMAPEMVKGFPIGSA
TDIWGAGVLTYIMLSGRSPFYEPDPQSIEARIVGGRFDAFQLYPNTSQSATLFLRKVLGV
HPWSRPSLQDCLAHPWLQDAYLMKLRRQTLTFTTNRLKEFLGEQRRRRAEAATRHKVLLR
SYPGGP

SEQ ID NO: 163_AA542015_M SGK088_M
ATDIWGAGVLTYIMLSGYSPFYEPDPQETEARIVGGRFDAFQLYPNTSQSATLFLRKVLS
VHPWSRPSLQDCLAHPWLQDAYLMKLRRQTLTFTTNRLKEFLGEQRRRRAEAATRHKVLL
RSYPGSP

SEQ ID NO: 164 R19772 H MKGGDRAYTRGPSLGWLFAKCCCCFPCRDAYSHSSSENGGKSESVANLQAQPSLNFIHSS PGPKRSTNTLKKWLTSPVRRLNSGKADGNIKKQKKVRDGRKSFDLGSPKPGDETTPQGDS ADESKKGWGEDEPDEESHTPLPPPMKIFDNDPTQDEMSSSLLAARQASTEVPTAADLVNA IEKLVKNKLSLEGSSYRGSLKDPAGCLNEGMAPPTPPKNPEEEQKAKALRGRMFVLNELV OTEKDYVKDLGIVVEGFMKRIEEKGVPEDMRGKDKIVFGNIHQIYDWHKDFFLAELEKCI QEQDRLAQLFIKHERKLHIYVWYCQNKPRSEYIVAEYDAYFEEVKQEINQRLTLSDFLIK PIORITHMOLLUKUYLKYSEKAGLECSDIEKAVELMCLVPKROWEREGELOGIEGELT AQGKLLQQDTFYVIELDAGMQSRTKERRVFLFEQTVIFSELLRKGSLTPGYMFKRSIKMV YLVLEENVDNDPCKFALMNRETSERVVLQAANADIQQAWVQDINQVLETQRDFLNALQSP IEYORKERSTAVMRSQPARLPQASPRPYSSVPAGSEKPPKGSSYNPPLPPLKISTSNGSP GFEYHQPGDKFEASKNDLGGCNGTSSMAVIKDYYALKENEICVSQGEVVQVLAVNQQNMC LVYOPASDHSPAAEGWVPGSILAPLTKATAAESSDGSIKKSCSWHTLRMRKRAEVENTGK NEATGPRKPKDILGNKVSVKETNSSEESECDDLDPNTSMEILNPNFIQEVAPEFLVPLVD VTCLLGDTVILQCKVCGRPKPTITWKGPDQNILDTDNSSATYTVSSCDSGEITLKICNLM PQDSGIYTCIATNDHGTTSTSATVKVQGVPAAPNRPIAQERSCTSVILRWLPPSSTGNCT ISGYTVEYREEGSQIWQQSVASTLDTYLVIEDLSPGCPYQFRVSASNPWGISLPSEPSEF VRLPEYDAAADGATISWKENFDSAYTELNEIGRGRFSIVKKCIHKATRKDVAVKFVNKKM KKKEOAAHEAALLOHLOHPQYITLHDTYESPTSYILILELMDDGRLLDYLMNHDELMEEK VAFYIRDIMEALQYLHNCRVAHLDIKPENLLIDLRIPVPRVKLIDLEDAVQISGHFHIHH LLGNPEFAAPEVIQGIPVSLGTDIWSIGVLTYVMLSGVSPFLDESKEETCINVCRVDFSF PHEYFCGVSNAARDFINVILQEDFRRRPTAATCLQHPWLQPHNGSYSKIPLDTSRLACFI **ERRKHONDVRPIPNVKSYIVNRVNQGT**

SEQ ID NO: 165_5R72_8_2_H
MADSGLDKKSTKCPDCSSASQKDVLCVCSSKTRVPPVLVVEMSQTSSIGSAESLISLERK
KEKNINRDITSRKDLPSRTSNVERKASQQQWGRGNFTEGKVPHIRIENGAAIEEIYTFGR
ILGKGSFGIVIEATDKETETKWAIKKVNKEKAGSSAVKLLEREVNILKSVKHEHIHLEQ
VFETPKKMYLVMELCEDGELKEILDRKGHFSENETRWIIQSLASAIAYLHNNDIVHRDLK
LENIMVKSSLIDDNNEINLNIKVTDFGLAVKKQSRSEAMLQATCGTPIYMAPEVISAHDY

FIGURE 1L

SQQCDIWSIGVVMYMLLRGEPPFLASSEAKLFELIRKGELHFENAVWNSISDCAKSVLKQ LMKVDPAHRITAKELLDNQWLTGNKLSSVRPTNVLEMMKEWKNNPESVEENTTEEKNKPS TEEKLKSYQPWGNVPETNYTSDEEEEKQSTAYEKQFPATSKDNFDMCSSSFTSSKLLPAE IKGEMEKTPVTPSOGTATKYPAKSGALSRTKKKL

SEQ ID NO: 166 SGK309 H

MQCLAAALKDETNMSGGGEQADILPANYVVKDRWKVLKKIGGGGFGEIYEAMDLLTRENV
ALKVESAQQPKQVLKMEVAVLKKLQGSGLGQGDGKEEMMKPGAKRGKDHVCRFIGCGRNE
KFNYVVMQLQGRNLADLRRSQPRGTFTLSTTLRLGKQILESIEAIHSVGFLHRDIKPSNF
AMGRLPSTYRKCYMLDFGLARQYTNTTGDVRPPRNVAGFRGTVRYASVNAHKNREMGRHD
DIMSLFYMLVEFAVGQLPWRKIKDKEQVGMIKEKYEHRMLLKHMPSEFHLFLDHLASLDY
FTKPDYQLIMSVFENSMKERGIAEMEAFDWEKAGTDLALSTSTSTPPPAEHPADGSILVWG
GQCDASAWGPAPGEHRGCATGRAPEXPGECTPNSAREALXGAGPQSPPCPPPRGSXGXSL
GGDRCQPEQTPDQHRQSNCRQGEGRGWPFLSPPIPSLVPLPCSSXAPCPPPISLLARPLF
PVPSPALASLCLPSSSSSVSFTLRRPSA

SEO ID NO: 167 AA234451 H

MSGGGEQLDILSVGILVKERWKVLRKIGGGGFGEIYDALDMLTRENVALKVESAQQPKQV
LKMEVAVLKKLQGKDHVCRFIGCGRNDRFNYVVMQLQGRNLADLRRSQSRGTFTISTTLR
LGRQILESIESIHSVGSXHRDIKPSNFAMGRFPSTCRKCYMLDFGLARQFTNSCGDVRPP
RAVAGFRGTVRYASINAHRNREMGRHDDLWSLFYMLVEFVVGQLPWRKIKDKEQVGSIKE
RYDHRLMLKHLPPEFSIFLDHISSLDYFTKPDYQLLTSVFDNSIKTFGVIESDPFDWEKT
GNDGSLTTTTTSTTPQLHTRLTPAAIGIANATPIPGDLLRENTDEVFPDEQLSDGENGIP
VGVSPDKLPGSLGHPRPQEKDVWEEMDANKNKIKLGICKAATEEENSHGQANGLLNAPSL
GSPIRVRSEITQPDRDIPLVRKLRSIHSFELEKRLTLEPKPDTDKFLETWYKIVYFSF

SEQ ID NO: 168 AA435956 H

THE TYPE TO THE THE THE TOTAL THE SUBSTITUTE OF

SEQ ID NO: 169_AA626859_H
NGVADGVIKSVLWQTLQALNFCHIHNCIHRDIKPENILITKQGIIKICDFGFAQILIPGD
AYTDYVATRWYRAPELLVGDTQYGSSVDIWAIGCVFAELLTGQPLWPGKSDVDQLYLIIR
TLGKLIPRHQSIFKSNGFFHGISIPEPEDMETLEEKFSDVHPVALNFMKGCLKMNPDDRL
TCSQLLESSYFDSFQEAQIKRKARNEGRNRRRQQNQLLPLIPGSHISPTPDGRKQVLQLK
FDHLPNI

SEQ ID NO: 170_AA061797_M
KIALREIRMLKLKHPNLVNLIEVFRRKRKMHLVFEYCDHTLLNELERNPNGVSDGVIKSV
LWQTLQALNFCHKHNCIHRDVKPENILITKQGMIKICDFGFARILIPGDAYTDYVATRWY
RAPELLVGDTKYGSSVDVWAVGCVFAELLTGQPLWPGKSDVDQLYLIIRTLGKLIPRHQS
IFRSNQFFRGISIPEPEDMETLEEKFSNVQPVALSFMKGCLKMNPDERLTCAQLLDSAYF
ESFOEDOMKRKARSEGRSRRRQQNQLLPLIPGSHISPTPDGRKQVVQLKFDHLPNI

SEQ ID NO: 171_AA397553_H MPNSERHGGKKDGSGGASGTLQPSSGGGSSNSRERHRLVSKHKRHKSKHSKDMGLVTPEA ASLGTVIKPLVEYDDISSDSDTFSDDMAFKLDRRENDERRGSDRSDRLHKHRHHQHRRSR

FIGURE 1M

DLLKAKOTEKEKSQEVSSKSGSMKDRISGSSKRSNEETDDYGKAQVAKSSSKESRSSKLH KEKTRKERELKSGHKDRSKSHRKRETPKSYKTVDSPKRRSRSPHRKWSDSSKQDDSPSGA SYGQDYDLSPSRSHTSSNYDSYKKSPGSTSRRQSVSPPYKEPSAYQSSTRSPSPYSRRQR SVSPYSRRSSSYERSGSYSGRSPSPYGRRRSSSPFLSKRSLSRSPLPSRKSMKSRSRSP AYSRHSSSHSKKKRSSSRSRHSSISPVRLPLNSSLGAELSRKKKERAAAAAAAKMDGKES KGSPVFLPRKENSSVEAKDSGLESKKLPRSVKLEKSAPDTELVNVTHLNTEVKNSSDTGK VKLDENSEKHLVKDLKAQGTRDSKPIALKEEIVTPKETETSEKETPPPLPTIASPPPPLP TTTPPPOTPPLPPIPALPOOPPLPPSOPAFSOVPASSTSTLPPSTHSKTSAVSSQAN SOPPVOVSVKTQVSVTAAIPHLKTSTLPPLPLPPLLPGGDDMDSPKETLPSKPVKKEKEQ RTRHLLTDLPLPPELPGGDLSPPDSPEPKAITPPQQPYKKRPKICCPRYGERRQTESDWG KRCVDKFD11G11GEGT%GQVYKARDKDTGELVALKKVRLDNEKEGFP1TA1RE1K1LPO LIHRSVVNMKEIVTDKQDALDFKKDKGAFYLVFEYMDHDLMGLLES-LVEFSEDHIKSFM KOLMEGLEYCHKKNFLHRDIKCSNILLNNSGQIKLADFGLARLYNSEESRPYTNKVITLW YRPPELLLGEERYTPAIDVWSCGCILGELFTKKPIFQANLELAQLELISRLCGSPCPAVW PDVIKLPYFNTMKPKKQYRRRLREEFSFIPSAALDILDHMLTLDPSKRCTAEQTLQSDFL KDVELSKMAPPDLPHWQDCHELWSKKRRRQRQSGVVVEEPPPSKTSRKETTSGTSTEPVK NSSPAPPQPAPGKVESGAGDAIGLADITQQLNQSELAVLLNLLQSQTDLSIPQMAQLLNI HSNPEMOOOLEALNOSISALTEATSQQQDSETMAPEESLKEAPSAPVILPSAEQMTLEAS STPADMONILAVLLSQLMKTQEPAGSLEENNSDKNSGPQGPRRTPTMPQEEAAACPPHIL PPEKRPPEPPGPPPPPPPPLVEGDLSSAPQELNPAVTAALLQLLSQPEAEPPGHLPHEH **QALRPMEYSTRPRPNRTYGNTDGPETGFSAIDTDERNSGPALTESLVQTLVKNRTFSGSL** SHLGESSSYQGTGSVQFPGDQDLRFARVPLALHPVVGQPFLKAEGSSNSVVHAETKLQNY GELGPGTTGASSSGAGLHWGGPTQSSAYGKLYRGPTRVPPRGGRGRGVPY

SEQ ID NO: 172_AA789239_H

MEMYETLGKVGEGSYGTVMKCKHKNTGQIVAIKIFYERPEQSVNKIAMREIKFLKQFHHE

NLVNLIEVFRQKKKIHLVFEFIDHTVLDELQHYCHGLESKRLRKYLFQILRAIDYLHSNN

*VIIHRDIKPENILVSQSGTTFLCDFG**LRTLS-PGUTYTDYVATRWYRAPETVLKDTSYG
KYVPVDIWALGCMIIEMATGNPYLPSSSDLDLLHKTVLKVXFMPELKAKLLQEAKVNSLI
KPKESSKENELRKDERKTVYTNTLLSSSVLGKEIEKEKKPKEIKVRVIKVKGGRGDISEP
KKKEYEGGLGQQDANENVHPMSPDTKLVTIEPPNPINPSTNCNGLKENPHCGGSVTMPPI
NLTNSNLMAANLSSNLFHPSVRLTERAKKRRTSSQSIGQVMPNSRQEDPGPIQSQMEKGI
FNERTGHSDQMANENKRKLNFSRSDRKEFHFPELPVTIQSKDTKGMEVKQIKMLKRESKK
TESSKIPTLLNVDQNQEKQEFIPLSLLSACCPIFTNICSQLTIRVEMAIARGRI

SEQ ID NO: 173_AA124976_M
LADIVHACLQIDPAERTSSTDLLRHDYFTRDGFIEKFIPELRAKLLQEAKVNSFIKPKEN
FKENEPVRDEKKSVFTNTLLYGNPSLYGKEVDRDKRAKELKVRVIKAKGGKGDVPDQKKP
EYEGDHRQQGTADDTQPSSLDKKPSVLELTNPLNPSENSDGVKEDPHAGGCMIMPPINLT
SSNLLAANLSSNLSHPNSRLTERTKKRRTSSQTIGQTLSNSRQEDTGPTQVQTEKGAFNE
RTGQNDQISSGNKRKLNFPKCDRKEFHFPELPFTVQAKEMKGMEVKQIKVLKRESKKTDS
SKIPTLLSMDPNQEKQEGGDGDCEGKNLKRNRFFFSR

SEQ ID NO: 174_AA575635_M CCRK_M SASGQLKIADFGLARVFSPDGGRLYTHQVATRWYRAPELLYGARQYDQGVDLWAVGCIMG ELLNGSPLFPGENDIEQLCCVLRILGTPSPRVWPEITELPDYNKISFEEQAPVPLEEVLP DASPQALDLLGQFLLYPPRQRIAASQALLHQYFFTAPLPAHPSELPIPQRPGGPAPKAHP GPPHVHDFHVDRPIEESLLNPELIRPFIPEG

FIGURE 1N

SEQ ID NO: 175_AA631990_H
MITSISTEKSGHTHYPFMITTLQYYRGRGGKTAVWRHFSAEGPFAFAEMRHSKRTHCPDW
DSRESWGHESYRGSHKRKRRSHSSTQENRHCKPHHQFKESDCHYLEARSLNERDYRDRRY
VDEYRNDYCEGYVPRHYHRDIESGYRIHCSKSSVRSRRSSPKRKRNRHCSSHQSRSXEIV
DTLGEGAFGKVVECIDHGMDGMHVAVKIVKNVGRYREAARSEIQVLEHLNSTDPNSVFRC
VQMLEWFDHHGHVCIVFELLGLSTYDFIKENSFLPFQIDHIRQMAYQICQSINFLHHNKL
THTDLKPENILFVKSDYVVKYNSKMKRDERTLKNTDIKVVDFGSATYDDEHHSTLVSTRH
YRAPEVILALGWSQPCDVWSIGCILIEYYLGFTVFQTHDSKEHLAMMERILGPIPQHMIQ
KTRKRKYFHHNQLDWDEHSSAGRYVRRRCKPLKEFMLCHDEEHEKLFDLVRRMLEYDPTQ
RITLDBALOHPFFDLLKKK

SEQ ID NOT 176_AA557536_H

MCTVVDPRIVRRYLLRRQLGQGRTFREITLLQVSGLGPPVQSPCPGTDLSRQERNWPSWA
PEHSPSWPSSRLRLSPQEFGDHPNIISLLDVIRAENDRDIYLVFEFMDTDLNAVIRKGGL
LQDVHVRSIFYQLLRATRFLHSGHVVHRDQKPSNVLLDANCTVKLCDFGLARSLGDLPEG
PEDQAVTEYVATRWYRAPEVLLSSHRYTASCPRYTLGVDMWSLGCILGEMLRGRPLFPGT
STLHQLELILETIPPPSEEXRPRQTLDALLPPDTSPEALDLLRRLLVFAPDKRLSATQAL
QHPYVQRFHCPSDEWAREADVRPRAHEGVQLSVPEYRSRVYQMILECGGSSGTSREKGPE
GVSPSQAHLHKPRADPQLPSRTPVQGPRPRPQSSPGHDPAEHESPRAAKNVPRQNSAPLL
QTALLGNGERPPGAKEAPPLTLSLVKPSGRGAAPSLTSQAAAQVANQALIRGDWNRGGGV
RVASVQQVPPRLPPEARPGRRMFSTSALQGAQGGARALLGGYSQAYGTVCHSALGHLPLL
EGHHV

SEQ ID NO: 177_N28606_H, MOK_H
MKNYKAIGKIGEGTFSEVMKMQSLRDGNYYACKQMKQRFESIEQVNNLREIQALRRLNPH
PNILMLHEVVFDRKSGSLALICELMDMNIYELIRGRRYPLSEKKIMHYMYQLCKSLDHIH
RNGIFHRDVKPENILIKQDVLKLGDFGSCRSVYSKQPYTEYISTRWYRAPECLLTDGFYT
WKMDLWSAGCVFYEIASLQPLFPGYMELDQISKIHDVIGTPAQKTLYKFKQSRAMNFEFP
FKKGSGIPLLTTNLSPQCLSLLHAMVAYDPDERIAAHQALQHPYFQEQRKTEKRALGSHR
KAGFPEHPVAPEPLSNSCQISKEGRKQKQSLKQEEDRPKRRGPAYVMELPKLKLSGVVRL
SSYSSPTLQSVLGSGTNGRVPVLRPLKCIPASKKTDPQKDLKPAPQQCRLPTIVRKGGR

SEQ ID NO: 178_AB023153_H, ICK_H
MNRYTTIRQLGDGTYGSVLLGRSIESGELIAIKKMKRKFYSWEECMNQREVKSLKKLNHA
NVVKLKEVIRENDHLYFIFEYMKENLYQLIKERNKLFPESAIRNIMYQILQGLAFIHKLG
FFHRDLKPENLLCMGPELVKIADFGLAREIRSKPPYTDYVSTRWYRAPEVLLRSTNYSSP
IDVWAVGCIMAEVYTLRPLFPGASEIDTIFKICQVLGTPKKTDWPEGYQLSSAMNFRWPQ
CVPNNLKTLIPNASSEAVQLLRDMLQWDPKKRPTASQALRYPYFQVGHPLGSTTQNLQDS
EKPQKGILERAGPPPYIKPVPPAQPPAKPHTRISSRQHQASQPPLHLTYPYKAEVSRTDH
PSHLQEDKPSPLLFPSLHNKHPQSKITAGLEHKNGEIKPKSRRRWGLISRSTKDSDDWAD
LDDLDFSPSLSRIDLKNKKRQSDDTLCRFESVLDLKPSEPVGTGNSAPTQTSYQRRDTPT
LRSAAKQHYLKHSRYLPGISIRNGILSNPGKEFIPPNPWSSSGLSGKSSGTMSVISKVNS
VGSSSTSSSGLTGNYVPSFLKKEIGSAMQRVHLAPIPDPSPGYSSLKAMRPHPGRPFLDT
QPRSTPGLIPRPPAAQPVHGRTDWASKYPSRR

SEQ ID NO: 179_AA839940_M SSNNGGMSAEEEIGPGAEPMRGPSLATRDWRDETVGTTDLQQGIDPGAVSPEPGKDHAAQ GPGRTEAGRVSSAAEAAIVVLDDSAAPPAPFEHRVVSIKDTLISAGYTVSQHEVLGGGRF GQVHRCTERSTGLALAAKIIKVKNVKDREDVKNEVNIMNQLSHVNLIQLYDAFESKNSFT LIMEYVDGGELFDRITDEKYHLTELDVVLFTRQICEGVHYLHQHYILHLDLKPENILCVS

FIGURE 10

QTGHQIKIIDFGLARRYKPREKLKVNFGTPEFLAPEVVNYEFVSFPTDMWSVGVITYMLL SGLSPFLGETDAETMNFIVNCSWDFDADTFKGLSEEAKDFVSRLLVKEKSCRMSATQCLK HEWLNHLPAKASGSNVRLRSQQLLQKYMAQSKWKKHFHVVAAVNRLRKFPTCP

SEQ ID NO: 180_AA460132_H
MAARATTPADGEEPAPEAEALAAARERSSRFLSGLELVKQGAEARVFRGRFQGRAAVIK
HRFPKGYRHPALEARLGRRRTVQEARALLRCRRAGISAPVVFFVDYASNCLYMEEIEGSV
TVRDYIQSTMETEKTPQGLSNLAKTIGQVLARMHDEDLIHGDLTTSNMLLKPPLEQLNIV
LIDFGLSFISALPEDKGVDLYVLEKAFLSTHPNTETVFEAFLKSYSTSSKKARPVLKKLD
EVRLRGRKRSMVG

SEQ ID MO: 181_SGK034_H

QREKVNQGNMPGLQSTFLAMDTEEGVEVVWNELHFGDRKAFAAHEEKIQTVFEQLVLVDH
PNIVKLHKYWLDTSEACARVIFITEYVSSGSLKQFLKKTKKNHKAMNARAWKRWCTQILS
ALSFLHACSPPIHGNLTSDTIFIQHNGLIKIGSVWHRIFSNALPDDLRSPIRAEREELR
NLHFFPPEYGEVADGTAVDIFSFGMCALEMAVLEIQTNGDTRVTEEAIARARHSLSDPNM
REFILCCLARDPARRPSAHSLLFHRVLFEVHSLKLLAAHCFIQHQYLMPENVVEEKTKAM
DLHAVLAELPRPRRPPLQWRYSEVSFMELDKFLEDVRNGIYPLMNFAATRPLGLPRVLAP
PPEEVQKAKTPTPEPFDSETRKVIQMQCNLERSEDKARWHLTLLLVLEDRLHRQLTYDLL
PTDSAQDLASELVHYGFLHEDDRMKLAAFLESTFLKYRGTQA

SEQ ID NO: 182_AA103218_M SGK034_M HASAPEYGEVNDGTGFVDIFSFGMCALEMAVLEIQANGDTRVTEEAIARARHSLSDPNMR EFILSCLARDPARRPSAHNLLFHRVLFEVHSLKLLAAHCFIQHQYLMPENVVEEKTKAMD LHAVLAEMPQPHGPPMQWRYSEVSFLELDKFLEDVRNGIYPLMNFAAARPLGLPRVLAPP PEEAQKAKTPTPEPFDSETRKVVQMQCNLERSEDKARWHLTLLLVLEDRLHRQLTYDLLP TDSAQDLAAELVHYGFLHEDDRTKLAAFLETTFLKYRGTQA

Company of the same will be the company of the comp

SEQ ID NO: 183 NEK7 H, N34132 H MSGGAAEKOSSTPGSLFLSPPAPAPKNGSSSDSSVGEKLGAAAADAVTGRTEEYRRRRHT ${\tt MDKDSRGAAATTTTTEHRFFRRSVICDSNATALELPGLPLSLPQPSIPAAVPQSAPPEPH}$ ${\tt REETVTATATSQVAQQPPAAAAPGEQAVAGPAPSTVPSSTSKDRPVSQPSLVGSKEEPPP}$ ARSGSGGGSAKEPOEERSQQQDDIEELETKAVGMSNDGRFLKFDIEIGRGSFKTVYKGLD TETTVEVAWCELQDRKLTKSERQRFKEEAEMLKGLQHPNIVRFYDSWESTVKGKKCIVLV TELMTSGTLKTYLKRFKVMKIKVLRSWCRQILKGLQFLHTRTPLIIHRDLKCDNIFITGP TGSVKIGDLGLATLKRASFAKSVIGTPEFMAPEMYEEKYDESVDVYAFGMCMLEMATSEY PYSECONAAQIYRRVTSGVKPASFDKVAIPEVKEIIEGCIRQNKDERYSIKDLLNHAFFQ EETGVRVELAEEDDGEKIAIKLWLRIEDIKKLKGKYKDNEAIEFCFDLERDVPEDVAQEM VESGYVCEGDHKTMAKAIKDRVSLIKRKREQRQLVREEQENKKQEESSLKQQVEQSSASQ TGIKQLPSASTGIPTASTTSASVSTQVEPEEPEADQHQQLQYQQPSISVLSDGTVDSGQG SSVFTESRVSSQQTVSYGFPXHEQAHSTGTVPGHIPSTVQAQSQPHGVYPPSSVQQGIQQ TAPPQQTVQYSLSQTSTSSEATTAQPVSQPQAPQVLPQVSAGKQSTQGVSQVAPAEPVAV AQPQATQPTTLASSVDSAHSDVASGMSDGNENVPSSSGRHEGRTTKRHYRKSVRSRSRHE KTSRPKLRILNVSNKGDRVVECQLETHNRKMVTFKFDLDGDNPEEIATIMVNNDFILAIE RESFVDQVREIIEKADEMLSEDVSVEPEGDQGLESLQGKDDYGFSGSQKLEGEFKQPIPA SSMPQQIGIPTSSLTQVVHSAGRRFIVSPVPESRLRESKVFPSEITDTVAASTAQSPGMN LSHSASSLSLQQAFSELRRAQMTEGPNTAPPNFSHTGPTFPVVPPFLSSIAGVPTTAAAT APVPATSSPPNDISTSVIQSEVTVPTEEGIAGVATSTGVVTSGGLPIPPVSESPVLSSVV SSITIPAVVSISTTSPSLQVPTSTSEIVVSSTALYPSVTVSATSASAGGSTATPGPKPPA VVSQQAAGSTTVGATLTSVSTTTSFPSTASQLSIQLSSSTSTPTLAETVVVSAHSLDKTS

FIGURE 1P

HSSTTGLAFSLSAPSSSSSPGAGVSSYISQPGGLHPLVIPSVIASTPILPQAAGPTSTPL
LPQVPSIPPLVQPVANVPAVQQTLIHSQPQPALLPNQPHTHCPEVDSDTQPKAPGIDDIK
TLEEKLRSLFSEHSSSGAQHASVSLETSLVIESTVTPGIPTTAVAPSKLLTSTTSTCLPP
TNLPLGTVALPVTPVVTPGQVSTPVSTTTSGVKPGTAPSKPPLTKAPVLPVGTELPAGTL
PSEQLPPFPGPSLTQSQQPLEDLDAQLRRTLSPEMITVTSAVGPVSMAAPTAITEAGTQP
QKGVSQVKEGPVLATSSGAGVFKMGRFQVSVAADGAQKEGKNKSEDAKSVHFESSTSESS
VLSSSSPESTLVKPEPNGITIPGISSDVPESAHKTTASEAKSDTGQPTKVGRFQVTTTAN
KVGRFSVSKTEDKITDTKKEGPVASPPFMDLEQAVLPAVIPKKEKPELSEPSHLNGPSSD
PEAAFLSRDVDDGSGSPHSPHQLSSKSLPSQNLSQSLSNSFNSSYMSSDNESDIEDEDLK
LELRRLRDKHLKEIQDLQSRQKHEIESLYTKLGKVPPAVIIPPAAPLSGRRRRPTKSKGS
%SSRSSSLGNKSPQLSGNLSGQSAASVLHPQQTLHPPGNIPSSGQNQLLQPLKPSPSSDN
LYSAPTSDGAISVPSLSAPGQGNKATIIVQKQ

SEQ ID NO: 184_BCON3_H
MSEGESQTVLSSGSDPKVESSSSAPGLTSVSPPVTSTTSAASPEEEEESEDESEILEESP
CGRWQKRREEVNQRNVPGIDSAYLAMDTEEGVEVVWNEVQFSERKNYKLQEEKVRAVFDN
LIQLEHLNIVKFHKYWADIKENKARVIFITEYMSSGSLKQFLKKTKKNHKTMNEKAWKRW
CTQILSALSYLHSCDPPIHGNLTCDTIFIQHNGLIKIGSVAPDTINNHVKTCREEQKNL
HFFAPEYGEVTNVTTAVDIYSFGMCALEMAVLEIQGNGESSYVPQEAISSAIQLLEDPLQ
REFIQKCLQSEPARRPTARELLFHPALFEVPSLKLLAAHCIVGHQHMIPENALEEITKNM
DTSAVLAEIPAGPGREPVQTLYSQSPALELDKFLEDVRNGIYPLTAFGLPRPQQPQQEEV
TSPVVPPSVKTPTPEPAEVETRKVVLMQCNIESVEEGVKHHLTLLKLEDKLNRHLSCDL
MPNENIPELAAELVQLGFISEADQSRLTSLLEETLNKFNFARNSTLNSAAVTVSS

SEQ ID NO: 185_AA711829_M
LKQFLKKTKKNHKTMNEKAWKRWCTQILSALSYLHSCDPPIIHGNLTCDTIFIQHNGLIK
IGSVAPDTINNHVKTCREEQKNLHFFAPEYGEVTNVTTAVDIYSFGMCALEMAVLEIQGN
GESSYVPQSAISSAIQLLEDSLQREFIQKCLQSEPARRETARELLFYTALPEVPALVEVPT YLLE
AHCIVGHQHMIPENALEEITKNMDTSAVLAEIPAGPGREPVQTLYSQSPALELDKFLEDV
RNGIYPLTAFGLPRPQQPQQEEVTSPVVPPSVKTPTPEPAEVETRKVVLMQCNIESVEEG
VKHHLTLLLKLEDKLNRHLSCDLMPNESIPDLAAELVQLGFISEADQSRLTSLLEETLNK
FNFTRNSTLNTATVTVSS

SEQ ID NO: 186_AA099102_H

MSSCVSSQPSSNRAAPQDELGGRGSSSSESQKPCEALRGLSSLSIHLGMESFIVVTECEP
GCAVDLGLARDRPLEADGQEVPLDTSGSQARPHLSGRKLSLQERSQGGLAAGGSLDMNGR
CICPSLPYSPVSSPQSSPRLPRRPTVESHHVSITGMQDCVQLNQYTLKDEIGKGSYGVVK
LAYNENDNTYYAMKVLSKKKLIRQAAFPRRPPPRGTRPAPGGCIQPRGPIEQVYQEIAIL
KKLDHPNVVKLVEVLDDPNEDHLYMVFELVNQGPVMEVPTLKPLSEDQARFYFQDLIKGI
EYLHYQKIIHRDIKPSNLLVGEDGHIKIADFGVSNEFKGSDALLSNYVGTPAFMAPESLS
ETRKIFSGKAKDVWAMGVTLYCFVFGQCPFMDERIMCLHSKIKSQALEFPDQPDIAEDLK
DLITRMLDKNPESRIVVPEIKLHPWVTRHGAEPLPSEDENCTLVEVTEEEVENSVKHIPS
LATVILVKTMIRKRSFGNPFEGSRREERSLSAPGNLLTKKPTRECESLSELKEARQRRQP
PGHRPAPRGGGGSALVRGSPCVESCWAPAPGSPARMHPLRPEEAMEPE

SEQ ID NO: 187_5R69_17_2_H MQEIPQEQIKEIKKEQLSGSPWILLRENEVSTLYKGEYHRAPVAIKVFKKLQAGSIAIVR QTFNKEIKTMKKFESPNILRIFGICIDETVTPPQFSIVMEYCELGTLRELLDREKDLTLG

FIGURE 10

KRMVLVLGAARGLYRLHHSEAPELHGKIRSSNFLVTQGYQVKLAGFELRKTQTSMSLGTT REKTDRVKSTAYLSPQELEDVFYQYDVKSEIYSFGIVLWEIATGDIPFQGEECEDWLSQW I.

SEQ ID NO: 188 H85811 H MAPVYEGMASHVQVFSPHTLQSSAFCSVKKLKIEPSSNWDMTGYGSHSKVYSQSKNIPLS OPATTTVSTSLPVPNPSLPYEQTIVFPGSTGHIVVTSASSTSVTGQVLGGPHNLMRRSTV SLLDTYOKCGLKRKSEEIENTSSVQIIEEHPPMIQNNASGATVATATTSTATSKNSGSNS EGDYQLVQHEVLCSMTNTYEVLEFLGRGTFGQVVKCWKRGTNEIVAIKILKNHPSYARQG OIEVSILARLSTESADDYNFVRAYECFQHKNHTCLVFEMLEQNLYDFLKQNKFSPLPLKY IRPVLOQVATALMKLKSLGLIHADLKPENIMLVDPSRQPYRVKVIDFGSASHVSKAVCST YLOSRYYRAPETILGLPFCEAIDMWSLGCVIAELFLGWPLYDCDSEYDQIRYISQTQGLE AEYLLSAGTKTTRFFNRDTDSPYPLWRLKTPDDHEAETGIKSKEARKYIFNCLDDMAQVN MTTDLEGSDMLVEKADRREFIDLLKKMLTIDADKRITPIETLNHPFVTMTHLLDFPHSTH VKSCFQNMEICKRRVNMYDTVNQSKTPFITHVAPSTSTNLTMTFNNQLTTVHNQPSAASM AAVAQRSMPLQTGTAQICARPDPFQQALIVCPPGFQGLQASPSKHAGYSVRMENAVPIVT OAPGAOPLQIQPGLLAQQAWPSGTQQILLPPAWQQLTGVATHTSVQHATVIPETMAGTQQ LADWRNTHAHGSHYNPIMQQPALLTGHVTLPAAQPLNVGVAHVMRQQPTSTTSSRKSKQH QSSVRNVSTCEVSSSQAISSPQRSKRVKENTPPRCAMVHSSPACSTSVTCGWGDVASSTT REROROTIVIPDTPSPTVSVITISSDTDEEEEQKHAPTSTVSKQRKNVISCVTVHDSPYS DSSSNTSPYSVQQRAGHNNANAFDTKGSLENHCTGNPRTIIVPPLKTQASEVLVECDSLV PVNTSHHSSSYKSKSSSNVTSTSGHSSGSSSGAITYRQQRPGPHFQQQQPLNLSQAQQHI TTDRTGSHRRQQAYITPTMAQAPYSFPHNSPSHGTVHPHLAAAAAAAHLPTQPHLYTYTA PAALGSTGTVAHLVASQGSARHTVQHTAYPASIVHQVPVSMGPRVLPSPTIHPSQYPAQF AHQTYISASPASTVYTGYPLSPAKVNQYPYI

SEQ ID NO: 139_DYRK3_H

MMIDE_RCPPCSNVLCAPSEPEPPRELIMENEE TO TO THE DGGEMEVEQUE OBTENR

KSNTIQSDGISDSEKCSPTVSQGKSSDCLNTVKSNSSSKAPKVVPLTPEQALKQYKHHLT

AYEKLEIINYPEIYFVGPNAKKRHGVIGGPNNGGYDDADGAYIHVPRDHLAYRYEVLKII

GKGSFGQVARVYDHKLRQYVALKMVRNEKRFHRQAAEEIRILEHLKKQDKTGSMNVIHML

ESFTFRNHVCMAFELLSIDLYELIKKNKFQGFSVQLVRKFAQSILQSLDALHKNKIIHCD

LKPENILLKHHGRSSTKVIDFGSSCFEYQKLYTYIQSRFYRAPEIILGSRYSTPIDIWSF

RCILAELLTGQPLFPGEDEGDQLACMMELLGMPPPKLLEQSKRAKYFINSKGIPRYCSVT

TQADGRVVLVGGRSRRGKKRGPPGSKDWGTALKGCDDYLFIEFLKRCLHWDPSARLTPAQ

ALRHPWISKSVPRPLTTIDKVSGKRVVNPASAFQGLGSKLPPVVGIANKLKANLMSETNG

SIPLCSVLPKLIS

SEQ ID NO: 190_AA589241_M DYRK3_M
TRPELLGMPPQKLLEQSKRAKYFINSKGLPRYCSVSTQTDGRVVLLGGRSRRGKKRGPPG
SKDWATALKGCGDYLFIEFLKRCLQWDPSARLTPAQALRHPWISKSTPKPLTMDKVPGKR
VVNPTNAFQGLGSKLPPVVGIASKLKANLMSETSGSIPLCSVLPKLIS

SEQ ID NO: 191_5R72_16_2_H
MAGGRGAPGRGRDEPPESYPQRQDHELQALEAIYGADFQDLRPDACGPVKEPPEINLVLY
PQGLTGEEVYVKVDLRVKCPPTYPDVVPEIELKNAKGLSNESVNLLKSRLEELAKKHCGE
VMIFELAYHVQSFLSEHNKPPPKSFHEEMLERRAQEEQQRLLEAKRKEEQEQREILHEIQ
RRKEEIKEEKKRKEMAKQERLEIASLSNQDHTSKKDPGGHRTAAILHGGSPDFVGNGKHR
ANSSGRSRRERQYSVCNSEDSPGSCEILYFNMGSPDQLMVHKGKCIGSDEQLGKLVYNAL
ETATGGFVLLYEWVLQWQKKMGPFLTSQEKEKIDKCKKQIQGTETEFNSLVKLSHPNVVR

FIGURE 1R

YLAMNLKEQDDSIVVDILVEHISGVSLAAHLSHSGPIPVHQLRRYTAQLLSGLDYLHSNS VVHKVLSASNVLVDAEGTVKITDYSISKRLADICKEDVFEQTRVRFSDNALPYKTGKKGD VWRLGLLLLSLSQGQECGEYPVTIPSDLPADFQDFLKKCVCLDDKERWSPQQLLKHSFIN POPKMPLVEOSPEDSGGODYVETVIPSNRLPSAAFFSETQRQFSRYFIEFEELQLLGKGA FGAVIKVQNKLDGCCYAVKRIPINPASRQFRRIKGEVTLLSRLHHENIVRYYNAWIERHE RPAGPGTPPPDSGPLAKDDRAARGQPASDTDGLDSVEAAAPPPILSSSVEWSTSGERSAS ARFPATGPGSSDDEDDDEDEHGGVFSQSFLPASDSESDIIFDNEDENSKSQNQDEDCNEK NGCHESEPSVTTEAVHYLYIQMEYCEKSTLRDTIDQGLYRDTVRLWRLFREILDGLAYIH EKGMIHRDLKPVNIFLDSDDHVKIGDFGLATDHLAFSADSKQDDQTGDLIKSDPSGHLTG MVGTALYVSPEVQGSTKSAYNQKVDLFSLGIIFFEMSYHPMVTASERIFVLNQLRDPTSP MFPEDFDDGEHAKQKSVISWLLNHDPAKRPTATELLKSELLPPPQMEESELHEVLHHTLT PUZDOKAYRTMMAOIFSORISPATDYTYDSD1LKGNFSIRTAKMQQHVCETTIRIUTTHGA VQLCTPLLLPRNRQIYEHNEAALFMDHSGMLVMLPFDLRIPFARYVARNNILNLKRYCIE RVFRPRKLDRFHPKELLECAFDIVTSTTNSFLPTAEIIYTIYEIIQEFPALQERNYSIYL NHTMLLKAILLHCGIPEDKLSQVYIILYDAVTEKLTRREVEAKFCNLSLSSNSLCRLYKF IEOKGDLQDLMPTINSLIKQKTGIAQLVKYGLKDLEEVVGLLKKLGIKLQVLINLGLVYK VOOHNGIIFOFVAFIKRRQRAVPEILAAGGRYDLLIPQFRGPQALGPVPTAIGVSIAIDK ISAAVLNMEESVTISSCDLLVVSVGQMSMSRAINLTQKLWTAGITAEIMYDWSQSQEELQ EYCRHHEITYVALVSDKEGSHVKVKSFEKERQTEKRVLETELVDHVLQKLRTKVTDERNG REASDNLAVQNLKGSFSNASGLFEIHGATVVPIVSVLAPEKLSASTRRRYETQVQTRLQT SLANLHOKSSEIEILAVDLPKETILQFLSLEWDADEQAFNTTVKQLLSRLPKQRYLKLVC DEIYNIKVEKKVSVLFLYSYRDDYYRILF

SEQ ID NO: 192_R43524_H, HRI_H
MLGGNSGVRKREEEGDGAGAVAAPPAIDFPAEGPDPEYDESDVPAEIQVLKEPLQQPTFP
FAVANQLLLVSLLEHLSHVHBPNPLRSRQVFKLLCQTFIKMGLLSSFTCSDEFSSLRLHH
NRAITHLMRSAKERVRQDPCEDISRIQKIRSREVALEAQTSRYLNEFEELVILGKGGYGR
PROVENKLDGGYYAIKKLBIKGATKTVCMKVLREVTVLAGLOGTANG VAR LEHEVATI
QPRADRAAIELPSLEVLSDQEEDREQCGVKNDESSSSSIIFAEPTPEKEKRFGESDTENQ
NNKSVKYTTNLVIRESGELESTLELQENGLAGLSASSIVEQQLPLRRNSHLEESFTSTEE
SSEENVNFLGQTEAQYHLMLHIQMQLCELSLWDWIVERNKRGREYVDESACPYVMANVAT
KIFQELVEGVFYIHNMGIVHRDLKPRNIFLHGPDQQVKIGDFGLACTDILQKNTDWTNRN
GKRTPTHTSRVGTCLYASPEQLEGSEYDAKSDMYSLGVVLLELFQPFGTEMERAEVLTGL
RTGQLPESLRKRCPVQAKYIQHLTRRNSSQRPSAIQLLQSELFQNSGNVNLTLQMKIIEQ
EKEIAELKKQLNLLSQDKGVRDDGKDGGVG

SEQ ID NO: 193_17000057519457_H
MAAARATTPADGEEPAPEAEALAAARERSSRFLSGLELVKQGAEARVFRGRFQGRAAVIK
HRFPKGYRHPALEARLGRRRTVQEARALLRCRRAGISAPVVFFVDYASNCLYMEEIEGSV
TVRDYIQSTMETEKTPQGLSNLAKTIGQVLARMHDEDLIHGDLTTSNMLLKPPLEQLNIV
LIDFGLSFISALPEDKGVDLYVLEKAFLSTHPNTETVFEAFLKSYSTSSKKARPVLKKLD
EVRLRGRKRSMVG

SEQ ID NO: 194_AA013524_M LVQQGAEARVFRGRFQGRAAVVKHRFPKSYRHPELEARLGRRRTVQEARALLRCRRAGIA APVVFFVDYASNCLYMEEIEDSVTVRDYIQSTMETEKDPQCLLDLARRMGQVLAGMHDQD LIHGDLTTSNMLLRRPLAQLHIVLIDFGLSFVSGLPEDKGVDLYVLEKAFLSTHPHTETA FEAFLKSYGASSKKSSPVLKKLDEVRLRGRKRSMVG i de martina in 1997 i Nagara di Salah Salah Salah Salah Salah Salah Salah Salah Salah Salah Salah Salah Salah

FIGURE 1S

SEQ ID NO: 195_17000139801197_H, IRAKM_H

MAGNCGARGALSAHTLLFDLPPALLGELCAVLDSCDGALGWRGLAERLSSSWLDVRHIEK

YVDQGKSGTRELLWSWAQKNKTIGDLLQVLQEMGHRRAIHLITNYGAVLSPSEKSYQEGG

FPNILFKETANVTVDNVLIPEHNEKGVLLKSSISFQNIIEGTRNFHKDFLIGEGEIFEVY

RVEIQNLTYAVKLFKQEKKMQCKKHWKRFLSELEVLLLFHHPNILELAAYFTETEKFCLI

YPYMRNGTLFDRLQCVGDTAPLPWHIRIGILIGISKAIHYLHNVQPCSVICGSISSANIL

LDDQFQPKLTDFAMAHFRSHLEHQSCTINMTSSSSKHLWYMPEEYIRQGKLSIKTDVYSF

GIVIMEVLTGCRVVLDDPKHIQLRDLLRELMEKRGLDSCLSFLDKKVPPCPRNFSAKLFC

LAGRCAATRAKLRPSMDEVLNTLESTQASLYFAEDPPTSLKSFRCPSPLFLENVPSIPVE

DDESQNNNLLPSDEGLRIDRMTQKTPFECSQSEVMFLSLDKKPESKRNEEACNMPSSSCE

ESWEPKYIVPSQDLRPYKVNIDPSSEAPGHSCRSRPVESSCSSKFSWDEYFQYKKE

SEQ ID NO: 196_AA340598_M IRAKM_M
MWKRFLSELEVLLLFRHPHILELAAYFTETEKLCLVYPYMSNGTLFDRLQCTNGTTPLSW
HVRISVLIGIAKAIQYLHNTQPCAVICGNVSSANILLDDQLQPKLTDFAAAHFRPNLEQQ
SSTINMTGGGRKHLWYMPEEYIRQGRLSVKTDVYSFGIVIMEVLTGCKVVLDDPKHVQLR
DLLMELMEKRGLDSCLSFLDRKIPPCPRNFSAKLFSLAGRCVATKAKLRPTMDEVLSSLE
STQPSLYFAEDPPTSLKSFRCPSPLFLDNVPSIPVEDDENQNNHSVPPKEVLGTDRVTQK
TPFECSQSEVTFLGLDRNRGNRGSEADCNVPSSSHEECWSPELVAPSQDLSPTVISLGSS
WEVPGHSYGSKPMEKRCSSGLFCSEHEQSKKQ

SEQ ID NO: 197 AA088547 H MASAVRGSRPWPRLGLOLOFAALLLGTLSPQVHTLRPENLLLVSTLDGSLHALSKQTGDL ${\tt KWTLRDDPVIEGPMYVTEMAFLSDPADGSLYILGTQKQQGLMKLPFTIPELVHASPCRSS}$ DGVFYTGRKODAWFVVDPESGETQMTLTTEGPSTPRLYIGRTQYTVTMHDPRAPALRWNT TYRRYSAPPMDGSPGKYMSHLASCGMGLLLTVDPGSGTVLWTQDLGVPVMGVYTWHQDGL ROLPHLTLARDTLHFLALRWGHIRLPASCPRDTATLFSTI.DTQLLMTLYVGKDETGFYVS --walvetgvaluproliteatadg/tidevtlovegeregspstavrups/14val/98c/1/1/1/----GHHELPPVLH:TTMLRVHPTLGSG1'AETRPPENTQAPAFFLELLSLSREXLWDSELHPEEK TPDSYLGLGPQDLLAASLTAVLLGGWILFVMRQVVEKQQETPLAPADFAHISQDAQSLHS ${\tt GASRRSQKRLQSPSKQAQPLDDPEAEQLTVVGKISFNPKDVLGRGAGGTFVFRGQFEGRA}$ VAVKRLLRECFGLVRREVQLLQESDRHPNVLRYFCTERGPQFHYIALELCRASLQEYVEN PDLDRGGLEPEVVLQQLMSGLAHLHSLHIVHRDLKPGNILITGPDSQGLGRVVLSDFGLC KKLPAGRCSFSLHSGIPGTEGWMAPELLQLLPPDSPTSAVDIFSAGCVFYYVLSGGSHPF GDSLYROANILTGAPCLAHLEEEVHDKVVARDLVGAMLSPLPQPRPSAPQVLAHPFFWSR AKOLOFFODVSDWLEKESEQEPLVRALEAGGCAVVRDNWHEHISMPLQTDLRKFRSYKGT SVRDLLRAVRNKKHHYRELPVEVRQALGQVPDGFVQYFTNRFPRLLLHTHRAMRSCASES LFLPYYPPDSEARRPCPGATGR

SEQ ID NO: 198_HGP_6644466
MEGISNFKTPSKLSEKKKSVLCSTPTINIPASPFMQKLGFGTGVNVYLMKRSPRGLSHSP
WAVKKINPICNDHYRSVYQKRLMDEAKILKSLHHPNIVGYRAFTEANDGSLCLAMEYGGE
KSLNDLIEERYKASQDPFPAAIILKVALNMARGLKYLHQEKKLLHGDIKSSNVVIKGDFE
TIKICDVGVSLPLDENMTVTDPEACYIGTEPWKPKEAVEENGVITDKADIFAFGLTLWEM
MTLSIPHINLSNDDDDDEDKTFDESDFDDEAYYAALGTRPPINMEELDESYQKVIELFSVC
TNEDPKDRPSAAHIVEALETDV

SEQ ID NO: 199_AA449542_M SPRGLSHSPWAVKKISLLCDDHYRTVYQKRLTDEAKILKNLNHPNIIGYRAFTEASDGSL CLAMEYGGEKSLNDLIEERNKDSGSPFPAAVILRVALHMARGLKYLHQEKKLLHGDIKSS

FIGURE 1T

NVVIKGDFETIKICDVGVSLPLDENMTVTDPEACYIGTEPWKPKEALEENGIITDKADVF AFGLTLWEMMTLCIPHVNLPDDDVDEDATFDESDFDDEAYYAALGTRPSINMELDDSYQK AIELFCVCTNEDPKDRPSAAHIVEALELDGOCCGLSESKH

SEQ ID NO: 200_5R57_10_2_M TESK2_M LLDSDLYLPWTVRVKLAYGIAVGLSYLHFKGIFHRDLTSKV

SEQ ID NO: 201_AA232253_H

MSSLGASFVQIKFDDLQFFENCGGGSFGSVYRAKWISQDKEVAVKKLLKIEKEAEILSVL

SHRNIIQFYGVILEPPNYGIVTEYASLGSLYDYINSNRSEEMDMDHIMTWATDVAKGMHY

LHMEAPVKVIHRDLKSRNVVIAADGVLKICDFGASRFHNHTTHMSLVGTFPWMAPEVIQS

LPVSETCDTTSYGVVLWEMLTREVPFKGLEGLQVAWLVVEKNERITTPSSCPRSFAELLER

QCWEADAKKRPSFKQIISILESMSNDTSLPDKCNSFLHNKAEWRCEIEATLERLKKLERD

LSFKEQELKERERRLKMWEQKLTEQSNTPLLPSFEIGAWTEDDVYCWVQQLVRKGDSSAE

MSVYASLFKENNITGKRLLLLEEEDLKDMGIVSKGHIIHFKSAIEKLTHDYINLFHFPPL

IKDSGGEPEENEEKIVNLELVFGFHLKPGTGPQDCKWKMYMEMDGDEIAITYIKDVTFNT

NLPDAEILKMTKPPFVMEKWIVGIAKSQTVECTVTYESDVRTPKSTKHVHLIQWSRTKPQ

DEVKAVQLAIQTLFTNSDGNPGSRSDSSADCQWLDTLRMRQIASNTSLQRSQSNPILGSP

FFSHFDGQDSYAAAVRRPQVPIKYQQITPVNQSRSSSPTQYGLTKNFSSLHLNSRDSGFS

SGNTDTSSERGRYSDRSRNKYGRGSISLNSSPRGRYSGKSQHSTPSRGRYPGKFYRVSQS

ALNPHQSPDFKRSPRDLHQPNTIPGMPLHPETDSRASEEDSKVSEGGWTKVEYRKKPHRP

SPAKTNKERARGDHRGWRNF

SEQ ID NO: 202_AI375137_H

MGNYKSRPTQTCTDEWKKKVSESYVITIERLEDDLQIKEKELTELRNIFGSDEAFSKVNL

NYRTENGLSLLHLCCICGGKKSHIRTLMLKGLRPSRLTRNGFTALHLAVYKDNAELITSL

LHSGADIQQVGYGGLTALHIATIAGHLEAADVLLQHGANVNIQDAVFFTPLHIAAYYGHE

CVTRLLLKFGLDVNVSGEVGDRPLHLSSKGFLNIASTIMBEGSTADSMAQDNEDHVPLH

FCSRFGHHDIVKYLLQSDLEVQPHVVNIYGDTPLHLACYNGKFEVAKEIIQISGTESLTK

ENIFSETAFHSACTYGKSIDLVKFLLDQNVININHQGRDGHTGLHSACYHGHIRLVQFLL

DNGADMNLVACDPSRSSGEKDEQTCLMWAYEKGHDAIVTLLKHYKRPQDELPCNEYSQPG

GDGSYVSVPSPLGKIKSMTKEKADILLLRAGLPSHFHLQLSEIEFHEIIGSGSFGKVYKG

RCRNKIVAIKRYRANTYCSKSDVDMFCREVSILCQLNHPCVIQFVGACLNDPSQFAIVTQ

YISGGSLFSLLHEQKRILDLQSKLIIAVDVAKGMEYLHNLTQPIIHRDLNSHNILLYEDG

HAVVADFGESRFLQSLDEDNMTKQPGNLRWMAPEVFTQCTRYTIKADVFSYALCLWEILT

GEIPFAHLKPAAAAADMAYHHIRPPIGYSIPKPISSLLIRGWNACPEGRPEFSEVVMKLE

ECLCNIELMSPASSNSSGSLSPSSSSDCLVNRGGPGRSHVAALRSRFELEYALNARSYAA

LSOSAGQYSSQGLSLEEMKRSLQYTPIDKYGYVSDPMSSMHFHSCRNSSSFEDSS

SEQ ID NO: 203_H97685_H

MESERSPLYRQLIDLGYLSSSHWNCGAPGQDTKAQSMLVEQSEKLRHLSTFSHQVLQTRL

VDAAKALNLVHCHCLDIFINQAFDMQRDLQITPKRLEYTRKKENELYESLMNIANRKQEE

MKDMIVETLNTMKEELLDDATNMEFKDVIVPENGEPVGTREIKCCIRQIQELIISRLNQA

VANKLISSVDYLRESFVGTLERCLQSLEKSQDVSVHITSNYLKQILNAAYHVEVTFHSGS

SVTRMLWEQIKQIIQRITWVSPPAITLEWKRKVAQEAIESLSASKLAKSICSQFRTRLNS

SHEAFAASLRQLEAGHSGRLEKTEDLWLRVRKDHAPRLARLSLESRSLQDVLLHRKPKLG

QELGRGQYGVVYLCDNWGGHFPCALKSVVPPDEKHWNDLALEFHYMRSLPKHERLVDLHG

SVIDYNYGGGSSIAVLLIMERLHRDLYTGLKAGLTLETRLQIALDVVEGIRFLHSQGLVH

RDIKLKNVLLDKQNRAKITDLGFCKPEAMMSGSIVGTPIHMAPELFTGKYDNSVDVYAFG

FIGURE 1U

ILFWYICSGSVKLPEAFERCASKDHLWNNVRRGARPERLPVFDEECWQLMEACWDGDPLK RPLLGIVQPMLQGIMNRLCKSNSEQPNRGLDDST

SEQ ID NO: 204 W20810 M

DVNLKASKASDVYSFGILVWAVLAGREAELVDKTSLIRETVCDRQSRPPLTELPPGSPET PGLEKLKELMIHCWGSQSENRPSFQDCEPKTNEVYNLVKDKVDAAVSEVKHYLSQHRSSG RNLSAREPSQRGTEMDCPRETMVSKMLDRLHLEEPSGPVPGKCPERQAQDTSVGPATPAR TSSDPVAGTPQIPHTLPFRGTTPGPVFTETPGPHPQRNQGDGRHGTPWYPWTPPNPMTGP PALVFNNCSEVQIGNYNSLVAPPRTTASSSAKYDQAQFGRGRGWQPFHK

SEQ ID NO: 205 AA744236 H

MGSENSALISYTLREPPFTEPSGLAVIPAVLODSKPASVFVYKRENEDKVNKAAKELKTI.
RHPCLLRFLSCTVEADGIHLVTERVQPLEVALETLSSAEVCAGIYDILLALIFLHDRGHL
THNNVCLSSVFVSEDGHWKLGGMETVCKVSQATPEFLRSIQSIRDPASIPPEEMSPEFTT
LPECHGHARDAFSFGTLVESLLTILNEQVSADVLSSFQQTLHSTLLNPIPKCRPALCTLL
SHDFFRNDFLEVVNFLKSLTLKSEEEKTEFFKFLLDRVSCLSEELIASRLVPLLLNQLVF
AEPVAVKSFLPYLLGPKKDHAQGETPCLLSPALFQSRVIPVLLQLFEVHEEHVRMVLLSH
IEAYVEHFTQEQLKKVILPQVLLGLRDTSDSIVAITLHSLAVLVSLLGPEVVVGGERTKI
FKRTAPSFTKNTDLSLEGDPFSQPIKFPINGLSDVKNTSEDSENFPSSSKKSEEWPDWSE
PEEPENQTVNIQIWPREPCDDVKSQCTTLDVEESSWDDCEPSSLDTKVNPGGGITATKPV
TSGEQKPIPALLSLTEESMPWKSSLPQKISLVQRGDDADQIEPPKVSSQERPLKVPSELG
LGEEFTIQVKKKPVKDPEMDWFADMIPEIKPSAAFLILPELRTEMVPKKDDVSPVMQFSS
KFAAAEITEGEAEGWEEEGELNWEDNNW

SEQ ID NO: 206_AI052250_H

MESMLNKLKSTVTKVTADVTSAVMGIPVTREFDVGRHIASGCNGLAWKIFNGTKKSTKQE
VAVFVFDKKLIDKYQKFEKDQIIDSLKRGVQQLTRLRHPRLLTVQHPLEESRDCLAFCTE
PVFASLENVLGKHENLPSPISPDIKDYKLYDVETKYGLLQVSETLESSELEN

SEQ ID NO: 207 AA278842_H

MWFFARDPVRDFPFELIPEPPEGGLPGPWALHRGRKKATGSPVSIFVYDVKPGAEEQTQV
AKAAFKRFKTLRHPNILAYIDGLETEKCLHVVTEAVTPLGIYLKARVEAGGLKELEISWG
LHQIVKALSFLVNDCSLIHNNVCMAAVFVDRAGEWKLGGLDYMYSAQGNGGGPPRKGIPE
LEQYDPPELADSSGRVVREKWSADMWRLGCLIWEVFNGPLPRAAALRNPGKIPKTLVPHY
CELVGANPKVRPNPARFLQNCRAPGGFMSNRFVETNLFLEEIQIKEPAEKQKFFQELSKS
LDAFPEDFCRHKVLPQLLTAFEFGNAGAVVLTPLFKVGKFLSAEEYQQKIIPVVVKMFSS
TDRAMRIRLLQQMEQFIQYLDEPTVNTQIFPHVVHGFLDTNPAIREQTVKSMLLLAPKLN
EANLNVELMKHFARLQAKDEQGPIRCNTTVCLGKIGSYLSASTRHRVLTSAFSRATRDPF
APSRVAGVLGFAATHNLYSMNDCAQKILPVLCGLTVDPEKSVRDQAFKAIRSFLSKLESV
SEDPTQLEEVEKDVHAASSPGMGGAAASWAGWAVTGVSSLTSKLIRSHPTTAPTETNIPQ
RPTPEGVPAPAPTPVPATPTTSGHWETQEEDKDTAEDSSTADRWDDEDWGSLEQEAESVL
AQQDDWSTGGQVSRASQVSNSDHKSSKSPESDWSSWEAEGSWEQGWQEPSSQEPPPDGTR
LASEYNWGGPESSDKGDPFATLSARPSTQPRPDSWGEDNWEGLETDSRQVKAELARKKRE
ERREMEAKRAERKVAKGPMKLGARKLD

775 71.72

FIGURE 1V

SEQ ID NO: 208_AA599286_H
MAFMEKPPAGKVLLDDTVPLTAAIEASQSLQSHTEYIIRVQGGISVENSWQIVRRYSDFD
LLNNSLQIAGLSLPLPPKKLIGNMDREFIAERQKGLQNYLNVITTNHILSNCELVKKFLD
PNNYSANYTEIALQQVSMFFRSEPKWEVVEPLKDIGWRIRKKYFLMKIKNQPKERLVLSW
ADLGPDKYLSDKDFQCLIKLLPSCLHPYIYRVTFATANESSALLIRMFNEKGTLKDLIYK
AKPKDPFLKKYCNPKKIQGLELQQIKTYGRQILEVLKFLHDKGFPYGHLHASNVMLDGDT
CRLLDLENSLLGLPSFYRSYFSQFRKINTLESVDVHCFGHLLYEMTYGRPPDSVPVDSFP
PAPSMAVVAVLESTLSCEACKNGMPTISRLLQMPLFSDVLLTTSEKPQFKIPTKLKEALR
IAKECIEKRLIEEQKQIHQHRRLTRAQSHHGSEEERKKRKILARKKSKRSALENSEEHSA
KYSNSNNSAGSGASSPLTSPSSPTPPSTSGISALPPPPPPPPPPPAAPLPPASTEAPAQLS
SQAVNGMSKGALLSSIQNFQKGTLRKAKPVITVLRRSAEASCLHIEGKVLFYSYGE_PPR
YPLPGKVIAEPVQPQTVLFCRCSCKQLFERNNSLSRIKLGWHAKKKKKK

SEQ ID NO: 209_AA425725_H
MSASTGGGGDSGGSGSSSSQASCGPESSGSELALATPVPQMLQGLLGSDDEEQEDPKD
YCKGGYHPVKIGDVFNGRYHVVRKLGWGHFSTVWLCWDIQRKRFVALKVVKSAGHYTETA
VDEIKLLKCVRDSDPSDPKRETIVQLIDDFRISGVNGVHVCMVLEVLGHQLLKWIIKSNY
QGLPVPCVKSIVRQVLHGLDYLHTKCKIIHTDIKPENILLCVGDAYIRRLAAEATEWQQA
GAPPPSRSIVSTAPQEVLTGKLSKNKRKKMRRKRKQQKRLLEERLRDLQRLEAMEAATQA
EDSGLRLDGGSGSTSSSGFSGSLFSPASCSILSGSSNQRETGGLLSPSTPFGASNLLVNP
LEPQNADKIKIKIADLGNACWVHKHFTEDIQTRQYRAVEVLIGAEYGPPADIWSTACMAF
ELATGDYLFEPHSGEDYSRDEDHIAHIVELLGDIPPAFALSGRYSREFFNRRGELRHIHN
LKHWGLYEVLMEKYEWPLEQATQFSAFLLPMMEYIPEKRASAADCLQHPWLNP

SEQ ID NO: 210_SGK022_H
MEDFLLSNGYQLGKTIGEGTYSKVKEAFSKKHQRKVAIKVIDKMGGPSEFIQRFLPRELQ
IVRTLDHKNIIQVYEMLESADGKIQUVMELAECGDVFDCVLNCGPLPESRAKALFRQNVE
ATRYCHGCGVAHRDLKCENALLQGFNLKLTDFGFAKVLPKSHRELSQTFCGSTAYAAPEV
LQGIPHDSKKGDVWSMGVVLYVMLCASLPFDDTDIPKMLWQQQKGVSFPTHLSISADCQD
LLKRLLEPDMILRPSIEEVSWHPWLAST

SEQ ID NO: 211_AA060026_M SGK022_M
MEDFLLSNGYQLGKTIGEGTYSKVKEAFSKKHQRKVAIKIIDKMGGPEEFIQRFLPRELQ
IVRTLDHKNIIQVYEMLESADGKIYLVMELAEGGDVFDCVLNGGPLPESRAKALFRQMVE
AIRYCHGCGVAHRDLKCENALLQGFNLKLTDFGFAKVLPKSRRELSQTFCGSTAYAAPEV
LQGIPHDSKKGDVWSMGVVLYVMLCASLPFDDTDIPKMLWQQQKGVSFPTHLGISTECQD
LLKRLLEPDMILRPSIEEVSWHPWLAST

SEQ ID NO: 212_AA399669_H
MGKGDVLEAAPTTTAYHSLMDEYGYEVGKAIGHGSYGSVYEAFYTKQKVMVAVKIISKKK
ASDDYLNKFLPREIQQVMKVLRHKYLINFYRAIESTSRVYIILELAQGGDVLEWIQRYGA
CSEPLAGKWFSQLTLGIAYLHSKSIVHRDLKLENLLLDKWENVKISDFGFAKMVPSNQPV
GCSPXYRQVNCFSHLSQTYCGSFAYACPEILRGLPYNPFLSDTWSMGVILYTLVVAHLPF
DDTNLKKLLRETQKEVTFPANHTISQECKVQLLIACVAQWRKTQARPLSPLL

SEQ ID NO: 213_AA758539_H MDDATVLRKKGYIVGINLGKGSYAKVKSAYSERLKFNVAVKIIDRRKTPTDFVERFLPRE MDILATVNHGSIIKTYEIFETSDGRIYIIMELGVQGDLLEFIKCQGALHEDVARKMFRQL SSAVKYCHDLDIVHRDLKCENLLLDKDFNIKLSDFGFSKRCLRDSNGRIILSKTFCGSAA

FIGURE 1W

YAAPEVLQSIPYQPKVYDIWSLGVILYIMVCGSMPYDDSDIRKMLRIQKEHRVDFPRSKN LTCECKDLIYRMLQPDVSQRLHIDEILSHSWLQPPKPKATSSASFKREGEGKYRAECKLD TKTGLRPDHRPDHKLGAKTQHRLLVVPENENRMEDRLAETSRAKDHHISGAEVGKAST

SEQ ID NO: 214_AA883975_H

MSGDKLLSELGYKLGRTIGEGSYSKVKVATSKKYKGTVAIKVVDRRRAPPDFVNKFLPRE LSILRGVRHPHIVHVFEFIEVCNGKLYIVMEAAATDLLQAVQRNGRIPGVQARDLFAQIA GAVRYLHDHHLVHRDLKCENVLLSPDERRVKLTDFGFGRQAHGYPDLSTTYCGSAAYASP EVLLGIPYDPKKYDVWSMGVVLYVMVTGCMPFDDSDIAGLPRRQKRGVLYPEGLELSERC KALIAELLQFSPSARPSAGQVARNCWLRAGDSG

SEQ ID NO: 215_AA205446_H

VGRQETGVRRWAFLICQPISPPLTSSEFIQRFLPRELQIVRTLDHKNIIQVYEMLESADG KICLVMELAEGGDVFDCVLNGGPLPESRAKALFRQMVEAIRYCHGCGVAHRDLKCENALL QGFNLKLTDFGFAKVLPKSHRELSQTFCGSTAYAAPEVLQGIPXKMLWQQQKGVSFPTHL SISADCQDLLKRLLEPDMILRPSIEEVSWHPWLAST

.

SEO ID NO: 216 H29974 H

YSLLAEIGRGSYGVVYEAVAGRSGARVAVKKIRCDAPENVELALAEFWALTSLKRRHQNV VQFEECVLQRNGLAQRMSHGNKSSQLYLRLVETSLKGERILGYAEEPCYLWFVMEFCEGG DLNQYVLSRRPDPATNKSFMLQLTSAIAFLHKNHIVHRDLKPDNILITERSGTPILKVAD FGLSKVCAGLAPRGKEGNQDNKNVNVNKYWLSSACGSDFYMAPEVWEGHYTAKADIFALG IIIWAMIERITFIDSETKKELLGTYIKQGTEIVPVGEALLENPKMELHIPQKRRTSMSEG IKQLLKDMLAANPQDRPDAFELETRMDQVTCAA

SEQ ID NO: 217_AA498104_M H29974_M
PLLLPPPPAAMETGKENGARRGTKSPERKRRSPVQRVLCEKLRPAAQAMDPAGAEVPGEA
FLARERFIAGGEDVPARTANALAETGKGSYGVVYEAVAGESGARVAVKKIT
LALAEFWALTSLKRRHQNIVQFEECVLQRNGLAQRMSHGNKNSQLYLRLVETSLKGERTL
GYAEEPCYLWFVMEYCEGGDLNQYVLSRRPDPATNKSFMLQLTSAIAFLHKNHIVHRDLK
PDNILITERSGTPILKVADFGLSKVCAGLAPRGKEGNQDNKNVNVNKYWLSSACGSDFYM
APEVWEGHYTAKADIFALGIIIWAMIERITFIDSETKKELLGTYIKQGTEIVPVGEALLE
NPKMELHIPQKRRTSMSEGVKQLLKDMLAANPQDRPDAFELETRMDQVTCAA

SEQ ID NO: 218 AA215311 H

MVSSQPKYDLIREVGRGSYGVVYEAVIRKTSARVAVKKIRCHAPENVELALREFWALSSI KSQHPNVIHLEECILQKDGMVQKMSHGSNSSLYLQLVETSLKGEIAFDPRSAYYLWFVMD FCDGGDMNEYLLSRKPNRKTNTSFMLQLSSALAFLHKNQIIHRDLKPDNILISQTRLDTS DLEPTLKVADFGLSKVCSASGQNPEEPVSVNKCFLSTACGTDFYMAPEVWEGHYTAKADI FALGIIIWAMLERITFIDTETKKELLGSYVKQGTEIVPVGEALLENPKMELLIPVKKKSM NGRMKQLIKEMLAANPQDRPDAFELELRLVQIAFKDSSWET

SEQ ID NO: 219 AA018361_H

MRAAFPAGGAGGSVEPPSARPAPQPAGTAARSEEAPARAQAAGMAGPGWGPPRLDGFILT ERLGSGTYATVYKAYAKKDTREVVAIKCVAKKSLNKASVENLLTEIEILKGIRHPHIVQL KDFQWDSDNIYLIMEFCAGGDLSRFIHTRRILPEKVARVFMQQLASALQFLHERNISHLD LKPQNILLSSLEKPHLKLADFGFAQHMSPWDEKHVLRGSPLYMAPEMVCQRQYDARVDLW SMGVILYEALFGQPPFASRSFSELEEKIRSNRVIELPLRPLLSRDCRDLLQRLLERDPSR RISFQDFFAHPWVDLEHMPSGESLGRATALVVQAVKKDQEGDSAAALSLYCKALDFFVPA

FIGURE 1X

LHYEVDAQRKEAIKAKVGQYVSRAEELKAIVSSSNQALLRQGTSARDLLREMARDKPRLL AALEVASAAMAKEEAAGGEQDALDLYQHSLGELLLLLRSPRAGGGSCFTLRFRTSWPELN T

SEQ ID NO: 220_AA311714_H

MENFILYEEIGRGSKTVVYKGRRKGTINFVAILCTDKCRRPEITNWVRLTREIKHKNIVT

FHEWYETSNHLWLVXENLPEDVVREFGIDLISGLHHLHKLGILFCDISPRKILLEGPGTL

KFSNFCLAKVEGENLEEFFALVAAEEGGGDNGENVLKKSMKSRVKGSPVYTAPEVVRGAD

FSISSDLWSLGCLLYEMFSGKPPFFSESVSELTEKILCEDPLPPIPKDSSRPKASSDFIN

LLDGLLQRDPQKRLTWTRILQHSPWKKAFAGADQESSVEDLSLSRNTMECSGPQDSWELL

QNSQSRQARGHKSGQPLGHSFRLENPTEFRPKSTLE-QLNESMFLLSSRPTITY-LAVIV

SPGEDMTHCSPQKTSPLTKITSGHLSQQDLESQMRELIYTDSDLVVTPIIDNPKIMKQPP

VKFDAKILHLPTYSVDKLLFLKDQDWNDFLQQVCSQIDSTEKSMGASRAKLNLLCYLCVV

AGHQEVATRLLHSPLFQLLIQHLRIAPNWDIRAKVAHVIGLLASHTTELQENTPVVETTS

SIGIGILNCLVOHSTPVPRQCLVYV

SEQ ID NO: 221_SGK384_H SLAHVLRARQILTEPEVRDYLRGLVSGLRYLHQRCILHR

and the first of the control of the

SEQ ID NO: 222_AA210451_M SGK384_M
MGQQHGTRNGLTHRELPRGVGLLLAMALMNVALYLCLDQLFISPGRSTADSRRCPPGYFR
MGRMRNCSRWLSCEELRTEVRQLKRVGEGAVKRVFLSEWKEHKVALSRLTRLEMKEDFLH
GLQMLKSLQSEHVVTLVGYCEEDGTILTEYHPLGSLSNLEETLNLSKYQDVNTWQHRLQL
AMEYVSIINYLHHSPLGTRVMCDSNDLPKTLSQYLLTSNFSIVANDLDALPLVDHDSGVL
IKCGHRELHGDFVAPEQLWPYGEDTPFQDDLMPSYNEKVDIWKIPDVSSFLLGHVEGSDM
VRFHLFDIHKACKSQIPAERPTAQNVLDAYQRVFHSLRDTVMSQTKEMI

SEQ ID NO: 223_SGK071_2_H
EVVAVQMMVECMDDHYASQALEELMPLLKLRHAHISVYQELFITWNGEISSLYLCLVMEF
NELSFQEVIEDKRKAKKIIDSEWMQNVLGQVLDALEYLHHLDIIHRNLKPSNIILISSDH
CKLQDLSSNVLMTDKAKWNIRAEEDPFRKSWMAPEALNFSFSQKSDIWSLGCIILDMTSC
SFMDGTEAMHLRKSLRQSPGSLKAVLKTMEEKQIPDVETFRNLLPLMLQIDPSDRITIKD
VVHITFLRGSFKSSCVSLTLHRQMVPASITDMLLEGNVASILGDAGDTKGERALKLLSMA
LASYCLVPEGSLFMPLALLHMHDQWLSCDQDRVPGKRDFASLGKLGKLLGPIPKGLPWPP
ELVEVVVTTMELHDRVLDVQLCACSLLLHLLGQALVHHPEAKAPCNQAITSTLLSALQSH
PEEEPLLVMVYSLLAITTTQESESLSEELQNAGLLEHILEHLNSSLESRDVCASGLGLLW
ALLLDDPILALQRPRKKRAPNHGKPGKPKNPASTQSIIVNKAPLEKVPDLISQVLATYPA
DGEMAEASCGVFWLLSLLGCIKEQQFEQVVALLLQSIRLCQDRALLVNNAYRGLASLVKV
SELAAFKVVVQEEGGSGLSLIKETYQLHRDDPEVVENVGMLLVHLASYEEILPELVSSSM
KALLQEIKERFTSSLVSDSSAFSKPGLPPGGSPQLGCTTSGGLE

SEQ ID NO: 224_AA118352_M SGK071_M

EEDPCQKSWMAPEALKFSFSTKSDIWSLGCIILDMATCSFLNDTEAMQLRKAIRHHPGSL

KPILKTMEEKQIPGTDVYYLLLPFMLHINPSDRLAIKDVMQVTFMSNSFKSSSVALNMQR

QKVPIFITDVLLEGNMANILGSWLCASFVNDSRHCDSGIGSQRLGFDFQSVSWTEHPLKD

VMQNFSSRPEVQLRAINKLLTMPEDQLGLPWPTELLEEVISIIKQHGRILDILLSTCSLL

LRVLGQALAKDPEAEIPRSSLIISFLMDTLRSHPNSERLVNVVYNVLAIISSQGQISEEL

EEEGLFQLAQENLEHFQEDRDICLSILSLLWSLLVDVVTVDKEPLEQLSGMVTWVLATHP

EDVEIAEAGCAVLWLLSLLGCIKESQFEQVVVLLLRSIQLCPGRVLLVNNAFRGLASLAK

FIGURE 1Y

VSELVAFRIVVLEEGSSGLHLIQDIYKLYKDDPEVVENLCMLLAHLTSYKEILPEMESGG IKDLVQVIRGRFTSSLELISYADEILQVLEANAQPGLQEDQLEPPAGQEAPLQGEPLFRP

SEQ ID NO: 225_018653.9_H

GRGRGAGHARGLGRGPAGRRAEPPRSLSRPGPGPGSRAGPAGRGEGSDAAPAGGSGRGFL
RLLPAGLRPQRALRSGSEPPRPGQSPEPSPAPGAGRRGGRGELARQIRARYEEVQRYSRG
GPGPGAGRPERRLMDLAPGGPGLPRPRPPWARPLSDGAPGWPPAPGPGSPGPGPRLGCA
ALRNVSGAQYMGSGYTKAVYRVRLPGGAAVALKAVDFSGHDLGSCVREFGVRRGCYRLAA
HKLLKEMVLLERLRHPNVLQLYGYCYQDSEDIPDTLTTITELGAPVEMIQLLQTSWEDRF
RICLSLGRLLHHLAHSPLGSVTLLDFRPRQFVLVDGELKVTDLDDARVEETPCAGSTDCI
LSPARTTLPCSAQGWCEGMNEKRNLYNAYRFFFTYLLPHSAPPSLRPLLDSIVNATGE
LAWGVDETLAQLEKVLHYTGGQYLONSTASSSTERGGTPDSITPQEDTRCWPSYHMGSC
LLSVFNLAEAVDVCESHAQCRAFVVTNOTTWTGROLVFFKTGWSOVVPDPNKTTYVKASG

SEQ ID NO: 226_AA396601_M
TRPGCAALRNVSGAQYVGSGYTKAVYRVRLPGGAAVALKAVDFSGHDLGSCVREFGARRG
CYRLAAHKLLKEMVLLERLRHPNVLQLYGYCYQDSEGIPDTLTTITELGAPVEMIQLLQT
SWEDRFRICLSLGRLLHHLAHSPLGSVTLLDFRPRQFVLVNGELKVTDLDDARVEETPCT
SSADCTLEFPARNFSLPCSAQGWCEGMNEKRNLYNAYRFFFTYLLPHSAPPSLRPLLDSI
VNATGELAWGVDETLAQLETALHLFRSGQYLQNSTSSRAEYQRIPDSAITQEDYRCWPSY
HHGGCLLSVFNLAEAIDVCESHAQCRAFVVTNQTTWTGRKLVFFKTGWNQVVPDAGKTTY
VKAPG

SEQ ID NO: 228_S71575_M VRK3_M
IPTCIGFGIHQDKYRFLVFPSLGRSLQSALDDNPKHVVSERCVLQVACRLLDALEYLHEN
EYVHGNLTAENVFVNPEDLSQVTLVGYGFTYRYCPGGKHVAYKEGSRSPHDGDLEFISMD
LHKGCGPSRRSDLQTLGYCMLKWLYGSLPWTNCLPNTEKITRQKQKYLDSPERLVGLCGR
WNKASETLREYLKVVMALNYEEKPPYATLRNSLEALLQDMRVSPYDPLDLQMVP

SEQ ID NO: 229_AA45427_H
MGHALCVCSRGTVIIDNKRYLFIQKLGEGGFSYVDLVEGLHDGHFYALKRILCHEQQDRE
EAQREADMHRLFNHPNILRLVAYCLRERGAKHEAWLLLPFFKRGTLWNEIERLKDKGNFL
TEDQILWLLLGICRGLEAIHAKGYAHRDLKPTNILLGDEGQPVLMDLGSMNQACIHVEGS
RQALTLQDWAAQRCTISYRAPELFSVQSHCVIDERTDVWSLGCVLYAMMFGEGPYDMVFQ
KGDSVALAVQNQLSIPQSPRHSSALRQLLNSMMTVDPHQRPHIPLLLSQLEALQPPAPGQ
HTTOI

SEQ ID NO: 230_H05721_H
MAVRQALGRGLQLGRALLLRFTGKPGRAYGLGRPGPAAGCVRGERPGWAAGPGAEPRRVG
LGLPNRLRFFRQSVAGLAARLQRQFVVRAWGCAGPCGRAVFLAFGLGLGLIEEKQAESRR

FIGURE 1Z

AVSACQEIQAIFTQKSKPGPDPLDTRRLQGFRLEEYLIGQSIGKGCSAAVYEATMPTLPQ
NLEVTKSTGLLPGRGPGTSAPGEGQERAPGAPAFPLAIKMMWNISAGSSSEAILNTMSQE
LVPASRVALAGEYGAVTYRKSKRGPKQLAPHPNIIRVLRAFTSSVPLLPGALVDYPDVLP
SRLHPEGLGHGRTLFLVMKNYPCTLRQYLCVNTPSPRLAAMMLLQLLEGVDHLVQQGIAH
RDLKSDNILVELDPDGCPWLVIADFGCCLADESIGLQLPFSSWYVDRGGNGCLMAPEVST
ARPGPRAVIDYSKADAWAVGAIAYEIFGLVNPFYGQGKAHLESRSYQEAQLPALPESVPP
DVRQLVRALLQREASKRPSARVAANVLHLSLWGEHILALKNLKLDKMVGWLLQQSAATLL
ANRLTEKCCVETKMKMLFLANLECETLCQAALLLCSWRAAL

SEQ ID NO: 231_A1086865_H

MEKYERIRVVGRGAFGIVHLCLRKADQKLVIIKQIPVECMTKEERQAAQNECQVLKLLNH

MEKYERIRVVGRGAFGIVHLCLRKADQKLVIIKQIPVECMTKEERQAAQNECQVLKLLNH

MEKYERIRVGRGAFGIVHLCLRKADQKLVIIKQIPVECMTKEERQAAQNECQVLKLLNH

THLILMEDLKTQNILLDKHRMVVKIGDFGISKILSSKSTPCYISPELCEGKPYNQKSDIW

ALGCVLYELASLKRAFEAANLPALVLKIMSGTFAPISDRYSPELRQLVLSLLSLEPAQRP

PLSHIMAQPLCIRALLNLHTDGREVRGPQQHREQDHQCPLQRGIIMTFGSGSNGCLGHGS

LTDISQPTIVEALLGYEMVQQVEEALSFTLLGSAPLDQEPLLSIDLGTAHSAAVTGEEDL

GSGDVNRLPSWERGHLLAGVASSTDVSTFSEGDCKEPDKCCWRHKQCTGHIIYPFASDCV

RHSLHLHSVNHCNCNSRLKDSSEDSSSSRGAGPTCSHVIESPCFELTPEEEHVERFRYGW

CKSYRPVSVAVIHHPLYHECGADDLNXKKRKRRRRKSKPPIPTQVGPATASPDLGTSMAT

GTPDSTAPITIWRSESPTGKGQGSKVIKKVKKKKEKEKDKEEMDEKAKLKKKAKKGQLTK

KKSPVKLEPSPPDVSRSLSARQLARMSESSPESREELESEDSYNGRGQGELSSEDIVESS

SPRKRENTVOAKKTGAKPSOARKVNKRKSPPGSNPNLS

SEQ ID NO: 232_AA836348_H

MSVLGEYERHCDSINSDFGSESGCGDSSPGPSASQGPRAGGGAAEQEELHYIPIRVLGR
GAFGEATLYRRTEDDSLVVWKEVDLTRLSEKERRDALNEIVILALLQHDNIIAYYNHFMD
NTTLLIELEYCNGGNLYDKILRQKDKLFEEEMVVWYLFQIVSAVSCIHKAGILHRDIKTL
TLTLANLITLGDYGLAKKINSEYSMAETIVGTPYTASDELOGUTYNATISTALAY
TFELLTLKRTFDATNPLNLCVKIVQGIRAMEVDSSQYSLELIQMVHSCLDQDPEQRPTAD
ELLDRPLLRKRRSSTVTEAPIAVVTSRTSEVYVWGGGKSTPQKLDVIKSGCSARQVCAG
NTHFAVVTVEKELYTWVNMQGGTKLHGQLGHGDKASYRQPKHVEKLQGKAIRQVSCGDDF
TVCVTDEGQLYAFGSDYYGCMGVDKVAGPEVLEPMQLNFFLSNPVEQVSCGDNHVVVLTR
NKEVYSWGCGEYGRLGLDSEEDYYTPQKVDVPKALIIVAVQCGCDGTFLLTQSGKVLACG
LNEFNKLGLNQCMSGIINHEAYHEVPYTTSFTLAKQLSFYKIRTIAPGKTHTAAIDERGR
LLTFGCNKCGQLGVGNYKKRLGINLLGGPLGGKQVIRVSCGDEFTIAATDEKVLNSKTIR
SNSSGLSIGTVFQSSSPGGGGGGGGEEEDSQQESETPDPSGGFRGTMEADRGMEGLISP
TEAMGNSNGASSSCPGWLRKELENAEFIPMPDSPSPLSAAFSESEKDTLPYEELQGLKVA
SEAPLEHKPQVEASVTELFAFESQLVTSAESCSNLCWEGNTTDSSCVCVQLSAGGG

SEQ ID NO: 233_R86668_H, MKK6_H
MNLLLSYRDVQDYSAIIELVETLQALPTCDVAEQHNVCFHYTFALNRRNRPGDRAKALSV
LLPLVQLEGSVAPDLYCMCGRIYKDMFFSSGFQDAGHREQAYHWYRKAFDVEPSLHSGIN
AAVLLIAAGQHFEDSKELRLIGMKLGCLLARKGCVEKMQYYWDVGFYLGAQILANDPTQV
VLAAEQLYKLNAPIWYLVSVMETFLLYQHFRPTPEPPGGPPRRAHFWLHFLLQSCQPFKT
ACAQGDQCLVLVLEMNKVLLPAKLEVRGTDPVSTVTLSLLEPETQDIPSSWTFPVASICG
VSASKRDERCCFLYALPPAQDVQLCFPSVGHCQWFCGLIQAWVTNPDSTAPAEEAEGAGE
MLEFDYEYTETGERLVLGKGTYGVVYAGRDRHTRVRIAIKEIPERDSRFSQPLHEEIALH
RRLRHKNIVRYLGSASQGGYLKIFMEEVPGGSLSSLLRSVWGPLKDNESTISFYTRQILQ
GLGYLHDNHIVHRDIKGDNVLINTFSGLLKISDFGTSKRLAGITPCTETFTGTLQYMAPE
IIDQGPRGYGKAADIWSLGCTVIEMATGRPPFHELGSPQAAMFQVGMYKVHPPMPSSLSA

FIGURE 1AA

EAQAFLLRTFEPDPRLRASAQTLLGDPFLQPGKRSRSPSSPRHAPRPSDAPSASPTPSAN STTQSQTFPCPQAPSQHPPSPPKRCLSYGGTSQLRVPEEPAAEEPASPEESSGLSLLHQE SKRRAMLAAVLEQELPALAENLHQEQKQEQGARLGRNHVEELLRCLGAHIHTPNRRQLAQ ELRALQGRLRAQGLGPALLHRPLFAFPDAVKQILRKRQIRPHWMFVLDSLLSRAVRAALG VLGPEVEKEAVSPRSEELSNEGDSQQSPGQQSPLPVEPEQGPAPLMVQLSLLRAETDRLR EILAGKEREYQALVQRALQRLNEEARTYVLAPEPPTALSTDQGLVQWLQELNVDSGTIQM LLNHSFTLHTLLTYATRDDLIYTRIRGGMVCRIWRAILAQRAGSTPVTSGP

SEQ ID NO: 234_PAK6_H

MFGKKKKKIEISGPSNFEHRVHTGFDPQEQKFTGLPQQWHSLLADTANRPKPMVDPSCIT

PIQLAPMKTIVRGNKPCKETSINGLLEDFDNISVTRSNSLRKESPPTPDQGASSHGPGHA

EMNOTITESQYSSESDTTADYTTEKYREKSLYGDDLDPYYRGSHAAKQNCTAMERICIEA

YYSEVKPLKSDFARFSADYHSHLDSLSKPSEYSDLKWEYQRASSSSPLDYSFQFTPSRTA

GTSGCSKESLAYSESEWGPSLDDYDRRPKSSYLNQTSPQPTMRQRSRSGSGLQEPMMPFG
ASAFKTHPQGHSYNSYTYPRLSEPTMCIPKVDYDRAQMVLSPPLSGSDTYPRGPAKLPQS
QSKSGYSSSSHQYPSGYHKATLYHHPSLQSSSQYISTASYLSSLSLSSSTYPPPSWGSSS
DQQPSRVSHEQFRAALQLVVSPGDPREYLANFIKIGEGSTGIVCIATEKHTGKQVAVKKM
DLRKQQRRELLFNEVVIMRDYHHDNVVDMYSSYLVGDELWVVMEFLEGGALTDIVTHTRM
NEEQIATVCLSVLRALSYLHNQGVIHRDIKSDSILLTSDGRIKLSDFGFCAQVSKEVPKR
KSLVGTPYWMAPEVISRLPYGTEVDIWSLGIMVIEMIDGEPPYFNEPPLQAMRRIRDSLP
PRVKDLHKVSSVLRGFLDLMLVREPSQRATAQELLGHPFLKLAGPPSCIVPLMRQYRHH

SEQ ID NO: 235_SURTK106_H
MNDRNEIQMEAKLQSLTIIAQEILCRFFITLRRHARFLLTKLGRQGMARSGITHSCAVCI
LCGPSREGDSPVAMGMTRMLLECSLSDKLCVIQEKQYEVIIVPTLLVTIFLILLGVILWL
FIREQRTQQQRSGPQGIAPVPPPRDLSWEAGHGGNVALPLKETSVENFLGATTPALAKLQ
VPREQLSEVLEQICSGSCGPIFRANMNTGDPSKPKSVILKALKEPAGLHEVQDFLGRIQF
HQYLCKHKNLVQLEGCCTEKLPLTMVLEDVAOCDLLGSLWTCRRDVMTMDGLLYDLTEKQ
VYHTGKQVLLALEFLQEKHLFHGDVAARNILMQSDLTAKLCGLGLAYEVYTKGATSSTQT
IPLKWLAPERLLLRPASIRADVWSFGILLYEMVTLGAPPYPEVPPTSILEHLQRRKIMKR
PSSCTHTMYSIMKSCWRWREADRPSPRELRLRLEAAIKTADDEAVLQVPELVVPELYAAV
AGIRVESLFYNYSML

SEQ ID NO: 236_AA098024_M LQEKHLFHGDVAARNILIQSDLTPKLCHLGLAYEVHAHGAISSARSSTIPLKWLAPERLL LRPASIRGDIWSFGILLYEMVTLGAPPYPEVPPTSILQYLQRKKIMKRPSSCSHAMYNIM KCCWRWSEDSRPLLVQLLQRLEAASRSADDKAVLQVPELVVPELYADVAGIRAESISYSF SVL

SEQ ID NO: 237_SGK2ALPHA_H
MNSSPAGTPSPQPSRANGNINLGPSANPNAQPTDFDFLKVIGKGNYGKVLLAKRKSDGAF
YAVKVLQKKSILKKKEQSHIMAERSVLLKNVRHPFLVGLRYSFQTPEKLYFVLDYVNGGE
LFFHLQRERRFLEPRARFYAAEVASAIGYLHSLNIIYRDLKPENILLDCQGHVVLTDFGL
CKEGVEPEDTTSTFCGTPEYLAPEVLRKEPYDRAVDWWCLGAVLYEMLHGLPPFYSQDVS
QMYENILHQPLQIPGGRTVAACDLLQSLLHKDQRQRLGSKADFLEIKNHVFFSPINWDDL
YHKRLTPPFNPNVTGPADLKHFDPEFTQEAVSKSIGCTPDTVASSSGASSAFLGFSYAPE
DDDILDC

PCT/US00/14842

FIGURE 1BB

SEQ ID NO: 238_CCRK_H
MDQYCILGRIGEGAHGIVFKAKHVETGEIIALKKVALRRLEDGFPNQALREIKALQEMED
NQYVVQLKAVFPHGGGFVLAFEFMLSDLAEVVRHAQRPLAQAQVKSYLQMLLKGVAFCHA
NNIVHRDLKPANLLISASGQLKIADFGLARVFSPDGSRLYTHQVATRSVGCIMGELLNGS
PLFPGKNDIEQLCYVLRILGTPNPQVWPELTELPDYNKISFKEQVPMPLEEVLPDVSPQA
LDLLGQFLLYPPHQRIAASKALLHQYFFTAPLPAHPSELPIPQRLGGPAPKAHPGPPHIH
DFHVDRPLEGVAVEPRADSALHPGGVRSWPWSRLPAPQDHSVHLFLCHLPGFTLQGLPMA
TVGPHHTLPLSPCEGWSRGRGHVPSQEYENIQSSRGDSWPVLGEPYLLCATDVPIRTVSS
AASQGLHMQNDDACLGAASPECCLLVKEKCRE

MDRSKRNSIAGFPTTERLEFEGGGGEGNVSQVGRVWPSSYRALISAFSRLTRLDDFT
CEKIGSGFFSEVFKVRHRASGQVMALKMNTLSSNRANMLKEVQLMNRLSHPNILRYINSG
NLEQLLDSNLHLPWTVRVKLAYDIAVGLSYLHFKGIFHRDLTSKNCLIKRDENGYSAVVA
DFGLAEKIPDVSMGSEKLAVVGSPFWMAPEVLRDEPYNEKADVFSYGIILCEIIARIQAD
PDYLPRTENFGLDYDAFQHMVGDCPPDFLQLTFNCCNMDPKLRPSFVEIGKTLEEILSRL
QEEEQERDRKLQPTARGLLEKAPGVKRLSSLDDKIPHKSPCPRRTIWLSRSQSDIFSRKP
PRTVSVLDPYYRPRDGAARTPKVNPFSARQDLMGGKIKFFDLPSKSVISLVFDLDAPGPG
TMPLADWQEPLAPPIRRWRSLPGSPEFLHQEACPFVGREESLSDGPPPRLSSLKYRVKEI
PPFRASALPAAQAHEAMDCSILQEENGFGSRPQGTSPCPAGASEEMEVEERPAGSTPATF
STSGIGLOTOGKQDG

FIGURE 2A

SEQ ID NO: 1 X69117 H BARK2 H ATGGCGGACCTGGAGGCCGTGCTGGCCGATGTCAGTTACCTGATGGCCATGGAGAAGAGC **AAGGCGACCCCGGCCGCCGCCAGCAAGAGGATCGTCCTGCCGGAGCCCAGTATCCGG** AGTGTGATGCAGAAGTACCTTGCAGAGAGAAATGAAATAACCTTTGACAAGATTTTCAAT CCTCAGGTGAAGTTTTATGAAGAGATAAAGGAATATGAAAAACTTGATAATGAGGAAGAC CGCCTTTGCAGAAGTCGACAAATTTATGATGCCTACATCATGAAGGAACTTCTTTCCTGT TCACATCCTTTCTCAAAGCAAGCTGTAGAACACGTACAAAGTCATTTATCCAAGAAACAA GTGACATCAACTCTTTTTCAGCCATACATAGAAGAAATTTGTGAAAGCCTTCGAGGTGAC ATTTTTCAAAAATTTATGGAAAGTGACAAGTTCACTAGATTTTGTCAGTGGAAAAACGTT GAATTAAATATCCATTTGACCATGAATGAGTTCAGTGTGCATAGGATTATTGGACGAGGA `gg^itcgccgaactttatcj_tecaggaraccagacactggaaaaatgtriecal#grak 👾 TGCTTAGATAAGAAGAGGATCAAAATGAAACAAGGAGAAACATTAGCTTTAAATGAAAGA TTCCATACCCCAGATAAACTCTGCTTCATCCTGGATCTGATGAACGGGGGGCGATTTGCAC TACCACCTTTCACAACACGGTGTTCTCTGAGAAGGAGATGCGGTTTTATGCCACTGAA **ATCATTCTGGGTCTGGAACACGTGCACAATCGGTTTGTTGTCTACAGAGATTTGAAGCCA** GCAAATATTCTCTTGGATGAACATGGACACGCAAGAATATCAGATCTTGGTCTTGCCTGC GATTTTCCAAAAAGAGCCTCATGCGAGTGTTGGCACCCATGGGTACATGGCTCCCGAG GTGCTGCAGAAGGGGACGGCCTATGACAGCAGTGCCGACTGGTTCTCCCTGGGCTGCATG CTTTTCAAACTTCTGAGAGGTCACAGCCCTTTCAGACAACATAAAACCAAAGACAAGCAT GAAATTGACCGAATGACACTCACCGTGAATGTGGAACTTCCAGACACCTTCTCTCCTGAA CTGAAGTCCCTTTTGGAGGGCTTGCTTCAGCGAGACGTTAGCAAGCGGCTGGGCTGTCAC GGAGGCGCTCACAGGAAGTAAAAGAGCACAGCTTTTTCAAAAGGTGTTGACTGGCAGCAT GTCTACTTACAAAAGTACCCACCACCCTTGATTCCTCCCCGGGGAGAAGTCAATGCTGCT GATGCCTTTGATATTGGCTCATTTGATGAAGAGGATACCAAAGGGATTAAGCTACTTGAT TGCGACCAAGAACTCTACAAGAACTTCCCTTTGGTCATCTCTGAACGCTGGCAGCAAGAA <u>AGAGCTAAAAATAAGCAACTTGGCCACGAAGAAGATTACGCTCTGGGGAAGGACTGTATT</u> ATGCACGGGTACATGCTGAAACTGGGAAACCCATTTCTGACTCAGTGGCAGCGTCGCTAT TTTTACCTCTTTCCAAATAGACTTGAATGGAGAGGGAGAGGGGAGAGTCCCGGCAAAATTTA CTGACAATGGAACAGATTCTCTCTGTGGAAGAAACTCAAATTAAAGACAAAAAATGCATT TTGTTCAGAATAAAAGGAGGGAAACAATTTGTCTTGCAATGTGAGAGTGATCCAGAGTTT GTGCAGTGGAAGAAAGAGTTGAACGAAACCTTCAAGGAGGCCCAGCGGCTATTGCGTCGT GCCCGAAGTTCCTCAACAAACCTCGGTCAGGTACTGTGGAGCTCCCAAAGCCATCCCTC TGTCACAGGAACAGCAACGGCCTCTGA

SEQ ID NO: 2_AA144574_M BARK2_M

FIGURE 2B

the first of the second

GAAGAGGATGGCTCGTCCATGTCGGCGGCCACCGCGCGGAGGCCGGTGTTTGACGACAA

SEO ID NO: 3 AA826850 H

GGAGGACGTGAACTTCGACCACTTCCAGATCCTTCGGGCCATTGGGAAGGGCAGCTTTGG CAAGGTGTGCATTGTGCAGAAGCGGGACACGGAGAAGATGTACGCCATGAAGTACATGAA CAAGCAGCAGTGCATCGAGCGCGACGACGTCCGCAACGTCTTCCGGGAGCTGGAGATCCT GCAGGAGATCGAGCACGTCTTCCTGGTGAACCTCTGGTACTCCTTCCAGGACGAGGAGGA CATGTTCATGGTCGTGGACCTGCTACTGGGCGGGGACCTGCGCTACCACCTGCAGCAGAA CGTGCAGTTCTCCGAGGACACGGTGAGGCTGTACATCTGCGAGATGGCACTGGCTCTGGA CTACCTGCGCGGCCAGCACATCATCCACAGAGATGTCAAGCCTGACAACATTCTCCTGGA TGAGAGAGGACATGCACACCTGACCGACTTCAACATTGCCACCATCATCAAGGACGGGGA GCGGCGACGCATTAGCAGGCACCAAGCCGTACATGGCTCCGGAGATCTTCCAXTCTTT TGTCAACGGCGGACCGGCTACTCCTTCGAGGTGGACTGGTGGTCGGTGGGGGTGATGGC CTATGAGCTGCTGCGAGGATGGAGGCCCTATGACATCCACTCCAGCAACGCCGTGGAGTC CCTGGTGCAGCTGTTCAGCACCGTGAGCGTCCAGTATGTCCCCACGTGGTCCAAGGAGAT GGTGGCCTTGCTGCGGAAGCTCCTCACTGTGAACCCCGAGCACCGGCTCTCCAGCCTCCA GGTGGACCCGGGCTTCGTGCCCAACAAAGGCCGTCTGCACTGCACCCCACCCTTTGAGCT GGAGGAGATGATCCTGGAGTCCAGGCCCCTGCACAAGAAGAAGAAGCGCCTGGCCAAGAA CAAGTCCCGGGACAACAGCAGGGACAGCTCCCAGTCCGAGAATGACTATCTTCAAGACTG

SEQ ID NO: 4_AA960957_H
GTCCCACATCCCGCATCCCGCCATCCCAGCGGCCGGCCATGTAGCAGCGGCAGCAACGGCG
GAATATGGGCGGGAACCACTCCCACAAGCCCCCCGTGTTTGACGAGAATGAGGAAGTCAA
CTTTGACCATTTTCAGATTCTGCGGGCCCATTGGTAAAGGGAGTTTTGGAAAGGTATGCAT
CGTGCAGAAGCGAGACACTAAGAAAATGTATGCAATGAAGTACATGAACAAGCAGAAGTG
CATCGAGAGGGATGAGGTTCGGAATGTTTTCCGGGAGCTGCAGATCATGCAAGGGCTGGA

ATTTCTGTATAGTTTTCACCTCTGAGAATTACAATGTGAGAACCGCTC

FIGURE 2C

GCACCCCTTCCTGGTCAATCTGTGGTACTCCTTCCAGGATGAGGAGGACATGTTCATGGT GGTGGACCTGCTCCTGGGAGGCGACCTGCGCTACCATCTGCAGCAGAATGTGCATTTCAC AGAGGGGACTGTGAAACTCTACATCTGTGAGCTGGCACTGGCCCTGGAGTATCTTCAGAG GTACCACATCATCCACAGAGACATCAAGCCAGACAATATCCTGCTGGATGAACACGGACA TGTTCACATTACAGACTTCAACATAGCGACGGTAGTGAAAGGAGCAGAAAGGGCTTCCTC CATGGCTGGCACCAAGCCCTACATGGCTCCAGAAGTATTCCAGGTGTACATGGACAGAGG CCCCGGATACTCGTACCCTGTCGACTGGTGGTCCCTGGGCATCACAGCCTATGAGCTGCT GCGGGCTGGAGGCCGTACGAAATCCACTCGGTCACGCCCATCGATGAAATCCTCAACAT GTTCAAGGTGGAGCGTGTCCACTACTCCTCCACGTGGTGCAAGGGGGATGGTGGCCCTGCT GAGGAAGCTCCTGACCAAGGATCCTGAGAGCCGCGTGTCCAGCCTTCATGACATACAGAG CONTROL TRACTTECCUEACATEAACTEGEGACGCGTGTTCAAGAACGCACTCAFECCCGG CTTTGTGCCCAATA AGCEAGGT CAACTGCGATCCCACATTGAGCTTGAGAGAGATGAT TCTAGAATCCAAGCCACTTCACAAAAAGAAGAAGCGATTGGCAAAGAACAGATCCAGGGA TGGCACAAAGGACAGCTGCCCGCTGAATGGACACCTGCAGCACTGTTTGGAGACTGTCCG GGAGGAATTCATCATATTCAACAGAGAGAAGCTCAGGAGGCAGCAGGGACAGGGCAGCCA CAACAACAACCTCCTCACCCACACCTGCACCCGTGGCTGCAGCAGCTGAGCCCACACTTG CCTGATGGTCCCTGTCTCACCCCTGAAAACATCAGATGCAGAAAAAGCCCTGGACTTGGA GCTGGGAAGCCTGGGTTCTGGTCCCATCTCCATGACTGATTCACGTGTGACCTCAGACAA GTCACGCCCTCTCTGTGCCTCCGTTTTCTGCATCTGCCAAAGGGGGTTAAACACTTCTGCC TGATATTTATAAAATCATTTTTACGTGCAAAATATAACCTTAATATTTTGAAGTGACCCCC ATTCCCCAAAGCAATCAAACCGTCATGACTTTGCAATTTGGCACATCCTAGCTTGTTAGA GGGCACTTCCGAAAAACACAGCCCTGACAGCAAAATAAAGGTCTGATATGTTGGCCCCCTT CTATGGAAACAACGCTGCCAAATCCTGGAGCAAAACCTGAAGTGTCTTCATGTGCATTCT CTGGCAGGCCACAGTCCTGAGCTTGTAAGATGGTGCAGCATGCAGACCAGACTTGTCCCC -racetologoutecuteluctuotuotuotetatetaagaagactiseedi-fodetiii

AGT TTCAGCAGT CCTUACCACCACATATCCCCAGTGCTGGGATGGCACACAGGTGTCCA TTCAGATGAGAGTTGGGTCGCTGAGCATTGGTTACTCCTGCAGAGTGTAATCAGCACCCC ATCCAACTGGCCCGAAAGCCCAGACCTGCAGCAGAACTCTCCAACTCTCTATCAGCTTTC AGGGTTTTCTCTCTGGGAAGGGTGTAAAATCAGCTTGTCAGATTCTTCTTACAGAGAGT ATCCAATCGGTATTGGTGGAGCGGCTCCCTATTTATACAATAGGAAGCATGGGTGCTTAG AAAGTTTATTTCAGGAGGAAAATGGGTTCACACAAAAAGCAAACTACATTCTGATCTGCT CAGGGAGAAGCTTGCCTTTGAACTGGAAGATGTTGGGATGAGCAGGGAAAGCTTAGACTT AGGCAAAGCATGCAATCGCTCTGAATGGCAGTTTCCTCATTTTTAAACAGGGATAATAAA ACTAATATTGCAGGGGGGTTACAGGGTTAAATAAGATCCTGTGTGTAACCCCCAAGCATTG GATGACTCATAGAATGGCCTTTTTTGTCAGCATAATCGTCATCATTATTTAGATACTTTC AAATGTTCTTCCTGGGGTCTTTGATATTTGTTTGTTACATCCTGCTGAAGTTCGACTGTG TTTTTATTTTTCATCCAACTTCCATTTTTCACTTTTTACATGATTACTCAATCCTTGGG GCTGTCCATGTCATCTCTTAGATTTCTTAAAAGACATTTTAATGTATGGTTAGGTTTTAT ATTTTTATTTTTAAAAAAAGAAATAGTCAGTGTTTTCCTCCTTTCAACCGAGACTATTTC TGGATTGTGTGCTCCTCGTCAGTTGACTTGTTTTGCACACTTTTCTTTACTTCATGTCCC CATCAACAACCGTCCTGCTCCCCACCTCCCCCAGGAAATAAGGGGCCTGCTCCTCTCCCT ATTAGGGGCAGGAGCTGGAAGTCGCCCTAGGAACACCAGATTTCCTGGTTCTGTTCAAGT TGGCATTTCTTGTTTGGAATAAACTATTTCTTGGACATTCCTTC

FIGURE 2D

SEO ID NO: 5 TBK1 H GTATAACAAGAGGATTGCCTGATCCAGCCAAGATGCAGAGCACTTCTAATCATCTGTGGC TTTTATCTGATATTTTAGGCCAAGGAGCTACTGCAAATGTCTTTCGTGGAAGACATAAGA ATGTTCAAATGAGAGAATTTGAAGTGTTGAAAAAACTCAATCACAAAAATATTGTCAAAT TATTTGCTATTGAAGAGAGACAACAAGACATAAAGTACTTATTATGGAATTTTGTC CATGTGGGAGTTTATACACTGTTTTAGAAGAACCTTCTAATGCCTATGGACTACCAGAAT GTATAGTGCACCGTGATATCAAGCCAGGAAATATCATGCGTGTTATAGGGGAAGATGGAC AGTCTGTGTACAAACTCACAGATTTTGGTGCAGCTAGAGAATTAGAAGATGATGAGCAGT TTTTTT MITATEGCACAGAAGAALATTIGCACCTGATATGTATGF GAGAGCHETGC TAAGA-AAGATCATCAGAAGAAATATGGAGCAACAGTTGATCTTTGGAGCATTGGGGTAA CATTTTACCATGCAGCTACTGGATCACTGCCATTTAGACCCTTTGAAGGGCCTCGTAGGA ATAAAGAAGTGATGTATAAAATAATTACAGGAAAGCCTTCTGGTGCAATATCTGGAGTAC AGAAAGCAGAAAATGGACCAATTGACTGGAGTGGAGACATGCCTGTTTCTTGCAGTCTTT CTCGGGGTCTTCAGGTTCTACTTACCCCTGTTCTTGCAAACATCCTTGAAGCAGATCAGG AAAAGTGTTGGGGTTTTGACCAGTTTTTTGCAGAAACTAGTGATATACTTCACCGAATGG TAATTCATGTTTTTTCGCTACAACAAATGACAGCTCATAAGATTTATATTCATAGCTATA AAGAACTTATCTACGAAGGGCGACGCTTAGTCTTAGAACCTGGAAGGCTGGCACAACATT TCCCTAAAACTACTGAGGAAAACCCTATATTTGTAGTAAGCCGGGAACCTCTGAATACCA TAGGATTAATATATGAAAAAATTTCCCTCCCTAAAGTACATCCACGTTATGATTTAGACG GGGATGCTAGCATGGCTAAGGCAATAACAGGGGTTGTGTGTTATGCCTGCAGAATTGCCA GTACCTTACTGCTTTATCAGGAATTAATGCGAAAGGGGATACGATGGCTGATTGAATTAA TTAAAGATGATTACAATGAAACTGTTCACAAAAAGACAGAAGTTGTGATCACATTGGATT TCTGTATCAGAAACATTGAAAAAACTGTGAAAAGTATATGAAAAGTTGATGAAGATCAACC ?Demagogicagagtirogtokaatttoagagripholoagaartetipopipiidet (GTTCTCAGGGAACAATAGAAACCAGTCTTCAGGATATCGACAGCAGATTATCTCCAGGTG GATCACTGGCAGACGCATGGGCACATCAAGAAGGCACTCATCCGAAAGACAGAAATGTAG **AAAAACTACAAGTCCTGTTAAATTGCATGACAGAGATTTACTATCAGTTCAAAAAAAGACA** AAGCAGAACGTAGATTAGCTTATAATGAAGAACAAATCCACAAATTTGATAAGCAAAAAC TGTATTACCATGCCACAAAAGCTATGACGCACTTTACAGATGAATGTGTTAAAAAGTATG AGGCATTTTTGAATAAGTCAGAAGAATGGATAAGAAAGATGCTTCATCTTAGGAAACAGT TATTATCGCTGACTAATCAGTGTTTTGATATTGAAGAAGAAGTATCAAAATATCAAGAAT **ATACTAATGAGTTACAAGAAACTCTGCCTCAGAAAATGTTTACAGCTTCCAGTGGAATCA AACATACCATGACCCCAATTTATCCAAGTTCTAACACATTAGTAGAAATGACTCTTGGTA** TGAAGAAATTAAAGGAAGAGATGGAAGGGGTGGTTAAAGAACTTGCTGAAAATAACCACA TTTTAGAAAGGTTTGGCTCTTTAACCATGGATGGTGGCCTTCGCAACGTTGACTGTCTTT AGCTTTCTAATAGAAGTTTAAGAAAAGTTTCCGTTTGCACAAGAAAATAACGCTTGGGCA TTAAATGAATGCCTTTATAGATAGTCACTTGTTTCTACAATCCAGTATTTGATGTGGTCG TGTAAATATGTACAATATTGTAAATACATAAAAAATATACAAATTTTTGGCTGCTGTGAA GATGTAATTTTATCTTTTAACATTTATAATTATATGAGGAAATTTGACCTCAGTGATCAC GAGAAGAAAGCCATGACCGACCAATATGTTGACATACTGATCCTCTACTCTGAGTGGGGC TAAATAAGTTATTTTCTCTGACCGCCTACTGGAAATATTTTTAAGTGGAACCAAAATAGG CATCCTTACAAATCAGGAAGACTGACTTGACACGTTTGTAAATGGTAGAACGGTGGCTAC TGTGAGTGGGGAGCAGAACCGCACCACTGTTATACTGGGATAACAATTTTTTTGAGAAGG ATAAAGTGGCATTATTTTATTTTACAAGGTGCCCAGATCCCAGTTATCCTTGTATCCATG TAATTTCAGATGAATTATTAAGCAAACATTTTAAAGTGAATTCATTATTAAAAACTATTC ATTTTTTTCCTTTGGCCATAAATGTGTAATTGTCATTAAAATTCTAAGGTCATTTCAACT

PCT/US00/14842

FIGURE 2E

SEQ ID NO: 6 AA305176 H

TGGCTGCTCGCGGAGGGCAGTGTACGCGGGGCCGCTGTAGGCTGTCCAGCGATGGATCC CACCGCGGAAGCAAGAAGGACCTGGAGGAGGCGCGCGACTGAGGAGGCGTGAATAG GATCGCAGTGCCAAAACCGCCCTCCATTGAGGAATTCAGCATAGTGAAGCCCATTAGCCG GGGCGCCTTCGGGAAAGTGTATCTGGGGCAGAAAGGCGGCAAATTGTATGCAGTAAAGGT TGCACTGGCACTAAGCAAAAGCCCATTCATTGTCCATTTGTATTATTCACTGCAGTCTGC AAACAATGTCTACTTGGTAATGGATATCTTATTGGGGGGAGATGTCAAGTCTCTCCTACA Tatatalogitatititgatgaagagatggctgtg:aatatattttttttgaagtaucaligoc TCTAGACTACCTTCACAGACATGGAATCATCCACAGGGACTTGAAACCGGACAATATGCT TATTTCTAATGAGGGTCATATTAAACTGACGGATTTTGGCCTTTCAAAAGTTACTTTGAA TAGAGATATTAATATGATGGATATCCTTACAACACCATCAATGGCAAAACCTAGACAAGA TTATTCAAGAACCCCAGGACAAGTGTTATCGCTTATCAGCTCGTTGGGATTTAACACACC ACAGCTTTCTCAAGGACTCGTATGCCCTATGTCTGTAGATCAAAAGGACACTACGCCTTA TTCTAGCAAATTACTAAAATCATGTCTTGAAACAGTTGCCTCCAACCCAGGAATGCCTGT GAAGTGTCTAACTTCTAATTTACTCCAGTCTAGGAAAAGGCTGGCCACATCCAGTGCCAG TAGTCAATCCCACACCTTCATATCCAGTGTGGAATCAGAATGCCACAGCAGTCCCAAATG **AATGAATGTGAGAAATATTATACCTTTTCATATAAATTCCATAAAGAAATGAAATTGTTA** CATGAATGGCAGTCATAGTATTAATCAGAAATTCATTTTCCTGCACATTCTGTCAAATTC TTTTGAAATATTTCATTTCTCATTCAATTGTGACATTGTTCTTACTTGATTATAAATGA GATTCTTGCAGTAAATTGATAATAAATGCTTGGCTTCTGTGTATCTAGGTGGACCTCACT TTTTAACATATGTCAFTTAANAMCTCAVATTATCTCC1F11

SEQ ID NO: 7 AA116841 M

CCACGCGTCCGATCCCATGGCCAGAAGGCGAAGAAAAGCTATCTGATAATGCTCAAAGTG
CAATGGACATGCTTTTAACCATTGATGATTCAAAGAGAGCTGGAATGAGAGAACTAAAAC
AGCATCCTCTCTCAGTGAAGTGGACTGGGAAAATCTGCAGCATCAGACTATGCCTTTCG
TACCCCAACCAGACGACGACGAAACAGATACATCCTATTTTGAAGCCAGAAATAATGCTCAAC
ATCTGACCGTATCTGGGTTTAGTCTGTAGCACATGCGTGTCATTTTTATCTAACTTGTGA
TATAGAATTAAGTTTTACAGTAATATGCTACTTAATACTAGATTGGTCTAAATGGGATAA
AAGTCATTATTTTACCCAGACTGAACAGCTTTTAATTACTAAGTACAACAGTTTTTACAG
AATTAAAATACTATAAGCAATATAATCAGTAATTAATCTTTACCTTAGAACTGTATATAA
GCCATAATAGCTTTTTTCATCTTATTTATTCACTGCACTTTATGAAGAGCAAAGTATCAA
TAAACTAAAACACTACCACTCTAAATAGAGGGAGTGAGCCGT

SEQ ID NO: 8_AA256100_H

FIGURE 2F

GGCCCATATCCGAGCAGAAAGAGATATTTTGGTAGAAGCAGATGGTGCCTGGGTGGTGAA GATGTTTTACAGTTTTCAGGATAAGAGGAATCTTTATCTAATCATGGAATTTCTCCCTGG **AGGTGACATGACATTGCTAATGAAGAAAGACACCTTGACAGAAGAGGAAACACAGTT** GGATATTAAGCCAGACAACCTTTTATTGGATGCCAAGGGTCATGTAAAATTATCTGATTT TGGTTTATGTACGGGATTAAAGAAAGCTCACAGGACTGAATTTTATAGAAATCTCACACA CAACCCACCAAGTGACTTCTCATTTCAGAACATGAACTCAAAGAGGAAAGCAGAAACTTG GAAGAAGAACAGGAGACAACTGGCATATTCCACAGTTGGGACACCAGATTACATTGCTCC AGAAGTATTCATGCAGACTGGTTACAACAAATTGTGTGACTGGTGGTCTTTGGGAGTGAT TATGTATGAAATGCTAATAGGATATCCACCTTTCTGCTCTGAAACACCTCAAGAAACATA @BONNANGTGATGAACTGGAAAGAACTCTGGTATTTCCTCCAGAGGTACCTATATCTGA == GAAAGCCAAGGACTTAATTCTCAG: "TTTTGTATIGA: TCIGAAAACAGAATTGGAAATAG TGGAGTAGAAGAATAAAAGGTCATCCCTTTTTTGAAGGTGTCGACTGGGAGCACATAAG GGAAAGGCCAGCAATCCCTATAGAAATCAAAAGCATTGATGATACTTCAAATTTTGA TGACTTCCCTGAATCTGATATTTTACAACCAGTGCCAAATACCACAGAACCGGACTACAA ATCCAAAGACTGGGTTTTTCTCAATTATACCTATAAAAGGTTTGAAGGGTTGACTCAACG TGAAATACTCCTGAAGATGGTGGTGCTTATTGACTACAAGAGGAAATTCTACAGGATTAG GATTTCTAAGACTACTATAGGAATTGGTTGGCAGTGCCAGCTGGCTCTTTTTTTAATAT TTTATTATTTTTTTTTAACTTTATTATTATGAAGGTACTGGAATAAAAGGAACAGACATCCC TTGAACTGTAACACCTCTAATCAATTCAGGAGAAACACATATCATTTAAAGCAACATAGG CTAACCTGTAGGTAACACTGCAGTATTGATGTTTTACTGCAAATCTTATGGGTCTAGATA ATCAGTAAAAGCCATCTTCCATAGTTGGTGTTAGAACATTGCCCTATTGGTTTTGGACATC TGTAGAATATATATGAAGACAATTTCTGTAATGGTTTTAAGAGATTTAAAAAGAAATTCA CTGGTTCTTTACAAAATAGAATTTATCATCAAAGTTATTACACAAACTTCACAGTAAGGAG TRACEAGY TIALAATIA KAAGACALAGTITAACACCITCACTCAAGCACTCCACTAAGC TATTTACGTTGCATTCAGAAATACTGATGACCTTCATATACGTAGTCTGTATACTCATAG GGAGATGTACTGTATTATAACATGTAAAGTTGATTTTCTTGTGACAAGAGAACTTCTT TTTTTAACAAGAGGACATGGCATTATTTTAATTTGATTATGGTGAGTTGAATTTAAGACA TGACCATGAAGGCTGCTTGTAGAATTAGTGTATTTTTATTAAACTATTTTTTTAAATGTC AAACTTCTATCATGTAAATGGACTTATAGAGAACAAAAAGCTATTTACTTTGGTTTTCTA GAAAGTTGTTACATATCATGGCTGGTTAACTTTTATTTCTTTTGATGAAAATTTTTCCTT TGATAGTACTTGTATTATTGTGCCATTATTTTCTTATGCTCCAAATGTACCAAAGATCTT GAACAGAGTGGATGTTCACAACTGAGTAGAATTTTCCTTTCCTGTGGGCATGCTGTATTC AGACCTGACAGATCTTTGATAGAGGTCAGCTTATTAAAGGGCCAATATTGTTCTTGTTTAG CTACATCACTGTGGTGAATATAGATGGAATTAAGGAAGTAAATGCAGGCCAGGGGGTTGT GATGAGAGGATAGGGGAGATAATATCAGCATCAAATTCTTTGGGTATCTCTCTAAGAATT **AAATAATCTTTTCTAGCTTAATATTTTAATTCTAATTCAAACAACTCTGAGGTTTTTGGTT** TCATTAGTAATAGTTGAGGAATAATATACTAGCAAAGAATGGCCTAATGTTTGTCATAAC TGTTAATGGATGAAATTTTTTAAAGATACAACCATGATAACCATTATAAATGATCTATGA TCAAAATCTAAAGTGATGAATTATTTGTAGGAATGTCTTCCTAATGGGGAAGAATTGCAT **AGGAGCATTATGCAAATCTACACAAGCTTTTATAAATGTTGCTGCTGGGTAGCTCCACAG** ATATTTGTTGAGTACTTACGTGTTTATCTAACAGTTCACTTCCATTTTTCTAGTCTGGAT TTTTTGAGTATTTAGGAAAGAGCTATTAAAAACTCTGGGGATTTCTCAATGTGACTAA CTCTAATTTTCTAATTATAACTGCCTTTAATTAACATAATATTAACTTTTTGCTGAGGTT TATGAGATTTTCTCACCCCACATCGCTCCCCTTTTTTTAAAAAAGGACTGTTTTGCTAGTG TGATAATGAATAGGTAAGATATGAGATAATTGCAACATTGTCCTAGTTCTAGTATGGTAA

FIGURE 2G

CTATTCTTGAAATGGTATTGAAAAATACCGTTAATTCAAATTGACAGAGATTGATAAAAA GAAACTGATTTACCTAAGTTTACTTTTTAATTGCATAATAGAGCATTTTTTTGTTTTGAGT TCCCTCATTCTTATTACCAGAAAGAGCTTGCAAATAGTTTTACTTTCTTGGCACTGGAAG GGTAGTTCTGGAAAGCTACTTTGTTGAGAGTCTCATTCTTCCCTGGAGTTAATAGAGTGA TTCACAATCTTTGGGGTTTTCTCCTCATCAAAAGCATTTCTTAAGTGCCTATCTAAAAGC AATTAAAGACTGTGTCTGCCCTTTAGAAGCTAAGAATTTGATTCATGATGCAAATTAACT AGATAATTTGCAAAGTACCCTTGAGATTGAATTTTCTCTATTATATATTTCCCATATTTC AGGTGAATAATTTAATTTAAATGACAAAACCCTATCTAGTCAACTGGGCATAATGACATT TTCTTTAAATTAGACTCTATTTTGAATTAAAAGAGTTTTATTATAAACCGTGTGTTTTTG GTTTTTCTAAGTATATAGAAAGCTTGTATAATTCAGATTTATCAATTTCCTGATTTAATG TAGACTTTGACTTTTTTATTAAAAACCTTTGT%FLAAAGCAAGTTATGTTATTTTCTTT <u>TÄTGCATTTÄTTACTÄACALAGCTTTÄAÄTCTTTAAATGTATTGAÄGCÄTTGTGCTGTCT</u> GAAAATAAGGAATTGCTTATAAACCAGCCACTTCTGAATACAATATGTAGCTGATTTAAT GCCTAAGATAGGGTTTCATTTATTTCTATACTTTTTTCTGTTTTTTAAACACCTGCATATT **ATAAAACCTTAGACAATCAATCAGTCAGTCTTTACTGACAGGAGCAGCAGCTATCTGTCT** TTTGCTGATCTACAAATAAATGAATTGAGAATTTAGTCCATAGAGGTCCCTGGCTACCAA **ACACATTCTCCTTTGAATTGTTAAAATTCAGAACATTCAAAATAACTGTTTTGCTACAAC** CCATGATTATTTCCTGTTGTGTTTATTTAAATTTACTTTCTCTTTAGAAGTGCACTTAT TTCTGAAAAATCTTAATGAAACAAACGCTTAGAACAAATATAAATATGAGACACTTGGGA CTACTAGAGATATTTTAGATTTTTATGAAAAAAATGTGAGGGGATATTGCTGCTTTAAAA AGGAATAAAGTAATAAAAATATATCTCAGCTATTTTTTTAAAGCAATATAATTCAGCAAT TGTCTAGAAAAGTAATCATGAGGCTACTGAGTTTGGTGTTCAGTTACTGAGTTTCAAAAA TGTTTTGGTGGCATGAGGACAAAATTTCATTGAAGGTAAGATAAGAATAAAAACTATGTT TAC

SEG-ID NO: 9_AA210825_H

CACGAGGGCTACTGGCGCCTGCCACCCCACCCAACCCCGCTCCGGCAA CGCCCCTTCCTCACGGCTCCCGACCGAACTTTTCTCCAACTTCTGCGACTCGTGAGATT CCCTTCTACCCACTCCGGCCCTCGGGACCCCTCTGCCCATCCCCTGGCCGGTCGGGTCCC TGCGAACCCCTTTATCTCTGGAATCCACTCGGTCCCCGACTCAGAGACTCCTGCCCTCCA CCCCAAGGACCCCGCCATCCTCAGGTCCCCTCCGCCTGCCAGATCTTTTCTCGGATCCC CGCTCTCCCACCACCTGCTCACGAGATCCCGCGGATCTAGAACCCAGGGTCCCCCGGGGC CCCCGGCGGGTCCCGGTTGGCTCCAGGCGGCGTCCCCGGCCTCCCCCCATGGCCAC CCGGCGCCTAGAGCTGCAGTCGCCGCCACCGCTACTGCCCCAGATCCCGGCCCCGGGTT CCGGGGTCTCCTTTCACATCCAGATCGGGCTGACCCGCGAGTTCGTGCTGTTGCCCGCCG CCTCCGAGCTGGCTCATGTGAAGCAGCTGGCCTGTTCCATCGTGGACCAGAAGTTCCCTG AGTGTGGCTTCTACGGCCTTTACGACAAGATCCTGCTTTTCAAACATGACCCCACGTCGG CCAACCTCCTGCAGCTGGTGCGCTCGTCCGGAGACATCCAGGAGGGCGACCTGGTGGAGG TGCACTCCTATCGGGCGCCTGCCTTCTGTGATCACTGCGGGGAGATGCTCTTCGGCCTAG TGCGCCAGGGCCTCAAGTGCGATGGCTGCGGGCTGAACTACCACAAGCGCTGTGCCTTCA GCATCCCCAACAACTGTAGTGGGGCCCGCAAACGGCGCCTGTCATCCACGTCTCTGGCCA GTGGCCACTCGGTGCGCCTCGGCACCTCCGAGTCCCTGCCCTGCACGGCTGAAGAGCTGA GCCGTAGCACCGAACTCCTGCCTCGCCGTCCCCCGTCATCCTCTTCCTCTTCTG CCTCATCGTATACGGGCCGCCCCATTGAGCTGGACAAGATGCTGCTCTCCAAGGTCAAGG TGCCGCACACCTTCCTCATCCACAGCTATACACGGCCCACCGTTTGCCAGGCTTGCAAGA AACTCCTCAAGGGCCTCTTCCGGCAGGGCCTGCAATGCAAAGACTGCAAGTTTAACTGTC

FIGURE 2H

ACAAACGCTGCGCCACCCGCGTCCCTAATGACTGCCTGGGGGAGGCCCTTATCAATGGAG **ATGTGCCGATGGAGGCCACCGATTTCAGCGAGGCTGACAAGAGCGCCCTCATGGATG** AGTCAGAGGACTCCGGTGTCATCCCTGGCTCCCACTCAGAGAATGCGCTCCACGCCAGTG AGGAGGAGGAAGGCGAGGGCAAGGCCCAGAGCTCCCTGGGGTACATCCCCCTAATGA GGGTGGTGCAATCGGTGCGACACACGACGCGGAAATCCAGCACCACGCTGCGGGAGGGTT GGGTGGTTCATTACAGCAACAAGGACACGCTGAGAAAGCGGCACTATTGGCGCCTGGACT GCAAGTGTATCACGCTCTTCCAGAACAACACGACCAACAGATACTATAAGGAAATTCCGC TGTCAGAAATCCTCACGGTGGAGTCCGCCCAGAACTTCAGCCTTGTGCCGCCGGGCACCA ACCCACACTGCTTTGAGATCGTCACTGCCAATGCCACCTACTTCGTGGGCGAGATGCCTG GCGGGACTCCGGGTGGGCCAAGTGGGCAGGGGGCTGAGGCCGCCCGGGGGCTGGNNGAGA ACGCCCCCACAGACAAGCTTCTCTGAGCATCTCTCTCTCXACACAGTCAGATCCAAGAGA ATGTGGACATTGCCACTGTCTACCAGATCTTCCCTGACGAAGTGCTGGGCTCAGGGCAGT TTGGAGTGGTCTATGGAGGAAAACACCGGAAGACAGGCCGGGACGTGGCAGTTAAGGTCA TTGACAAACTGCGCTTCCCTACCAAGCAGGAGAGCCAGCTCCGGAATGAAGTGGCCATTC TGCAGAGCCTGCGGCATCCCGGGATCGTGAACCTGGAGTGCATGTTCGAGACGCCTGAGA **AAGTGTTTGTGGTGATGGAGAAGCTGCATGGGGACATGTTGGAGATGATCCTGTCCAGTG** AGAAGGGCCGGCTGCCTGAGCGCCTCACCAAGTTCCTCATCACCCAGATCCTGGTGGCTT TGAGACACCTTCACTTCAAGAACATTGTCCACTGTGACTTGAAAACCAGAAAACGTGTTGC TGGCATCAGCAGACCCATTTCCTCAGGTGAAGCTGTGTGACTTTGGCTTTGCTCGCATCA TCGGCGAGAGTCGTTCCGCCGCTCAGTGGTGGCACCCGGCCTACCTGGCACCCGAGG TGCTGCTCAACCAGGGCTACAACCGCTCGCTGGACATGTGGTCAGTGGGCGTGATCATGT ACGTCAGCCTCAGCGGCACCTTCCCTTTCAACGAGGATGAGGACATCAATGACCAGATCC AGAACGCCGCCTTCATGTACCCGGCCAGCCCCTGGAGCCACATCTCAGCTGGAGCCATTG ACCTCATCAACAACCTGCTGCAGGTGAAGATGCGCAAACGCTACAGCGTGGACAAATCTC TCAGCCACCCTGGTTACAGGAGTACCAGACGTGGCTGGACCTCCGAGAGCTGGAGGGGA AGATGGGAGAGCGATACATCACGCATGAGAGTGACGACGCGCGCTGGGAGCAGTTTGCAG CAGAGGATCCGCTGCCTGGGTCYEGGCYCCTGTCCTYGGACAGGGATCTCGGTGGCCCCTGTC CACCACAGGACCACGACATGCAGGGGCTGGCGGAGCGCATCAGTGTTCTCTGAGGTCCTG TGCCCTCGTCCAGCTGCCCTCCACAGCGGTTCTTCACAGGATCCCAGCAATGAACTG TTCTAGGGAAAGTGGCTTCCTGCCCAAACTGGATGGGACACGTGGGGAGTGGGGTGGGGG GAGCTATTTCCAAGGCCCCTCCCTGTTTCCCCAGCAATTAAAACGGACTCATCTCTGGCC CCATGGCCTTGATCTCAGCAAAA

SEQ ID NO: 11 AA316804_H

GAATTTGCAGGAAAA

ATGTCTGCAAATAATTCCCCTCCATCAGCCCAGAAGTCTGTATTACCCACAGCTATTCCT
GCTGTGCTTCCAGCTGCTTCTCCGTGTTCAAGTCCTAAGACGGGACTCTCTGCCCGACTC
TCTAATGGAAGCTTCAGTGCACCATCACTCACCAACTCCAGAGGCTCAGTGCATACAGTT
TCATTTCTACTGCAAATTGGCCTCACACGGGAGAGTGTTACCATTGAAGCCCAGGAACTG
TCTTTATCTGCTGTCAAGGATCTTGTGTGCTCCATAGTTTATCAAAAGTTTCCAGAGTGT
GGATTCTTTGGCATGTATGACAAAATTCTTCTCTTTTCGCCATGACATGAACTCAGAAAAC
ATTTTGCAGCTGATTACCTCAGCAGATGAAATACATGAAGGAGACCTAGTGGAAGTGTT

FIGURE 21

CTTTCAGCTTTAGCCACAGTAGAAGACTTCCAGATTCGTCCACATACTCTCTATGTACAT TCTTACAAAGCTCCTACTTTCTGTGATTACTGTGGTGAGATGCTGTGGGGGATTGGTACGT CAAGGACTGAAATGTGAAGGCTGTGGATTAAATTACCATAAACGATGTGCCTTCAAGATT CCAAATAACTGTAGTGGAGTAAGAAAGAGACGTCTGTCAAATGTATCTTTACCAGGACCC GGCCTCTCAGTTCCAAGACCCCTACAGCCTGAATATGTAGCCCTTCCCAGTGAAGAGTCA CATGTCCACCAGGAACCAAGTAAGAGAATTCCTTCTTGGAGTGGTCGCCCAATCTGGATG GAAAAGATGGTAATGTGCAGAGTGAAAGTTCCACACACATTTGCTGTTCACTCTTACACC CGTCCCACGATATGTCAGTACTGCAAGCGGTTACTGAAAGGCCTCTTTCGCCAAGGAATG CAGTGTAAAGATTGCAAATTCAACTGCCATAAACGCTGTGCATCAAAAGTACCAAGAGAC TGCCTTGGAGAGGTTACTTTCAATGGAGAACCTTCCAGTCTGGGAACAGATACAGATATA CCAATGGATATTGACAAAAATAGTGATAGTAGTCGGGGTTTGGATAACACA GAAGAGCCATCACCCCCACAGATAAGATGTTCTTCTTCTTGGATCCATCTGATCTCGATGTC GAAAGAGATGAAGAAGCCGTTAAAACAATCAGTCCATCAACAAGCAATAATATTCCGCTA ATGAGGGTTGTACAATCCATCAAGCACACAAAGAGGAAGAGCAGCACAATGGTGAAGGAA GGGTGGATGGTCCATTACACCAGCAGGGATAACCTGAGAAAGAGGCATTATTGGAGACTT GACAGCAAATGTCTAACATTATTTCAGAATGAATCTGGATCAAAGTATTATAAGGAAATT CCACTTTCAGAAATTCTCCGCATATCTTCACCACGAGATTTCACAAACATTTCACAAGGC AGCAATCCACACTGTTTTGAAATCATTACTGATACTATGGTATACTTCGTTGGTGAGAAC AATGGGGACAGCTCTCATAATCCTGTTCTTGCTGCCACTGGAGTTGGACTTGATGTAGCA TGCACTTCTCCAGGGCAAGGGAAAGATCACAAAGATTTGTCTACAAGTATCTCTGTATCT **AATTGTCAGATTCAGGAGATGTGGATATCAGTACTGTTTACCAGATCTTTGCAGATGAG** GTGCTTGGTTCAGGCCAGTTTGGCATCGTTTATGGAGAAAACATAGAAAGACTGGGAGG GATGTGGCTATTAAAGTAATTGATAAGATGAGATTCCCCACAAAACAAGAAAGTCAACTC CGTAATGAAGTGGCTATTTTACAGAATTTGCACCATCCTGGGATTGTAAACCTGGAATGT ATGTTTGAAACCCCAGAACGAGTCTTTGTAGTAATGGAAAAGCTGCATGGAGATATGTTG GAAATGATTCTATCCAGTGAGAAAAGTCGGCTTCCAGAACGAATTACTAAATTCATGGTC <u>ACACAGA;ACTTGTTCGTTTGAGGAATCTGCATTTTAAGAATATTGTGGGAUUTTGATTGG</u> AAGCCAGAAAATGTGCTGCTTGCATCAGCAGAGCCATTTCCTCAGGTGAAGCTGTGTGAC TTTGGATTTGCACGCATCATTGGTGAAAAGTCATTCAGGAGATCTGTGGTAGGAACTCCA GCATACTTAGCCCCTGAAGTTCTCCGGAGCAAAGGTTACAACCGTTCCCTAGATATGTGG TCAGTGGGAGTTATCATCTATGTGAGCCTCAGTGGCACATTTCCTTTTAATGAGGATGAA GATATAAATGACCAAAATCCAAAATGCTGCATTTATGTACCCACCAAATCCATGGAGAGAA ATTTCTGGTGAAGCAATTGATCTGATAAACAATCTGCTTCAAGTGAAGATGAGAAAACGT TACAGTGTTGACAAATCTCTTAGTCATCCCTGGCTACAGGACTATCAGACTTGGCTTGAC CTTAGAGAATTTGAAACTCGCATTGGAGAACGTTACATTACACATGAAAGTGATGATGCT CGCTGGGAAATACATGCATACACACATAACCTTGTATACCCAAAGCACTTCATTATGGCT CCTAATCCAGATGATATGGAAGAAGATCCTTAA

SEQ ID NO: 12 PKNBETA H

FIGURE 2J

GTGAAACTGCTTAGTAGCCGGAGAACACAGGACCGCAAGGCACTGGCTGAGGCCCAGGCC CAGCTACAGGAGTCCTCTCAGAAACTGGACCTCCTGCGCCTTGGAGCAGCTGCTG GAGCAACTGCCTCCTGCCCACCCTTTGCGCAGCAGAGTGACCCGAGAGTTGCGGGCTGCG GTGCCTGGATACCCCCAGCCTTCAGGGACACCTGTGAAGCCCACCGCCCTAACAGGGACA CTGCAGGTCCGCCTCCTGGGCTGTGAACAGTTGCTGACAGCCGTGCCTGGGCGCTCCCCA GCGGCCGCACTGGCCAGCAGCCCCTCCGAGGGCTGGCTTCGGACCAAGGCCAAGCACCAG CGTGGCCGAGGCGAGCTTGCCAGTGAGGTGCTGGCTGTGCTAAAGGTGGACAACCGTGTT GTGGGGCAGACGGCTGGGGCCAGGTGGCCGAACAGTCCTGGGACCAGACCTTTGTCATC CCACTGGAGCGAGCCCGTGAGCTGGAGATTGGGGTACACTGGCGGGACTGGCGGCAGCTA TGTGGCGTGGCCTTCCTGAGACTTGAAGACTTCCTGGACAATGCCTGTCACCAACTGTCC CTEAGCCTGGTACCGCAGGGACTGCTTTTTTCCCCAGGTGACCTTCTGCGATCCTGTCATT <u>and agglest to colocity humble caggaacgcate to to tanaloge as aggles are</u> TTCCT/AGGCGTTCGCAGATGAACCTCGGCATGGCGCCTGGGGGCGCCTCGTCATGAAC CTGCTGCCCCCTGCAGCTCCCCGAGCACAATCAGCCCCCCTAAAGGATGCCCTCGGACC CCAACAACACTGCGAGAGGCCTCTGACCCTGCCACTCCCAGTAATTTCCTGCCCAAGAAG ACCCCTTGGGTGAAGAGATGACACCCCCACCCAAGCCCCCACGCCTCTACCTCCCCAG GAGCCAACATCCGAGGAGACTCCGCGCACCAAACGTCCCCATATGGAGCCTAGGACTCGA CGTGGGCCATCTCCACCAGCCTCCCCACCAGGAAACCCCCTCGGCTTCAGGACTTCCGC TGCTTAGCTGTGCTGGGCCGGGGACACTTTGGGAAGGTCCTCCTGGTCCAGTTCAAGGGG ACAGGGAAATACTACGCCATCAAAGCACTGAAGAAGCAGGAGGTGCTCAGCCGGGACGAG ATAGAGAGCCTGTACTGCGAGAAGCGGATCCTGGAGGCTGTGGGCTGCACAGGGCACCCT TTCCTGCTCTCCTTGTCTGCTTCCAGACCTCCAGCCATGCCCGCTTTGTGACTGAG TTTGTGCCTGGTGGTGACCTCATGATGCAGATCCACGAGGATGTCTTCCCCGAGCCCCAG GCCCGCTTCTACGTGGCTTGTTGTTGTCCTGGGGCTGCAGTTCTTACACGAGAAGAAGATC ATTTACAGGGACCTGAAGTTGGATAACCTTCTGCTGGATGCCCAGGGATTCCTGAAGATC GCAGACTTTGGACTCTGCAAGGAAGGGATCGGCTTCGGGGACCGGACTAGCACCTTCTGT GGCACCCGGAGTTCCTGGCTCCCGAGGTGCTGACCCAGGAGGCATACACACAGGCCGTC < actectedescentegetetol techniqueste tectos etclossorului. Colon</p> GGGACACAGAGGAAGAGGTG'I'I'GAC'I'GCATCGTCAACATGGACGCCCCCTCACCCCGC TTTCTGTCGGTGCAAGGGCTTGAGTTCATTCAGAAGCTCCTCCAGAAGTGCCCGGAGAAG CGCCTCGGGGCAGGTGAGCAGGATGCCGAGGAGATCAAGGTCCAGCCATTCTTCAGGACC ACCAACTGGCAAGCCCTGCTCGCCCGCACCATCCAGCCCCCCTTCGTGCCTACCCTGTGT GGCCTGCGGACCTGCGCTACTTTGAGGGCGAGTTCACAGGGCTGCCGCCTGACC CCACCTGCACCCCACAGCCTCCTCACTGCCCGCCAACAGGCCGCCTTCCGGGACTTCGAC TTTGTGTCAGAGCGATTCCTGGAACCCTGA

SEQ ID NO: 13 AIO21023_M PKNBETA_M

\$1035; ne j 5 cc**ret**i

GCTGAAGTGGGATAACCTTCTGCTGGATGCCCAGGGATTCCTGAAGATCGCAGACTTTGG
ACTCTGCAAGGAAGGGATCGGCTTCGGGGACCGGACTAGCACCTTCTGTGGCACCCCGGA
GCTCCTGGCTCCCGAGGTGCTGACCCAGGAGGCATACACACGGGCTGTGGACTGGTGGGG
GCTGGGTGTGCTCCTCACGAGATGCTGGTGGGTGAGTGCCCGTTCCCAGGGGACACAGA
GGAAGAGGTGTTTGACTGCATCGTCAACATGGACGCCCCCCTACCCCGGCTTTCTGTCGGT
GCAAGGGCTTGAGTTCATTCAGAAGCTCCTCCAGAAGTGCCCGGAGAAGCGCCTCGGGGC
GGGTGAGCAGGATGCCGAGGAGATCAAGGTCCAGCCATTCTTCAGGACCACCAACTGGCA
AGCCCTGCTCGCCCGCACCATCCAGCCCCCCTTTGTGCCTTACCCTGTGTGGCCCTGCGGA
CCTGCGCTACTTTGAGGGCGAGATTCACAGGGCTGCCGCCTGCCCTGACCCCACCTGCAC
CCACAGCCTCCTCACTGCCCCCCAACAGGCCGCCTTCCGGGACTTCGACTTTGTGTCAGA
GCGATTCCTGGAACCCTGAGGGCATCTCCTGGCACCTTCCCCCACAGACTG
TTAGAGCCTCTTGTCGTTCACCCGTGCGCCCTTGCCTGGGGCCTTTCCTGGGTAC
TTCTGAGCCCTTGGGATTCAAAGTGGCACCCATGGGGCCACTGTTTTTTTGCTCAG

PCT/US00/14842

CCTATCCCTGCTTGA

FIGURE 2K

TGTCACTGGGCAAAGTGTCCCCTTCCCCCTCCAGCTCGCCCTCTTCTACCTCCCAGCGA GACCTGGCCCAGAAAGGGTGCCGCAGCAAGGAGTGATATGGTTTGTCTTTTTAAGACTGG ACTTGCTTTATATTAAATTTGTAAAAGTG

SEO ID NO: 14 H19102 H GGTGGCAACATCCGGGGTCCCTGGGCCCGAGGCTGGAAGAGCCTCTGGACAGGTTTGGGA ACCATCAGGTCAGATCTGGAAGAACTCTGGGAACTACGGGGGCACCACTATCTGCACCAG GAATCCCTAAAGCCAGCCCCAGTACTGGTAGAGAAGCCTCTGCCAGAGTGGCCAGTGCCT CAGTTCATCAACCTCTTTCTACCAGAGTTTCCCATTAGGCCCATTAGGGGGCAGCAGCAG CTGAAGATTTTAGGCCTCGTGGCTAAAGGCTCCTTTGGAACTGTCCTCAAGGTGCTAGAT TGCACCCAGAAAGCTCTNFTTTCLACTGAAGGTGCTCCAAGGTAAAGGTCCTATFCAGG GATACCGTGAGGCAGTGCAAAGAGGAGGTTAGGATCCAGCTTAGAGATCAAGCATCCGTTT GTACACAGCTTGGGGGACAGCTGGCAGGGAAAACGGCACCTTTTCATTATGTGTAGCTAC TGCAGCACAGATCTGTACTCCCTTTGGTCGGCTGTTGGCTGCTTTCCTGAGGCTTCCATC CGTCTCTTTGCTGCCGAGTTGGTGCTGGTACTGTGTTATCTCCATGACTTGGGCATCATG CATCGAGATGTGAAGATGGAGAATATTCTTCTAGATGAACGAGGCCATCTGAAACTGACA GACTTTGGTCTGTCCCGCCACGTGCCCCAGGGAGCTCAAGCCTACACTATCTGTGGCACT CTTCAGTACATGGCCCCAGAGGTCCTAAGTGGAGGACCTTACAACCATGCTGCTGATTGG TGGTCCCTGGGTGTCTTGCTTTTCTCTCTGGCGACTGGAAAGTTTCCAGTGGCTGCAGAG AGAGATCATGTGGCCATGTTGGCAAGTGTGACCCACAGTGACTCTGAGATCCCAGCTTCT CTTAACCAGGGCCTCTCACTCCTGCTCCATGAGCTCTTATGCCAGAACCCCCTCCATCGT GAGCTCCTACAGAAGCAGCCAGTGAACTTTGTCACGGAGACACAAGCTACCCAGCCCAGT

TCAGCGGAGACCATGCCCTTTGACGACTTTGACTGTGATCTGGAGTCCTTCTTGCTCTAC

SEO ID NO: 15 AA476563 H atggaattottmaggasaga: estillesätalt elaagil akutootgegattmalutt GGAGAAAATTGTATAGTCTAAAATCAGAACCTTTGAAAACCATTCTTTACTCTTCCAGAT GGAGACAGTGCTTCTAGGAGTTTTAATACTAGTGAAAGCAAGGTAGAGTTTAAAGCTCAG GACACCATTAGCAGGGGCTCAGATGACTCAGTGCCAGTTATTTCGTTTAAAGATGCTGCT TTTGATGATGTCAGTGGTACTGATGAAGGAAGACCTGATCTTCTTGTAAATTTACCTGGT GAATTGGAGTCAACAAGAGAAGCTGCAGCAATGGGACCTACTAAGTTTACACAAACTAAT ATAGGGATAATAGAAAATAAACTCTTGGAAGCCCCTGATGTTTTATGCCTCAGGCTTAGT ACTGAACAATGCCAAGCACATGAGGAGAAAGGCATAGAGGAACTGAGTGATCCCTCTGGG CCCAAATCCTATAGTATAACAGAGAAACACTATGCACAGGAGGATCCCAGGATGTTATTT GTAGCAGCTGTTGATCATAGTAGTTCAGGAGATATGTCTTTGTTACCCAGCTCAGATCCT **AAGTTTCAAGGACTTGGAGTGGTTGAGTCAGCAGTAACTGCAAACAACACAGAAGAAAGC** TTATTCCGTATTTGTAGTCCACTCTCAGGTGCTAATGAATATATTGCAAGCACAGACACT TTAAAAACAGAAGAAGTATTGCTGTTTACAGATCAGACTGATGATTTGGCTAAAGAGGAA CCAACTTCTTTATTCCAGAGAGACTCTGAGACTAAGGGTGAAAGTGGTTTAGTGCTAGAA GGAGACAAGGAAATACATCAGATTTTTGAGGACCTTGATAAAAAATTAGCACTAGCCTCC AGGTTTTACATCCCAGAGGGCTGCATTCAAAGATGGGCAGCTGAAATGGTGGTAGCCCTT GATGCTTTACATAGAGAGGGAATTGTGTGCCGCGATTTGAACCCAAACAACATCTTATTG AATGATAGAGGACACATTCAGCTAACGTATTTTAGCAGGTGGAGTGAGGTTGAAGATTCC TCTGACAGCGATGCCATAGAGAGAATGTACTGTGCCCCCAGAGGTTGGAGCAATCACTGAA GAAACTGAAGCCTGTGATTGGTGGAGTTTGGGTGCTGTCCTCTTTGAACTTCTCACTGGC AAGACTCTGGTTGAATGCCATCCAGCAGGAATAAATACTCACACTACTTTGAACATGCCA GAATGTGTCTCTGAAGAGGCTCGCTCACTCATTCAACAGCTCTTGCAGTTCAATCCTCTG

FIGURE 2L

GAACGACTTGGTGCTGGAGTTGCTGGTGTTGAAGATATCAAATCTCATCCATTTTTTACCCCTGTGGATTGGGCAGAACTGATGAGATGA

SEQ ID NO: 16 AA626690 H

ATGCTACCATTCGCTCCTCAGGACGAGCCCTGGGACCGAGAAATGGAAGTGTTCAGCGGC GGCGCGCGAGCAGCGAGGTAAATGGTCTTAAAATGGTTGATGAGCCAATGGAAGAG GGAGAAGCAGATTCTTGTCATGATGAAGGAGTTGTTAAAGAAATCCCTATTACTCATCAT GTTAAGGAAGGCTATGAGAAAGCAGATCCTGCACAGTTTGAGTTGCTCAAGGTTCTTGGT CAGGGGTCATTTGGAAAGGTTTTTCTTGTTAGAAAGAAGACCGGTCCTGATGCTGGGCAG CTCTATGCAATGAAGGTGTTAAAAAAAGCCTCTTTAAAAGTTCGAGACAGAGTTCGGACA <u>Magaa gánárgggatatactggtggaagtaaatcatócá fitžitetó baattactat</u> GCCTTTCAGACTGAAGGGAAACTGTACTTAATACTGGATTTTCTCAGGGGAGGAGATGTT TTCACAAGATTATCCAAAGAGGTTCTGTTTACAGAGGAAGATGTGAAATTCTACCTCGCA GAACTGGCCCTTGCTTTGGATCATCTGCACCAATTAGGAATTGTTTATAGAGACCTGAAG CCAGAAAACATTTTGCTTGATGAAATAGGACATATCAAATTAACAGATTTTGGACTCAGC AAGGAGTCAGTAGATCAAGAAAAGAAGGCTTACTCATTTTGTGGTACAGTAGAGTATATG GCTCCTGAAGTAGTAAATAGGAGAGGCCATTCCCAGAGTGCTGATTGGTGGTCATATGGT GTTCTTATGTTTGAAATGCTTACTGGTACTCTGCCATTTCAAGGTAAAGACAGAAATGAG ACCATGAATATGATATTAAAAGCAAAACTTGGAATGCCTCAATTTCTTAGTGCTGAAGCA CAAAGTCTTCTAAGGATGTTATTCAAAAGGAATCCAGCAAATAGATTGGGATCAGAAGGA GTTGAAGAAATCAAAAGACATCTGTTTTTTGCAAATATTGACTGGGATAAATTATATAAA AGAGAAGTTCAACCTCCTTTCAAACCTGCTTCTGGAAAACCAGATGATACTTTTTGTTTT GCTCATCAGCTCTTCAAAGGATTCAGCTTTGTTGCAACTTCTATTGCAGAAGAATATAAA ATCACTCCTATCACAAGTGCAAATGTATTACCAATTGTTCAGATAAATGGAAATGCTGCA CAATTTGGTGAAGTATATGAATTGAAGGAGGATATTGGTGTTGGCTCCTACTCTGTTTGC AAGCGATGCATACATGCAACTACCAACATGGAATTTGCAGTGAAGATCATTGACAAAAGT arucoagaceettenga reagatteaaatatteategeetategeelacateogaacat i ATTACTTTGAAGGATGTCTTTGATGATGGTAGATATGTTTACCTTGTTACGGATTTAATG AAAGGAGGAGATTACTTGACCGTATTCTCAAACAAAAATGTTTCTCGGAACGGGAGGCT AGTGATATACTATATGTAATAAGTAAGACAGTTGACTATCTTCATTGTCAAGGAGTTGTT CATCGTGATCTTAAACCTAGTAATATTTTATACATGGATGAATCAGCCAGTGCAGATTCA ATCAGGATATGTGATTTTGGGTTTGCAAAACAACTTCGAGGAGAAAATGGACTTCTCTTA ACTCCATGCTACACTGCAAACTTTGTTGCACCTGAGGTTCTTATGCAACAGGGATATGAT CCATTTGCTAATGCCCCCAATGATACTCCTGAAGAGATACTGCTGCGTATAGGCAATGGA **AAATTCTCTTTGAGTGGTGGAAACTGGGACAATATTTCAGACGGAGCAAAGGATTTGCTT** TCCCATATGCTTCATATGGACCCACATCAGCGGTATACTGCTGAACAAATATTAAAGCAC TCATGGATAACTCACAGAGACCAGTTGCCAAATGATCAGCCAAAGAGAAATGATGTGTCA CATGTTGTTAAGGGAGCAATGGTTGCAACATACTCTGCCCTGACTCACAAGACCTTTCAA CCAGTCCTAGAGCCTGTAGCTTCAAGCTTAGCCCAGCGACGGAGCATGAAAAAGCGA **ACATCAACTGGCCTGTAA**

SEQ ID NO: 17 AA215680 H

FIGURE 2M

CCGCTGAGCAGTGGAGCCAGCCCCAGCGGGTTTCAGCAGCCTGAGGCTCCGGCCCATT CGCACGCTGAGCTCTGCCGTGGAGCAGCTGAGGGGCTGCAGGGTCGTCGGGGTCATCGAG **AAGGTGCAGCTGGTCCAGGACCCGGCAACCGGAGGGACCTTTGTGGTGAAGAGCCTACCC** AGGTGCCACATGGTGAGCAGGGAGCGGCTGACCATCATCCCACACGGAGTCCCCTACATG ACGAAGCTGCTCAGGTACTTTGTGAGCGAGGACTCCATCTTCCTGCACCTGGAGCATGTG CAAGGAGGCACTCTCTGGTCCCACCTGCTCTCCCAGGCGCACTCCCGACATTCTGGGCTC AGCTCTGGCTCTACCCAGGAGAGGATGAAGGCTCAGCTCAACCCCCACCTCAACCTCCTG ACCCCAGCGAGGCTTCCCTCAGGCCATGCCCCTGGCCAGGACAGAATCGCCCTGGAGCCT CCTAGGACTTCTCCGAACCTTCTCCTAGCTGGGGAGGCCCCATCCACCAGACCCCAGAGG GAGGCTGAAGGTGAACCCACAGCCAGGACCAGCACCTCTGGCTCCTCGGACCTTCCAAAG GCCCCAGGTGGCCACCTTCAAGCTAGGACGGCTGGCCAGAACTCAGACGCTGGG accectceccegettactfieurfectgagggggeggeeggeeggtaggeegetetgfe ACCTGGAGTGTGAGAGAGCAGCTGAAGCAGTGGGCGGCAGAGATGCTGGTAGCGCTG GAGGCGCTGCACGAGCAGGGGGTGCTGTGCCGGGACCTCCACCCCGGGAACCTGCTCCTG GACCAGGCAGGTCACATCCGGCTCACATATTTTGGCCAGTGGTCAGAGGTGGAGCCCCAG CTGACGGAAGCCTGTGACTGGTGGAGCTTTGGGTCTCTACTGTATGAACTGCTGACGGGA ATGGCACTGTCCCAGAGCCACCCTTCAGGAATCCAGGCCCACACCCAGCTCCAGCTGCCC GAGTGGCTCAGTCGCCCAGCGGCCTCTCTGCTGACTGAGCTGCAGTTCGAGCCTACC CGCCCCTGGCATGGGAGAGGTGGTGTCAGCAAACTCAAGTCCCATCCCTTTTTCAGT ACCATCCAATGGAGCAAGCTGGTGGGGTAA

SEO ID NO: 18 SGK H **ATGACGGTGAAAACTGAGGCTGCTAAGGGCACCCTCACTTACTCCAGGATGAGGGGCATG** GTGGCAATTCTCATCGCTTTCATGAAGCAGAGGAGGATGGGTCTGAACGACTTTATTCAG AAGATTGCCAATAACTCCTATGCATGCAAACACCCTGAAGTTCAGTCCATCTTGAAGATC TOCIDS 19AGO CISTOUTOTECTOACOTATATCABTOOGRAPACOTOCOCAT CAGCAAATCAACCTTGGCCCGTCGTCCAATCCTCATGCTAAACCATCTGACTTTCACTTC TTGAAAGTGATCGGAAAGGGCAGTTTTGGAAAGGTTCTTCTAGCAAGACACAAGGCAGAA **AAGCATATTATGTCGGAGCGGAATGTTCTGTTGAAGAATGTGAAGCACCCTTTCCTGGTG** GGCCTTCACTTCTCTTTCCAGACTGCTGACAAATTGTACTTTGTCCTAGACTACATTAAT GGTGGAGAGTTGTTCTACCATCTCCAGAGGGAACGCTGCTTCCTGGAACCACGGGCTCGT TTCTATGCTGCTGAAATAGCCAGTGCCTTGGGCTACCTGCATTCACTGAACATCGTTTAT AGAGACTTAAAACCAGAGAATATTTTGCTAGATTCACAGGGACACATTGTCCTTACTGAT TTCGGACTCTGCAAGGAGAACATTGAACACACACACACATCCACCTTCTGTGGCACG CCGGAGTATCTCGCACCTGAGGTGCTTCATAAGCAGCCTTATGACAGGACTGTGGACTGG TGGTGCCTGGGAGCTGTCTTGTATGAGATGCTGTATGGCCTGCCGCCTTTTTATAGCCGA AACACAGCTGAAATGTACGACAACATTCTGAACAAGCCTCTCCAGCTGAAACCAAATATT ACAAATTCCGCAAGACACCTCCTGGAGGGCCTCCTGCAGAAGGACAGGACAAAGCGGCTC GATGATCTCATTAATAAGAAGATTACTCCCCCTTTTAACCCAAATGTGAGTGGGCCCAAC GAGCTACGGCACTTTGACCCCGAGTTTACCGAAGAGCCTGTCCCCAACTCCATTGGCAAG TCCCTGACAGCGTCCTCGTCACAGCCAGCGTCAAGGAAGCTGCCGAGGCTTTCCTAGGC TTTTCCTATGCGCCTCCCACGGACTCTTTCCTCTGA

SEQ ID NO: 19_AA107515_M
CGGGTCGACCCACGCGTCCGCCGGTTTCACTGCTCCCCTCAGTCTCTTTTGGGCTCTTTC
CGGGCATCGGGACGATGACCGTCAAAGCCGAGGCTGCTCGAAGCACCCTTACCTACTCCA

FIGURE 2N

GAATGAGGGGAATGGTAGCGATTCTCATCGCTTTTATGAAACAGAGAAGGATGGGCCTGA CCATTTTGAAAATGTCCCATCCTCAGGAGCCGGAGCTTATGAACGCTAACCCCTCTCCTC CGCCAAGTCCCTCTCAACAAATCAACCTGGGTCCGTCCTCCAACCCTCACGCCAAACCCT CCGACTTTCACTTCTTGAAAGTGATCGGAAAGGGCAGTTTTGGAAAGGTTCTTCTGGCTA GGCACAAGGCAGAAGAAGTATTCTATGCAGTCAAAGTTTTACAGAAGAAAGCCATCCTGA AGAAGAAAGAGGAGAAGCATATTATGTCAGAGCGGAATGTTCTGTTGAAGAATGTGAAGC ACCCTTTCCTGGTGGGCCTTCACTTCTCATTCCAGACCGCTGACAAGCTCTACTTTGTCC TGGACTACATTAATGGTGGAGAGCTGTTCTACCATCTCCAGAGGGAGCGCTGCTTCCTGG **AACCACGGGCTCGATTCTACGCAGCTGAAATAGCCAGTGCCCTGGGCTATCTGCACTCCC** <u>TAAACATCGTTTATAGAGAGTTAAAACCTGAGAATATTCTCCTAGACTCCCAGGGGCACA</u> TCGTEUTCACTGACNTATTTCAGCTGCGTAGAATCSAGCATAACGGGACARCATCTACC TCTGTGGCACGCCTGAGTATCTGGCTCCTGAGGTCCTCCATAAGCAGCCGTATGACCGGA CGGTGGACTGGTGTCTTGGGGCTGTCCTGTATGAGATGCTCTACGGCCTGCCCCCGT TTTATAGCCGGAACACGCTGAGATGTACGACAATATTCTGAACAAGCCTCTCCAGTTGA **AACCAAATATTACAAACTCGGCAAGGCACCTCCTGGAAGGCCTCCTGCAGAAGGACCGGA** CCAAGAGGCTGGGTGCCAAGGATGACTTTATGGAGATTAAGAGTCATATTTTCTTCTTT TAATTAACTGGGATGATCTCATCAATAAGAAGATTACACCCCCATTTAACCCCAAATGTGA GTGGGCCCAGTGACCTTCGGCACTTCGATCCCGAGTTTACCGAGGAGCCGGTCCCCAGCT GGTTCTGAAGGACTTCCTCAGCGTTTCCTAAAGTGTTTTCGTTAGCCTTTGGTGGAGTTG CCAGCTGACAGAACATTTTAAAAGAATTTGCACACCTGGAAGCTTGGCAGTCTCGCCTGC CCGGCGTGGCGCGCACGCGCGCGCGCTGCTTGATGGGAGCTTTCCGAAGAGCACACCCTC **NTGCAGGTCTAAGAGGAATCCCCGCAGGTCTGTCTGAGCTGTGATCAAGAATATTCTGCA** ATGTGCCTTTTCTGAGATCGTGTTTACCCCCAAACCTTTTTCCTATCGCAGAGTGTTCAGT TTGTGTTTGTTTTGTTTTGTTTTGTTTTTCCCTTGGCGGATTTCCCGTGTGTGCA GTGGCGTGAGTGTGCTATGCCTGATCACAGACGGTTTTGTTGTGAGCATCAATGTGACAC TTGCAGGACACTACAATGTGGGACATTGTTTGTTTCTTCCACATTTGGAAGATAAATTTA TGTGTAGACTGTTTTGTAAGATATAGTTAATAACTAAAACCTATTGAAACGGTCTTGCAA TGACGAGCATTCAGATGCTTAAGGAAAGCATTGCTGCTACAAATATTTCTATTTTTAGAA AGGGTTTTTATGGACCAATGCCCCAGTTGTCAGTCAAAGCCGTTGGTGTTTTCATTGTTT TGCATTCCTGATTATTGTATGTATCGTGTAAAGGAAGTCTGTACATTGGGTTATAACACT AGATATTTAAACTTACAGGCTTATTTGTAAACCATCATTTTAATGTACTGTAATTAACAT GGGTTATAATATGTACAATTCCTCCTCCTTACCACACACTTTTTTTGTGTGCGATAAAC CAATTTTGGTTTGCAATAAAATCTTGAAAACT

SEQ ID NO: 20_AA109508_M

CCACCTGCAGCGGAGCGCCGGTTCCTGGAGCCCCGGGCCAGGTTCTACGCTGCTGAGGT
GGCCAGCGCCATTGGCTACCTGCACTCCCTCAACATCATTTACAGGGATCTGAAACCAGA
GAACATTCTCTTGGACTGCCAGGGACACGTGGTGCTGACGGATTTTGGCCTCTGCAAGGA
AGGTGTAGAGCCTGAAGACACCACATCCACATTCTGTGGTACCCCTGAGTACTTGGCACC
TGAAGTGCTTCGGAAAGAGCCTTATGATCGAGCAGTGGACTGGTGGTGCTTGGGGGCAGT
CCTCTACGAGATGCTCCATGGCCTGCCGCCCTTCTACAGCCAAGATGTATCCCAGATGTA
TGAGAACATTCTGCACCAGCCGCTACAGATCCCCGGAGGCCGGACAGTGGCCGCCTGTGA
CCTCCTGCAAAGCCTTCTCCACAAGGACCAGAGGCAGCGGCTGGGCTCCAAAGCAGACTT
TCTTGAGATTAAGAACCATGTATTCTTCAGCCCCCATAAACTGGGATGACCTGTACCACAA

FIGURE 20

SEO ID NO: 21 AA887783 H

CGGATGCATTTNTTGGTGTGCTCTTGAGGGATTAAATGCAAAGAGATCACACCATGGACT ACAAGGAAAGCTGCCCAAGTGTAAGNATTCCCAGCTCCGATGAACACAGAGAGAAAAAAGA AGAGGTTTACTGTTTATAAAGTTCTGGTTTCAGTGGGAAGAAGTGAATGGTTTGTCTTCA CCCTGAAGATTCCTGCCAAGAGAATATTTGGTGATAATTTTGATCCAGATTTTATTAAAC AAAGACGAGCAGGACTAAACGAATTCATTCAGAACCTAGTTAGGTATCCAGAACTTTATA ACCATCCAGATGTCAGAGCATTCCTTCAAATGGACAGTCCAAAACACCCAGTCAGATCCAT CTGAAGATGAGGATGAAAGAAGTTCTCAGAAGCTACACTCTACCTCACAGAACATCAACC TGGGACCGTCTGGAAATCCTCATGCCAAACCAACTGACTTTGATTTCTTAAAAGTTATTG CTGTCAAAGTGTTACAGAAAAAAATAGTTCTCAACAGAAAAGAGCAAAAACATATTATGG CTUBACOTANI GIGCI CITGAAAATGTGAAACATCCGTTTTTGGTTGGATCGGTTBIET ATGTTGTCTTAACAGATTTTGGGCTTTGTAAAGAAGGAATTGCTATTTCTGACACCACTA CCACATTTTGTGGGACACCAGAGTATCTTGCACCTGAAGTAATTAGAAAAACAGCCCTATG ACAATACTGTAGATTGGTGGTGCCTTGGGGCTGTTCTGTATGAAATGCTGTATGGATTGC CTCCTTTTTATTGCCGAGATGTTGCTGAAATGTATGACAATATCCTTCACAAACCCCTAA GTTTGAGGCCAGGAGTGAGTCTTACAGCCTGGTCCATTCTGGAAGAACTCCTAGAAAAAG ACAGGCAAAATCGACTTGGTGCCAAGGAAGACTTTCTTGAAATTCAGAATCATCCTTTTT TTGAATCACTCAGCTGGGCTGACCTTGTACAAAAGAAGATTCCACCACCATTTAATCCTA ATGTGGCTGGACCAGATGATATCAGAAACTTTGACACAGCATTTACAGAAGAAACAGTTC CATATTCTGTGTGTGTATCTTCTGACTATTCTATAGTGAATGCCAGTGTATTGGAGGCAG ATGATGCATTCGTTGGTTTCTCTTATGCACCTCCTTCAGAAGACTTATTTTTGTGAGCAG TTTGCCATTCAGAAACCATTGAGCAAAATAAGTCTATAGATGGGACTGAAACTTCTATTT GTGTGAATATATTCAAATATGTATAACTAGTGCCTCATTTTTATATGTAATGAAAAAC TATGAAAAATGTATTTTCTTCTATGTGCAAGAAAATAGGGCATTTCAAAGAGCTGTTT TGATTAAAATTTATATTCTTGTTTAATAAGCTTATTTTTAAACAATTTAAAAGCTATTAT TCTTAGCATTAACCTATTTTTAAAGAAACCTTTTTTGCTATTGACTGTTTTTTCCCTCTA AGTTTACACTAACATCTACCCAAGATAGACTGTTTTTTAACAGTCAATTTCAGTTCAGCT AACATATATTAATACCTTTGTAACTCTTTGCTATGGCTTTTGTTATCACACCAAAACTAT GCAATTGGTACATGGTTGTTTAAGAAGAAACCGTATTTTTCCATGATAAATCACTGTTTG AAATATTTGGTTCATGGTATGATCGAAATGTAAAAGCATAATTAACACATTGGCTGCTAG TTAACAATTGGAATAACTTTATTCTGCAGATCATTTAAGAAGTAACAGGCCGGGCGCGCGT GGCTCACGCCTGTAATCCCAGCACTTTGGGAGGCTGAGGCGGGCAGATCACCTGAGGTCA

FIGURE 2P

GGAGTTGGAGACCAGCCTGACCAACATGGACAAACCCCGTCTCTACTAAAAATACAAAAT TGGCAGGGTGTGGTGGCACATGCCTATAATCCCAGCTACTTGGGAGGCTAAGGCAGGAGA ATCGCTTGAACCCGGGAGGCGGAGGTTGCAGTGAGCCGAGATCGCACCATTGCACTCCTG CCTGGGCAACAAGAGTGAAACTCCATCTCC

SEQ ID NO: 22_R47805_H

ATGGCGCACCAAACGGGCATCCACGCCACGGAAGAGCTGAAGGAATTCTTTGCCAAGGCA CGGGCTGGCTCTGTGCGGCTCATCAAGGTTGTGATTGAGGACGAGCAGCTCGTGCTGGGT GCCTCGCAGGAGCCAGTAGGCCGCTGGGATCAGGACTATGACAGGGCCGTGCTGCCACTG CTGGACGCCCAGCAGCCCTGCTACCTGCTCTACCGCCTCGACTCACAGAATGCTCAGGGC TTCGAATGCTCTTCCTCGCCTGTCGCCTGATAACTCCCCCGTGCGCCTGAAGATGCTG <u>TACGCGCCACGCCALACTGAAAAAGGAGTTTGGAGGTGCCCACATCAAGGATGAC</u> CTCTTCGGGACTGTGAAGGATGACCTCTCTTTTGCTGGGTACCAGAAACACCTGTCGTCC TGTGCGGCACCTGCCCGCTGACCTCGGCTGAGAGAGAGCTCCAGCAGATCCGCATTAAC GAGGTGAAGACAGAGATCAGTGTGGAAAGCAAGCACCAGACCCTGCAGGGCCTCGCCTTC CCCTGCAGCCTGAGGCCCAGCGGGCACTCCAGCAGCTCAAGCAGAAAATGGTCAACTAC ATCCAGATGAAGCTGGACCTAGAGCGGGAAACCATTGAGCTGGTGCACACAGAGCCCACG GATGTGGCCCAGCTGCCCTCCCGGGTGCCCCGAGATGCTGCCCGCTACCACTTCTTCCTC TACAAGCACACCCATGAGGGCGACCCCCTTGAGTCTGTAGTGTTCATCTACTCCATGCCG GGGTACAAGTGCAGCATCAAGGAGCGAATGCTCTACTCCAGCTGCAAGAGCCGCCTCCTC GACTCCGTGGAGCAGGACTTCCATCTGGAGATCGCCAAGAAAATTGAGATTGGCGATGGG GCAGAGCTGACGCCAGAGTTCCTCTACGACGAGGTGCACCCCAAGCAACACGCCTTCAAG CAGGCCTTCGCCAAGCCCAAGGGCCCAGGGGGCAAGCGGGCCATAAGCGCCTCATCCGC GGCCCGGGTGAAAATGGGGATGACAGCTAG

SEO ID NO: 23 H60215 H

##**GGCYECGCYEGGAGECGCTETEAGAGGCTCGC**X\#\$CC#CE#EEEEEEEFFF#CCCCC CGGGAGGGAGAGCCGAGCAGCCCCGGCTCTGGGCTACGGACTATGGGCGAATAGCTCTGA CCACCGGCGAAGTGCACACCCCAGAAGCTATGTCCTTCGGCAGTAAAAGTTTTACAGC ACAATATATGTGCTCTGCTCTCCCGCAATCCTGCTCCAAGAGATCTTAAGCTGGAGG CACCAGGTCTGAATTCCAGACTCCTCCCCACCACCCACACTTCACCTCCAACTGGAGCAT GACCACAGACCCATTCAGGGAGGCTGGCGGACTCTTCATCCTGGACAGTCCCTTACTGTA TGTCAAAGCTGAGAATGAAGCGGAGAGCATCAGACAGAGGGGGCTGGGGAAACGTCGGCCA GGGCCAAGGCTCTAGGAAGTGGGATTTCTGGAAATAATGCAAAGAGAGCTGGACCATTCA TCCTTGGTCCCCGTCTGGGCAACTCACCGGTGCCAAGCATAGTGCAGTGTTTGGCGAGGA **AAGATGGCACGGATGACTTCTATCAGCTGAAGATCCTGACCCTGGAGGAGAGGGGGGACC** AAGGCATAGAGAGCCAGGAAGAGCGGCAGGGCAAGATGCTGCTGCACACCGAGTACTCAC TGCTGTCTCTCCTGCACACGCAGGATGGCGTGGTGCACCACCACGGCCTCTTCCAGGACC GCACCTGTGAAATCGTTGAGGACACAGAATCCAGCCGGATGGTTAAGAAGATGAAGAAGC GCATCTGCCTCGTGCTGGACTGCCTCTGTGCTCATGACTTCAGCGATAAGACCGCTGACC TCATCAACCTGCAGCACTACGTCATCAAGGAGAGAGGGCTCAGCGAGAGGGGAGACTGTGG TAATCTTCTACGACGTGGTCCGCGTGGTGGAGGCCCTGCACCAGAAAAATATCGTGCACA GAGACCTGAAGCTGGGGAACATGGTGCTCAACAAGAGGACACATCGGATAACCATCACCA ACTTCTGCCTCGGGAAGCATCTGGTGAGCGAGGGGGACCTGCTGAAGGACCAGAGAGGGA ACATGTGGGCCCTGGGCGTGCTCTTCACCATGCTGTATGGCCAGTTCCCCTTCTACG ACAGCATCCCGCAGGAGCTCTTCCGCAAGATCAAGGCTGCCGAGTATACCATTCCTGAGG ATGGACGGGTTTCTGAGAACACCGTGTGTCTCATCCGGAAGCTGCTGGTCCTTGACCCCC AGCAGCGCCTGGCCGCCGCCGACGTCCTGGAGGCCCTCAGTGCCATCATTGCATCATGGC

FIGURE 20

SEO ID NO: 24 SGK324 H

GCCGCGATGGCCAGCACCAGGAGTATCGAGCTGGAGCACTTTGAGGAACGGGACAAAAGG CCGCGGCCGGGTCGCGAGAGGGGCCCCCAGCTCCTCCGGGGGCAGCAGCAGCTCGGGC CCCAAGGGGAACGGCTCATCCCCAGTCCGGCGCACAGTGCCCACTGCAGCTTCTACCGC ACGCGGACCCTGCAGCCCTCAGCTCGGAGAAGAAGGCCAAGAAGGCGCGCTTCTACCGG AACGGGGACCGCTACTTCAAGGGCCTGGTGTTTGCCATCTCCAGCGACCGCTTCCGGTCC TTCGATGCGCTCCTCATAGAGCTCACCCGCTCCCTGTCGGACAACGTGAACCTGCCCCAG GGTGTCCGCACTATCTACACCATCGACGGCAGCCGGAAGGTCACCAGCCTGGACGAGCTG CTGGAAGGTGAGAGTTACGTGTGCATCCAATGAACCATTTCGTAAAGTCGATTACACC AAAAATATTAATCCAAACTGGTCTGTGAACATCAAGGGTGGGACATCCCGAGCGCTGGCT GCTGCCTCCTGTGAAAAGTGAAGTAAAAGAAAGTAAAGATTTCATCAAACCCAAGTTA GTGACTGTGATTCGA::GTGCARTCGARTCGTACARTAGCCGTGCGGATCCTTCT::JAF TAFA AAGACTGCTCATTCCTTTGAACAAGTCTTAACAGATATCACCGGAAGCCCATTAAACNAGCC TCAGGAGTCGTCAAGAGGCTCTGCACCCTGGATGGAAAGCAGGTGAGAGTTACGTGTGTG CCTTATGCCCAAGATGACTTTGTCCTGGATCATAGTGAATGTCGTGTCCTGAAGTCATCT TATTCTCGATCCTCAGCTGTTAAGTATTCTGGATCCAAAAGCCCTGGGCCCTCTCGACGC AGCCAGATTTCTGCTCATGGCAGATCTTCTTCCAATGTAAACGGTGGACCTGAGCTTGAC CGTTGCATAAGTCCTGAAGGTGTGAATGGAAACAGATGCTCTGAATCATCAACTCTTCTT GAGAAATACAAAATTGGAAAGGTCATTGGTGATGGCAATTTTGCAGTAGTCAAAGAGTGT **ATAGACAGGTCCACTGGAAAGGAGTTTGCCCTAAAGATTATAGACAAAGCCAAATGTTGT** GGAAAGGAACACCTGATTGAGAATGAAGTGTCAATACTGCGCCGAGTGAAACATCCCAAT ATCATTATGCTGGTCGAGGAGATGGAAACAGCAACTGAGCTCTTTCTGGTGATGGAATTG GGCAGTGCCATGGTGTACAACTTAGCCAATGCCCTCAGGTATCTCCATGGCCTCAGCATC GTGCACAGAGACATCAAACCAGAGAATCTCTTGGTGTGTGAATATCCTGATGGAACCAAG TCTTTGAAACTGGGAGACTTTGGGCTTGCGACTGTGGTAGAAGGCCCTTTATACACAGTC TGTGGCACACCCACTTATGTGGCTCCARAAATCATTGCTGAAACTGGCTATGGCCTGAAG GTGGACATTTGGGCAGCTGGTGTGATCACATACATACTTCTCTGTGGATTCCCACCATTC CGAAGTGAGAACAATCTCCAGGAAGATCTCTTCGACCAGATCTTGGCTGGGAAGCTGGAG TTTCCGGCCCCCTACTGGGATAACATCACGGACTCTGCCAAGGAATTAATCAGTCAAATG CTTCAGGTAAATGTTGAAGCTCGGTGTACCGCGGGACAAATCCTGAGTCACCCCTGGGTG TCAGATGATGCCTCCCAGGAGAATAACATGCAAGCTGAGGTGACAGGTAAACTAAAACAG CACTTTAATAATGCGCTCCCCAAACAGAACAGCACTACCACCGGGGTCTCCGTCATCATG

PCT/US00/14842

FIGURE 2R

GTGAGTGGAAGGCGGCAGGTCTGGCCTGACTGCGGAGCCGGCCTTGAAGTTTTTGAATTA GGTAGCCGGGAGCTGCCCTCACATGGAAGTTGGTGCCTTCCGTAGTCCTATTTCATATGA AGATTGGCTTGGCATGTGGAGGGCACTCATTCGGCAACTCCCAGGCTTTGGGCACTGTGT GGAGGGGCTTGTGTAGGGACCAGCAGGCCTGGTGTGAGGGGTCCAGGCGTCAAGGAGCTC CTGGCTGGGCCTCTGGGCAGCTGCTTCCACTCTTGTCTCTGCCTTCTCATCTAGAGAGA CTCCCAAGCCCTGGAGGGGTGTGTTGTGTTAGGAATTAACTCCCTGCCTACCCCAAGGCC TCAGAAATAGATTATTAGAGATGTGAATTATTCTTTGAGACTTGGGATAAGAAACAGCCA <u>AAGCTAAACATATTTCAGTTTTAAAAAATCAGTGTTTTATAAAACACAGTTTGGGGCTTT</u> TAAAGGTACATAATCAAGGAAAAAAATATATATTCATTTTTCAGGGTTGGTAACATTTTA <u>TCTTAACGCAACTCTCCTAAATACATAAACACAAAATTAAAATGAAAAGTGACATGAG</u> GCTGTCCAGGCCTGAGCCAATGCAACCCTGGGCGGGAAGGCCAGCTCACCGTGAGCAGGT AGAAGCCAGCCACCCAGGCAGGACCTTGGTTCTCCCCACACACTCCCAGGAGCAG GGAACAGGGGTGGAGTGGCCTTTCCCAGAGCTGGAGTTGGCTGCAGCAGCTTTCGAATCA GACCTGCCAAGGTGATGGGCGTCTGAGTTTCACATCTGGGCCCCCCGTGACCCCACTGAG TCCTGACAGCTAAGGATGGGCCACCTCCACAGCTCCGTCACTCGTACTTGGGACAGGCCT CTCATCCTCTGGGAAGGTCCTCCTTGTTTCCTACCCAACTAGAAGGGAAACAGTGGCATA GCTATAAGGAAGCCACACACATAACCCACATCCCCACACCCCCAACATCCCCCACACTCC CCACACCCCCACACCCCCACATCCCCACCATAATTACCCCCACCTCCAAATATCTCAT

SEQ ID NO: 25 W30246 M SGK324 M ACCAAGTCCTCCAGCTCCTCCCAACCAGCCCGGGAAGTTTCAGAGGATTGAAGATTTCT GCTCAGGGCAGATCTTCTTCCAACGTAAACGGTGGGCCTGAACTTGACCGTTGCCTGAGC CCTGAAGGTGTGAATGGAAACCGGTGCTCCGAGTCGTTCCCCCTTCTGGAGAAATACAGA ATAGGGAAGGTCATCGGGGACGGCAACTTCGCGGTAGTTAAGGAGTGCGTGGACAGGTAC ACTERARAGEOTITECA/TARRATATACACAAAGCCALRTGCTGCAAAAGCCAAAGCCAA CTGAT://GAGAACGAACTOT:\TANTCCTCCGCCGAGTGAACACCCCAACATCATCATGTTG GTTGAAGAGATGGAAACAGCAACTGACCTCTTTCTAGTGATGGAACTGGTCAAAGGTGGA GTGTACAACCTAGCCAATGCCCTCCGGTACCTGCACAGCCTCAGCATCGTCCACAGGGAC ATCAAGCCTGAGAATCTGCTGGTGTGCGAATACCCAGATGGAACCAAGTCTTTGAAGCTG GGAGACTTTGGGCTGCGACGGTGGTTGAAGGCCCGTTGTACACGGTCTGTGGCACGCCA ACTTATGTGGCACCAGAGATCATAGCTGAAACAGGTTATGGCCTGAAGGTGGATGTTTGG GCAGCTGGTGTGATTACATACATACTTCTCTGTGGATTCCCCACCATTCCGGAGTGAGAAC AATCTCCAGGAAGATCTCTTTGACCAGATCTTGGCTGGAAAGCTGGAATTCCCAGCCCCC TACTGGGACAACATTACAGACTCTCCTTGTGTGTTTTTAGGAAATGCTTATGAAGCTGG CCCGTGGGCTTCCCAGTGGGACGTGCAGCAGTTCTTGGCAGAGCAGGGCCAGCTCTGCTG TGTCATCTCCAGGGTCTCCCATCACCTCTGCTCTTTGCCATGGCAGGTCTGCTGAGACCC CGCGGGGACGGGGCATGGTGCTCCCTGATTGGCCTGTGACCAACCTTCTGGAAGGCTGC TGGCAGTTTTCCCTGTTTTCCACCACCCCACTCTTTTTAATAATTGTATATAACTGTACT TGTTCTACTTGCTTGTCTTTAAAACAGGGGCCCCCACAGTTCACTCTCACTGTTAGATTT TGCCTTTTCCAGGTATCCCCAACCTGCAATAAACTCTTCCCTCTTCAG

SEQ ID NO: 26_AA383293_H
CCAGCAGCCAAGAGGGTAGTGGTGTACCGGAATGGGGACCCATTCTTCCCAGGCTCCCAG
CTGGTGGTGACTCAACGCCGCTTCCCCACCATGGAGGCCTTCCTCTGCGAGGTGACATCA
GCTGTGCAGGCCCCACTGGCTGCGTGCCCTCTACACACCTTGTCATGGCCACCCTGTC
ACCAACCTGGCAGACTTGAAGAACAGAGGGCAGTATGTGGCCGCTGGATTTGAACGATTC

FIGURE 2S

CACAAGCTCCCCCTTACCAGGCTTTTTGTCTCAGTGTGTTCAGGAATGGGGACCTGGTA **AAGCTCCTGACTGAGAAGGTCAAGTTGCAGAGTGGGGCTGTGAGACTCTGCACCCTAGAG** GGGCTCCCACTGTCAGCAGGGAAGGAGCTGGTAACTGGCCATTACTATGTGGCTGTCGGA GAGGATGAGTTCAAGGACCTTCCCTATCCAGCTCTGTCCACAAGAGGGCTCCTGGCAGCA GGCAATGAAGCCCACCTGAGGAGTGGAGTGGGGACTGTCGCTGGTTCCCCCAAGCCTCTT GGAAGGAAGGCTAAGAAGGAGACATGCCTAATCGTGACCCTGACCCTGAAATACCAGCAG TCAGAAACAAGCAGAGACGGGCAATCATTCCCATCAGGAGTTATAGGAGTATATGGAGCT CCCCACCGAAGGAAGGAGACAGCGGGGGCCCTGGAAGTAGCAGATGATGAAGACACTCAG ACAGAGGAGCCCTTGGATCAGAGGGCAGCACAGATAGTGGAACAGGTTACTTGTCTGCAA GACTTTTTTGGTGATGACGATGTTTTTATTGCATGTGGACCAGAAAAATTTCGTTATGCC cardance extegración de la composição de la composição de la composição de la composição de la composição de l TTTGAGAAGCTCCGCAGGACCCGAGGAGAAGAAGAAGGAGCAGAGAAAGGAGAAAAGCCA TGTATGTCTGGAGGCAGAAGGATGACTCTCAGAGATGACCAACCTGCAAAGCTAGAAAAG GAGCCCAAGACGAGGCCAGAAGAGAACAAGCCAGAGCGGCCCAGCGGTCGGAAGCCACGG CCCATGGGCATCATTGCCGCCAATGTGGAAAAGCATTATGAGACTGGCCGGGTCATTGGG ATGAAGATCATTGACAAGTCCAGACTCAAGGGCAAGGAGGACATGGTGGACAGTGAGATC TTGATCATCCAGAGCCTCTCTCACCCCAACATCGTGAAATTGCATGAAGTCTACGAAACA GACATGGAAATCTACCTGATCCTGGAGTACGTGCAGGGAGAGACCTTTTTGACGCCATC ATAGAAAGTGTGAAGTTCCCGGAGCCCGATGCTGCCCTCATGATCATGGACTTATGCAAA GCCTCGTCCACATGCACGACAAGAGCATTGTCCACCGGGACCTCAAGCCGGAAAACCTT TTGGTTCAGCGAAATGAGGACAAATCTACTACCTTGAAATTGGCTGATTTTGGACTTGCA <u>AAGCATGTGGTGAGACCTATATTTACTGTGTGTGGGACCCCAACTTACGTAGCTCCCGAA</u> **ATTCTTTCTGAGAAAGGTTATGGACTGGAGGTGGACATGTGGGCTGCTGGCGTGATCCTC** TATATCCTGCTGTGTGGCTTTCCCCCATTCCGCAGCCCTGAXXGAGGGGACCAGGACGAG CTCTTTAA.CATCATCCAGCTGGGCCACTTTGAGTTCCTCCCCCCTTACTGGGACA? TATC TOTAL COMPANIED AND TOTAL TRANSPORT OF COMPANIES OF A SAME OF THE ACAGCTCA CAGGTTCTTCAGCACCCCTGGATCGAAACAGCTGGCAACACCAATACAGTG AAACGACAGAAGCAGGTGTCCCCCAGCAGCGATGGTCACTTCCGGAGCCAGCACAAGAGG GTTGTGGAGCAGGTATCATAGTCACCACCTTGGGAATCTGTCCAGCCCCCAGTTCTGCTC **AAGGACAGAAAAAGGATAGAAGTTTGAGAGAAAAACAATGAAAGAGGCTTCTTCACATA** ATTGGTGAATCAGAGGGAGAGACACTGAGTATATTTTAAAGCATATTAAAAAAATTAAGT CAATGTTAAATGTCACAACATATTTTTAGATTTGTATATTTAAAGCCTTTAATACATTTT TGGGGGGTAAGCATTGTCATCAGTGAGGAATTTTGGTAATAATGATGTTTTTGCTTCCC CTTTGTAACCAAGTTTATTCTGTACTACAGGAGTGGTGCTTACCAGGGTCTAAACTCCCC CTGTGAGATTAATAAGGTGCATTG

PCT/US00/14842

SEQ ID NO: 29 DRAK2 H

FIGURE 2T

AGTCACCGCTGTGGGGAGGCAGGAAGCTATAGCGCGGAAATGGAGAGTAAGGCAGTCTCT AGGCATCAGGGCAAGACTTCCACAGTGCTGGCCCCAGAAGACAAGGCGAGGGCCCAGAAG TGGGTAAGAGGGAAACAGGAGTCAGAACCTGGTGGCCCGCCTTCACCCGGGGCAGCCACT CAGGAGGAGACTCATGCAAGTGGAGAGAAACATCTGGGGGTGGAGATCGAAAAGACCTCC GGGGAGATTGTCAGATGTGAGAAGTGTAAGAGAGAAAGAGAGCTGCAGTTGGGCCTGCAG AGGGAGCCGTGCCGCTGGGAACCAGTGAGCTGGACCTGGGGAGAGCTCAGAAGAGGGAT TCCGAGAAGTTGGTGAGGACCAAGAGCTGCAGGAGGCCTTCTAAGGCAAAATTTACAGAT GGAGAGGAAGGTGGAAGGTGACAGCCATCGGGGCAGTCCCAGGGACCCCCCTCAGGAA ATGAGGAGGCCCAACAGCAACTCAGACAAGAAAGAGATCAGAGGCTCAGAAAGTCAGGAC AGTTATCCTCAGGGGGCACCCAAGGCCCAGAAGGACTTCGTGGAAGGGCCACCAGCTGTA GAGGAGGGGCCGATAGACATGAGGAGAGGAGCGGCACACATGCAGGAGCAACCATGCC GAGAAGCAAGCACGACAAGAAGAAGCCAGGCGGCTTAGGAGAGAGGGGGCGCCAGAG **AAGGAGTCTAAGAGGAAGCTAGAAGAGAAGAGGCCAGAACGACCCAGTGGCCGGAAGCCG** AGGCCCAAGGGCATCATCTCAGCGGATGTGGAGAAGCACTATGACATAGGTGGGGTCATT GGGGATGCAACTTTGCCACCGTGAAGGAATGCAGGCACCGAGAGACCAAGCAGGCTTAC GCCATGAAGATGATTGACAAGTCCCAGCTGAAGGGTAAGGAGGACATTGTCGACAGTGAG ATTTTAATCATCCAGAGTCTCTCTCATCCCAACATTGTGAAACTGCATGAGGTCTACGAA **ATCGTTGAAAATGTGAAGTTTCCAGAGCCCGAGGCTGCAGTTATGATCACAGACTTGTGT AAGGCCTTCGTCCACATGCACGACAAGAATATCGTCCACCGGGACGTGAAACCAGAAAAC** GCCAAATATGTGGTGAGGCCTATATTTACTGTGTGTGGGACGCCAACATATGTAGCTCCT GAAATTCTTTCTGAGAAAGGTTACGGCCTGGAGGTGGACATGTGGGCGGCAGGTGTGATC CTATACATCCTCTTGTGTGGCTTCCCCCCTTTCCGAAGTCCTGAGAGGGACCAAGACGAG TCTGATGCTGCCAAAGATCTGGTGAGAAATTTGCTGGAGGTGGACCCTAAGAAGCGGTAC · POORTOCTARGET OSTAGA PARITTE CONTROL PER TO CONTROL POR CALLAGO AACTCACAGAAGGAGGAGTCCCCCAACAGTTTAGGTCACTTCCAGAGTCAGCACAAGAAG **GTTGCAGAGCAGATGCCATAA**

CTCCGCTGCTGTCGCCAGGAGTCACTTCACGAGAAGCCAGGTCACAACCGTCGGCCCTTG TCTGGAAAAGTAAAAGTGGATCCTGCCACGTTCGGAGCTCCCTGGCGCCTCGCCCGGCTG GAGCTAGAGAACTCGTCCTGTGGCGGCCCCCGGCGTGGGGCGGGACAGCGGCCCCCTGGA GGGGCAGTCCCGGGAGAACCTGCGGCGGCCGGAGCGGTAAAAATAAGTGACTAAAGAAG CAGACCTGGGAATCACCTAACATGTCGAGGAGGAGATTTGATTGCCGAAGTATTTCAGGC CTACTAACTACAACTCCTCAAATTCCAATAAAAATGGAAAACTTTAATAATTTCTATATA CTTACATCTAAAGAGCTAGGGAGAGGAAAATTTGCTGTGGTTAGACAATGTATATCAAAA TCTACTGGCCAAGAATATGCTGCAAAATTTCTAAAAAAAGAGAAGAAGAGGACAGGATTGT CGGGCAGAAATTTTACACGAGATTGCTGTGCTTGAATTGGCAAAGTCTTGTCCCCGTGTT ATTAATCTTCATGAGGTCTATGAAAATACAAGTGAAATCATTTTGATATTGGAATATGCT GCAGGTGGAGAAATTTTCAGCCTGTGTTTACCTGAGTTGGCTGAAAATGGTTTCTGAAAAT GATGTTATCAGACTCATTAAACAAATACTTGAAGGAGTTTATTATCTACATCAGAATAAC ATTGTACACCTTGATTTAAAGCCACAGAATATATTACTGAGCAGCATATACCCTCTCGGG GACATTAAAATAGTAGATTTTGGAATGTCTCGAAAAATAGGGCATGCGTGTGAACTTCGG GAAATCATGGGAACACCAGAATATTTAGCTCCAGAAATCCTGAACTATGATCCCATTACC ACAGCAACAGATATGTGGAATATTGGTATAATAGCATATATGTTGTTAACTCACACATCA

CCATTTGTGGGAGAAGATAATCAAGAAACATACCTCAATATTTCTCAAGTTAATGTAGAT TATTCGGAAGAAACTTTTTCATCAGTTTCACAGCTGGCCACAGACTTTATTCAGAGCCTT

FIGURE 2U

SEO ID NO: 30 W44150 M DRAKZ M CCAGACGCGCTGCACTTTTCAAACCTCAACTGTAAGAAGCGTCGGTCAGCGTCTGTGCG GTCGCCGCCGGAGTCGCCTCACAGGGGCCTGGCTGACGGCGACCAGCCGTTGTGGGGAA GAGTGCGAGGTAAAAGTCTGCCTAGAGAAGCAGGTCTGGCAGTCATCAACATGTCTCGGA GGAGATTCGATTGCCGAAGTGTCTCAGGCTTGCTAACTACAACCCCTCAAACGCCGATTA TTGCTGTGGTTAGACAATGTATATCAAAATCAACTGGACAAGAGTATGCTGCCAAATCCC TGAAAAAGAGGAGAAGAGGGCAGGATTGCCGGGCGGAAATTCTGCATGAGATAGCTGTGC TGGAGCTGGCCAGGTCTTGTCCCCACGTGATTAATCTGCATGAGGTCTACGAAAATGCAA CGGAAATCATTTTGGTGTTAGAATATGCTGCGGGTGGAGAAATTTTCAACCTGTGTTTAC CTGAGTTAGCCGAAATGGTATCTGAAAATGATGTTATCAGACTCATTAAACAAATCCTTG **AAGGAGTTCATTATCTACATCAGAATAACATTGTTCACCTTGATTTAAAGCCACAGAATA** TACTTTTGAGCAGTATATACCCACTCGGGGACATAAAAATTGTAGATTTTGGAATGTCTC GAAAATTGGGAATGCAAGTGAGCTTCGGGAAATCATGGGAACACCTGAATACTTAGCTC CAGAAATCCTCAACTATGATCCCATTACCACAGCAACAGATATGTGGAATATTGGCATAA TAGCGTATATGTTGTTAACTCATACATCACCATTTGTAGGAGAAGATAATCAAGAAACA:1 AULICAATATTTCFCAAGIGAATGTAGATTATTCAGARCLERUUTCHTCATTC TTTLLAC AGC TGGCCACAGACTTCATCCAGAGCCTTCTAGTAAAGAACCCAGAGAAAAGACCAACAG CAGAATCCTGCCTATCCCACTCATGGCTGCAGCAGTGGGACTTTGGAAGCTTGTTTCATC CTGAGGAAACTTCAGGCTCCTCAAATTCAGGATCTGACTCTCAGGTCCTCTGAAGAGA AGACCTCCAAGTCCTCCTGTAATGGGAGCTGTGGAGCCCGGGAGGACAAGGAGAACATCC CTGAAGATGGCAGCTTAGTTTCTAAAAGATTTCGATTCGATGACTCCTTGCCCAGCCCCC CGGAAATTTGAAATCTCTGGTGTGAGATTGTGTTTGTAGCTTCATATATTATGTTTATAT TATAAATGCACTTCTGCTTAGAAGAACTTAAGGAACAGTTTAAATGCTAGGCTTCTGTTG GCTAGCATATCATTTCTTGTCCTGAAATTGTTTTGCAGAGGAAAATATTTAAGTATATGA CAAAAAATGTAAATTGTGTTTAAGAGAACACATGCAACTGAAAGAACTCAAGTTCAGTCA TTAGTAGGTTCTAAGGTAAGCCCTATACCATAACTCTATTACAGAGAATCTGTTTGGGGA TAGTTGAAAGTATTTCCCAGTTACCAATAATAGCTTGAAACTGTAAGATTTTCTTTGTGT GCCATGTGCTCGGTGAGAGGACACAGTCAACCAGAGCAGGGTTGATCCAGGCTGTTTCTC TGCAAACCGAGTCAAAACTCGACATCATTTCCAGCTCATGTATTTTGTACGTGCATCATA TATCAGATCTAATAAGATCTGGAAGATGGATATGCAAATAAGAGGCCTTTGTCTTCTAGA TTCATAAAGGGAAATGTTAAGTTCTGGCAGCTGACTTAGTGTTTGGATGTCTCCTAAGTCT CAGGATAGAAGCCCATCATTAGAGCATAGGCACTTCAGGAATTCTTGTGTGAAATTCTAG CACAACACATGGGAGTGTTCAGTGTTGTCCGTGGTCAATATCTATGTTCAGTCCTGATGG

PCT/US00/14842

FIGURE 2V

GAGGGGCCTAGGGACTGCTTTGGAGATTTCCCACTGGTGTCCATTTTAAGGTCTGTAATA
ATGTCATGTTAAGATAACAGATCTCATAAATATGCTACTCTATCAGACTCCGTTGCCAAA
ACAAATTAAAAGCCTGTGTATTGAAGTGGGTGTTAGTCTAACAACCTGTAAATTCTTGAA
ATTGTTACTAAAATTCCAAATTCTTTAGATAACTTTTAAACTATTTAAATTGAGCATTGCT
GTCTTTGTTTGATTAAAGGTTGAGTTCCTTTATATCTGTTATTTTTAAAGGAAAAGTTGT
TTGCCTTTTGTATATGTGTGTGCATATGTGTATGTGTACAGGTATATGTATATATGTATT
GATAGATAAAATACAGCCTTTAAACAACTTC

SEO ID NO: 31 H01248 H, DRAK1 H ATGATCCCTTTGGAGAAGCCAGGCAGCGGCGCCTCCTCCCCAGGCGCCACCTCAGGCTCG GGGCTGCTGACAGAGATACGCGCGGTGGTGCGCACCGAGCCCTTCCAGGACGGCTACAGC CTGTGCCCGGGCCGGAGCTGGCAGGGGGAAATTTGCAGTGGTGAGAAAATGTATAAAG AAAGATTCTGGGAAAGAATTTGCTGCAAAGTTCATGAGAAAAAGAAGAAAAAGGCCAAGAT TGTCGGATGGAAATAATTCATGAGATTGCTGTACTTGAACTAGCACAAGACAATCCTTGG GTCATTAATTTACATGAAGTTTATGAGACTGCATCAGAAATGATCTTAGTTCTGGAATAT AAAGATGTTCAAAGACTTATGCGACAGATTTTAGAAGGTGTTCACTTTTTACACACTCGT GATGTAGTTCATCTTGATTTGAAGCCTCAGAATATTCTGTTGACAAGTGAATCTCCATTG GGTGACATTAAGATTGTTGATTTTGGCCTTTCAAGAATATTGAAGAACAGTGAAGAGCTC CGAGAAATTATGGGTACCCCTGAATATGTGGCTCCTGAAATTCTTAGTTATGATCCTATA **AGCATGGCAACAGATATGTGGAGCATTGGAGTGTTAACATATGTCATGCTTACAGGAATA** TCACCTTTCTTAGGCAATGATAAACAAGAAACATTCTTAAACATCTCACAGATGAATTTA AGTTATTCTGAGGAAGAATTTGATGTTTTGTCTGAGTCGGCTGTTGATTTCATCAGGACA CTTTTAGTTAAGAAACCTGAAGATCGAGCCACTGCTGAAGAATGTCTAAAGCACCCCTGG TTGACACAGAGCAGTATTCAAGAGCCTTCTTTCAGGATGGAAAAGGCACTAGAAGAAGCA amognegante tattgtaaccgaacrgttaattgtrgttacttcatattactcatates corcaa TGCAGACAG1C1GAAAAAGAGAAAATGGAGCAAAAGGCCATTTCCAAACGATTTAAATTT GAGGAACCTTTGCTACAAGAAATTCCAGGAGAATTTATCTACTGA

SEQ ID NO: 32 AA021445 H

CCCAGCCCGGCCTCCCGCGGACCCATGCCCGCCCGTATCGGCTACTACGAGATCGACCG CACCATCGGCAAGGGCAACTTCGCGGTGGTCAAGCGGGCCACGCACCTCGTCACCAAGGC CAAGGTTGCTATCAAGATCATAGATAAGACCCAGCTGGATGAAGAAAACTTGAAGAAGAT TTTCCGGGAAGTTCAAATTATGAAGATGCTTTGCCACCCCCATATCATCAGGCTCTACCA GGTTATGGAGACAGAACGGATGATTTATCTGGTGACAGAATATGCTAGTGGAGGGGAAAT ATTTGACCACCTGGTGGCCCATGGTAGAATGGCAGAAAAGGAGGCACGTCGGAAGTTCAA ACAGATCGTCACAGCTGTCTATTTTTGTCACTGTCGGAACATTGTTCATCGTGATTTAAA AGCTGAAAATTTACTTCTGGATGCCAATCTGAATATCAAAATAGCAGATTTTGGTTTCAG ACCTGAACTCTTTGAAGGAAAAGAATATGATGGGCCCAAAGTGGACATCTGGAGCCTTGG AGTTGTCCTCTACGTGCTTGTGTGCGGTGCCCTGCCATTTGATGGAAGCACACTGCAGAA TCTGCGGGCCCGCGTGCTGAGTGGAAAGTTCCGCATCCCATTTTTTATGTCCACAGAATG TGAGCATTTGATCCGCCATATGTTGGTGTTAGATCCCAATAAGCGCCTCTCCATGGAGCA GATCTGCAAGCACAAGTGGATGAAGCTAGGGGACGCCGATCCCAACTTTGACAGGTTAAT AGCTGAATGCCAACAACTAAAGGAAGAAAGACAGGTGGACCCCCTGAATGAGGATGTCCT CTTGGCCATGGAGACATGGGACTGGACAAAGAACAGACACTGCAGTCATTAAGATCAGA

FIGURE 2W

TGCCTATGATCACTATAGTGCAATCTACAGCCTGCTGTGTGATCGACATAAGAGACATAA AACCCTGCGTCTCGGAGCACTTCCTAGCATGCCCCGAGCCCTGGCCTTTCAAGCACCAGT CAATATCCAGGCGGAGCAGGTACTGCTATGAACATCAGCGTTCCCCAGGTGCAGCT GATCAACCCAGAGAACCAAATTGTGGAGCCGGATGGGACACTGAATTTGGACAGTGATGA GGGTGAAGAGCCTTCCCCTGAAGCATTGGTGCGCTATTTGTCAATGAGGAGGCACACAGT GGGTGTGGCTGACCCACGCACGGAAGTTATGGAAGATCTGCAGAAGCTCCTACCTGGCTT TCCTGGAGTCAACCCCCAGGCTCCATTCCTGCAGGTGGCCCCTAATGTGAACTTCATGCA CAACCTGTTGCCTATGCAAAACTTGCAACCAACCGGGCAACTTGAGTACAAGGAGCAGTC TCTCCTACAGCCGCCCACGCTACAGCTGTTGAATGGAATGGGCCCCCTTGGCCGGAGGGC ATCAGATGGAGGAGCCAACATCCAACTGCATGCCCAGCAGCTGCTGAAGCGCCCACGGG &CCCTCTCCCTTGTCACCATGACACCAGCAGTGCCAGCAGTTACCCCTGTGGACGAGGA GAGCTCAGACGGGGGGGGGCGAGGACCAGGACCATGTGCCAGCCLLLT. CGCLLATAGGTCCAG **AAGACATACACTGGCCATGACCAACCCTACAGCTGAGATCCCACCGGACCTACAACGGCA** GCTAGGACAGCCTTTCCGTTCCCGGGTCTGGCCTCCTCACCTGGTACCTGATCAGCA TCGCTCTACCTACAAGGACTCCAACACTCTGCACCTCCCTACGGAGCGTTTCTCCCCTGT GCGCCGGTTCTCAGATGGGGCTGCGAGCATCCAGGCCTTCAAAGCTCACCTGGAAAAAAT GGGCAACAACAGCAGCATCAAACAGCTGCAGCAGGAGTGTGAGCAGCTGCAGAAGATGTA CGGGGGCAGATTGATGAAAGAACCCTGGAGAAGACCCAGCAGCAGCATATGTTATACCA GCAGGAGCACCATCAAATTCTCCAGCAACAAATTCAAGACTCTATCTGTCCTCCTCA CCAGAGGTTAAGGATTCAGCCTTCAAGCCCACCCCCAACCACCCCAACAACCATCTCTT CAGGCAGCCCAGTAATAGTCCTCCCCCATGAGCAGTGCCATGATCCAGCCTCACGGGGC TGCATCTTCTTCCCAGTTTCAAGGCTTACCTTCCCGCAGTGCAATCTTTCAGCAGCAACC TGAGAACTGTTCCTCTCCCCAACGTGGCACTAACCTGCTTGGGTATGCAGCAGCCTGC TCAGTCACAGCAGGTCACCATCCAAGTCCAAGAGCCTGTTGACATGCTCAGCAACATGCC AGGCACAGCTGCAGGCTCCAGTGGGCGCGCATCTCCATCAGCCCCAGTGCTGGTCAGAT GCAGATGCAGCACCGTACCAACCTGATGGCCACCCTCAGCTATGGGCACCGTCCCTTGTC chalchetticholigaeketgeagaggeteachgetteracteeachgenteracte

TGCTAACYACGAUCAGGCGCATTTACACCCCCATCTGTTTTCGGACCAGTCCCGGCCTYC CCCCAGCAGCTACAGCCCTTCAACAGGAGTGGGGTTCTCTCCAACCCAAGCCCTGAAAGT CCCTCCACTTGACCAATTCCCCACCTTCCCTCCCAGTGCACATCAGCAGCCGCCACACTA TACCACGTCGGCACTACAGCAGGCCCTGCTGTCTCCCACGCCGCCAGACTATACAAGACA CCAGCAGGTACCCCACATCCTTCAAGGACTGCTTTCTCCCCGGCATTCGCTCACCGGCCA CTCGGACATCCGGCTGCCCCCAACAGAGTTTGCACAGCTCATTAAAAGGCAGCAGCAACA ACGGCAGCAGCAGCAACAGCAACAGCAACAGCAAGAATACCAGGAACTGTTCAGGCACAT GAACCAAGGGGATGCGGGGAGTCTGGCTCCCAGCCTTGGGGGACAGAGCATGACAGAGCG CCAGGCTTTATCTATCAAAATGCTGACTCTTATCACCATCACCAGCCCCCAGCATCT GTATGCTCACCAGCCGGCACTGATGCATTCAGAGAGCATGGAGGAGGACTGCTCGTGTGA GGGGGCCAAGGATGGCTTCCAAGACAGTAAGAGTTCAAGTACATTGACCAAAGGTTGCCA TGACAGCCCTCTGCTCTTGAGTACCGGTGGACCTGGGGACCCTGAATCTTTGCTAGGAAC TGTGAGTCATGCCCAAGAATTGGGGATACATCCCTATGGTCATCAGCCAACTGCTGCATT CAGTAAAATAAGGTGCCCAGCAGAGAGCCTGTCATAGGGAACTGCATGGATAGAAGTTC TCCAGGACAAGCAGTGGAGCTGCCGGATCACAATGGGCTCGGGTACCCAGCACGCCCCTC CGTCCATGAGCACCACAGGCCCCGGGCCCTCCAGAGACACCACACGATCCAGAACAGCGA CGATGCTTATGTACAGCTGGATAACTTGCCAGGAATGAGTCTCGTGGCTGGGAAAGCACT GTTTCAGGATGGGGAAAATGAGGAATGTGGGGCAAGCCTGGGAGGTCATGAGCACCCAGA CCTGAGTGATGGCAGCCAGCATTTAAACTCCTCTTGCTATCCATCTACGTGTATTACAGA

FIGURE 2X

SEO ID NO: 33 2R22-5-11 H CTGGGCCGCTGCCGGTCAGGTCGGCCCCCTGACAGCTCCGGGAGCCTCAAGCGCGACA GGGCGCCCTCACCTCGGGACATCCACACCCGACCGCTCCTGCTCCAGAGGCAACAACCC AGCGCGCCTAGCCTGGCGCGTGCAGCGAAGCCCAAGAGCTGGCCTCGCCACGAAGGTTG EACT SOLD ATTICGAGACAGCTCACGGCTTAGAGGAAGGT HINTOTAGAGAGCAGA GGCTAAAGTGACATTGCAGGATTAAATCCTTCTTTGGCTGCCTGTGTGACCAGAAGGCT TATTTGCAAGTTTCTTCTTTCCTGGGGTCCAGATTATTAGGTCTCCAGCGCCCTGCAGCT TGACAGAAAGAGAAGCATGAAATGAAGGTCAGAGATGAGATCCCGCAGCAGGGACGTGGG GGCCTCCCAGGGGCATTTACGCACCAGAGTGCAAGATTCTCTGGCCATCAAGGGAAATAG CAAACAGAAGCCTTTGTCCTGGGGCACAGCCACCTACCACAAAGCATCAGACTCCACGTC TGGCCAGAAAGTTCCTGGAGTCCCATCAGGCCAGTGGGTATGTAACATGTGCCTAATTGT CAGCTCCTGGCTGGGCAGACTCAGCTACCACGTTCACTGCCTTCCTCTCACTAAA GCCGAGAGGGAGGCTGCTCAGCTCTCAGGAAAACTCTTTTGAACCCTGGGCACCTGCTGT CCTCAGTTGGCATCTCCCACCCTCTGAGCCTCTTCTGCTCCTGCACAACCTGCCTCTTCG CTGAGATGGAGCCTGAGCCCCGTGGACGATGACTGCAGTGTATATGAATGGAGGTGGC CTGGTGAACCCCCACTATGCCCGGTGGGATCGGCGCGACAGTGTAGAAAGTGGCTGTCAG CTGACACAGGACATGTCCCAGGATGAGAAGGTGGTGAGGGAGATCACGCTGGGGAAACGG ATAGGCTTCTACCGAATTCGAGGGGAAATCGGAAGTGGAAACTTCTCCCAAGTGAAGCTT GGGATTCACTCCCTAACCAAAGAAAAGGTGGCCATTAAGATCCTGGACAAGACCAAGTTA CCCAACATCATCCGCCTTTACGAAGTGGTGGAGACCCTATCCAAGCTGCACTTGGTGATG GAGTATGCAGGGGGTGGGGAGCTCTTĆGGAAAAATTAGCACTGAGGGGAAGCTCTCTGAA CAAATTATTCATAGAGATCTGAAAGCAGAAAATGTATTCTATACCAGTAATACTTGTGTG AAGGTGGGCGATTTTGGATTCAGCACAGTAAGCAAAAAAGGTGAACATGCTGAACACTTTC TGTGGGTCTCCTCCCTACGCTGCGCCTGAACTCTTCCGGGACGAGCACTACATCGGCATT TACGTGGATATCTGGGCCTTGGGGGTGCTTTTGTACTTCATGGTGACTGGCACCATGCCA TTTCGGGCAGAAACCGTGGCCAAACTAAAAAAGAGCATCCTCGAGGGCACATACAGTGTA CCGCCGCACGTGTCAGAGCCCTGCCACCGACTCATCCGAGGAGTCCTTCAGCAGATCCCC CCTACACCTTTGGAACCTTTCCAACTGGATCCCAAACATTTGTCGGAAACCAGCACTCTC AAGGAAGAAGAAATGAGGTCAAAAGCACTTTAGAACATTTGGGCATTACAGAAGAGCAT ATTCGAAATAACCAAGGGAGAGATGCTCGCAGCTCAATCACAGGGGTCTATAGAATTATT TTACATAGAGTCCAAAGGAAGAAGGCTTTGGAAAGTGTCCCAGTCATGATGCTACCAGAC CCTAAAGAAAGACCTCAAAAAAGGGTCCCGTGTCTACAGAGGGATAAGACACACATCC GCTGCTTCTAAATTTTTTCAAGGACAACTTGAGTGGAGACATTTTTGTAATTTTTAAAT AAACTTAAATTTGAGATATGCAAAAAAAAAA

SEQ ID NO: 34_R31237_1_H, AAC33487 ATGTCCACTAGGACCCCATTGCCAACGGTGAATGAACGAGACACTGAAAACCACACGTCA CATGGAGATGGGCGTCAAGAAGTTACCTCTCGTACCAGCCGCTCAGGAGCTCGGTGTAGA

FIGURE 2Y

AACTCTATAGCCTCCTGTGCAGATGAACAACCTCACATCGGAAACTACAGACTGTTGAAA ACAATCGGCAAGGGGAATTTTGCAAAAGTAAAATTGGCAAGACATATCCTTACAGGCAGA GAGGTTGCAATAAAAATAATTGACAAAACTCAGTTGAATCCAACAAGTCTACAAAAGCTC TTCAGAGAAGTAAGAATAATGAAGATTTTAAATCATCCCAATATAGTGAAGTTATTCGAA GTCATTGAAACTGAAAAAACACTCTACCTAATCATGGAATATGCAAGTGGAGGTGAAGTA TTTGACTATTTGGTTGCACATGGCAGGATGAAGGAAAAAGAAGCAAGATCTAAATTTAGA CAGATTGTGTCTGCAGTTCAATACTGCCATCAGAAACGGATCGTACATCGAGACCTCAAG GCTGAAAATCTATTGTTAGATGCCGATATGAACATTAAAATAGCAGATTTCGGTTTTAGC AATGAATTTACTGTTGGCGGTAAACTCGACACGTTTTGTGGCAGTCCTCCATACGCAGCA CCTGAGCTCTTCCAGGGCAAGAAATATGACGGGCCAGAAGTGGATGTGTGGAGTCTGGGG GTCATTTTATACACACTAGTCAGTGGCTCACTTCCCTTTGATGGGCAAAACCTAAACGAA CTSAGACAGAGTATTAAGAGGGAAATACAGAATTO CTYTT DAGALETCTALL ACTGT GAAAACCTTCTCAAACGTTTCCTGGTGCTAAATCCAATTAAACGCGGCACTCTAGAGCAA ATCATGAAGGACAGGTGGATCAATGCAGGGCATGAAGAAGATGAACTCAAACCATTTGTT GAACCAGAGCTAGACATCTCAGACCAAAAAAGAATAGATATTATGGTGGGAATGGGATAT TCACAAGAAGAATTCAAGAATCTCTTAGTAAGATGAAATACGATGAAATCACAGCTACA TATTTGTTATTGGGGAGAAAATCTTCAGAGCTGGATGCTAGTGATTCCAGTTCTAGCAGC AATCTTTCACTTGCTAAGGTTAGGCCGAGCAGTGATCTCAACAACAGTACTGGCCAGTCT CCTCACCACAAAGTGCAGAGAAGTGTTTCTTCAAGCCAAAAGCAAAGACGCTACAGTGAC CATGCTGGACCAGCTATTCCTTCTGTTGTGGCGTATCCGAAAAGGAGTCAGACAAGCACT GCAGATGGTGACCTCAAAGAAGATGGAATTTCCTCCCGGAAATCAAGTGGCAGTGCTGTT GGAGGAAAGGGAATTGCTCCAGCCAGTCCCATGCTTGGGAATGCAAGTAATCCTAATAAG GCGGATATTCCTGAACGCAAGAAAAGCTCCACTGTCCCTAGTAGTAACACAGCATCTGGT GGAATGACACGACGAAATACTTATGTTTGCAGTGAGAGAACTACAGCTGATAGACACTCA GTGATTCAGAATGGCAAAGAAAACAGCACTATTCCTGATCAGAGAACTCCAGTTGCTTCA ACACACAGTATCAGTAGTGCAGCCACCCCAGATCGAATCCGCTTCCCAAGAGGCACTGCC AGTCGTAGCACTTTCCACGGCCAGCCCCGGGAACGGCGAACCGCAACATATAATGGCCCT TCC:\CTAATCTCT\\\\TAAAT\\\AAAT\\\AAAAAAACTCACAAGGAG\\CGCAA\\\\\\\TATCTCCT GAGCAAAAAGATGAAAACAAAGAAGCAAAGCCTCGATCCCTACGCTTCACCTGGAGCATG AAAACCACTAGTTCAATGGATCCCGGGGACATGATGCGGGAAATCCGCAAAGTGTTGGAC GCCAATAACTGCGACTATGAGCAGAGGGAGCGCTTCTTGCTCTTCTGCGTCCACGGAGAT GGGCACGCGGAGAACCTCGTGCAGTGGGAAATGGAAGTGTGCAAGCTGCCAAGACTGTCT CTGAACGGGGTCCGGTTTAAGCGGATATCGGGGACATCCATAGCCTTCAAAAATATTGCT TCCAAAATTGCCAATGAGCTAAAGCTGTAA

SEQ ID NO: 35 W90839 M

AAAGGCCGTCCTGGTCCAGCCGTTCCCTGGGTGCCCGTTGCCGGAACTCTATCGCTTCC
TGCCCTGAGGAACAACCCCATGTGGGCAACTATAGGCTGCTAAGGACCATCGGGAAGGGC
AACTTCGCCAAAGTCAAGCTGGCTCGGCATATCCTCACGGGCCGGAGGTCGCTATTAAG
ATCATTGATAAGACCCAGCTGAACCCCCAGTAGCTTGCAGAAGCTGTTCAGAGAAGTCCGA
ATTATGAAGGGACTCAACCACCCCAACATCGTGAAGCTTTTTTGAGTGATAGAGACGGAG
AAGACGCTATACCTGGTGATGGAATACGCTAGCGCAGGAGAAGTGTTTGACTACCTCGTG
TCGCACGGCCGCATGAAGGAGAAGAACATTGTACACAGGGATCTAAAGGCTGAAAACCTGTTG
CTGGATGCCGAGGCCAACATCAAAATCGCCGACTTCGGCTTCAGCAATGAGTTCACGCTG
GGCTCCAAGCTGGACACCTTCTGTGGGAGCCCCCCATACGCCGCCCCAGAGCTGTTCCAG
GGCAAGAAGTATGATGGGCCAGAGGTGGACATCTGAGGCTGTTCACCG
CTGGTCAGCGGCTCCCTGCCCTTCGATGGGCCAACCTCCAAGGAGCTGCCGGAGCCAGTC
CTCAGAGGGAAAGTACCCGGGTCCCCTTCTACATGTCTACAGGAGCTGCCGGGAGCGAGTC
CTCAGAGGAAAGTACCGGGTCCCCTTCTACATGTCTACAGGAGCTGCCGAGAGCATTCTGCGG

FIGURE 2Z

SEQ ID NO: 36 406786.5 H

GTAGCCGGCTTGGCGTGACCGTCGCCTGATCCAGTTGTTAGAGGTGGAAGCTTGGCAGTT GGCCTCCCTTCTTCCCATGGAGGTCGGGGGCTTAACAGTCTTTGAAGAGGACCAGAGATG CCTTTCCCAGAGCCTCCCCTTGCCAGTGTCAGCAGAGGGCCCAGCTGCACAGACCACTGC TGAGCCCAGCAGGTCGTTTTCCTCAGCCCACAGACACCTGAGCAGAAGGAATGGGCTTTC CAGACTCTGCCAGAGCAGGACGGCGCTCTCTGAAGACAGATGGAGCTCCTATTGTCTATC **ATCACTGGCTGCCCAGAATATTTGTACAAGTAAACTGCACTGCCCCTGCTGCCCCTGAGCA** CACGGACCCGTCCGAACCGCGGGCAGTGTCTCCTGCTGCTCCCTGCTGCGGGGACTGTC CTCAGGGTGGTCCTCACCTCTGCTTCCGGCCCCTGTGTGCAACCCTAACAAGGCCATCTT CACGGTGGATGCCAAGACCACAGAGATCCTCGTTGCTAACGACAAAGCTTGCGGGCTCCT TTCTGATGTGGTGGAGGCCCTCAGCGAGGAGCACATGGAGGCCGACGCCCACGCTGCGGT gotottoggaecoperxcatator cacálcol pregacacatiticareste cot GTGGATGAAGAGGÁTGCGGCAGGAGCGCCGCCTATGCTGCGTGGTGGTCCTGGAGCCCGT GGAGAGGGTCTCGACCTGGGTCGCTTTCCAGAGCGATGGCACCATCACGTCATGTGACAG TCTCTTTGCTCATCTTCACGGGTACGTGTCTGGGGAGGACGTGGCTGGGCAGCATATCAC AGACCTGATCCCTTCTGTGCAGCTCCCTCCTTCTGGCCAGCACATCCCAAAGAATCTCAA GATTCAGAGGTCTGTTGGAAGAGCCAGGGACGGTACCACCTTCCCTCTGAGCTTAAAGCT GAAATCCCAACCCAGCAGCGAGGAGGCGACCACCGGTGAGGCGGCCCCTGTGAGCGGCTA CCGGGCATCTGTCTGGGTGTTCTGCACCATCAGTGGCCTCATCACCCTCCTGCCGGATGG GACCATCCACGGCATCAACCACAGCTTCGCGCTGACACTGTTTGGTTACGGAAAGACGGA GCTCCTGGGCAAGAATATCACTTTCCTGATTCCTGGTTTCTACAGCTACATGGACCTTGC GTACAACAGCTCATTACAGCTCCCAGACCTGGCCAGCTGCCTGGACGTCGGCAATGAGAG TGGGTGTGGGGAGAGACCTTGGACCCGTGGCAGGCCCAGGACCCAGCTGAGGGGGCCA GGATCCAAGGATTAATGTCGTGCTTGCTGGTGGCCACGTTGTGCCCCGAGATGAGATCCG GAAGCTGATGGAAAGCCAAGACATCTTCACCGGGACTCAGACTGAGCTGATTGCTGGAGG CCAGCTCCTTTCCTGCCTCTCACCTCAGCCTGCTCCAGGGGTGGACAATGTCCCAGAAGG AAGCCTGCCAGTGCACGGTGAACAGGCGCTGCCCAAGGACCAGCAAATCACTGCCTTGGG GAGAGAGGAACCTGTGGCAATAGAGAGCCCCGGACAGGATCTTCTGGGAGAAAGCAGGTC TGAACCAGTGGATGTGAAGCCATTTGCTTCCTGCGAAGATTCTGAAGCTCCAGTCCCAGC TGAGGATGGGGGCAGTGATGCTGGCATGTGTGGCCTGTGTCAGAAGGCCCAGCTAGAGCC GATGGGAGTCAGTGGTCCCAGCGGTTCAGACCTTTGGGCTGGGGCTGCCGTGGCCAAGCC CCAGGCCAAGGGTCAGCTGGCGGGGGGCAGCCTCCTGATGCACTGCCCTTGCTATGGGAG TGAATGGGGCTTGTGGTGGCGAAGCCAGGACTTGGCCCCCAGCCCCTCTGGGATGGCAGG CCTCTCGTTTGGGACACCTACTCTAGATGAGCCGTGGCTGGGAGTGGAAAACGACCGAGA

FIGURE 2AA

AGAGCTGCAGACCTGCTTGATTAAGGAGCCAGCTGTCCCAGTTGAGCCTTGCAGGAGCCCT GGATGTCCCCCACGCCGAACTCGTTCCGACAGAGTGCCAGGCTGTCACCGCTCCTGTGTC GTCCTGCGATCTGGGAGGCAGAGACCTGTGCGGTGCTGCACGGGCAGCTCCTCAGCCTG CTATGCCTTGGCCACGGACCTCCCTGGGGGCCTGGAAGCAGTGGAGGCCCAGGAGGTTGA GTCATCAAATTGTTCCTGTGCTACGTCTGAACTCAGAGAGACACCCTCTTCCTTGGCAGT GGGCTCCGATCCAGATGTAGGCAGTCTCCAGGAACAGGGGTCGTGTCCTGGATGACAG GGAGCTGTTACTACTGACCGGCACCTGTGTTGACCTTGGCCAAGGCCGACGGTTCCGGGA TGAGGACACGTGCCCATCAGCAGAGGAGCCAAGGCTGAACGTCCAGGTCACCTCCACGCC -childedeangechangechtectectectectecagent (agendacedectic) ${\tt CGGGAGCTGCTACCATCGAGATGGCTTACGGCTGAGTATACAGTTTGAGGTGAGGCGGGT}$ CCAACGCGACTCAGCCGCCAGGACCCGCCTGTTCCTTGCCAGCCTGCCCGGCTCCACCCA CTCTACCGCTGCTGAGCTCACCGGACCCAGCCTGGTGGAAGTGCTCAGAGCCAGACCCTG GTTTGAGGAGCCCCCAAGGCTGTGGAACTGGAGGGGTTGGCGGCCTGTGAGGGCGAGTA CTCCCAAAAGTACAGTACCATGAGCCCGCTGGGCAGTGGGGCCTTCGGCTTCGTGTGGAC TGCTGTGGACAAGGGAAAAAACAAGGAGGTGGTGGTGAAGTTTATTAAGAAGGAGAAGGT CTTGGAGGATTGTTGGATTGAGGATCCCAAACTTGGGAAAGTTACTTTAGAGATCGCAAT TCTATCCAGGGTGGAGCACGCCAATATCATCAAGGTATTGGATATATTTGAAAACCAAGG GTTCTTCCAGCTTGTGATGGAGAAGCACGGCTCCGGCCTAGACCTCTTCGCTTTCATCGA CCGCCACCCCAGGCTGGATGAGCCCCTGGCGAGCTACATCTTCCGACAAGTGAGAGCAGG CCAGAGCCGTCTAGTGTCAGCAGTGGGATACCTGCGCTTGAAGGACATCATCCACCGTGA CATCAAGGATGAGAACATCGTGATCGCTGAGGACTTCACAATCAAGCTGATAGACTTTGG CTCGGCCGCCTACTTGGAAAGGGGAAAATTATTTTATACTTTTTGTGGGACCATCGAGTA CTGTGCACCGGAAGTTCTCATGGGGAATCCCTACAGAGGGCCCGGACCTGGAGATGTGGTC TCTGGGASTCACTCTGT%C%C%CTGSTC%TTGASC: RAACCCCTTCTGTCAGCDGCAGGGA GACCGTGGAGGCTGCCATACACCCGCCATACCTGGTGTCCAAAGAACTCATGAGCCTTGT GTCTGGGCTGCTGCAGCCAGTCCCTGAGAGACGCACCACCTTGGAGAAGCTGGTGACAGA CCCGTGGGTAACACACCTGTGAATCTTGCTGACTATACATGGGAAGAGGTGTTTCGAGT **AAACAAGCCAGAAAGTGGAGTTCTGTCCGCTGCGAGGCCTGGAGATGGGGAACAGGAGCCT** GAGTGATGTGGCCCAGGCTCAGGAGCTTTGTGGGGGCCCCGTTCCAGGCGAGGCTCCTAA TGGCCAAGGCTGTTTGCATCCCGGGGATCCCCGTCTGCTGACCAGCTAAACACCAATTTC TTCCTGCTTTTCTCCACTTGGTTTGGAAAATCACACAGTTTTCAGGCTCCATCTGTTTG

FIGURE 2BB

SEU ID NO: 38 AA785735 H GGCACGAGGCGCCTGGCTGGGCCCTGCGGAGGANGGGAAGGAGCGAAGGAGCGAAGGA CTCCTGTCCGCCGTGTCTAGCAGCGGGCCCAGCATGGTCATGGCGGATGGCCCGAGGCA CTTGCAGCGCGGCCGGTCCGGGTGGGGTTCTACGACATCGAGGGCACGCTGGGCAAGGG CAACTTCGCTGTGAAGCTGGGGCGCACCGGATCACCAAGACGGAGGTGGCAATAAA **AATAATCGATAAGTCTCAGCTGGATGCAGTGAACCTTGAGAAAATCTACCGAGAAGTACA AATAATGAAAATGTTAGACCACCCTCACATAATCAAACTTTATCAGGTAATGGAGACCAA AAGTATGTTGTACCTTGTGACAGAATATGCCAAAAATGGAGAAATTTTTGACTATCTTGC** TAATCATGGCCGGTTAAATGAGTCTGAAGCCAGGCGAAAATTCTGGCAAATCCTGTCTGC TGTTGATTATTGTCATGGTCGGAAGATTGTGCACCGTGACCTCAAAGCTGAAAATCTCCT GCTGGATAACAACATGAATATCAAAATAGCAGATTTCGGTTTTGGAAATTTCTTTAAAAG TGGTGAACTGCTGGCAACATGGTGTGGCAGCCCCCTTATGCAGCCCCAGAAGTCTTTGA AGGGCAGCAGTATGAAGGACCACAGCTGGACATCTGGAGTATGGGAGTTGTTCTTTATGT CCTTGTCTGTGGAGCTCTGCCCTTTGATGGACCGACTCTTCCAATTTTGAGGCAGAGGGT TCTGGAAGGAAGATTCCGGATTCCGTATTTCATGTCAGAAGATTGCGAGCACCTTATCCG AAGGATGTTGGTCCTAGACCCATCCTAACGCCTAACCATAGCCCAAATCAAGGAGCATAA ATGGATGCTCATAGAAGTTCCTGTCGAGAGACCTGTTCTCTATCCACAAGAGCAAGAAAA TGAGCCATCCATCGGGGAGTTTAATGAGCAGGTTCTGCGACTGATGCACAGCCTTGGAAT AGATCAGCAGAAARCCATTGAGTCTTTGCAGAACAAGAGCTATAACCACTTTGCTGCCAT TTATTTCTTGTTGGTGGAGCGCCTGAAATCACATCGGAGCAGTTTCCCAGTGGAGCAGAG ACTTGATGGCCGCCAGCGTCGGCCTAGCACCATTGCTGAGCAAACAGTTGCCAAGGCACA GACTGTGGGGCTCCCAGTGACCATGCATTCACCGAACATGAGGCTGCTGCGATCTGCCCT CCTCCCCAGGCATCCAACGTGGAGGCCTTTTCATTTCCAGCATCTGGCTGTCAGGCGGA AGCTGCATTCATGGAAGAGAGTGTGTGGACACTCCAAAGGTCAATGGCTGTCTGCTTGA CCCTGTGCCTCTGTCCTGGTGCGGAAGGGATGCCAGTCACTGCCCAGCAACATGATGGA GACCTCCATTGACGAAGGGCTGGAGACAGAAGGAGAGGCCGAGGAAGACCCCGCTCATGC CTTTGAGGCATTTCAGTCCACACGCAGCGGCAGAGACGCACACTCTGTCAGAAGTGAC CCTTGACAGTGTGGACTCTGAGTATGATATGGGGTCTGTTCAGAGGGACCTGAACTTTCT GGAAGACAACCCTTCCCTTAAGGACATCATGTTAGCCAATCAGCCTTCACCCCGCATGAC ATCTCCCTTCATAAGCCTGAGACCTACCAACCCAGCCATGCAGGCTCTGAGCTCCCAGAA ACGAGAGGTCCACAACAGGTCTCCAGTGAGCTTCAGAGAGGGCCGCAGAGCATCAGATAC CTCCCTCACCCAGGGAATTGTAGCATTTAGACAACATCTTCAGAATCTGGCTAGAACCAA **AGGAATTCTAGAGTTGAACAAAGTGCAGTTGTTGTATGAACAAATAGGACCGGAGGCAGA** CCCTAACCTGGCGCCGGCGGCTCCTCAGCTCCAGGACCTTGCTAGCAGCTGCCCTCAGGA AGAAGTTTCTCAGCAGCAGGAAAGCGTCTCCACTCTCCCTGCCAGCGTGCATCCCCAGCT GTCCCACGCAGAGCCTGGAGACCCAGTACCTGCAGCACAGACTCCAGAAGCCCAGCCT TCTGTCAAAGGCCCAGAACACCTGTCAGCTTTATTGCAAAGAACCACCGCGGAGCCTTGA

FIGURE 2CC

ACTGCAGGCCTATTTTAATCAGATGCAGATAGCAGAGAGCTCCTACCCACAGCCAAGTCA GCAGCTGCCCCTTCCCCGCCAGGAGACTCCACCGCCTTCTCAGCAGGCCCCACCGTTCAG CCTGACCCAGCCCCTGAGCCCCGTCCTGGAGCCTTCCTCCGAGCAGATGCAATACAGCCC TTTCCTCAGCCAGTACCAAGAGATGCAGCTTCAGCCCCTGCCCTCCACTTCCGGTCCCCG GGCTGCTCCTCTCTGCCCACGCAGCTACAGCAGCAGCAGCCGCCACCGCCACCACCCCC TCCACCACCACGACAGCCAGGAGCTGCCCCAGCCCCCTTACAGTTCTCCTATCAGACTTG TGAGCTGCCAAGCGCTGCTTCCCCTGCGCCAGACTATCCCACTCCCTGTCAGTATCCTGT GGATGGAGCCCAGCAGACCTAACGGGGCCAGACTGTCCCAGAAGCCCAGGACTGCA AGAGGCCCCTCCAGCTACGACCCACTAGCCCTCTCTGAGCTACCTGGACTCTTTGATTG TGAAATGCTAGACGCTGTGGATCCACAACACAACGGGTATGTCCTGGTGAATTAGTCTCA GCACAGLEATTGAGGTGGGTCAGGTGÄAGGAAGAGTCTATGTTCCTATTTTEEL TCCRGC CTTTTAAATTTAAAGCTTATTTCTTGCCCTCTCCCTAACGGGGAGAAATCGAGCCACCC **AACTGGAATCAGAGGGTCTGGCTGGGTGGATGTTGCTTCCTCCTGGTTCTGCCCCACCA** CAAAGTTTTCTGTGGCAAGTGCTGGAACATAGTTGTAGGCTGAGGCAGGAGAATGGCGTG **AACCCGGGAGGCGGAGCTTGCAGTGAGCCAAGATCGTGCCACTGCACTCCAGCCTGGGCG** ACTGAGCAAGACTCCACCTCAAAAAAAAAAAAAAGGACAAGAGCAGTATCATCTGCCTC TGTTTCTAAACTGGACAAAGAGATTTTCTTAAAGTTTCTATCATCTCCCTTCTGACAGGT TCTACAGTGTGGTCTGAAGCACCTGTAATGTCAGAGCCCTTGTCTGGCCCTTGGTGGCAG GTGAACGAAAGCAGTGGAGCCTCTCACCTTCCAGTAGCCTCTCACATTCTTATTTTACCA TTTTTGTCCTAATTAAGGTAGCCTAGCTGATTCTAGAAGACAGCCATCCTACGTGCACCC CCACCTTGTGTCCACATCTTCTCCAGGCAGGTTTCAACCTATCAGCAGACTCAGGCACAC TTGTACATTAGTTTTACCAAGCACTTTCTCTTCTAACCCTCACAACAATTCTATGAAATT AGCTGGGGAGATACTGTCCTTATTTTCACAGCTGAAGAAACCAAAGCTTTGGGAAGTTT GTGACTTCTCTGAGATCACAGCTGGTGATAGAAGGAGCTGGGACACGCGCTTGGGTTGAC TGGCTTCTGGTTTTGGTTCTCTCGCTTTTTATTGCTGGAACAAG, CCTCTCTTTCCCTTCT CTTTCCTCAGTAGCATCTGACTCTTTTCATAAGCAAACAGCTGTATAAACAAAGCCCCCA TTTTGGTCAAGCACAGGGTGAATGTGATATTGTTCCCACAACCTTATTCTCCACTCAACA GCCGCCTGGCTTTGGGGAAGAGGCCGCCTTCAGGTGACAGTGCAGCTGTCCAGGTGGCCG AGTTAACTGCAGAAGTTTAGGCTCACCTCAAAGATGTCTAGTTTTTCCAAGTTACAATAC AGCAGTTTCCTACAGAACACCCCCTTCCTCAATTGCCAAGGGGCCGCATCGCACGGCATC AGGCCACCACTGCAGGCCAGCAGATTCCACCCCAGGAACGGTCATGAACTCAGCCTTTGT CTCAACGAGGGGCGTAACATTTCCTTACAGTCAAGCCCCATCAACTAGAAGTGCTTATTA CTTTTAGGATTAAAAAGTAATAACAGACTTTGACTTAATACTCTGTCTTTTCAGAGGCA **AAGTGGGTGGGTAGAGGGGAGCTTTAAAAATAGAAGTACAAAAACAACATCCTGGAAACAT ATGACCCCAGATGGAATAATGTCACATTCCCCAGTGCAGATAATGGGCTGCTGCTGGCTC** TGTGGTGTCTGTCTGCAGAAGATTTGCTCAGTCAAGGAAATTCAAGTGGTGAGACCTTTC CACCATGGGTGGTAAGAGAAACCTGCCTTCACCAAAATCTCTGAAGGGGAAAGAAGTGGA GAGAAAGGTTTGCTTCACTTCGGGGACTGCAGTTTGAGAAATAAAAGGGATACAGAGATA TGCTGGATGTTTGGTCTGAAAGAGTTACTTTTGATAAAGTTAATCTAATTGTAGTTATAT TTTCTGTGTGCTTTTTTTTAATTACTAAGAAAAAATTGGTGAGTTCAGTAGCTTTGGTA **AATTTAAATGGGGTAATTTTCTGCAAGGAAAATGTACTGTTTTTATGTTTCCAACCCTCT** TGA

FIGURE 2DD

SEO ID NO: 39 AA207220 H GCTGTGGCTCCCGTCCTGGTGCGGGACCTGTGCCCCGCGCTTCAGCCCTCCCCGCAAGC CTATTGATTCCCCTGCCGCCCTTGCTCCACCTCCTGCTCGCCATGGAGTCGCTGGTTTTC GCGCGCGCTCCGGCCCACTCCCTCGGCCGCAGAGCTAGCCCGGCCGCTGGCGGAAGGG CTGATCAAGTCGCCCAAGCCCCTAATGAAGAAGCAGCGGTGAAGCGGCACCACCACAAG CACAACCTGCGGCACCGCTACGAGTTCCTGGAGACCCTGGGCAAAGGCACCTACGGGAAG GTGAAGAAGGCGCGGAGAGCTCGGGGCGCCTGGTGGCCATCAAGTCAATCCGGAAGGAC CTCAACCACCCTCACATCATTGCCATCCATGAAGTGTTTGAGAACAGCAGCAAGATCGTG CTCAGTGAGCGCGAAGCTAGGCATTTCTTCCGGCAGATCGTCTCTGCCGTGCACTATTGC CATCAGAACAGAGTTGTCCACCGAGATCTCAAGCTGGAGAACATCCTCTTGGATGCCAAT GGGAATATCAAGATTGCTGACTTCGGCCTCTCCAACCTCTACCATCAAGGCAAGTTCCTG CAGACATTCTGTGGGAGCCCCCTCTATGCCTCGCCAGAGATTGTCAATGGGAAGCCCTAC ACAGGCCCAGAGGTGGACAGCTGGTCCCTGGGTGTTCTCCTCTACATCCTGGTGCATGGC ACCATGCCCTTTGATGGGCATGACCATAAGATCCTAGTGAAACAGATCAGCAACGGGGCC TACCGGGAGCCACCTAAACCCTCTGATTGCCTGNNTGGCCTGATCCGGTGGCTGTTGATG GTGAACCCCACCGGGGCCACCCTGGAGGATGTGGCCAGTCACTGGTGGGTCAACTGG GGCTACGCCACCCGAGTGGGAGAGCAGGAGGCTCCGCATGAGGGTGGGCACCCTGGCAGT GACTCTGCCCGCGCCTCCATGGCTGACTGGCTCCGGCGTTCCTCCGCCCCCTCCTGGAG AATGGGGCCAAGGTGTGCAGCTTCTTCAAGCAGCATGCACCTGGTGGGGGAAGCACCACC CCTGGCCTGGAGCGCCAGCATTCGCTCAAGAAGTCCCGCAAGGAGAATGACATGGCCCAG TCTCTCCACAGTGACACGGCTGATGACACTGCCCATCGCCCTGGCAAGAGCAACCTCAAG CTGCCAAAGGGCATTCTCAAGAAGAAGGTGTCAGCCTCTGCAGAAGGGGTACAGGAGGAC CCTCCGGAGCTCAGCCCAATCCCTGCGAGCCCAGGGCAGGCTGCCCCCCTGCTCCCCAAG AAGGGCATTCTCAAGAAGCCCCGACAGCGCGAGTCTGGCTACTACTCCTCTCCCGAGCCC AGTGAATCTGGGGAGCTCTTGGACGCAGGCGACGTGTTTGTGAGTGGGGATCCCAAGGAC CAGAAGCCTCCGCAAGCTTCAGGGCTGCTCCTCCATCGCAAAGCCATCCTCAAACTCAAT GGCAAGTTCTCCCAGACAGCCTTGGAGCTCGCGGCCCCCACCACCTT'CGGCTCCC'IGGAT GAACTCGCCCCACCTCGCCCCCTGGCCCGGGCCAGCCGACCCTCAGGGGCTGTGAGCGAG GACAGCATCCTGTCCTCTGAGTCCTTTGACCAGCTGGACTTGCCTGAACGGCTCCCAGAG CCCCACTGCGGGGCTGTGTGTCTGTGGACAACCTCACGGGGCTTGAGGAGCCCCCCTCA GAGGGCCCTGGAAGCTGCCTGAGGCGCTGGCGGCAGGATCCTTTGGGGGACAGCTGCTTT TCCCTGACAGACTGCCAGGAGGTGACAGCCGACCTACCGACAGGCACTGAGGGTCTGCTCA AAGCTCACCTGAGTGGAGTAGGCATTGCCCCAGCCCGGTCAGGCTCTCAGATGCAGCTGG TTGCACCCGAGGGGAGATGCCTTCTCCCCCACCTCCCAGGACCTGCATCCCAGCTCAGA AGGCTGAGAGGGTTTGCAGTGGAGCCCTGAGCAGGGCTGGATATGGGAAGTAGGCAAATG AAATGCGCCAAGGGTTCAGTGTCTGTCTTCAGCCCTGCTGAACGAAGAGGATACTAAAGA GAGGGGAACGGGAATGCCCGCGACAGAGTCCACATTGCCTGTTTCTTGTGTACATGGAGG **GGCCACAGAGA**

FIGURE 2EE

TCCGAAGCCCGCAGATACATCCGACAGCTCATCTCTGCCGTAGAGCACCTGCACCGGGCC GGGGTGGTCCACAGAGACTTGAAGATAGAGAATTTGCTACTAGATGAAGACAATAATATC AAGCTGATTGACTTTGAGCAACTGCGCAGGGATCCTGGGTTACTCGGATCCGTTC AGCACACAGTGTGGCAGCCCTGCCTACGCTGCACCTGAACTGCTCGCCAGGAAGAAATAC GGCCCAAAATCGATGTCTGGTCCATAGGTGTGAACATGTATGCCATGTTGACCGGGACG CTGCCTTTCACGGTGGAGCCTTTCAGCCTGAGGGCTTTGTACCAGAAGATGGTAGACAAA GAAATGAACCCCCTCCCCACTCAGCTCTCCACAGGTGCCATCAGTTTCCTGCGCTCTCTC CTGGAACCGGATCCTGTGAAGAGGCCAAATATTCAGCAGGCACTGGCGAATCGCTGGCTT AATGAGAATTACACGGGCAAAGTGCCCTGTAATGTCACCTATCCCAACAGGATTTCTCTG GAAGATCTGAGCCCGAGCGTCGTGCTGCACATGACCGAGAAGCTGGGTTACAAGAACAGC GACGTGATCAACACTGTGCTCTCCAACCGCGCCTGCCACATCCTGGCCATCTACTTCCTC TTWAACAAGAAAC GEAGCGCTATTTGTCAGGGAAATCTGACATCCAGGACAGCCTCTGC TACAAGACCCGGCTCTACCAGATAGAAAAGTACAGGGCCCCCAAGGAGTCCTATGAGGCC TCTCTGGACACCTGGACACGAGATCTTGAATTCCATGCCGTGCAGGATAAAAAGCCCCAAA GAACAAGAAAAAAGAGGGGATTTTCTTCATCGACCATTCTCCAAGAAGTTGGACAAGAAC CTGCCTCGCACAAACAGCCCTCAGGCTCGCTTATGACACAGATTCAGAACACCAAAGCC CTCCTGAAGGACCGGAAGGCCTCCAAGTCCAGCTTCCCCGACAAAGATTCCTTTGGCTGC CGCAATATTTTCCGCAAAACCTCAGATTCCAATTGTGTGGCTTCTTCTTCCATGGAGTTC ATCCCCGTGCCACCGCCCAGGACCCCGAGGATTGTGAAGAAACCGGAGCCCCATCAGCCA GGGCCCGGAAGCACTGGCATCCCCCACAAGGAAGACCCCCTGATGCTGGACATGGTGCGC TCCTTCGAGTCTGTGGATCGCGACGACCACGTAGAAGTGCTGTCTCCCTCTCATCACTAC AGGATTCTGAACTCCCCGGTCAGCTTGGCTCGCAGAAATTCCAGCGAGAGGACGCTGTCC CCGGGTCTGCCATCCGGAAGCATGTCGCCTCTCCATACTCCTTTGCATCCAACTCTGGTC TCTTTTGCTCACGAAGATAAGAACAGCCCCCCAAAAGAGGGGGCCTGTGTTGCCCACCT CCGGTTCCCAGCAATGGCCCCATGCAGCCTCTGGGGAGCCCCAATTGTGTGAAAAGCCGA GGCCGGTTCCCTATGATGGGCATCGGACAGATGTTAAGGAAGCGCCATCAGAGTCTGCAG CCATCTGCAGATAGGCCCCTGGAGGCCAGCCTGCCCCCACTGCAGCCCCTAGCCCCTGTG AACCTTGCCTTTGACATGGCCGATGGGGTGAAGACCCRGTGCGAA

SEQ ID NO: 41 Z36720 H

ATGGACACAAGCTGAACATGCTGAACGAGAAGGTGGACCAGCTCCTGCACTTCCAAGAA GATGTCACAGAGAAGTTGCAGAGCATGTGCCGAGACATGGGCCACCTGGAGCGGGCCTG CACAGGCTGGAGGCCTCCCGGGCACCGGGCCCGGGCGGGGCTGATGGGGTTCCCCACATT GACACCCAGGCTGGGTGGCCCGAGGTCCTGGAGCTGGTGAGGGCCCATGCAGCAGGATGCG GCCCAGCACGGTGCCAGGCTGGAGGCCCTCTTCAGGATGGTGGCTGCGGTGGACAGGGCC ATCGCTTTGGTGGGGCCACGTTCCAGAAATCAAAGGTGGCGGATTTCCTCATGCAGGGG CGTGTGCCCTGGAGGAGAGGCAGCCCAGGTGACAGCCCTGAGGAGTGGGTAAAAGAGGAG GAGGTCTGTTTCATGCCTCCAGTTCCCCCAGCTCCGGGGGCAGCAGGACAGAGCCTGCAG AAGGATAAGGGGGAGCTGTCTGCCGAGCAGGGGGATCTGGGCCACATTGATGACGCTGGTG ATCATGGTGACAGCGGCAAATAAAGAGCGAGTGGAAGAAGAGGGGAGGAAAACCAAAGCAT GTGCTGAGCACCAGTGGGGTGCAGTCTGATGCCAGGGAGCCTGGGGAAGAGAGCCAGAAG GCGGACGTGCTGGAGGGGACAGCGGAGAGGCTGCCCCCATCAGAGCGTCAGGGCTGGGA GCTGACCCCGCCCAGGCAGTGGTCTCACCGGGCCAGGGAGATGGTGTTCCTGGCCCAGCC CAGGCATTCCCTGGCCACCTGCCCCACAAAGGTGGAAGCCAAGGCTCCTGAGACA CCCAGCGAGAACCTCAGGACTGGCCTGGAATTGGCTCCAGCACCCGGCAGGGTCAATGTG GTCTCCCGAGCCTGGAGGTTGCACCAGGTGCAGGACAAGGAGCATCGTCCAGCAGGCCT GACCCTGAGCCCTTAGAGGAAGGCACGAGGCTGACTCCAGGGCCTGGCCCTCAGTGCCCA GGGCCTCCAGGGCTGCCAGGCCAGGCCAGGCCACAGTGGTGGAGAAACACCTCCA AGGGCAGCCTGCTGAAGGGCGCTGTGGCCCCGGGCTTCTCTCGGAGGGACCTGGTGTTT CCTAGCATCTTCTGCGCCTGCCTAGGGATCTCCATCCACATACAAGAGATGGATACTCCT

FIGURE 2FF

GCAGCTGCCCAGCCAGGCAAGCAGGGCCCCACCTGGGACCGGGCGCTGCCTCCAAGCCCCT GGGACTGAGCCCGGAGAACAGACCCCTGAAGGAGCCAGAGAGCTCTCCCCGCTGCAGGAG AGCAGCAGCCCCGGGGAGTGAAGGCAGAGGAGGAGCAAAGGGCTGGGGCCGAGCCTGGC ACGAGACCAAGCTTGGCCAGGAGTGACGACAATGACCACGAGGTTGGGGCCCTGGGCCTG CAGCAGGGCAAAAGCCCAGGGGCGGAAACCCTGAGCCTGAGCAGGACTGTGCAGCCAGG GCTCCGGTGAGAGCTGAAGCAGTAAGGAGGATGCCCCCAGGCGCCGAGGCTGGCAGCGTG GTTCTGGATGACAGTCCGGCCCCACCAGCTCCTTTTGAACACCGGGTAGTGAGCGTCAAG GAGACCTCCATCTCTGCGGGTTACGAGGTGTGCCAGCACGAAGTCTTGGGAGGGGGTCGG TTTGGCCAGGTCCACAGGTGCACAGAGAAGTCCACAGGCCTCCCACTGGCTGCCAAGATC ATCAAGTGAAGAGCGCCAAGGACCGGGAGGACGTGAAGACCAGATCAACATCATGAAC CAGCTCAGCCACGTGAACCTGALCCACCTCTATCACGCCTTCCAGAGCAAGCACAGCTCC ACCCTTGTCATGGAGTACGTGGACGGGGTGAGCTCTTCGACCGGATCACAGATGAGAAG TACCACCTGACTGAGCTGGATGTGGTCCTGTTCACCAGGCAGATCTGTGAGGGTGTGCAT TACCTGCACCAGCACTACATCCTGCACCTGGACCTCAAGCCGGAGAACATATTGTGCGTC AATCAGACAGGACATCAAATTAAGATCATTGACTTTGGGCTGGCCAGAAGGTACAAGCCT CGAGAGAGCTGAAGGTGAACTTCGGCACTCCTGAGTTCCTGGCCCCAGAAGTCGTCAAT TATGAGTTTGTCTCATTCCCCACAGACATGTGGAGTGTGGGAGTCATCACCTACATGCTA CTCAGTGGCTTGTCCCCATTTCTAGGGGAAACAGATGCAGAGACCATGAATTTCATTGTA AACTGTAGCTGGGATTTTGATGCTGACACCTTTGAAGGGCTCTCGGAGGAGGCCAAGGAC TTTGTTTCCCGGTTGCTGGTCAAAGAGAAGAGCTGCAGAATGAGTGCCACACAGTGCCTG AAACACGAGTGGCTGAATAATTTGCCTGCCAAAGCTTCAAGATCCAAAACTCGTCTCAAA TCCCAACTACTGCTGCAGAAATACATAGCTCAAAGAAAATGGAAGAAACATTTCTATGTG GTGACTGCCAACAGGTTAAGGAAATTTCCAACTTCTCCCTAA

SEQ ID NO: 42 SGK088 H

GGGGAGATGGCGCTGTTTGAGTGCCTGGTGGCGGGCCCACTGACGTGGAGGTGGATTTGG CONTRACCGI GGCCGCCTGCTGCAGCCTC(CACTGCTCAAA)YOCAAGATCCATCTCCAACTCCA CGCAAATGCAAGCTGCTACTTACATCTGTACATGAGGACGACAGTGGCGTCTACACCTGC AAGCTCAGCACGCCAAAGATGAGCTGACCTGCAGTGCCCGGCTGACCGTGCGGCCCTCG TTGGCACCCTGTTCACACGGCTGCTGGAAGATGTGGAGGTGTTGGAGGGCCGAGCTGCC CGTTTCGACTGCAAGATCAGTGGCACCCCGCCCCTGTTGTTACCTGGACTCATTTTGGC CACATTGCCCATGTGGGCAGCGAGGACGAGGGGCTCTATGCGGTCAGTGCTGTTAACACC CATGGCCAGGCCCACTGCTCAGCCCAGCTGTATGTAGAAGAGCCCCGGACAGCCGCCTCA GGCCCAGCTCGAAGCTGGAGAAGATGCCATCCATTCCCGAGGAGCCAGAGCAGGGTGAG CTGGAGCGGCTGTCCATTCCCGACTTCCTGCGGCCACTGCAGGACCTGGAGGTGGGACTG GCCAAGGAGGCCATGCTAGAGTGCCAGGTGACCGGCCTGCCCTACCCCACCATCAGCTGG TTCCACAATGGCCACCGCATCCAGAGCAGCGACGACCGCCGCGCATGACACAGTACAGGGAT GTCCATCGCTTGGTGTTCCCTGCCGTGGGGCCTCAGCACGCCGGTGTCTACAAGAGCGTC ATTGCCAACAAGCTGGGCAAAGCTGCCTGCTATGCCCACCTGTATGTCACAGATGTGGTC CCAGGCCCTCCAGATGGCGCCCCGCAGGTGGTGGCTGTGACGGGGAGGATGGTCACACTC ACATGGAACCCCCCAGGAGTCTGGACATGGCCATCGACCCGGACTCCCTGACGTACACA GTGCAGCACCAGGTGCTGGGCTCGGACCAGTGGACGGCACTGGTCACAGGCCTGCGGGAG CCAGGGTGGGCAGCCACAGGGCTGCGTAAGGGGGTCCAGCACATCTTCCGGGTCCTCAGC ACCACTGTCAAGAGCAGCAGCAAGCCCTCACCCCTTCTGAGCCTGTGCAGCTGCTGGAG CACGGCCCAACCCTGGAGGAGGCCCCTGCCATGCTGGACAAACCAGACATCGTGTATGTG GTGGAGGGACAGCCTGCCAGCGTCACCGTCACATTCAACCATGTGGAGGCCCAGGTCGTC TGGAGGAGCTGCCGAGGGCCCTCCTAGAGGCACGGCCGGTGTGTACGAGCTGAGCCAG CCAGATGATGACCAGTACTGTCTTCGGATCTGCCGGGTGAGCCGCCGGGACATGGGGGCC

PCT/US00/14842

FIGURE 2GG

CTCACCTGCACCGCCCGAAACCGTCACGGCACACAGACCTGCTCGGTCACATTGGAGCTG GCAGAGGCCCCTCGGTTTGAGTCCATCATGGAGGACGTGGAGGTGGGGGCTGGGGAAACT GCTCGCTTTGCGGTGGTCGAGGGAAAACCACTGCCGGACATCATGTGGTACAAGGAC GAGGTGCTGACCGAGAGCAGCCATGTGAGCTTCGTGTACGAGGAGAATGAGTGCTCC $\tt CTGGTGGTGCTCAGCACGGGGGCCCAGGATGGAGGCGTCTACACCTGCACCGCCCAGAAC$ CTGGCGGGTGAGGTCTCCTGCAAAGCAGAGTTGGCTGTGCATTCAGCTCAGACAGCTATG GACATCCACCAGGAGATCGGCAGGGGTGCTTTCTCCTACTTGCGGCGCATAGTGGAGCGT GCGCGTCGGGAGGCCCGGCTGCTGGCCAGGCTCCAGCACGACTGTGTCCTCTACTTCCAT GAGGCCTTCGAGAGGCGCCGGGGACTGGTCATTGTCACCGAGCTCTGCACAGAGGAGCTG CAGGTGCTAGAGGGAATACACTACCTGCACCAGAGCCACGTGCTGCACCTCGATGTCAAG CCTGAGAACCTGCTGGTGTGGGATGGTGCTGCGGGCGAGCAGCAGGTGCGGATCTGTGAC TTTGGGAATGCCCAGGAGCTGACTCCAGGAGAGCCCCAGTACTGCCAGTATGGCACACCT GAGTTTGTAGCACCCGAGATTGTCAATCAGAGCCCCGTGTCTGGAGTCACTGACATCTGG CCTGTGGGTGTTGTTGCCTTCCTCTGTCTGACAGGAATCTCCCCGTTTGTTGGGGAAAAT GACCGGACAACATTGATGAACATCCGAAACTACAACGTGGCCTTCGAGGAGACCACATTC CTGAGCCTGAGCAGGGAGGCCCGGGGCTTCCTCATCAAAGTGTTGGTGCAGGACCGGCTG AGACCTACCGCAGAAGAGACCCTAGAACATCCTTGGTTCAAAACTCAGGCAAAGGGCGCA GAGGTGAGCACGGATCACCTGAAGCTATTCCTCTCCCGGCGGAGGTGGCAGCGCTCCCAG ATCAGCTACAAATGCCACCTGGTGCTGCGCCCCATCCCCGAGCTGCTGCGGGCCCCCCCA GAGCGGGTGTGGGTGACCATGCCCAGAAGGCCACCCCCAGTGGGGGGCTCTCATCCTCC TCGGATTCTGAAGAGGAAGAGCTGGAAGAGCTGCCCTCAGTGCCCCGCCCACTGCAGCCC GAGTTCTCTGGCTCCCGGGTGTCCCTCACAGACATTCCCACTGAGGATGAGGCCCTGGGG ACCCCAGAGACTGGGGCTGCCACCCCCATGGACTGGCAGGAGCAGGGAAGGGCTCCCTCT CAGGACCAGGAGGCTCCCAGCCCAGAGGCCCTCCCCCAGGCCAGGAGCCCGCAGCT GGCGCTAGCCCCACGCGGCAAGAACCTCCGCAGGGGCAGCTCGGCTGAGAGCGCCCTTFCCC CGGGCCGGGCGGGAGCTGGGCCGGGGCCTGCACAAGGCGGCGTCTGTGGGAGCTGCCG CAGCGCCGGAGCCCCGGGAGCCACCCGCCTGGCCCGGGGAGGCCTGGGTGAGGGC GAGTATGCCCAGAGGCTGCAGGCCCTGCGCCAGCGGCTGCTGCGGGGAGGCCCCGAGGAT GGCAAGGTCAGCGGCCTCAGGGGTCCCCTGCTGGAGAGCCTGGGGGGCCCGTGCTCGGGAC AACCGGGGCCTGCAAAAGAGCAGCAGCTTCTCCCAGGGTGAGGCGGAGCCCCGGGGCCGG CACCGCCGAGCGGGGCGCCCCTCGAGATCCCCGTGGCCAGGCTTGGGGCCCGTAGGCTA CAGGAGTCTCCTTCCCTGTCTGCCCTCAGCGAGGCCCAGCCATCCAGCCCTGCACGGCCC AGCGCCCCAAACCCAGTACCCCTAAGTCTGCAGAACCTTCTGCCACCACACCTAGTGAT GCTCCGCAGCCCCGCACCCCAGCCTGCCCAAGACAAGGCTCCAGAGCCCAGGCCAGAA CCAGTCCGAGCCTCCAAGCCTGCACCCCCCCAGGCCCTGCAAACCCTAGCGCTGCCC CTCACACCCTATGCTCAGATCATTCAGTCCCTCCAGCTGTCAGGCCACGCCCAGGGCCCC TCGCAGGGCCCTGCCGCCCCTTCAGAGCCCCAAGCCCCACGCTGCTCTTTTGCCAGG GTGGCCTCCCCACCTCCGGGAGCCCCCGAGAAGCGCGTGCCCTCAGCCGGGGGTCCCCCG GTGCTAGCCGAGAAAGCCCGAGTTCCCACGGTGCCCCCCAGGCCAGGCAGCAGTCTCAGT AGCAGCATCGAAAACTTGGAGTCGGAGGCCGTGTTCGAGGCCAAGTTCAAGCGCAGCCGC GAGTCGCCCTGTCGCTGGGGCTGCGGCTGCTGAGCCGTTCGCGCTCGGAGGAGCGCGCC CCCTTCCGTGGGGCCGAGGAGGAGGATGGCATATACCGGCCCAGCCCGGCGGGGACCCCG CTGGAGCTGGTGCGACGGCTGAGCGCTCACGCTCGGTGCAGGACCTCAGGGCTGTCGGA GAGCCTGGCCTCGCCGCCCTCTCGCTGTCACTGTCCCAGCGGCTGCGGCGGACCCCT GGGAGCTCGGCGGGGCTCCCCGGTGCTGGCGATGCGCAGGCGGCTGAGCTTCACCCTG

FIGURE 2HH

GAGCGCTGTCCAGCCGATTGCAGCGCAGTGGCAGCAGCGAGGACTCGGGGGGGCGCGTCG GGCCGCAGCACGCCGCTGTTCGGACGCCTTCGCAGGGCCACGTCCGAGGGCGAGAGTCTG CGGCGCCTTGGCCTTCCGCACAACCAGTTGGCCGCCCAGGCCGCCGCCCACCACGCCTTCC GCCGAGTCCCTGGGCTCCGAGGCCAGCGCCACGTCGGGCTCCTCAGCCCCAGGGGAAAGC CGAAGCCGGCTCCGCTGGGCCTCTCTCTCGGCCGCGGAAGGACAAGGGGTTATCGCCACCA **AACCTCTCTGCCAGCGTCCAGGAGGAGTTGGGTCACCAGTACGTGCGCAGTGAGTCAGAC** ACCCTGCTCTGCCTGCCAGCGGCCTGCCCTGCACCGCACATCTCCTGGATGAAAGACAAG **AAGTCCTTGAGGTCAGAGCCCTCAGTGATCATCGTGTCCTGCAAAGATGGGCGGCAGCTG** CTCAGCATCCCCGGGCGGCAAGCGGCACGCCGGTCTCTATGAGTGCTCGGCCACCAAC GTACTGGGCAGCATCACCAGCTCCTGTACCGTGGCTGTGGCCCCAGTCCCAGGAAAGCTA <u> «ĈŤĊČŤŢĊAGÃGGTAACCCAGACCŤACCAGGACACGGCGCTGGŤGĆŤGĆŽACCCGĞĞ</u> GACAGCCGGCACCTTGCACGTATACGCTGGAGCGGCGAGTGGATGGGGAGTCTGTGTGG CACCCTGTGAGCTCAGGCATCCCCGACTGTTACTACAACGTGACCCACCTGCCAGTTGGC GTGACTGTGAGGTTCCGTGTGGCCTGTGCCAACCGTGCTGGGCAGGGGCCCTTCAGCAAC TCTTCTGAGAAGGTCTTTGTCAGGGGTACTCAAGATTCTTCAGCTGTGCCATCTGCTGCC CACCAAGAGGCCCCTGTCACCTCAAGGCCAGCCAGGGCCCGGCCTCCTGACTCCTACC TCATCTCCCCCACACCTCCTAGCCAGGCCTTGTCCTCGCTCAAGGCTGTGGGTCCACCA CCCCAAACCCCTCCACGAAGACACAGGGGCCTGCAGGCTGCCCGGCCAGCGGAGCCCACC CTACCCAGTACCCACGTCACCCCAAGTGAGCCCAAGCCTTTCGTCCTTGACACTGGGACC CCGATCCCAGCCTCCACTCCTCAAGGGGTTAAACCAGTGTCTTCCTCTACTCCTGTGTAT GTGGTGACTTCCTTTGTGTCTCCACCACCAGCCCCTGAGCCCCCAGCCCCTGAGCCCCCT CCTGAGCCTACCAAGGTGACTGTGCAGAGCCTCAGCCCGGCCAAGGAGGTGGTCAGCTCC CCTGGGAGCAGTCCCCGAAGCTCTCCCAGGCCTGAGGGTACCACTCTTCGACAGGGTCCC CCTCAGAAACCCTACACCTTCCTGGAGGAGAAAGCCAGGGGCCGCTTTGGTGTGTGCGA GCGTGCCGGGAGAATGCCACGGGGCGAACGTTCGTGGCCAAGATCGTGCCCTATGCTGCC · edődagócólgggtottgaggagtaggagtottgaggagtattagagcotgacticaga **ATCATGTCCCTGCACGAGGCCTACATCACCCCTCGGTACCTCGTGCTCATTGCTGAGAGC** TGTGGCAACCGGGAACTCCTCTGTGGGCTCAGTGACAGGTTCCGGTATTCTGAGGATGAC GTGGCCACTTACATGGTGCAGCTGCTACAAGGCCTGGACTACCTCCACGGCCACCACGTG CTCCACCTAGACATCAAGCCAGACAACCTGCTGCTGGCCCCTGACAATGCCCTCAAGATT GTGGACTTTGGCAGTGCCCAGCCCTACAACCCCCAGGCCCTTAGGCCCCTTGGCCACCGC ACGGGCACGCTGGAGTTCATGGCTCCGGAGATGGTGAAGGGAGAACCCATCGGCTCTGCC ACGGACATCTGGGGAGCGGGTGTGCTCACTTACATTATGCTCAGTGGACGCTCCCCGTTC TATGAGCCAGACCCCCAGGAAACGGAGGCTCGGATTGTGGGGGGCCGCTTTGATGCCTTC CAGCTGTACCCCAATACATCCCAGAGCGCCACCCTCTTCTTGCGAAAGGTTCTCTCTGTA TACCTGATGAAGCTGCGCCGCCAGACGCTCACCTTCACCACCAACCGGCTCAAGGAGTTC CTGGGCGAGCAGCGGCGCCGGGCTGAGGCTGCCACCCGCCACAAGGTGCTGCTGCGC TCCTACCCTGGCGGCCCCTAGAGGCACGACCACAGCCAGGCCTCGGGCTTCAACTGGGG TTCCCACCAATGCCACGGGACATTCCAGGGCCCACGCTGAGCCAGGCGGGCCTGGGGCTT CGGTTACCACCAGCAGCAACATCTGGCTGGGCTCTTACCTCATAGACCTTCAAGGACAGA GACCCCAGGGCCTGGACCTGATGCCACCCCAGGCCAAAGCCAGAGTGGGAGACCCATTGG TCAGGCTCAGCAGGGTGGGAACAGGCAGAGGGGACAAGAGGGGGAATGGAGAAGTGGAGAGG AAAAGGAATCGAGGGACAGGAAGGGGGGGGGCTCTAGGAAGGTTCTGGGTTGGGGTCAGT CCAGGTGTCAGGGCAGTAGGCTGGGAGTCAGTGTGGCAAAGCGGGGGCAGGACACAGATA CAGTGCAGGGCCCAGGGCTGGGACATGAGAGAGGCAGCGAGGGCGCAGAGGGAGAAG <u>AGAGGACTCAGGTGGAGGTGGGGTGGGTCAGCTGTCAGCATCCCTCAGAGGAGAAATGTG</u>

FIGURE 211

SEQ ID NO: 43 AA542015 M SGK088 M GCCACGGACATCTGGGGAGCGGGTGTGCTCACCTACATCATGCTTAGTGGGTACTCCCCA TTCTATGAGCCAGACCCCCAGGAAACAGAGGCTCGGATTGTTGGGGGGTCGCTTTGATGCC TTCCAGTTGTATCCTAACACATCCCAGAGTGCCACCCTCTTCTTGAGAAAGGTCCTCTCA CTACATCCCTGGAGCCGGCCTCTCTGCAGGACTGCTTGGGCCACCCAEGGCECAAGAY GCCTACCTGATGAACCTGCGCCGCCAGACACTCACCTTCACCACCAACCGGCTCAAGGAA TTCCTGGGCGAGCAGCGGCGACGTCGGGCTGAGGCTGCTACCCGTCACAAGGTGCTGCTC CGCTCCTACCCTGGCAGCCCCTAGGTGGCACAGACCGCAGCCCGGCCACGGGCTTCAACT TGGGTTCTCACTCGCGCTGCCAAGGGACATTCCAGAGCCCATGCTGAGCTGGACAGGCAG ACCTCATGGACCTAAGAGGACAAGGCCCTGGGGCTTCAGCCGAATGTCACCCCGGCCATA ACCAGAGCAGGAGCCCACTGGCCAGGCTGGGCAAGGGTGAGAGCAGAAAGAGGCAAAGA TAGGCTGGAGTGGAATGCTATATCTCAGGGAGAAGCCAGAAGGGGACATGGCTGAAGAGG AAGAAGGACCCTGTGATGTGGGAATGTGGTGGAGAGGAGGACTGGACATAGAGAGTGTGC CAGGAGCCAGAGCAGAGACATAAGGGAGGGCAGAAGGGTAGAAGGCAACAGGAGTGGGCT AGACGAAAGGCCGCTCCAGCTGGTCTCCTGTCCCAGCCGATGCAGTTCTGGGCGTTCTCC ACTGGCCCAGGGATGTCCTCACTGCTCCTCCATGGCCTTTGCCCTCCTTCCCATTTGTAT TTATTTATTTGCCTTTTGTGGAGTTTCCTTTCTATCCAGTCCCTAGTGCCTATGTTG

SEQ ID NO: 44 R19772 H

ATGAAGGCCGACAGGCCTTACACCCGAGGTCCCTCTTTGGGGTGGCTCTTTGCTAAG TGCTGCTGTTGCTTCCCGTGTAGAGATGCATACTCTCATTCCTCAAGCGAGAATGGAGGC CCGGGTCCCAAGCGCTCCACCAACACTCTTAAGAAGTGGCTGACGAGTCCTGTGCGTCGG CTCAACAGCGGGAAGGCAGATGGAAACATCAAAAAGCAGAAGAAAGTTCGCGATGGTCGG AAGAGCTTTGACCTGGGATCTCCCAAGCCTGGGGATGAAACAACCCCTCAGGGAGACAGC GCTGATGAGAGCAAGAAAGGTTGGGGTGAAGATGAGCCGGATGAAGAGTCACACACCC CTCCCACCACCTATGAAGATTTTTGACAACGACCCTACACAGGATGAAATGTCCTCCTCT TTGCTAGCAGCCCGGCAGGCTTCCACTGAAGTACCTACTGCTGCAGACCTTGTCAATGCA GAAGAAGAACAGAAAGCCAAGGCCCTGAGAGGCAGGATGTTTGTCCTGAATGAGCTGGTA CAGACAGAGAAAGACTATGTCAAGGATCTGGGCATTGTGGTGGAGGGCTTCATGAAGAGA ATAGAAGAAAAGGGTGTCCCTGAGGATATGCGAGGAAAAGGACAAAATCGTGTTTGGAAAT ATTCATCAGATTTATGACTGGCATAAGGATTTTTTCCTGGCGGAACTGGAAAAGTGTATC CAGGAGCAAGACAGATTGGCACAGCTCTTTATTAAGCACGAGCGGAAGCTGCACATCTAC GTGTGGTATTGTCAGAATAAGCCGCGCTCAGAGTACATCGTTGCTGAGTATGACGCCTAC TTTGAGGAGGTAAAACAGGAGATAAATCAGAGGCTGACACTGAGTGACTTCCTCATCAAG CCCATTCAGAGAATAACAAAATACCAGTTGCTCCTCAAGGACTTCCTGAGATACAGTGAG AAGGCTGGTTTGGAGTGTTCAGATATCGAGAAAGCAGTGGAGTTAATGTGCCTTGTTCCC

FIGURE 2JJ

AAACGCTGCAATGACATGATGAATCTAGGACGTCTGCAGGGCTTTGAGGGCCACTCTGACT GCTCAGGGGAAGCTACTGCAGCAGGACACATTCTATGTGATCGAGCTGGATGCAGGCATG CAGTCCCGGACCAAAGAGAGGCGCGTGTTCCTCTTCGAGCAGATTGTCATCTTCAGTGAA CTGCTCAGGAAGGGATCCCTCACCCCTGGCTACATGTTCAAAAGGAGCATCAAGATGAAT TACTTGGTCCTGGAGGAGATGTGGACAATGATCCCTGCAAGTTTGCACTCATGAACAGA GAGACTTCTGAGAGGGTTGTTCTGCAAGCCGCCAACGCTGACATCCAGCAGGCCTGGGTG CAGGACATCAATCAAGTCTTAGAAACACAGCGAGACTTTTTGAATGCACTGCAATCGCCC ATTGAGTATCAACGGAAAGAAGGAGCACAGCTGTGATGAGGTCTCAACCTGCCAGGCTT CCCCAAGCCAGCCCCAGGCCCTACTCCTCTGTTCCTGCGGGCTCAGAGAAGCCCCCCAAAG GGCTCCAGCTATAACCCACCTCTGCCTCCCCTGAAGATATCTACCTCCAATGGCAGTCCA GGGTTTGAATACCACCAGCCTGGGGACAAGTTCGAAGCCAGCAAGAACGACCTGGGAGGC TGCAATGGGACCTCGTCCATGGCCGTGATC^AAGATTACTATGCACLSAAGGAGAATGAA **ATCTGTGTGAGCCAAGGTGAGGTGGTCCAGGTCCTCGCCGTCAACCAGCAGAACATGTGT** CTGGTGTACCAGCCTGCCAGCGACCATTCCCCCGCCGCCGAGGGCTGGGTCCCAGGCAGC **ATCCTGGCGCCCCTCACCAAAGCCACAGCAGCAGAAAGTAGTGACGGGAGCATCAAGAAG** AATGAAGCCACAGGGCCTCGTAAACCCAAGGATATTCTGGGCAACAAAGTCTCTGTTAAA GAGACGAACAGTTCCGAGGAATCAGAGTGTGATGATCTTGACCCTAATACTAGCATGGAG **ATCTTAAATCCAAATTTCATCCAAGAAGTGGCCCCAGAATTCCTTGTGCCCTTGGTGGAT** GTGACCTGCTTGCGGGACACAGTGATACTGCAGTGCAAAGTCTGTGGGCGGCCAAAG CCCACCATCACTTGGAAGGGTCCAGACCAGAACATCCTTGACACTGATAACAGCTCAGCC ACATACACGGTCTCCTCTTGTGATTCTGGAGAAATCACCCTGAAGATCTGTAATCTGATG CCCCAAGACAGTGGGATTTATACCTGCATAGCAACAAATGACCACGGGACCACATCAACG TCTGCAACAGTCAAAGTGCAAGGTGTTCCAGCAGCCCCTAACCGCCCCATTGCCCAGGAG AGAAGCTGCACCTCCGTGATTCTCCGCTGGCTGCCCCCCTCCAGCACAGGAAACTGCACT GCTTCGACCTTGGACACTTACCTCGTCATCGAAGACCTTAGTCCCGGGTGTCCTTATCAG ········ TTCAGAGTCAGTGCCAGTAACCCCTGGGGAATCAGC''TTCCCAGCGAGCCCYCGGAGTTT TTTGACTCAGCTTACACTGAGCTGAATGAAATTGGAAGAGGCCGTTTCTCTATAGTAAAG AAATGCATTCACAAAGCTACCCGCAAAGATGTGGCTGTGAAATTTGTTAACAAAAAAATG **AAGAAGAAGAACAGGCTGCCCACGAGGCTGCCCTGCTTCAGCACCTACAGCACCCCCAG** TACATCACTCTCCATGACACCTATGAGTCCCCCACATCCTACATCCTGATCTTGGAACTG ATGGATGATGGCCGGCTCTTAGACTACCTTATGAATCATGATGAACTGATGGAGGAAAAA GTAGCTTTCTATATCCGAGACATCATGGAGGCTCTGCAGTACCTTCACAACTGCAGGGTT GCACATTTGGACATAAAGCCTGAAAACCTGCTCATTGACCTACGGATTCCAGTGCCTCGA GTGAAGCTCATTGACTTGGAGGATGCTGTCCAGATCTCGGGTCACTTCCACATTCACCAC CTGCTGGGGAACCCTGAGTTTGCTGCCCCAGAAGTCATTCAAGGCATCCCCGTCTCCCTG GGGACAGACATCTGGAGCATCGGGGTTCTGACATATGTCATGCTGAGTGGGGTCTCCCCC TTCTTGGATGAGAGCAAAGAGGAGACATGTATCAACGTATGCAGGGTGGATTTCAGCTTC CCCCATGAATACTTCTGTGGTGTGAGCAATGCTGCCAGAGATTTCATCAATGTGATCTTA CAGGAAGATTTTCGGAGGCGGCCCACAGCAGCCACATGCTTGCAGCATCCATGGCTGCAG CCCCATAATGGCAGCTACTCTAAGATCCCCCTGGACACCTCCCGCCTAGCATGCTTCATA GAACGTCGCAAGCACCAGAATGATGTGCGGCCTATCCCCAATGTCAAGAGCTACATTGTC AACCGGGTGAACCAAGGGACGTAG

SEQ ID NO: 45_5R72_8_2_H
CGCCGCTGTTTGTCCTCGCGCGCCCCGTCCACTGCCCTGCGGTTGCTCTGCGGGCTGAA
AAGTTTCTCCCGGTGCAGAATTCCGGGCTCAGCGACAGCCTGCGCCGAGTGTGCGCACCT
GTCGGAGACCCGCCAGTCCGCCGGCCCCGGCTTTGTTCGTGCGGAACTGTAGTGGTGAGA

FIGURE 2KK

TGGGCTGTCACGTGTGAATATGTGTCTAGTGCATCCTTAACCTGAGGACTTCACCAGTTC GAAATTACAGTTTTCACCATCAACTACCTTATCCTTTTTGGCCTGGTTTTCTTCCTCAAA CAGTGGAAACATTTTTAAAGTTGCTTTTGTTGCAGAGTTAAACAAATGGCTGATAGTGGC TTAGATAAAAATCCACAAAATGCCCCGACTGTTCATCTGCTTCTCAGAAAGATGTACTT TGTGTATGTTCCAGCAAAACAAGGGTTCCTCCAGTTTTGGTGGTGGAAATGTCACAGACA **AACAGAGATATAACCTCCAGGAAAGATTTGCCCTCAAGAACCTCAAATGTAGAGAAAAA** GCATCTCAGCAACAATGGGGTCGGGGCAACTTTACAGAAGGAAAAGTTCCTCACATAAGG **ATTGAGAATGGAGCTGCTATTGAGGAAATCTATACCTTTGGAAGAATATTGGGAAAAAGGG** AAAGTGAACAAAGAAAAGCCTGGAAGCTCTGCTGTGALGTTACTTCAACAGACAGGTAAC **ATTCTGAAAAGTGTAAAACATGAACACATCATACATCTGGAACAAGTATTTGAAACGCCA** AAGAAAATGTACCTTGTGATGGAGCTTTGTGAGGATGGAGAACTCAAAGAAATTCTGGAT AGGAAAGGGCATTTCTCAGAGAATGAGACAAGGTGGATCATTCAAAGTCTCGCATCAGCT ATAGCATATCTTCACAATAATGATATTGTACATAGAGATCTGAAACTGGAAAATATAATG GTTAAAAGCAGTCTTATTGATGATAACAATGAAATAAACTTAAACATAAAGGTGACTGAT TTTGGCTTAGCGGTGAAGAAGCAAAGTAGGAGTGAAGCCATGCTGCAGGCCACATGTGGG ACTCCTATCTATATGGCCCCTGAAGTTATCAGTGCCCACGACTATAGCCAGCAGTGTGAC ATTTGGAGCATAGGAGTCGTAATGTACATGTTATTACGTGGAGAACCACCCTTTTTGGCA AGCTCAGAAGCGAAGCTTTTTGAGTTAATAAGAAAAGGAGAACTACATTTTGAAAATGCA GTCTGGAATTCCATAAGTGACTGTGCTAAAAGTGTTTTGAAACAACTTATGAAAGTAGAT CCTGCTCACAGAATCACAGCTAAGGAACTACTAGATAACCAGTGGTTAACAGGCAATAAA CTTTCTTCGGTGAGACCAACCAATGTATTAGAGATGAAGGAATGGAAAAAATAACCCA GAAAGTGTTGAGGAAAACACAACAGAAGAGAAGAATAAGCCGTCCACTGAAGAAAAGTTG AAAAGTTACCAACCCTGGGGAAATGTCCCTGAGACCAATTACACTTCAGATGAAGAGGAG GAAAAACAGTCTACTGCTTATGAAAAGCAATTTCCTGCAACCAGTAAGGACAACTTTGAT ATGT#CM#TTCARGTTYC%CATCTAGCAACTCCTTCCAGCTGAAATCAAGGF# F* 12.TC. GAGAAAACCCCTGTGACTCCAAGCCAAGGAACAGCAACCAAGTACCCTGCTAAAATCCCGGC GCCCTGTCCAGAACCAAAAAGAAACTCTAAGGTTCCCTCCAGTGTTGGACAGTACAAAAA CAAAGCTGCTCTTGTTAGCACTTTGATGAGGGGGTAGGAGGGGAAGAAGACAGCCCTATG CTGAGCTTGTAGCCTTTTAGCTCCACAGAGCCCCGCCATGTGTTTTGCACCAGCTTAAAAT TGAAGCTGCTTATCTCCAAAGCAGCATAAGCTGCACATGGCATTAAAGGACAGCCACCAG TAGGCTTGGCAGTGGGCTGCAGTGGAAATCAACTCAAGATGTACACGAAGGTTTTTTAGG GGGGCAGATACCTTCAATTTAAGGCTGTGGGCACACTTGCTCATTTTTACTTCAAATTCT TATGTTTAGGCACAGCTATTTATAGGGGAAAACAAGAGGCCAAATATAGTAATGGAGGTG CCAAATAATTATGTGCACTTTGCACTAGAAGACTTTGTTAGAAAATTACTAATAAACTTG CCATACGTATTACAGCAGAAGTGCTTCAGTCATTCACATGTGTTCGTGAGATTTTAGGTT GCTATAGATTGTTTAAGACAGCTTATTTTAAATGTAGAAAAATAGGAGATTTTGTAACTG CTTGCCATTAACTTGCTGCTAAATTCCCAATGTATTGATTAAATCAATAAAAAACAGATG TTACTC

FIGURE 2LL

CATGTGTGCAGGTTCATTGGCTGTGGCAGGAACGAGAAGTTTAACTATGTAGTGATGCAG AGCACCACATTGCGGCTGGGCAAGCAGATCTTGGAGTCCATCGAGGCCATCCACTCTGTG GGCTTCCTGCACCGTGACATCAAGCCTTCAAACTTTGCCATGGGCAGGCTGCCCTCCACC TACAGGAAGTGCTATATGCTGGACTTCGGGCTGGCCCGGCAGTACACCAACACCACGGGG GATGTGCGGCCCCCTCGGAATGTGGCCGGGTTTCGAGGAACGGTTCGCTATGCCTCAGTC **AATGCCCACAGAACCGGGAGATGGGCCGCCACGACGACCTGTGGTCCCTCTTCTACATG** CTGGTGGAGTTTGCAGTGGGCCAGCTGCCCTGGAGGAAGATCAAGGACAAGGAACAGGTA GGGATGATCAAGGAGAAGTATGAGCACCGGATGCTGCTGAAGCACATGCCGTCAGAGTTC CACCTCTTCCTGGACCACATTGCCAGCCTCGACTACTTCACCAAGCCCGACTACCAGTTG ATCATGTCAGTGTTTGAGAACAGCATGAAGGAGAGGGGCATTGCCGAGAATGAGGCCTTT CACTUGURGAAGGCAGGCACCGATGCCCTCCTGTCCACGAGCACCTCHILACISCGCESSILA GCAGACACCCGGCAGACGGCAGCCATGTTTGGGGTGGTCAATGTGACGCCAGTGCCTGG GGACCTGCTCCGGGAGAACACCGCGGATGTGCTACAGGGAGAGCACCTGAGTGACCAGGA GAATGCACCCCAATTCTGCCCGGGAGGCCCTCTGAGGGGCTGGGCCACAGTCCCCACCT TGTCCCCCACCCGGGGGTCCTGAGGCTGAAGTCTGGGAGGAGACAGATGTCAACCGGAA TTTCTCTCACCCCGATTCCCAGCCTTGTGCCCCTGCCCTGTTCCTCCTAAGCACCCTGT CCCCGCCATCTCCCTGCTTGCCCGGCCTCTGTTTCCGGTCCCCTCCCCGGCACTAGCC TCGCTGTGTCTTCCATCATCATCATCTCTGTCTCTTCACACTGAGGAGACCATCCGCC

SEO ID NO: 47 AA234451 H

GGCGCGCCAGATATCACACGTGCCAAGGGGCTGGCTCAGCGGCGGCGGCGGCAGGAGGGG GAGCAGGTGCTGGCACAAGAGCAGCGGCTTGGGGGAGCCGGCAGCAGCAGTAACAGCAGC AGCAGCCGCCGCCGCCGCCAGTAAACGCGGACCGTACCCCAGGGGACTACCCAGCCG GTGGCGTCCCGCCTGCCGAGGGTTAACCCCCGCCGTCCCGGTCCTGAGCTGGACCAGA SCCCTOCTCCAGAAACSCOTGCGTGCGTCCACGCCCCCCCAGTTAAATGGAAACGACCCTTGC GAACTGGATGCCTGTGTAGCTGTTCTACCATATCAGTGTATTGCAATGAGTGGGGGGAGGA GAGCAGCTGGATATCCTGAGTGTTGGAATCCTAGTGAAAGAAGATGGAAAGTGTTGAGA AAGATTGGGGGTGGGGGCTTTGGAGAAATTTACGATGCCTTGGACATGCTCACCAGGGAA AATGTTGCACTGAAGGTGGAATCAGCTCAACAACCAAAACAAGTTCTGAAAATGGAAGTT GCTGTTTTGAAAAAGCTGCAAGGGAAAGACCATGTTTGTAGATTTATTGGCTGTGGGAGG **AATGATCGATTCAACTATGTGGTCATGCAGTTGCAGGGTCGGAATCTGGCAGATCTTCGC** CGTAGCCAGTCCCGAGGCACATTCACCATTAGTACCACTCTCCGGCTGGGTAGACAGATT TTGGAGTCTATTGAAAGCATTCATTCTGTGGGATCTTGNCATCGAGACATCAAACCGTCG **AACTTCGCTATGGGTCGCTTTCCTAGTACATGTAGGAAATGTTACATGCTTGATTTTTGGC** TTGGCTCGACAATTACCAATTCCTGTGGTGACGTCAGACCACCTCGAGCTGTGGCAGGT TTTCGAGGGACAGTTCGTTATGCATCAATCAACGCACATCGGAACAGGGAAATGGGAAGA TGGAGAAAATAAAGGACAAGGAGCAAGTAGGCTCTATTAAGGAGAGATATGACCACAGG CTCATGTTGAAACATCTCCCTCCAGAATTCAGCATCTTTCTAGACCATATCTCTTTTT GATTATTTTACAAAACCAGACTACCAGCTTCTTACATCCGTGTTTGACAATAGCATCAAG ACTTTTGGAGTAATTGAGAGTGACCCTTTTGACTGGGAGAAGACTGGAAATGATGGCTCC CTAACAACCACCACTACTTCTACCACCCCTCAGTTGCACACTCGCTTGACCCCTTGCTGCA ATTGGAATTGCCAATGCTACTCCCATCCCTGGAGACTTGCTTCGAGAAAATACAGATGAG GTATTTCCAGATGAACAGCTTAGCGATGGAGAAAATGGCATCCCTGTTGGTGTCACCA GATAAATTGCCTGGATCTCTGGGACACCCCCGTCCCCAGGAGAAGGATGTTTGGGAAGAG **ATGGATGCCAACAAAAACAAGATAAAGCTTGGAATTTGTAAGGCTGCTACTGAAGAGGAG** AACAGCCATGGCCAGGCAAATGGTCTTCTCAATGCTCCAAGCCTTGGGTCACCAATTCGT

FIGURE 2MM

GTCCGCTCAGAGATTACTCAGCCAGACAGAGATATTCCACTGGTGCGAAAGTTACGTTCC
ATTCACAGCTTTGAGCTGGAAAAACGTCTGACCCTGGAGCCAAAGCCAGACACTGACAAG
TTCCTTGAGACCTGGTATAAAATAGTGTATTTTTCTTTTTAAAGCTTCTAAGGTACCATT
ATTATTGTTGTCATTGTTGTTATTATTATTGTATATTTCTGTTACATAAAGTCTTTCAAA
TAAGAAATCCTTGCATTTTTGTAACACTGAGTCTATTCAGCTCCAATTTTCATCCATGTT
TTTAATTATTATTATCCTGATTCTTAATTATTATAAATTCTATAGCATATCCTTTGGCTT
TGGAAGCTGAGCAGTAAGAGCTGATGACTTCCTAACACTAGGTACAAGTTAAATGAACAT
TTTTACAGTAACTTTGTTTAGAAAGTAATCTCTTCCACACAACAGTGTAGTGCTGGAGAG
GGCATGATAAAGATGGCATTAGGCAGAGATGAGGGGAATACATAAAGGAGGGGAAAAAGT
AATTCATACACAAGGGACGGTGAGTTCAATTCACTTTAGTGAAGACCCTCTAGGAGTAAG
ATACTGTGGGGAAAACGATACCAATAAGTATATCATGCTTGCCCTAGAGAGTTTGCAATC
TACCTAGAGAGAAAGGAAGGTGAAACTTGAGACACTATTTTGATAACAGAGAGC
TGCATGGTTTTGAGGCCACATTATCCCTACAACAAATTTTTGATAACAGAAGAC

SEQ ID NO: 48 AA435956 H

ACTTTTACTATATTCTTTGAGATGACTGTTTTTGATTTAGAGGCGAAATCAGCACGTGGT GGCTCAAATCTCCTTATGGATAGTGTTTCTTCCTTCCAGCTTTTCATGTTTCAACTTTTG CGGGGCCTGGCGTACATCCACCACCACACGTTCTTCACAGGGACCTGAAACCTCAGAAC TTACTCATCAGTCACCTGGGAGAGCTCAAACTGGCTGATTTTGGTCTTGCCCGGGCCAAG TCCATTCCCAGCCAGACATACTCTTCAGAAGTCGTGACCCTCTGGTACCGGCCCCCTGAT GCTTTGCTGGGAGCCACTGAATATTCCTCTGAGCTGGACATATGGGGTGCAGGCTGCATC TTTATTGAAATGTTCCAGGGTCAACCTTTGTTTCCTGGGGTTTCCAACATCCTTGAACAG CTGGAGAAAATCTGGGAGTGCTGGGAGTCCCTACAGAGGATACTTGGCCGGGAGTCTCC **AAGCTACCTAACTACAATCCAGAATGGTTCCCACTGCCTACGCCTCGAAGCCTTCATGTT** GTCTGGAACAGGCTGGGCAGGGTTCCTGAAGCTGAAGACCTGGCCTCCCAGATGCTAAAA GGCTTTCCCAGAGACCGCGTCTCCGCCCAGGAAGCACTTGTTCATGATTATTTCAGCGCC CTGCCATCTCAGCTGTACCAGCTTCCTGATGAGGAGTCTTTGTTTACAGTTTCAGGAGTG AGGCTAARGCCAGAAATGTGTGAUGTTTTTGGGGGTCGTCAGAAAAGGTCACCACCCAGCC CAGTTTAGCAAATGCTGGTGAAAAGAAAGGGCGAGATCACCAAGGTTCTTCCAGGGCTGT ATTTCTGCAGTTTCGGTTTTCATTTGCTTCAGCTTACTAAGAAGCTTCAAATCTAACTCC ATACTGAACAAGGGGCTTTATGTCCTCACCTATGACCTGGAATAGTTTAAATATGGTGTT CAAGGCAATAGTACATAATAGTGGAAGAAAATTCAGTGGAAGGTTATTGCTATTGTCATT TGCATAGAATTTAAGTGATTGATTTAAAAAAACTGGACATAAACTAAGTCTAAGAAG

SEO ID NO: 49 AA626859 H

FIGURE 2NN

TGAAAATTAAGATGCCTTCTAGAATTGGTTTGCTCTGATCATTGCTGATTCCTTTCCCCA TGCTTTTACAT

SEQ ID NO: 50 AA061797 M

GAAAATAGCCCTGCGGGAAATCCGTATGCTGAAGTTGAAACACCCCAAACCTCGTGAACCT CATCGAGGTGTTCAGAAGAAGAAGAAGAAGATGCATCTAGTTTTTGAGTACTGTGATCACAC ACTGTTAAACGAGCTGGAGAGAAACCCAAACGGAGTTTCTGATGGAGTGATTAAAAGTGT GCTATGGCAAACCCTTCAAGCCCTTAACTTCTGTCACAAGCACAATTGTATTCATCGGGA TGTAAAACCTGAAAACATCCTAATAACCAAGCAAGGGATGATAAAGATTTGTGACTTTGG ATTTGCACGAATTCTAATTCCAGGAGACGCCTACACAGACTATGTTGCCACCAGGTGGTA CCGAGCCCCGAACTTCTCGTGGGAGACACGAAGTACGGTTCCTCTGTAGACGTGTGGGC CGTCGGCTGTGTTTTGCAGAGCTCCTGACGGGTCAGCCACTCTGGCCGGGAAAATCCGA CGTGGACCAGCTTTACCTGATCATCAGGACGTTGGGGAAGCTGATTCCAAGACACCAGTC TATCTTTAGGAGTAACCAGTTTTTCCGCGGCATCAGCATACCTGAACCAGAGGACATGGA GACTCTTGAAGAAAAATTCTCAAATGTTCAGCCTGTGGCTTTAAGTTTCATGAAGGGATG CCTGAAGATGAATCCTGATGAGAGGCTGACCTGTGCCCAGCTGCTGGACAGTGCCTACTT TGAGTCTTTTCAAGAGGATCAAATGAAAAGAAAAGCCCGCAGTGAGGGGGAGAAGCCGAAG GCGCCAGCAGAATCAACTGCTGCCTCTTATTCCTGGAAGCCACATCTCCCCCACACCTGA TGGAAGGAAACAAGTCGTCCAGTTAAAGTTCGATCATCTTCCAAACATTTAGGGGACTCA TCCTTCCCAGCACATCCTTTTAATATTGTCTACATAGGAATAAGACGGGAATCCTCAGCA TCTCAAATACAGTGAGCGACGTGAACACCAGGGCACCTCTAATCACCACGGGCTCCTCCC CTGTGCTTTTTCCACGCCAGCTCCATCTCCTAAAACATTCTCTTTAAATGTTGCAGTATC AAAATGGCACATCCGAAAGAGATGCTTCCAGTTTCACCAGAGCCGGGCTTCCTCAGGCAA TCGGTACTGTGCATCTGTGGACTTATGCTCCGACCTAGGGAAAGATTTCCACGTAGCCGT GGAGGGGATGGCCCTGAGCCCTCTCACTGGAGTTTCTTCTCCGTGCAGCCAGGTCTTACT TTAGACTACATTTGTGTTATTGTGGCATGGCAATCGTGAAAGGTGGTCTAGGTTTACCCT TGACTC//\CAGCAGATGCTAG//UTCCTTCT-0\T\\CGAGCTGACAAGTCTGCT\\CT\\AAA CGAACTAGAGAAAATTCCAAACGTGACCAGTTAGTGGACAGACTACAAGGAATCGACCAC AGAGGGGCGAGAGAAACCTCGTGTGTGAAAAATCAAAAGACAAGCAGGAGGCCAGCCTAAG CTACATAGCAAGGCCTTTTCTCTACACCCATTCTCTAAGGTTGCTTAAACCCAAGTCCCT GCTGCTGATTGTATAAACTATGAATAAGTTCTACATATGTAGGACATATTGTTGTCATTG TTGAAATATCTAAGGATCTTGGTAGAAGCAGAAGTGTTCTAAATATTCTCCACACTGGTG AGTATCTTGGCATTTCATTTCTGACCTCATCACAGATGAACACATCAAAGGATGAGTATG TATCACTTTGCATCTTAGAATTCTACCTGTTTTAGCTGCGTTAAACCTTGTGAAAGGGCG GGGCCATAACTGAACCTGTGGAGTTCTTGCCTGTGTGCAGGAAACCCTCTGGTTTTGTCT CCAGCATGGAAGAAAACAGCTATAGTCACACCTACCTGAAAGTAGAAATTCAAAGTCACT GTCCTTGACTACATATGCAGTCCAAGGCCACGCTGGGCTACACTTCTCCAGGCATGAAGG TCCGTGTTTGTATCAAGGGGCAGGAAAGGAGGTCCAAGGTCAAGGCCAGCCGAGGCTGC ATAGTGAGTTGAGGCTCTTCAGCAAAAGAAAAGCAAACTAATAGGAGTCGTTGAAGGTAG CCACCGGCCATTTCTCTAAATATCATTCTGCTGAAAAGGGGGGCTTAGTTTAGTTTAGAAT GCATTAATGTATGTAGAAGCTGGGCTATTTCAGATTATTTGAAATTGTAGCTATTGTTAA TTAGCACTTAATAACTAACTAGCATTATGGTAGTCTAAACTATTAGAGTTTACTACAAAG AGGTTTTGATTGAATTATATTAAACATATAATATGGATTTTAAAAATTTTAAGATGTTTAA GAAAGCTATATAAAGATTAAACATTTTTGTGGCTGTATATTTTGTGTATATACCTTGGTTG TTCTTTAAATTATTTTAATAAAAGCCAGAAACATT

FIGURE 200

SEO ID NO: 51 AA397553 H ATGCCCAATTCAGAGAGACATGGGGGCAAGAAGGACGGGAGTGGAGGAGCTTCTGGAACT TTGCAGCCGTCATCGGGAGGCGGCAGCTCTAACAGCAGAGAGCGTCACCGCTTGGTATCG AAGCACAAGCGGCATAAGTCCAAACACTCCAAAGACATGGGGTTGGTGACCCCCGAAGCA GCATCCCTGGGCACAGTTATCAAACCTTTGGTGGAGTATGATGATATCAGCTCTGATTCC GACACCTTCTCCGATGACATGGCCTTCAAACTAGACCGAAGGGAGAACGACGAACGTCGT GGATCAGATCGGAGCGACCGCCTGCACAAACATCGTCACCACCAGCACAGGCGTTCCCGG GACTTACTAAAAGCTAAACAGACCGAAAAAGAAAAAAGCCCAAGAAGTCTCCAGCAAGTCG GGATCGATGAAGGACCGGATATCGGGAAGTTCAAAGCGTTCGAATGAGGAGACTGATGAC TATGGGAAGGCGCAGGTAGCCAAAAGCAGCAGCAAGGAATCCAGGTCATCCAAGCTCCAC AAGGAGAAGACCAGGAAAGAACGGGAGCTGAAGTCTTGGGCACAAAGACCGGAGTAAAAGT CATCG: AAAAGGGAAACACCCAAAAGTTACAAAACAGTGGACAGCCC. AAAACUJAGATCC AGGAGCCCCACAGGAAGTGGTCTGACAGCTCCAAACAAGATGATAGCCCCTCGGGAGCT TCTTATGGCCAAGATTATGACCTTAGTCCCTCACGATCTCATACCTCGAGCAATTATGAC TCCTACAAGAAAAGTCCTGGAAGTACCTCGAGAAGGCAGTCGGTCAGTCCCCCTTACAAG GAGCCTTCGGCCTACCAGTCCAGCACCCGGTCACCGAGCCCCTACAGTAGGCGACAGAGA TCTGTCAGTCCCTATAGCAGGAGACGGTCGTCCAGCTACGAAAGAAGTGGCTCTTACAGC GGGCGATCGCCAGTCCCTATGGTCGAAGGCGGTCCAGCAGCCCTTTCCTGAGCAAGCGG TCTCTGAGTCGGAGTCCACTCCCCAGTAGGAAATCCATGAAGTCCAGAAGTAGAAGTCCT GCATATTCAAGACATTCATCTTCTCATAGTAAAAAGAAGAGATCCAGTTCACGCAGTCGT CATTCCAGTATCTCACCTGTCAGGCTTCCACTTAATTCCAGTCTGGGAGCTGAACTCAGT <u>AAGGGTTCACCTGTATTTTTGCCTAGAAAAGAGAACAGTTCAGTAGAGGCTAAGGATTCA</u> GGTTTGGAGTCTAAAAAGTTACCCAGAAGTGTAAAATTGGAAAAATCTGCCCCAGATACT GAACTGGTGAATGTAACACATCTAAACACAGAGGTAAAAAATTCTTCAGATACAGGGAAA GTAAAGTTGGATGAGAACTCCGAGAAGCATCTTGTTAAAGATTTGAAAGCACAGGGAACA AGAGACTCTAAA:CCATAGCACTGAAAGAGGAGATTGTTACTCCAAAGGAGACAGAAACA ACTACTACCCCTCCACCTCAGACACCCCCTTTGCCACCTTTGCCTCCAATACCAGCTCTT CCACAGCAACCACCTCTGCCTCCTTCTCAGCCAGCATTTAGTCAGGTTCCTGCTTCCAGT ACTTCAACTTTGCCCCCTTCTACTCACTCAAAGACATCTGCTGTGTCCTCTCAGGCAAAT TCTCAGCCCCTGTACAGGTTTCTGTGAAGACTCAAGTATCTGTAACAGCTGCTATTCCA CACCTGAAAACTTCAACGTTGCCTCCTTTGCCCCTCCCACCCTTATTACCTGGAGGTGAT AGGACACGTCACTTACTCACAGACCTTCCTCTCCCTCCAGAGCTCCCTGGTGGAGATCTG TCTCCCCAGACTCTCCAGAACCAAAGGCAATCACACCACCTCAGCAACCATATAAAAAG AGACCAAAAATTTGTTGTCCTCGTTATGGAGAAAGAAGACAAACAGAAAGCGACTGGGGG **AAACGCTGTGTGGACAAGTTTGACATTATTGGGATTATTGGAGAAGGAACCTATGGCCAA** GTATATAAAGCCAGGGACAAAGACACAGGAGAACTAGTGGCTCTGAAGAAGGTGAGACTA GACAATGAGAAAGAGGGCTTCCCAATCACAGCCATTCGTGAAAATCAAAAATCCTTCGTCAG TTAATCCACCGAAGTGTTGTTAACATGAAGGAAATTGTCACAGATAAACAAGATGCACTG GATTTCAAGAAGGACAAAGGTGCCTTTTACCTTGTATTTGAGTATATGGACCATGACTTA ATGGGACTGCTAGAATCTGGTTTGGTGCACTTTTCTGAGGACCATATCAAGTCGTTCATG **AAACAGCTAATGGAAGGATTGGAATACTGTCACAAAAAGAATTTCCTGCATCGGGATATT AAGTGTTCTAACATTTTGCTGAATAACAGTGGGCAAATCAAACTAGCAGATTTTGGACTT** TACCGACCTCCAGAACTACTGCTAGGAGAGGAACGTTACACACCAGCCATAGATGTTTGG AGCTGTGGATGTATTCTTGGGGAACTATTCACAAAGAAGCCTATTTTTCAAGCCAATCTG GAACTGGCTCAGCTAGAACTGATCAGCCGACTTTGTGGTAGCCCTTGTCCAGCTGTGTGG CCTGATGTTATCAAACTGCCCTACTTCAACACCCATGAAACCGAAGAAGCAATATCGAAGG

FIGURE 2PP

CGTCTACGAGAAGAATTCTCTTTCATTCCTTCTGCAGCACTTGATTTATTGGACCACATG CTGACACTAGATCCTAGTAAGCGGTGCACAGCTGAACAGACCCTACAGAGCGACTTCCTT AAAGATGTCGAACTCAGCAAAATGGCTCCTCCAGACCTCCCCCACTGGCAGGATTGCCAT GAGTTGTGGAGTAAGAAACGGCGACGTCAGCGACAAAGTGGTGTTGTAGTCGAAGAGCCA CCTCCATCCAAAACTTCTCGAAAAGAAACTACCTCAGGGACAAGTACTGAGCCTGTGAAG AACAGCAGCCCAGCACCTCAGCCTGCTCCTGGCAAGGTGGAGTCTGGGGGCTGGGGAT GCAATAGGCCTTGCTGACATCACACACAGCTGAATCAAAGTGAATTGGCAGTGTTATTA AACCTGCTGCAGAGCCAAACCGACCTGAGCATCCCTCAAATGGCACAGCTGCTTAACATC CACTCCAACCCAGAGATGCAGCAGCAGCTGGAAGCCCTGAACCAATCCATCAGTGCCCTG ACGGAAGCTACTTCCCAGCAGCAGGACTCAGAGACCATGGCCCCAGAGGAGTCTTTGAAG GAAGCACCCTCTGCCCAGTGATCCTGCCTTCAGCAAAACARAQGACCCTTGAAGCTTCA AGENCACEAGCTGACATGCAGAATATATTGGCAGTTCTCTTGAGTCAGCTGATGAAAACC CAAGAGCCAGCAGCAGTCTGGAGGAAAACAACAGTGACAAGAACAGTGGGCCACAGGGG CCCCGAAGAACTCCCACAATGCCACAGGAGGAGGAGCAGCATGTCCTCCACATTCTT CCACCAGAGAAGAGGCCCCCTGAGCCCCCGGACCTCCACCGCCGCCACCTCCACCCCCT CTGGTTGAAGGCGATCTTTCCAGCGCCCCCAGGAGTTGAACCCAGCCGTGACAGCCGCC TTGCTGCAACTTTTATCCCAGCCTGAAGCAGAGCCTCCTGGCCACCTGCCACATGAGCAC CAGGCCTTGAGACCAATGGAGTACTCCACCCGACCCCGTCCAAACAGGACTTATGGAAAC ACTGATGGGCCTGAAACAGGGTTCAGTGCCATTGACACTGATGAACGAAACTCTGGTCCA GCCTTGACAGAATCCTTGGTCCAGACCCTGGTGAAGAACAGGACCTTCTCAGGCTCTCTG AGCCACCTTGGGGAGTCCAGCAGTTACCAGGGCACAGGGTCAGTGCAGTTTCCAGGGGAC CAGGACCTCCGTTTTGCCAGGGTCCCCTTAGCGTTACACCCGGTGGTCGGCCAACCATTC CTGAAGGCTGAGGGAAGCAGCAATTCTGTGGTACATGCAGAGACCAAATTGCAAAACTAT GGGGAGCTGGGGCCAGGAACCACTGGGGCCAGCAGCTCAGGAGCAGCCTTCACTGGGGG GGCCCAACTCAGTCTTCTGCTTATGGAAAACTCTATCGGGGGCCTACAAGAGTCCCACCA AGAGGGGAAGAGGAGGAGTTCCTTACTAA

SRO ID NO: 52 AA789239 H

TGAAAATGGAGATGTATGAAACCCTTGGAAAAGTGGGAGAGGGAAGTTACGGAACAGTCA TGAAATGTAAACATAAGAATACTGGGCAGATAGTGGCCATTAAGATATTTTATGAGAGAC CAGAACAATCTGTCAACAAAATTGCGATGAGAGAAATAAAGTTTCTAAAGCAATTTCATC ACGAAAACCTGGTCAATCTGATTGAAGTTTTTTAGACAGAAAAAGAAAATTCATTTGGTAT TTGAATTTATTGACCACACAGTATTAGATGAGTTACAACATTATTGTCATGGACTAGAGA GTAAGCGACTTAGAAAATACCTCTTCCAGATCCTTCGAGCAATTGACTATCTTCACAGTA ATAATGTAATCATTCATCGAGATATAAAACCTGAGAATATTTTAGTATCCCAGTCAGGAA TTACTAAGCTCTGTGATTTTGGTTTTGCACGAACACTAGCAGCTCCTGGGGACATTTATA CGGACTATGTGGCCACACGCTGGTATAGAGCTCCCGAATTAGTATTAAAAGATACTTCTT ATGGAAAGTATGTGCCTGTGGATATCTGGGCTTTTGGGCTGTATGATCATTGAGATGGCCA CTGGAAATCCCTATCTTCCTAGTAGTTCTGATTTGGATTTACTCCATAAAATTGTTTTGA AAGTGNGATTCATGCCAGAACTGAAAGCTAAATTACTGCAGGAAGCAAAAGTCAATTCAT TTTATACCAATACACTGCTAAGTAGTTCAGTTTTGGGAAAGGAAATAGAAAAAGAGAAAA AACCAAAAAGAAAGAGTATGAAGGTGGACTTGGTCAACAGGATGCAAATGAAAATGTTC ATCCTATGTCTCCAGATACAAAACTTGTAACCATTGAACCACCAAACCCTATCAATCCCA GCACTAACTGTAATGGCTTGAAAGAAAATCCACATTGCGGAGGTTCTGTGACAATGCCAC CCATCAATCTAACTAACAGTAATTTGATGGCTGCAAATCTCAGTTCAAATCTCTTTCACC CCAGTGTGAGGTTAACTGAAAGAGCAAAAAAGAGACGCACTTCTTCACAATCTATTGGAC AAGTTATGCCTAATAGCAGGCAAGAGGATCCAGGTCCTATTCAAAGCCAAATGGAGAAGG GTATATTTAATGAGCGAACAGGTCACAGTGACCAAATGGCAAATGAGAACAAAAGGAAGC

FIGURE 200

SEQ ID NO: 13 AA1249/6 M

CTGGCAGATATAGTTCATGCTTGTTTACAAATTGATCCTGCTGAGAGGACATCATCTACT GATCTTTTGCGTCACGATTACTTTACTAGAGATGGATTTATTGAGAAATTCATACCAGAG CTGAGAGCTAAATTATTACAGGAAGCAAAGGTTAATTCATTTATAAAGCCAAAAGAGAAT TTTAAAGAAAATGAACCTGTGAGAGATGAGAAGAAATCAGTTTTTACCAACACCCTGCTC TATGGAAATCCATCACTTTATGGCAAGGAAGTGGACAGAGACAAAAGGGCCAAGGAGCTC **AAAGTCAGAGTCATTAAGGCCAAAGGGGGCAAAGGAGATGTCCCAGACCAGAAGAAGCCA** GACAAGAAGCCTTCTGTCTTGGAACTGACAAACCCTCTCAATCCCAGTGAGAATTCTGAC GGTGTCAAAGAAGACCCACACGCTGGGGGTTGTATGATAATGCCACCTATCAACCTGACA AGCAGTAATTTGTTGGCCGCAAATCTCAGTTCAAACCTTTCCCACCCCAATTCACGGTTA **ACTGAAAGAACAAAAAAGAGACGCACTTCTTCACAAACTATTGGACAGACTTTGTCTAAT AGCAGACAAGAGGACACAGGTCCCACACAAGTCCAAACAGAGAAAGGTGCATTTAATGAG** TGCGACAGGAAAGAATTCCATTTCCCTGAACTGCCATTCACAGTGCAGGCGAAGGAGATG AAAGGGATGGAAGTTAA&CAGATAAAAGTGCTGAAGAGAAATCAAAGAAAACAGATTCA THE TAKE THE CONTROL OF THE CONTROL ACTAGAATGTACATAGGTTGCTGCTAAGATAGCCACCCATCCCATCTGCATCAACATCAT CTATTTTTTGGTTTTGCTAGCAAAATTTTCACAATTTTTCTCTATCTTCCAAAAACTGT CATGATTACTGAGTGGGTAGTCACATGATGTGCCCTGCTCGCACTGCTCTCAGACTGCTG AGACTCAAACCTCATAAGCCAGGGGTCTCCTGGGAAGCACTGGCCTCTTCAAGTGGATGC TCGATGAACCTTCTTATCTGTTGTCTTAGTAACCACTCGTTGCCATCACATGATGAAAGA CATTCTATTGTCCCCAGTGAAGCATTTATAGTACTTACATAACATGTTACAGTGATATGA TGTTCCTAGGTTAAACTCCTTGAGATGAAACTATTTCCTGCATTCTCTGACTCCCCTAGT CTAATAGTTCCTTCCATTTAGCCAGAAGAATTTCCTGAAGAAGCGATGCACAACCTGGGA AAGGTTTACTTTCTATCCTGGGCTGTTTTCTGTTGCTAAATAATATAGACTGGGTAGTTA **GTTAACAT**

SEQ ID NO: 54_AA575635_M CCRK_M
AGCGCCTCAGGCCAGCTCAAGATAGCTGACTTTGGCCTGGCCCGGGTCTTCTCTCCGGAT
GGTGGTCGCCTCTACACACATCAGGTGGCCACCAGGTGGTACCGAGCTCCTGAACTCCTG
TATGGCGCTCGGCAGTATGACCAGGGCGTTGACCTATGGGCTGTGGGCTGCATCATGGGA
GAGCTGTTGAATGGGTCCCCCCTGTTCCCGGGCGAAAACGACATTGAACAACTGTGCTGT
GTGCTTCGCATCCTGGGTACCCCGAGTCCTCGAGTCTGGCCGGAGATCACAGAGCTGCCT
GACTACAACAAGATCTCCTTCGAGGAGCAGCCACCAGTGCCCCTGGAGGAGGTGCTGCCT
GATGCCTCTCCCCAGGCCTTGGACCTGCTGGGCCAGTTCCTCCTCTACCCTCCACGACAG



FIGURE 2RR

CATCCATCCGAGCTGCCAATTCCTCAGCGCCCCAGGGGGACCTGCACCCAAGGCTCACCCA GGGCCCCCCATGTCCACGACTTCCATGTGGATCGACCTATTGAGGAGTCACTGTTGAAC CCAGAACTGATTCGGCCCTTCATCCCAGAGGGGTGAGATGCTGGTCCAGGCCTTCCTGCT CACCTGGTCCTGCTCCTGAGTGTGCTTGAGGGCTGGGGCTCTGGGAGGCAGAACCGTGAGA TGTTCATCCCAGCAGAGAAAGAGACTCACGTCCTACAGACAAAGCCTCCAGAAACTGCTA GCTGTGTCCTTCTCCAGGGCCACCCCTCAGTGGTGCCACCCGGCCTTAGAGATGATTGTC AGGCTCTGTCCCCTCTTCAAGGACATTGGTACTACAGCACCACCTGGTGGAAGCACAGAG TATAAGCTGTCTTCATACTGGGGACACAGCTGGGAAGTCAGACATGTTTTAGTTTTGGTT CCACTGGGTCAGGATTTGAGGTTCATATAAAAGCCCTGGGTGTTTCTGTCTAATTGCACC Tigtotettgotetingggaraggacaateglyjeelol leatlyacaggyetyaggyact CAGAAGGGCCTCCTGTCAAGGCCATTTGGGTCCTCAGGCTTCCCATGCTATTCACGGGA CTTGAGTGCTCATTTGGGAGCGAGGGTCCAGAAGCTGAGGCCCAGGGATGGACAGTCCAG

SEQ ID NO: 55 AA631990 H

GAACAACAATAACAGAATAAGGAAGAAAATCTCATGATTACCTCAATAAGTACAGAGAAA
TCTGGTCACACTCACTATCCATTCATGATTACAACTCTTCAATACTATCGCGGCCGAGGA
GGGAAGACGGCAGTTTGGCGACATTTCTCGGCCGAAGGGCCATTTGCTTTTTGCGGAGATG
CGGCATTCCAAAAGAACTCACTGTCCTGATTGGGATAGCAGAGAAAGCTGGGGACATGAA
AGCTATCGTGGAAGTCACAAGCGGAAGAGAGAGATCTCATAGTAGCACACAAGAGAACAGG
CATTGTAAACCACATCACCAGTTTAAAGAATCTGATTGTCATTATTTAGAAGCAAGGTCC
TTGAATGAGCGAGATTATCGGGACCGGAGATACGTTGACAGAATACAGGAATGACTACTGT
GAAGGATATGTTCCTAGACATTATCACAGAGACATTGAAAGCGGGTATCGAATCCACTGC
AGTAAATCTTCAGTCCGCAGCAGGAGAAGCAGTCCTAAAAGGAAGCGCAATAGACACTGT

AVIDAGFCRIDITOFFTACGFTCCGRATGAAATCGTGGACACTTTGGGTGRALYSSECERDY FROM AAAGTTGTAGAGTGCATTGATCATGGCATGGATGCATGTAGCATTGAAAATCGTA AAAAATGTAGGCCGTTACCGTGAAGCAGCTCGTTCAGAAATCCAAGTATTAGAGCACTTA AATAGTACTGATCCCAATAGTGTCTTCCGATGTGTCCAGATGCTAGAATGGTTTGATCAT CATGGTCATGTTTGTATTGTGTTTGAACTACTGGGACTTAGTACTTACGATTTCATTAAA GAAAACAGCTTTCTGCCATTTCAAATTGACCACATCAGGCAGATGGCGTATCAGATCTGC CAGTCAATAAATTTTTTACATCATAATAAATTAACCCATACAGATCTGAAGCCTGAAAAT ATTTTGTTTGTGAAGTCTGACTATGTAGTCAAATATAATTCTAAAATGAAACGTGATGAA CGCACACTGAAAAACACAGATATCAAAGTTGTTGACTTTGGAAGTGCAACGTATGATGAT GAACATCACAGTACTTTGGTGTCTACCCGGCACTACAGAGCTCCCGAGGTCATTTTGGCT TTAGGTTGGTCTCAGCCTTGTGATGTTTGGAGCATAGGTTGCATTCTTATTGAATATTAC CTTGGTTTCACAGTCTTTCAGACTCATGATAGTAAAGAGCACCTGGCAATGATGGAACGA ATATTAGGACCCATACCACAACACATGATTCAGAAAACAAGAAAACGCAAGTATTTTCAC CATAACCAGCTAGATTGGGATGAACACAGTTCTGCTGGTAGATATGTTAGGAGACGCTGC AAACCGTTGAAGGAATTTATGCTTTGTCATGATGAAGAACATGAGAAACTGTTTGACCTG GTTCGAAGAATGTTAGAATATGATCCAACTCAAAGAATTACCTTGGATGAAGCATTGCAG CATCCTTTCTTTGACTTATTAAAAAGAAATGAAATGGGAATCAGTGGTCTTACTATATA CTTCTCTAGAAGAGATTACTTAAGACTGTGTCAGTCAACTAAACATTCTAATATTTTTTGT **AAACATTAAATTATTTTGTACAGTTAAGTGTAAATATTGTATGTTTTGTATCAATAGCAT** TCTTTTTGAAATTACCATTTTTAAATACCTTTGAAATATCCTTTGTGTCCAGTGATAAAT AGGAAATCTTGACTACTTTATATTCTTAAAGGAATATTCTTTATATACTTCAAATTTAGA

FIGURE 2SS

ACTTAACTTTAAAAGTTTTCTTCTGTAATTGTTGAACGGGTGATTATTATTAACTCTAG
ATAAGCAGGTACTAGAAACCAAAACTCAGAAAATGTTTACTGTTAGAATTCTATTAAATT
TTAAGTGTTGTATTCTTTTTCATTGGGTGATGTCAGGGTGATAACCAGACATTCATGGAA
AGGCATGCAGTTTGTCCATTGTGACAGTTTGTTTAATAAAACCACATACACACTTTATTT
AAGATTAAAATCTAACTGGAAAGTCAGCTTGGAAAATGGACATTTCCAAGTATGTTTGGT
GAGTCACAGATATAAAAATAGAAATTCTGATGAGAGGGTTTCAGTTTTTAATACCAAGTCC
TTAGGAGTCTTAACATTGGCCAGCATCTGTTTATCAAATGACATAAATACGTAAACCTAT
AAGAATTAAGTTTATTAATTAGGCAATTTATGTCTGTGATAATTCTTACGGGAGAAAGAG
GATTTGATTGGAAAGCAGTTTGGGAAGAAAGTGCTGCTGAAATTTCCAGAATTTAATTGA
TTGGTTACATAAACTTTTTGACTTCAAT

SEQ ID NO: 56_AA557536 %

AGTAAGGCCCCGCGGGCGTCCTGGCCGCCATGTGCACCGTAGTGGACCCTCGCATTGTCC GGAGATACCTACTCAGGCGGCAGCTCGGGCAGGGGAAACATTCCGGGAAATCACGCTCC TCCAGGTGAGTGGCCTGGGCCCTCCAGTCCAATCCCCTTGCCCAGGTACAGATCTCTCCA GACAGGAGAGAAACTGGCCTTCTTGGGCCCCAGAGCACAGCCCCTCCTGGCCTTCCAGCC GCCTCCGACTCTCCCCAGGAGTTTGGGGACCATCCCAACATCATCAGCCTCCTTGACG TGATCCGGGCAGAGAACGACAGGGACATTTACCTGGTGTTTGAGTTTATGGACACTGACC TGAACGCAGTCATCCGGAAGGGCGGCCTGCTGCAGGACGTCCACGTGCGCTCCATCTTCT ACCAGCTCCTGCGGCCCACCCGGTTCCTCCACTCGGGGCACGTTGTGCACCGGGACCAGA AGCCGTCCAATGTGCTCCTGGATGCCAACTGCACAGTGAAGCTGTGACTTTGGCCTGG CCCGCTCCCTGGGCGACCTCCCTGAGGGCCCTGAGGACCAGGCCGTGACAGAGTACGTGG CCACACGCTGGTACCGAGCACCGGAGGTGCTGCTCTCTTCGCACCGCTACACCGCTTCCT GCCCCAGATACACCCTTGGGGTGGACATGTGGAGTCTGGGCTGTATCCTGGGGGAGATGC TGCGGGGGAGACCCCTGTTCCCCGGCACGTCCACCCTCCACCAGCTGGAGCTGATCCTGG AGACCATCCCACCGCCATCTGAGGAGXXXAGGCCACGACAGACGCTGGATGCCCTCCTAC CGCCAGACACCTCCCCAGAGGCCTTGGACCTCCTTAGGCGACTCCTGGTGTTCGCCCCGG ACAAGCGETTAMECECSACCCAGGCECTGCAGCACCCCTACGTGCAGAGGTTCCECTGGGCACACGTGCAGAGGTTCCECTGGGCACACGTGCAGAGGTTCCECTGGGCA CCAGCGACGAGTGGGCACGAGAGGGCAGATGTGCGCCCCGGGCACACGAAGGGGTCCAGC TCTCTGTGCCTGAGTACCGCAGCCGCGTCTATCAGATGATCCTGGAGTGTGGAGGCAGCA GCGGCACCTCGAGAGAGAGGGCCCGGAGGGTGTCTCCCCAAGCCAGGCACACCTGCACA AACCCAGAGCCGACCCTCAGCTGCCTTCTAGGACACCTGTGCAGGGTCCCAGACCCAGGC CCCAGAGCAGCCCAGGCCATGACCCTGCCGAGCACGAGTCCCCCCGTGCAGCCAAGAACG TTCCCAGGCAGAACTCCGCTCCCTGCTCCAAACTGCTCTCCTAGGGAATGGGGAAAGGC CCCTGGGGCGAAGGAAGCGCCCCCTTGACACTCTCGCTGGTGAAGCCAAGCGGGAGGG GAGCTGCGCCCTCCCTGACCTCCCAGGCTGCGGCTCAGGTGGCCAACCAGGCCCTGATCC GGCTTCCTCCGGAGGCCCGGCCCGGCCGGAGGATGTTCAGCACCTCTGCCTTGCAGGGTG CCCAGGGGGTGCCAGGGCTTTGCTTGGAGGCTACTCCCAAGCCTACGGGACTGTCTGCC ACTCGGCACTGGCCACCTGCCCTGCTGGAGGGGCACCATGTGTGAGCCGCCCTACTCC CTTCACCTGGCCCTCTGTTCCTGCCCCAGCNCCTTCCCCAGACCCCTCTCCAGTCTCCTG CACCCTTAGCCCTCCTGCTTTGCCTGGCCCGTTGAAGTTCCAGGGAGCTTGCCCGGGT CTCCTCGGGGGAGCAGATGAGGGCCCTGCCC

SEQ ID NO: 57_N28606_H, MOK_H
ATGAAGAACTATAAAGCAATTGGCAAAATAGGAGAGGGAACGTTTTCTGAAGTTATGAAG
ATGCAAAGCCTGAGAGATGGAAACTACTATGCATGTAAACAAATGAAGCAGCGCTTTGAA
AGTATTGAGCAAGTCAACAACCTACGAGAGATCCAAGCACTGAGGCGCCTGAATCCGCAC
CCAAACATTCTTATGTTGCATGAAGTGGTTTTTTGACAGAAAATCTGGTTCTCTTGCACTA
ATATGTGAACTTATGGACATGAATATTTATGAGCTAATACGAGGGAGAAGATACCCATTA

FIGURE 2TT

TCAGAAAAAAATTATGCACTATATGTACCAGTTATGTAAGTCCCTGGATCATATTCAC AGAAATGGAATATTTCACAGAGATGTAAAACCAGAAAATATACTAATAAAGCAGGATGTC CTGAAATTAGGGGACTTTGGCTCCTGCCGGAGTGTCTATTCCAAGCAGCCGTACACGGAA TACATCTCCACCCGCTGGTACCGGGCCCCGGAGTGTCTCCTCACTGATGGGTTCTACACG TACAAGATGGACCTGTGGAGCGCCGGCTGTGTTCTACGAGATCGCCAGTCTGCAGCCC CTCTTTCCTGGAGTAAATGAACTGGACCAAATCTCAAAAATCCACGATGTCATCGGCACA CCCGCTCAGAAGATCCTCACCAAGTTCAAACAGTCGAGAGCTATGAATTTTGATTTTCCT TTTAAAAAGGGATCAGGAATACCTCTACTAACAACCAATTTGTCCCCACAATGCCTCTCC CTCCTGCACGCAATGGTGGCCTATGATCCCGATGAGAGAATCGCCGCCCACCAGGCCCTG CAGCACCCCTACTTCCAAGAACAGAGGAAAACAGAGAGCGGGCTCTGGGCAGCCACAGA TCCAAGGAGGCAGAAAGCAGAAACAGTCCCTAAAGCAAGAGGAGGACCGTCCCAAGAGA CGAGGACCGGCCTATGTCATGGAACTGCCCAAACTAAAGCTTTCGGGAGTGGTCAGACTG TCGTCTTACTCCAGCCCCACGCTGCAGTCCGTGCTTGGATCTGGAACAAATGGAAGAGTG CCGGTGCTGAGACCCTTGAAGTGCATCCCTGCGAGCAAGAAGACAGATCCGCAGAAGGAC CTTAAGCCTGCCCGCAGCAGTGTCGCCTGCCCACCATAGTGCGGAAAGGCGGAAGATAA

SEQ ID NO: 58 AB023153 H, ICK H ATGAATAGATACAACAATCAGGCAGCTCGGGGATGGAACCTACGGTTCCGTCCTGCTG GGAAGAAGCATTGAGTCTGGGGAGCTGATCGCTATTAAAAAAATGAAAAGAAAATTTTAT TCCTGGGAGGAATGCATGAACCAACGGGAGGTTAAGTCTTTAAAGAAGCTCAACCATGCC AATGTAGTCAAATTAAAAGAAGTTATCAGGGAAAATGATCATCTTTATTTTATCTTCGAG TACATGAAGGAAAATCTTTACCAGCTCATTAAAGAGAGAAATAAGTTGTTTCCTGAGTCT GCTATAAGGAATATCATGTATCAGATATTACAAGGACTCGCATTTATTCACAAACTCGGC TTCTTCATCGAGACTTAAAGCCTGAGAACCTCCTCTGCATGGGACCAGAACTTGTGAAA ATTGCAGACTTTGGTTTGGCCCGAGAAATACGATCAAAACCTCCATATACAGATTATGTA TCTACCAGATGGTACAGGGCTCCAGAAGTACTCCTGAGGTCTACCAACTACAGCTCCCCC ATTGACGTCTGGGCGGTGGGCTGCATCATGGCAGAAGTTTACACCCTCAGGCCACTCTTC CCTGGAGCCÁĞTGÁÂXXYAGACAATATTCAAAATTTGCAAGTÓCTGÁĞĞACAAAAAACAAAA AAGACTGACTGGCCTGAAGGCTATCAACTTTCAAGTGCAATGAACTTCCGTTGGCCACAG TGTGTACCCAATAACTTAAAGACCTTGATTCCCAATGCTAGCAGTGAAGCAGTCCAGCTC CTGAGAGACATGCTTCAGTGGGATCCCAAGAAACGACCAACAGCTAGTCAGGCACTTCGA TATCCTTACTTCCAAGTTGGACACCCACTAGGCAGCACCACACAAAACCTTCAGGATTCA GAAAAACCACAGAAAGGCATCCTGGAAAGGGCAGGCCCACCTCCTTATATTAAGCCAGTC CCACCTGCCCAGCCACCCAGCCACACACACGAATTTCTTCACGACAGCATCAAGCC AGCCAGCCCCTCTGCATCTCACGTACCCCTACAAAGCAGAGGTCTCCAGGACAGATCAC CCAAGCCATCTCCAGGAGGACAAGCCCAGCCCGTTGCTTTTCCCATCCCTCCACAACAAG CATCCACAGTCGAAAATCACAGCTGGCCTGGAGCACAAAAATGGTGAGATAAAGCCAAAG AGTAGGAGAAGGTGGGGTCTTATTTCCAGGTCAACAAAGGATTCAGATGATTGGGCTGAC TTGGATGACTTGGATTTCAGTCCATCCCTCAGCAGGATTGACCTGAAAAAACAAGAAAAGA CAGAGTGATGACACTCTCTGCAGGTTTTGAGAGTGTTTTTGGACCTGAAGCCCTCTGAGCCT GTGGGCACAGGAAACAGTGCCCCCACCCAGACGTCATATCAGCGGCGAGACACGCCCACC CTGAGATCTGCAGCCAAGCACTATTTGAAGCACTCTCGATACTTGCCTGGGATCAGT ATAAGAAATGGCATACTCTCGAATCCAGGCAAGGAATTTATTCCACCTAATCCATGGTCT AGTTCTGGCTTGTCTGGAAAATCTTCAGGGACAATGTCAGTAATCAGCAAAGTAAATTCA AAAAAAGAAATCGGTTCTGCTATGCAGAGGGTACACCTAGCACCTATTCCAGACCCTTCC CCTGGTTATTCCTCCCTGAAGGCCATGAGACCTCATCCTGGGCGACCATTCTTGGACACC CGGACAGACTGGGCTTCCAAGTACCCATCCCGGCGGTGA

FIGURE 2UU

SEQ ID NO: 59 AA839940 M

AGCAGCAACAATGGTGGCATGAGTGCAGAGGAGGAGATAGGGCCTGGGGCTGAGCCTATG AGAGGACCAAGCTTGGCTACAAGGGACTGGAGAGATGAGACTGTTGGGACCACAGACCTG CAGCAAGGCATAGACCCAGGAGCAGTGAGCCCTGAGCCTGGGAAGGACCACGCAGCCCAG GGCCCAGGAAGAACTGAAGCTGGAAGGGTATCTTCTGCTGCAGAGGCTGCCATTGTGGTT CTAGATGACAGCGCAGCACCCCCAGCCCCTTTTGAACACCGGGTAGTGAGCATCAAAGAT ACCCTGATCTCAGCAGGCTACACGGTATCCCAACATGAAGTCTTAGGAGGGGGTCGGTTT GGCCAGGTGCACAGGTGTACAGAGAGGTCTACAGGCCTTGCACTGGCAGCCAAGATCATC AAAGTGAAGAACGTAAAGGACCGGGAGGATGTGAAGAATGAGGTCAACATCATGAACCAG CTCAGCCACGTAAACTTGATCCAACTTTATGATGCGTTTGAGAGCAAGAACAGCTTCACT CTGNTCA%GGAGTATGTGGATGGAGGCGAACTCTTTGACGGGATCAGGAGTAGTAC CACCTCACTGAGTTGGATGTGGTCTTGTTCACGAGGCAGATCTGTGAGGGTGTGCATTAC CTGCATCAGCACTATATCCTGCACCTGGACCTCAAGCCTGAGAACATATTGTGTGTCAGC GAGAAGCTAAAGGTGAACTTTGGTACTCCGGAGTTCCTGGCCCCAGAAGTTGTTAACTAT GAGTTTGTGTCATTCCAACAGACATGTGGAGTGTGGGAGTTATCACCTACATGCTACTC AGTGGTTTGTCCCCATTTCTAGGGGAGACAGATGCAGAGACCATGAATTTTATTGTGAAC TGCAGCTGGGATTTCGATGCTGATACCTTCAAAGGGCTGTCGGAGGAAGCCAAGGACTTT GTTTCCCGGTTACTGGTCAAAGAGAAGAGCTGTAGGATGAGCGCCACACAGTGCCTGAAA CACGAGTGGTTAAATCACCTGCCTGCCAAAGCCTCGGGCTCCAACGTTCGCCTCAGATCC CAACAACTGCTGCAGAAATATATGGCTCAGAGTAAATGGAAGAAACATTTCCACGTGGTG GCTGCAGTCAACAGGCTACGGAAATTTCCAACGTGTCCCTAATCTTCAACTCTGGTGTTC CACTGGGCCTGGGAATTCTTGAGGCAACACGAAGTGGTAATATGAAGAGATTACTCAAGA TTTTATGTAGATTGGCGCTTTGCTATTATTGATTTTTCTTATTTTGCAAAGAATGATGGA GGAAACAGGCTACGTTGTTGCTCTTCTTGTAGGTGAAAGTGTTTTTATTAAAAGCCCTAG TICCTTTTGGTAATAAGAGCAGGCAGGCTCAGGATGGGCAGGGAAATGCTAGTTGGCTTT GAAGAGGGAGGAATTAGGTCCAACAGTGGGGGATGAATTTGACCGAAACATTGTATAAAA TTCTTAAAGAATTAATAAAATATATTTTTAAAGGAG

SEQ ID NO: 60 AA460132 H

GGAACCTCAGGCTTCAGAGAGCCGAAAAGTTGGGAGGCGTAACCACTTACAGGCCGGAAG TGTCCGGGGTGGACGCATTCGGGTAGCCGAAGAAGTCCCAGGATTGCCGAAGAAGTCCCA GGATTTCCGAAGCGAGCCGAAGCATCGCGACAGTTTTCAGAGACAGCTGATCGGTTGGAG CCCGCCCGGAGGCTGAGGCTCTGGCCGCAGCCCGGAGCGGAGCAGCCGCTTCTTGAGC GGCCTGGAGCTGGTGAAGCAGGGTGCCGAGGCGCGCGTGTTCCGTGGCCGCTTCCAGGGC CGCGCGGCGTGATCAAGCACCGCTTCCCCAAGGGCTACCGGCACCCGGCGCTGGAGGCG CGGCTTGGCAGACGCGGACGGTGCAGGAGGCCCGGGCGCTCCTCCGCTGTCGCCGCGCT GGAATATCTGCCCCAGTTGTCTTTTTTGTGGACTATGCTTCCAACTGCTTATATATGGAA GAAATTGAAGGCTCAGTGACTGTTCGAGATTATATTCAGTCCACTATGGAGACTGAAAAA ACTCCCCAGGTCTCTCCAACTTAGCCAAGACAATTGGGCAGGTTTTGGCTCGAATGCAC GATGAAGACCTCATTCATGGTGATCTCACCACCTCCAACATGCTCCTGAAACCCCCCCTG GAACAGCTGAACATTGTGCTCATAGACTTTGGGCTGAGTTTCATTTCAGCACTTCCAGAG GATAAGGGAGTAGACCTCTATGTCCTGGAGAAGGCCTTCCTCAGTACCCATCCCAACACT GAAACTGTGTTTGAAGCCTTTCTGAAGAGCTACTCCACCTCCTCCAAAAAGGCCAGGCCA GTGCTAAAAAATTAGATGAAGTGCGCCTGAGAGGAAGAAGAGGTCCATGGTTGGGTAG AAGAATGTGTATGACAACCACACACAGTGAAGCTCTTTTTTCAAAGTAAATTTGAAGAAA

FIGURE 2VV

SEQ ID NO: 61 SGK034 H CAGAGAGAGAAGGTAAACCAAGGGAACATGCCAGGGCTTCAGAGCACCTTCCTAGCCATG GACACGGAGGGGGGTAGAGGTGGTGGGAACGAGCTCCACTTCGGAGACAGGAAGGCC TTCGCGGGGCACACGAGAACATCCAGACCGTGTTCGAGCAGCTGGTGGTGGTCGACAC CCGAACATCGTGAAGTTGCACAAGTACTGGCTGGATACCTCTGAGGCCTGCGCGAGGGTC ATCTTCATCACAGAGTACGTGTCATCAGGCAGCCTCAAGCCAATTCCTCAAAAAAGACCAAG AAGAACCACAAGGCCATGAACGCCCGGGCCTGGAAGCGCTGGTGCACGCAGATCCTGTCT GCGCTCAGCTTCCTGCACGCCTGCAGCCCCCAATCATCCACGGGAACCTGACCAGCGAC ACCATCTTCATTCAGCACAACGGCCTCATCAAGATCGGCTCCGTGTGGCACCGAATCTTC TCCAATGCACTTCCAGATGATCTCCGAAGCCCCATCCGCGCTGAGCGAGAGGAACTTCGG AACCTGCACTTCTTCCCCCCAGAGTATGGAGAGGTGGCCGATGGGACCGCTGTGGACATC TTCTCCTTTGGGATGTGTGCGCTGGAGATGGCTGTACTGGAAATCCAGACCAATGGGGAC ACCCGGGTCACAGAGGGCCATTGCTCGCGCCAGGCACTCGCTGAGTGACCCCAACATG CGGGAGTTCATCCTTTGCTGCCTGGCCCGGGACCCTGCCCGGCCCGCCGCCCACAGC CTCCTCTTCCACCGCGTGCTCTTCGAGGTGCACTCGCTGAAGCTCCTGGCAGCCCACTGC TTCATCCAGCACCAGTACCTCATGCCTGAGAATGTGGTGGAGGAGAAGACCAAGGCCATG GACCTGCACGCGGTCTTGGCGGAGCTTCCCCGGCCCCGCAGGCCCCCGCTGCAGTGGCGG TACTCGGAAGTCTCCTTCATGGAGCTGGACAAATTCCTGGAGGATGTCAGGAATGGAATC TACCCACTGATGAACTTTGCAGCCACTCGACCCCTGGGGCTGCCCCGTGTGCTGGCCCCA CCCCCGGAGGAGGTCCAAAAGGCCAAGACCCCGACGCCAGACCCTTTTGACTCTGAGACC AGAAAGGTCATCCAGATGCAGTGCAACCTGGAGAGAAGACGAGACAAGGCGCGCTGGCAT CTCACTCTGCTTCTGGTGCTGGAAGACCGGCTGCACCGGCAGCTGACCTACGACCTGCTC CCAACGGACAGCCCCAGGACCTCGCCTCGGAGCTCGTGCACTATGGCTTCCTCCACGAG GACGACCGGATGAAGCTGGCCGCCTTCCTGGAGAGCACCTTCCTCAAGTACCGTGGGACC CAGGCCTGACCCGGAGCCCCAGGGGGACCATGCCGGGGTGCTGCCCGGGCAGGCC ATGTTGGGGAGACTCCAGCACCGTGGGGCTGCCCTCCATGCGCCCTGGGAGCACAAAG GCCCCGGTAGTGAAGGAACCCCCCGTCTCCTGAGAGTGGGGCTGACCCTGCCTTGGGCGC CGAGGGGTTGGGGGTGTGGGGGGGGCCGTTAGGCCTCCCAGGTCCTTAGGATCAGG GTTGCCCCCAGAACCCCTTCCCATATCCTCCATTCTCCGCCCTGAGTTCCTACCCAGGCT GCCTGGCTGGGCCACTGCCTCAGCATGCAGGAGGCTGCCCTGTAGGGAACCCCAGC TCTGGGGCTTGGGGGTGAGGGTCAGCCCTGGACAGACCTCTGCCCAGGGAACTGCTCCAT GGGGTCTGGGAGAGCAGCCATCCCCTGCTGGCACCATAGACCCACACAAGGAGCCTGCAC AGCAAGCCAGCGTGACACCTGCAGGTGTCAGGCATGGCACTGGGCACAACAGGGACC TGGCAGGAGAAACAGACCACAGAGAGGTCTGGAGTTGAGGCTGTTGTCAGCAAAAGCCCCT AACTTGCAGCCCCTCTGCAGATCTCCTCTGGCCACTGCAGCCCCTCCAATGGGCTTTTTC TCTCATGCATTCCCTGGCCTGGAGGCGTCAGGGACCCCACATCCTCCCTGCTCCTCAGAC TCACAGCCCCTCCATGTTACCTCCCGCACCTCCTCCCTGGGGCAGCTGCTCCCTGGGCCT CTGAGGATGTCAGCTCCTGGCTCCTCTCTCCCACTCCACTCCTGGCTCAGTCTTA GAGATTTCTATGCCCTCATGGATTCTACCCCTGCCTTCCTGGCCTCTTGATTCTTGGCTT

CATTAGCGCATTCATGCCTTTCTAAACGCATTTCAAATGTCAACCAGGAAGGCACACCAC

PCT/US00/14842

FIGURE 2WW

SEQ ID NO: 62 AA103218 M SGK034 M CCACGCGTCCGCACCAGAGTATGGCGAAGTCAATGATGGGACTGGCTTTGTGGACATCTT CTCCTTCGGGATGTGTGCACTGGAGATGGCTGTACTCGAGATCCAAGCCAACGGGGATAC GGAATTCATCCTCTCCTGCCTGGCCCGGGACCCTGCCCGACCCTCAGCCCACAACCT CCTCTTCCACCGAGTGCTCTTTGAGGTGCACTCGCTGAAGCTGCTGGCAGCTCACTGCTT CATCCAGCACCAGTACCTCATGCCTGAGAATGTGGTAGAGGAAAAGACCAAGGCCATGGA CCTCCATGCAGTTTTGGCTGAGATGCCGCAGCCCCATGGACCCCCAATGCAGTGGCGGTA CTCAGAGGTCTCCTTCTTGGAGCTGGACAAATTCCTAGAGGATGTCAGGAACGGGATCTA TCCACTGATGAACTTTGCGGCTGCTCGGCCCTTGGGGCTTCCCCGTGTGTTGGCCCCACC CCCAGAGGAAGCCCAAAAGGCCAAAACTCCAACGCCAGAACCCTTTGACTCGGAGACCAG GANGGTGGTCCAGATGCAGTGCAACCTEGAAAGAAGCGA&LACAACGCTCGCTCGCACCT TACTCTGCTCTTGGTGCTTGAGGACCGGCTACATCGGCAGCTGACCTATGATCTGCTCCC AACGGACAGTGCCCAGGACCTCGCTGCTGAACTAGTGCATTATGGCTTCCTGCACGAGGA TGACAGGACAAAGCTAGCAGCCTTTCTGGAGACCACTTTTCTCAAGTACCGAGGGACGCA AGCGTGACCTTCCCAGTCCTGACGGCCCAGCAGAGATACAGGGGCTCAGGGTTGTCCACT TGGCAAAGAGCCCCCACACTGCTCAAAGCTGCCTTCTGCCTGTGTTCCCTGGAACTGAAC ACAGGCCCTGCTAGTGAAGACACCCCCACCCCCAGCTTTCTGCAGCAGTGTGGGACCCT GGGGTGGTGATGGAGCCCTGAGCCTGGACGAGAGTGGATACAGGTCAGTTAGGGGAACCG CTCCATCTGGTACTAGACAACAGCCATGCCTTCAGGTGGCATAGAAACCTAGGGAAGGAG CCTGAACTCAGGTGTCACAGTGCTGGGCATCAGGCAGACCAGACCTGACCTGATTGGAGA ACTGTAGACTAGATAGCTTGGAGTTGAACCCATGGCCAGGGAATTCCTTGGTCCTGCTCA GACCAGTCCTGATCCCTTGCAGACCTGCCTTGAGCCCTCTTTCTGATCTTCCACACTCTT GAGACCAGGACCTGTGTCCTCCCCAAAGCCCTTGGGAAGGATCTTTCTATTCATCATCCC GTTTGAGTTGAGGATGTGGGTTCCTGGCTCCCTCTTTCTCCCCAGCCCAACTTGTCTCTT TCTTACTGGTTTCAAAGTCCTGATGAACGCTTCCCCTCAGAGCCACCCTGGTTTCCTTGG TTCTTGAACTGCCTCTCCCAACTTCAAACCAGGTCTTAAACGTTTTTTAAATGCATAT ATAAATGTAATGCAGTCACGGTCCTTTTTAAACACTTTGTGTATGAAACCAGGAAAGCTC ACTATTGTATTAGGAATAGTTCCACATTGCTGCTGTTAACAGATATCATAAACCCAGTGG CATCAAGTGTGATCCAGGCTCTCACTAGATTAATACCCAGGCTAAGTTCCTTTCTGGAAG CTGGGACTTACCTCCTGCTCCTTCAAGCTATTGGCAGAACTCACTTCCCTGCAATGGTAA GGCAGAAATCCCTATTTTCTCAACAGCTGCCAACTAAGAACCCCTCTCAGCTTCTAGAGG

FIGURE 2XX

CCACCAACTTTTCTTAGTTCTTCTCTCCCCCCTCAAGACCAGCAGCGTCAAGTTGAAT CTTTGTCCTGGGCTAGCTGACTGGCTTGCCACTGCTGGGAAGAGTTGGGGCCTTTTGTGA GTAGGTTGGACCCACCAGGATAACCGAGGATGATCCCCTTCTCAGGGTCTATAGATGAAC CACACCTGCGCAGTTCCTTCTGCTGTCATCCTGGGCTTTGGTGCTTGGAGAACAGCCGTG GGCGGTGGGTGTTACTGTGGTACCTACCATGCCATCTTAACCGAAACCAAGACCTAA AATAAAACAGATTTGTCATGGGACATCTAATAAATTAAATGAACTCTG

SEQ ID NO: 63 NEK7 H, N34132 H CACGAATCCGAGCCCGCTCGCCTCTCCCAGCGAACCGACCATGTCTGGCGGCGCCGCAG AGAAGCAGAGCACTCCCGGTTCCCTGTTCCTCTCGCCGCCGGCTCCTGCCCCCAAGA tgaccgctaggag labeathcaggegegeecgecacactatgracaacaacaafacat ... GGGCGCCGCGACCACTACCACCACTGAGCACCGCTTCTTCCGCCGGAGCGTCATCTGCG ACTCCAATGCCACTGCACTGGAGCTTCCCGGCCTTCCTCTTTCCCTGCCCCAGCCCAGCA TCCCCGCGGCTGTCCCGCAGAGTGCTCCACCGGAGCCCCACCGGGAAGAGACCGTGACCG CCACCGCCACTTCCCAGGTAGCCCAGCAGCCTCCAGCCGCTGCCGCCCCTGGGGAACAGG CCGTCGCGGCCCTGCCCCTCGACTGTCCCCAGCAGTACCAGCAAAGACCGCCCAGTGT CCCAGCCTAGCCTTGTGGGGAGCAAAGAGGGCCGCCGCCGGCGAGAAGTGGCAGCGGCG TGGAGACCAAGGCCGTGGGAATGTCTAACGATGGCCGCTTTCTCAAGTTTGACATCGAAA TCGGCAGAGGCTCCTTTAAGACGGTCTACAAAGGTCTGGACACTGAAACCACCGTGGAAG TCGCCTGGTGTGAACTGCAGGATCGAAAATTAACAAAGTCTGAGAGGCAGAGATTTAAAG AAGAAGCTGAAATGTTAAAAGGTCTTCAGCATCCCAATATTGTTAGATTTTATGATTCCT GGGAATCCACAGTAAAAGGAAAGAAGTGCATTGTTTTGGTGACTGAACTTATGACGTCTG GAACACTTAAAACGTATCTGAAAAGGTTTAAAGTGATGAAGATCAAAGTTCTAAGAAGCT GGTGCCGTCAGATCCTTAAAGGTCTTCAGTTTCTTCATACTCGAACTCCACTTATCATTC ACCGCGATCTTAAATGTGACAACATCTTTATCACCGGCCCTACTGGCTCAGTCAAGATTG COCKETEDAY (SOME SENERAL SECTION OF SOME AND ADDITIONAL PROPERTY (SOME AND ADDITIONAL PROPERTY (SOME AND ADDITIONAL PROPERTY A CAGAGTTCATGGCCCCTGAGATGTATGAGGAGAAATATGATCAAATCCGTTGACGTTTATG CTTTTGGGATGTGCATGCTTGAGATGGCTACATCTGAATATCCTTACTCGGAGTGCCAAA TAGCAATTCCTGAAGTGAAGGAAATTATTGAAGGATGCATACGACAAAACAAAGATGAAA GATATTCCATCAAAGACCTTTTGAACCATGCCTTCTTCCAAGAGGAAACAGGAGTACGGG TAGAATTAGCAGAAGAAGATGATGGAGAAAAAATAGCCATAAAATTATGGCTACGTATTG AAGATATTAAGAAATTAAAGGGAAAATACAAAGATAATGAAGCTATTGAGTTTTGTTTTG ATTTAGAGAGAGATGTCCCAGAAGATGTTGCACAAGAAATGGTAGAGTCTGGGTATGTCT GGAAACGAGAGCAGCCAGTTGGTACGGGAGGAGCAAGAAAACAAAAAGCAGGAAGAGA GCAGTCTCAAACAGCAGGTAGAACAATCCAGTGCTTCCCAGACAGGAATCAAGCAGCTCC CTTCTGCTAGCACCGGCATACCTACTGCTTCTACCACTTCAGCTTCAGTTTCTACACAAG TAGAACCTGAAGAACCTGAGGCAGATCAACATCAACAACTACAGTACCAGCAACCCAGTA TATCTGTGTTATCTGATGGGACGGTTGACAGTGGTCAGGGATCCTCTGTCTTCACAGAAT CTCGAGTGAGCAGCCAACAGACAGTTTCATATGGGTTCCCAANNCATGAACAGGCACATT CTACAGGCACAGTCCCAGGGCATATACCTTCTACTGTCCAAGCACAGTCTCAGCCCCATG GGGTATATCCACCCTCAAGTGTGCAGCAGGGAATACAGCAGACAGCCCCTCCTCAACAGA CAGTGCAGTATTCACTTTCACAGACATCAACCTCCAGTGAGGCCACTACTGCACAGCCAG TGAGTCAGCCTCAAGCTCCACAAGTCTTGCCTCAAGTATCAGCTGGAAAACAGAGTACTC AGGGAGTCTCTCAGGTTGCTCCTGCAGAGCCAGTTGCAGTAGCACAGCCCCAAGCTACCC AGCCGACCACTTTGGCTTCCTCTGTAGACAGTGCACATTCAGATGTTGCTTCAGGTATGA

FIGURE 2YY

GGCATTACCGAAAATCTGTAAGGAGTCGCTCTCGACATGAAAAAACTTCACGCCCAAAAT TAAGAATTTTGAATGTTTCAAATAAAGGAGACCGAGTAGTAGAATGTCAATTAGAGACTC ATAATAGGAAAATGGTTACATTCAAATTTGACCTAGATGGTGACAACCCCGAGGAGATAG AAGTGCGAGAAATTATTGAAAAAGCTGATGAAAATGCTCAGTGAGGATGTCAGTGTGGAAC CAGAGGGTGATCAGGGATTGGAGAGTCTACAAGGAAAGGATGACTATGGCTTTTCAGGTT CTCAGAAATTGGAAGGAGAGTTCAAACAACCAATTCCTGCGTCTTCCATGCCACAGCAAA TAGGCATTCCTACCAGTTCTTTAACTCAAGTTGTTCATTCTGCGGGAAGGCGGTTTATAG TGAGTCCTGTGCCAGAAAGCCGATTACGAGAATCAAAAGTTTTCCCCAGTGAAATAACAG ATACAGTTGCTGCCTCTACAGCTCAGAGCCCTGGAATGAACTTGTCTCACTCTGCATCAT CCCTTAGTCTACAACAGGCCTTTTCTGAACTTAGACGTGCCCAAATGACAGAAGGACCCA *** ATACAGC&CCTCGAAACTTTAGTCATAGAGGGGCCAACATUTUCALTAGTACCTCCFTTCT(** TAAGTAGCATTGCTGGAGTCCCAACCACAGCAGCAGCCACAGCACCAGTCCCTGCAACAA GCAGCCCTCCTAATGACATTTCCACATCAGTAATTCAGTCTGAGGTTACAGTGCCCACTG AAGAGGGGATTGCTGGAGTTGCCACCAGCACAGGTGTGGTAACTTCAGGTGGTCTCCCCA TACCACCTGTGTCTGAATCACCAGTACTTTCCAGCGTAGTTTCAAGTATCACAATACCTG CAGTTGTCTCAATATCTACTACATCCCCGTCACTTCAAGTCCCCACATCCACATCTGAGA TCGTTGTTTCTAGTACAGCACTGTATCCTTCAGTAACAGTTTCAGCAACTTCAGCCTCTG CAGGCAGCACTACTGTGGGAGCCACATTAACATCAGTTTCTACCACCACTTCATTCCCAA GCACAGCTTCACAGCTGTCCATTCAGCTTAGCAGCAGTACTTCTACTCCTACTTTAGCTG **AAACCGTGGTAGTTAGCGCACACTCACTAGATAAGACATCTCATAGCAGTACAACTGGAT** TGGCTTTCTCCCTCTGCACCATCTTCCTCTTCCTCTCGGAGCAGGAGTGTCTAGTT ATATTTCTCAGCCTGGTGGGCTGCATCCTTTGGTCATTCCATCAGTGATAGCTTCTACTC CTATTCTTCCCCAAGCAGCAGGACCTACTTCTACACCTTTATTACCCCAAGTACCTAGTA TCCCACCCTTGGTACAGCCTGTTGCCAATGTGCCTGCTGTACAGCAGACACTAATTCATA GTCAGCCTCAACCAGCTTTGCTTCCCAACCAGCCCCATACTCATTGTCCTGAAGTAGATT CTCSTACACACCCGAAGCTCCTGCAATTCATGACATAAAGACTCTXGAAGAAAAAAGCCCC GGTCTCTGTTCAGTGAACACAGCTCATCTGGAGCTCAGCATGCCTCTGTCTCLCTGGAGA CCTCACTAGTCATAGAGAGCACTGTCACACCAGGCATCCCAACTACTGCTGTTGCACCAA CAGTTGCTTTGCCAGTTACACCAGTGGTCACACCTGGGCAAGTTTCTACCCCAGTCAGCA CGGTGCTGCCAGTGGGTACTGAACTTCCAGCAGGTACTCTACCCAGCGAGCAGCTGCCAC CTTTTCCAGGACCTTCTCTAACCCAGTCCCAGCAACCTCTAGAGGATCTTGATGCTCAAT TGAGAAGAACACTTAGTCCAGAGATGATCACAGTGACTTCTGCGGTTGGTCCTGTGTCCA TGGCGGCTCCAACAGCAATCACAGAAGCAGGAACACAGCCTCAGAAGGGTGTTTCTCAAG TCAAAGAAGGCCCTGTCCTAGCAACTAGTTCAGGAGCTGGTGTTTTTAAGATGGGACGAT TTCAGGTTTCTGTTGCAGCAGACGGTGCCCAGAAAGAGGGGTAAAAATAAGTCAGAAGATG CAAAGTCTGTTCATTTTGAATCCAGCACCTCAGAGTCCTCAGTGCTATCAAGTAGTAGTC CAGAGAGTACCTTGGTGAAACCAGAGCCGAATGGCATAACCATCCCTGGTATCTCTTCAG ATGTGCCAGAGAGTGCCCACAAAACTACTGCCTCAGAGGCAAAGTCAGACACTGGGCAGC CTACCAAGGTTGGACGTTTTCAGGTGACAACTACAGCAAACAAGTGGGTCGTTTCTCTG TATCAAAAACTGAGGACAAGATCACTGACACAAAGAAGAAGAACCAGTGGCATCTCCTC CTTTTATGGATTTGGAACAAGCTGTTCTTCCTGCTGTGATACCAAAGAAAAGAGAAGCCTG **AACTGTCAGAGCCTTCACATCTAAATGGGCCGTCTTCTGACCCGGAGGCCGCTTTTTTAA** GTAGGGATGTGGATGGTTCCGGTAGTCCACACTCGCCCCATCAGCTGAGCTCAAAGA GCCTTCCTAGCCAGAATCTAAGTCAAAGCCTTAGTAATTCATTTAACTCCTCTTACATGA GTAGCGACAATGAGTCAGATATCGAAGATGAAGACTTAAAGTTAGAGCTGCGACGACTAC GAGATAAACATCTCAAAGAGATTCAGGACCTGCAGAGTCGCCAGAAGCATGAAATTGAAT

FIGURE 2ZZ

CTTTGTATACCAAACTGGGCAAGGTGCCCCCTGCTGTTATTATTCCCCCAGCTGCTCCCC TTTCAGGGAGAAGACGACCCACTAAAAGCAAAGGCAGCAAATCTAGTCGAAGCAGTT CCTTGGGGAATAAAAGCCCCCAGCTTTCAGGTAACCTGTCTGGTCAGAGTGCAGCTTCAG TCTTGCACCCCAGCAGACCCTCCACCCTCCTGGCAACATCCCAGAGTCCGGGCAGAATC AGCTGTTACAGCCCCTTAAGCCATCTCCCTCCAGTGACAACCTCTATTCAGCCTTCACCA GTGATGGTGCCATTTCAGTACCAAGCCTTTCTGCTCCAGGTCAAGGTAATAAAGCAACCA TCATCGTCCAAAAACAATAAAATGGAGATGTTGCCATACCTGGGACAAAAGCCTGTTAAG GCGGGTTGGGAGACTAGCTGACCAGAACACAGCCTGTGTGTTGTACACTGAAGAATCTGG GTGAAAAGGGAAGTGGAGTAATGAGAATCGGTGGGCTCACTGCTCCCATTAGGTGAA ATTACTTTTTTCAAGGAATTACAGTGAAAAGTTACATCTGTGTGGCCTATATGACTTGC TCATTTGGGATTTGGAACTTAGGCTTTAATATTAGGCTGAGATTTCCTGGATGAAATTCT aägytgti i tagcauttictgaágcťaátacattticttágccattgtagaattttutta CTTTTAAGTATGGGAGTGGCATACTAAAATGAATAACCTTACAATTCAGTTTTTTATCCA TAATCTACTTTCCAAATATAGCTCTGTTTATTAGTGATTGCTGAAAAAATTCCCACAGAG GAAAGAGCTTTTAGTCATATTAGAACAAGAATTGAAAAGACTTGGGCATCTGGGTGAGAA GAATGAAAAAATATAGGTACTGGCTTATGTGCCTTTGCCACAGTTTCACAGAAATTAGA TATTCGAACTAAGAAAAGCTTCCGCATTTTGCAGATGGGTAGAATTAAGACCTAATATTT CATCTCTTACATATCTGACCTTCCCCCCAGAAGCTTGTTCTTCTGTGTGCCATCTTAGTG CATTTCACCACTCCAGCCTCAAGTTTCTAACATCTTGTAGTTGTGTTCTGTCTCTCCC TCTCTCTGTTCTACCCTGTTTTTCCCCTCTCACAGGCTGTGCGAAGTTTAACTGTGCATC TGAACAGGTGACATTCAAACCTGGTGGCAGGAGGACCCGATTTCTGAGTACGCCCTGCTT GGCTCTTTGTGTGTAACACCTTTACTCCTTCCTTGTCCTTGTGTTTCTGCTGCTTGGATC TGATGTTTCACGCAGTCCATTTTCATTTGTCTCTTTTTTGTATATCATCTACTCAGTGGCT TCAAAATAACAAGTTATCTACAAATTTCAATGTAACTTTCTGGTAGAAGTGCTTCTTCAT GGATCTGTGACAGAGAGTGGATATGGTATCTAGGCAATAGATTGCTGGGTCATTTAGAAT GAGAGAAATCAGCCAGACACGGTGGCGTACACCTGTAATCCCAGCACTTTGGGAGGCCGA GGCGGGAAGATTGCTTGAGGCCAGGAGCTCGAGACCAACCCTGGGCAACATGGTGATACC CCATCTCT

SEQ ID NO: 64 BCON3 H

GCGGAGCGCAGCTGTGAGGGAGTCGCTGTGATCCGGGGCCCCGGAACCCGAGCTGGAGCT GGGGGAGTCCCAGACAGTACTTAGCAGTGGCTCAGACCCAAAGGTAGAATCCTCATCTTC AGCTCCTGGCCTGACATCAGTGTCACCTCCTGTGACCTCCACAACCTCAGCTGCTTCCCC AGAGGAAGAAGAAGTGAAGATGAGTCTGAGATTTTTGGAAGAGTCGCCCTGTGGGCC CTGGCAGAAGAGGCGAGAAGAGGTGAATCAACGGAATGTACCAGGTATTGACAGTGCATA CCTGGCCATGGATACAGAGGAAGGTGTAGAGGTTGTGTGGAATGAGGTACAGTTCTCTGA ACGCAAGAACTACAAGCTGCAGGAGGAAAAGGTTCGTGCTGTGTTTGATAATCTGATTCA ATTGGAGCATCTTAACATTGTTAAGTTTCACAAATATTGGGCTGACATTAAAGAGAACAA GGCCAGGGTCATTTTTATCACAGAATACATGTCATCTGGGAGTCTGAAGCAATTTCTGAA GAAGACCAAAAAGACCACAAGACGATGAATGAAAAGGCATGGAAGCGTTGGTGCACACA AATCCTCTCTGCCCTAAGCTACCTGCACTCCTGTGACCCCCCCATCATCCATGGGAACCT GACCTGTGACACCATCTTCATCCAGCACAACGGACTCATCAAGATTGGCTCTGTGGCTCC TGACACTATCAACAATCATGTGAAGACTTGTCGAGAAGAGCAGAAGAATCTACACTTCTT TGCACCAGAGTATGGAGAAGTCACTAATGTGACAACAGCAGTGGACATCTACTCCTTTGG CATGTGTGCACTGGAGATGCCAGTGCTGGAGATTCAGGGCAATGGAGAGTCCTCATATGT GCCACAGGAAGCCATCAGCAGTGCCATCCAGCTTCTAGAAGACCCATTACAGAGGGAGTT

FIGURE 2AAA

CATTCAAAAGTGCCTGCAGTCTGAGCCTGCTCGCAGACCAACAGCCAGAGAACTTCTGTT CCACCCAGCATTGTTTGAAGTGCCCTCGCTCAAACTCCTTGCGGCCCACTGCATTGTGGG **ACACCAACATGATCCCAGAGAACGCTCTAGAGGAGATCACCAAAAACATGGATACTAG** TGCCGTACTGGCTGAAATCCCTGCAGGACCAGGAAGAGAACCAGTTCAGACTTTGTACTC TCAGTCACCAGCTCTGGAATTAGATAAATTCCTTGAAGATGTCAGGAATGGGATCTATCC TCTGACAGCCTTTGGGCTGCCTCGGCCCCAGCAGCAGCAGGAGGAGGTGACATCACC TGTCGTGCCCCCTCTGTCAAGACTCCGACACCTGAACCAGCTGAGGTGGAGACTCGCAA ACTTCTGCTGAAGTTGGAGGACAAACTGAACCGGCACCTGAGCTGTGACCTGATGCCAAA TGAGAATATCCCCGAGTTGGCGGCTGAGCTGGTGCAGCTGGGCTTCATTAGTGAGGCTGA CCAGAGCCGGTTGACTTCTCTGCTAGAAGAGACCTTGAACAAGTTCAATTTTCCCAGGAA CAGTACCCTCAACTCAGCCGCTGTCACCGLUTCCTCTTAGAGCTCACTCGGGCCTGGCCT TGATCTGCGCTGTGGCTGTCCCTGGACGTGCTGCAGCCCTCCTGTCCCTTCCCCCCAGTC AGTATTACCCTGTGAAGCCCCTTCCCTCCTTTATTATTCAGGAGGGCTGGGGGGGCTCCC TGGTTCTGAGCATCATCCTTTCCCCTCCCCTCTCTTCCTCCCCTCTGCACTTTGTTTACT TGTTTTGCACAGACGTGGGCCTGGGCCTTCTCAGCAGCCGCCTTCTAGTTGGGGGCTAGT CGCTGATCTGCCGGCTCCCGCCCAGCCTGTGTGGAAAGGAGGCCCACGGGCACTAGGGGA GCCGAATTCTACAATCCCGCTGGGGCGGCCGGGGCGGGAGAAAGGTGGTGCTGCAGTG GTGGCCTGGGGGGCCATTCGATTCGCCTCAGTTGCTGCTGTAATAAAAGTCTACTTTTT GCT

SEQ ID NO: 65 AA711829 M

AAACGCTGGTGTACACAGATCCTCTCTGCCCTAAGCTACCTGCACTCCTGTGACCCTCCC **ATCATCCATGGGAACCTGACCTGTGACACCATCTTCATCCAGCACAACGGACTCATCAAG** ATTGGCTCTGTGGCTCCTGACACTATCAACAATCACGTGAAGACTTGCCGGGAAGAACAG **AAGAACCTACACTTTTTTGCACCAGAGTATGGAGAAGTCACAAAACGTGACAACAGCAGTG** <u>GREENSTRUCCULTUGGCATGTGCACLGGAGATGGCASPGCTCGGGGATTCA/GGGASE</u> GGCGAGTCCTCATATGTGCCACAGGAAGCCATCAGCAGTGCCATCCAGCTAC TAGAAGAC TCATTACAGAGGGAGTTTATTCAAAAGTGCCTGCAGTCTGAGCCTGCTCGGAGACCAACA GCTCACTGTATCGTGGGGCACCAACACATGATCCCAGAGAACGCTCTAGAGGAGATCACC **AAGAACATGGATACCAGTGCTGTACTAGCTGAAATTCCCGCAGGGCCAGGACGAGAACCA** GTTCAGACTTTGTACTCTCAGTCACCAGCCCTAGAATTAGACAAATTCCTTGAAGATGTC AGGAATGGGATCTACCCTCTGACAGCCTTTGGGCTACCTCGGCCTCAGCAGCCACAGCAG GAGGAGGTGACATCACCTGTTGTGCCCCCCTCTGTCAAGACTCCAACTCCTGAGCCAGCT GAAGTGGAGACACGAAAGGTGGTGCTGATGCAGTGCAACATCGAATCTGTGGAGGAGGGA GTCAAACACCATCTAACACTTCTGCTGAAGCTGGAGGACAAATTGAACCGGCACCTGAGC TGTGACCTGATGCCAAATGAGAGCATCCCGGACTTGGCAGCTGAGCTGGTGCAGCTGGGC TTCATTAGTGAGGCTGATCAGAGCCGCCTGACTTCTCTGCTGGAGGAGACGCTCAACAAG TTCAACTTCACCAGGAACAGTACACTCAACACAGCCACTGTCACCGTCTCCTCGTAGAGC TCACTTGAGCCAGGCCCTAGCCAGGCTGTGGCTGTCCCTGGGCATGCTGCAGTCCTCCT GTCCCTTCTCCCCAGTCAGTATTACCCTTCGCGCCCATATTATTTAGGAGGGCTTTAGGG GCTCCTGGTTGAGTATCACCCTGCCCCTTCCCCTCTCTCCCCCCTCTGCACTTTGTT TACTTGTTTTGCACAGACGTGGGCCTGGGCCTTCTCAGCAGCCACCTTCTAGCTGGGGGC TAGTAGCTGACCTGCCTCCTGCCCTACTTGTGTGGACAGGAGGCCCACGGGCACTGG GGAAGCTGAGTTCTACAATCCCGCTGGGGCGCATGGGCAGGAGAAAAGGTGGTGCTGCA GGGGTGGCCCCCGGGGGGGGCATTCGAATCACCTCAGTTGCTGCTGTAATAAAGTCTAC TTTTTGCT

FIGURE 2BBB

SEQ ID NO: 66 AA099102 H

ATGTCATCATGTCTCTAGCCAGCCCAGCAGCAACCGGGCCGCCCCCAGGATGAGCTG GGGGGCAGGGCAGCAGCAGCAGCAGAAGCCCTGTGAGGCCCTGCGGGGCCTC TCATCCTTGAGCATCCACCTGGGCATGGAGTCCTTCATTGTGGTCACCGAGTGTGAGCCG GGCTGTGCTGTGGACCTCGGCTTGGCGCGGGACCGGCCCCTGGAGGCCGATGGCCAAGAG GTCCCCTTGACACCTCCGGGTCCCAGGCCCGGCCCCACCTCTCCGGTCGCAAGCTGTCT CTGCAAGAGCGGTCCCAGGGTGGCTGGCAGCCGGTGGCAGCCTGGACATGAACGGACGC TGCATCTGCCCGTCCCTACTCACCCGTCAGCTCCCCGCAGTCCTCGCCTCGGCTG CCCCGCCGCCGACAGTGGAGTCTCACCACGTCTCCATCACGGGTATGCAGGACTGTGTG CAGCTGAATCAGTATACCCTGAAGGATGAAATTGGAAAGGGCTCCTATGGTGTCGTCAAG TTGGCCTACAATGAAAATGACAATACCTACTATGCAATGAAGGTGCTGTCCAAAAAGAAG CTGATCCGGCAGGCCCCTTTTCCACGTCGCCCTCCACCCCCAGGCCACCCGGCCAGGTCCT GGAGGCTGCATCCAGCCCAGGGGCCCCATTGAGCAGGTGTACCAGGAAATTGCCATCCTC AAGAAGCTGGACCACCCCAATGTGGTGAAGCTGGTGGAGGTCCTGGATGACCCCAATGAG GACCATCTGTACATGGTGTTCGAACTGGTCAACCAAGGGCCCGTGATGGAAGTGCCCACC CTCAAACCACTCTCTGAAGACCAGGCCCGTTTCTACTTCCAGGATCTGATCAAAGGCATC GAGTACTTACACTACCAGAAGATCATCCACCGTGACATCAAACCTTCCAACCTCCTGGTC GGAGAAGATGGCCACATCAAGATCGCTGACTTTGGTGTGAGCAATGAATTCAAGGGCAGT GACGCGCTCTCCAACTACGTGGGCACGCCCGCCTTCATGGCTCCCGAGTCGCTCTCT GAGACCCGCAAGATCTTCTCTGGGAAGGCCAAGGATGTTTGGGCCATGGGTGTGACACTA TACTGCTTTGTCTTTGGCCAGTGCCCATTCATGGACGAGCGGATCATGTGTTTACACAGT AAGATCAAGAGTCAGGCCCTGGAATTTCCAGACCAGCCCGACATAGCTGAGGACTTGAAG GACCTGATCACCCGTATGCTGGACAAGAACCCCGAGTCGAGGATCGTGGTGCCGGAAATC AAGCTGCACCCCTGGGTCACGAGGCATGGGGCGGAGCCGTTGCCGTCGGAGGATGAGAAC TGCACGCTGGTCGAAGTGACTGAAGAGGGGTCGAGAACTCAGTCAAACACATTCCCAGC TTGGCAACCGTGATCCTGGTGAAGACCATGATACGTAAACGCTCCTTTGGGAACCCATTC GAGGGCAGCCGGCGGAGGAACGCTCACTGTCAGCGCCTGGAAACTTGCTCACCAAAAAA TO STANDAY PARTHAGAS AND BAND BAND TO TO TO TO SEE THAT SOUD DAY OF THE SOUD D CCAGGGCACCGACCCGCCGTGGGGGAGAGAGAGTGCTCTTGTGAGAGGCAGTCCC CCGGAGGAGCCCATGGAGCCCGAGTAG

SEQ ID NO: 67 5R69 17 2 H

CCGGGATGTGAGCCTGGTGGTTGGCAGCTGGAGCCACGTCGGAGGGGGAAGTGTCGCAGC ATTCTCTGCAGGCATCACAGACCTGAGGCAGTGGCCTCCGGAGGGCACTGGACAGAAACA GCCATCCAAGTGGCTGAGTGGAGGGACCCTGCTCAAGTGCAGCTGCAGTGGCCGGGGTTT CAGCAGAGTGCAGGGTGCGGGCACCAGGAAAGGGGGCCAGGGGAACTCCCGCGGCCTC GCGTTTGCAAACTTCTCGCCTGGGCAGGAGGCGGTCGTGGGAAAGAAGTGGAAGAGCGA GCTTTTTGGAACTGTGCACGGGACAGATTGGACGCACACCCCTCGGGAGGCGCGAAGGCA TGGAAAATTTGAAGCATATTATCACCCTTGGCCAGGTCATCCACAAACGGTGTGAAGAGA TGAAATACTGCAAGAAACAGTGCCGGCGCCTGGGCCACCGCGTCCTCGGCCTGATCAAGC CTCTGGAGATGCTCCAGGACCAAGGAAAGAGGAGCGTGCCCTCTGAGAAGTTAACCACAG CCATGAACCGCTTCAAGGCTGCCCTGGAGGAGGCTAATGGGGAGATAGAAAAGTTCAGCA ATAGATCCAATATCTGCAGGTTTCTAACAGCAAGCCAGGACAAAATACTCTTCAAGGACG TGAACAGGAAGCTGAGTGATGTCTGGAAGGAGCTCTCGCTGTTACTTCAGGTTGAGCAAC GCATGCCTGTTTCACCCATAAGCCAAGGAGCGTCCTGGGCACAGGAAGATCAGCAGGATG CAGACGAAGACAGGCGAGCTTTCCAGATGCTAAGAAGAGATAATGAAAAAATAGAAGCTT CACTGAGACGATTAGAAATCAACATGAAAGAAATCAAGGAAACTTTGAGGCAGTGTAAGT TATCATGTGCCCTGCTGTTTCTGATGGCCCCCAAACTAGAAGTCATCAGTTTACTGGGAC

FIGURE 2CCC

CCCAGCCTCCCGCTACCCCTGCATTTGTCCATTTTCTGTGCTGGATGGCTGGAAGCAGCC CACAGGTTTGGGGATCCATTCATGGCTAGCCCAGGCTTCTGTCCATGGAATAACATGTGG AGAGAGCTTCTTGACCAGTAAGATACCTTCTAGCAGCTGTCAAAGTACTTAAAAACCTCT ATGAATAGAATCAAAGCTTCAGTTCAGTTGCTGAATTTCCAAGAAGAAATTCAAATCAAA TTTAAAATGCCCACTCATTCATTCATTCAACAAAACTGTGAGTATCTGGTTTATGCCAGA GGCCATGCAAAGAGGTAACTAAGATGCAGAGAAGGACACTGCCTTCCAGGAGCTCACGGG GTGGAGGAGGAAAGAGAAAGACAGACAGTGAACACACAGCAAGGTTACTGAGCTTG AACTATGTCCCTAACTACTAGATCTGAAATGACTACGCCAGATGCCAGATGCTCAAGTGC GGTTAAGGCTGGAGGGACAGGCGGGATTTGAAGAGGAGGGAAAGGAAGTGGATGACACAT TCTGTTAACTGTCCAGCTGTGTCTCTACTGGTCACTCAGAGGCAAGGCCAGCCGCTCCCTT GGGCTGAGTCCATCAGANGCCCCAGCCACUACUAGCTCTGGTTCATGTAGTAGAAACTTDC CACTCACACATCACAAATATGCCACCTCCCTTAGGACCCCTTCCTCTGCTCATTGACTCT CCCGCAAGAGCAAATCAAGGAGATCAAGAAGGAGCAGCTTTCAGGATCCCCGTGGATTCT GCTAAGGGAAAATGAAGTCAGCACACTTTATAAAGGAGAATACCACAGAGCTCCAGTGGC CATAAAAGTATTCAAAAAACTCCAGGCTGGCAGCATTGCAATAGTGAGGCAGACTTTCAA TAAGGAGATCAAAACCATGAAGAAATTCGAATCTCCCAACATCCTGCGTATATTTGGGAT TTGCATTGATGAAACAGTGACTCCGCCTCAATTCTCCATTGTCATGGAGTACTGTGAACT CGGGACCCTGAGGGAGCTGTTGGATAGGGAAAAAGACCTCACACTTGGCAAGCGCATGGT CCTAGTCCTGGGGGCAGCCCGAGGCCTATACCGGCTACACCATTCAGAAGCACCTGAACT CCACGGAAAAATCAGAAGCTCAAACTTCCTGGTAACTCAAGGCTACCAAGTGAAGCTTGC **AGGATTTGAGTTGAGGAAAACACAGACTTCCATGAGTTTGGGAACTACGAGAGAAAAGAC AGACAGAGTCAAATCTACAGCATATCTCTCACCTCAGGAACTGGAAGATGTATTTTATCA ATATGATGTAAAGTCTGAAATATACAGCTTTGGAATCGTCCTCTGGGAAATCGCCACTGG** AGATATCCCGTTTCAAGGTGAAGAATGTGAAGACTGGCTCAGCCAGTGGCTGTAATTCTG AGAAGATCCGCAAGCTGGTGGCTGTGAAGCGGCAGCAGGAGCCACTGGGTGAAGACTGCC CYTCAGEGOTOCGGGEGATCATTGATGAGTGCCGGGCCCATGENTERICE THE SOCIETY OF CTGTGGATGAAATCTTAAAGAAACTCTCCACĆTTTTCTAAGTAGTGTATCAAAATCTAAA ATCCTTCGGCATTGGGTTATCTATGGGTGCAAGGAGTGGGCACGCTTCTCTGTTACAAAT AGAAACGATTCCAGTCATACAGGACACATCCCACTCCAAATGATATTTCCAAAAACATA CCTCTGACAGTAACTTTGATAGATGGTTTGTCAAATGTATCTTTCTGGGTATCCACACCT CTTGGCAATGAAATTTGCAGCTCCTCCCTTCCATAAATGAAGTCTCTTTCCCCACCATTT GAATCTGGGCTGGCACTGTGACTTGATCTGATCAATAGAATGTGGAAGAAGTGACTGTAT GCCAGTTCCAAGCCTAGGTTTCAAGAGGCCTTATAAATGTCTGTTGGAACCTTACCCAGC CATGGACATGTTGAGTGAGCATGCTGGAGAATGAGAGCCACATGAAGCAGAAACATGCT TCAAGACCAGAAGAACCACTCAAGCAGATCCCAGCCCAAATTGCCCATTCACACAATCAG GAGCTAAATAAATTACTGTTGTCTTTT

SEO ID NO: 68 H85811 H

FIGURE 2DDD

GCACTTCTGTCACCGGGCAAGTCCTCGGCGGACCACAACCTAATGCGTCGAAGCACTG TGAGCCTCCTTGATACCTACCAAAAATGTGGACTCAAGCGTAAGAGCGAGGAGATCGAGA ACACAGCAGCGTGCAGATCATCGAGGAGCATCCACCCATGATTCAGAATAATGCAAGCG GGGCCACTGTCGCCACTGCCACCACGTCTACTGCCACCTCCAAAAACAGCGGCTCCAACA GCGAGGGCGACTATCAGCTGGTGCAGCATGAGGTACTGTGCTCCATGACCAACACCTACG AGGTCTTAGAGTTCTTGGGCCGAGGGACGTTTGGGCAAGTGGTCAAGTGCTGGAAACGGG GCACCAATGAGATCGTAGCCATCAAGATCCTGAAGAACCACCCATCCTATGCCCGACAAG GTCAGATTGAAGTGAGCATCCTGGCCCGGTTGAGCACGGAGAGTGCCGATGACTATAACT TCGTCCGGGCCTACGAATGCTTCCAGCACAAGAACCACACGTGCTTGGTCTTCGAGATGT TGGAGCAGAACCTCTATGACTTTCTGAAGCAAAACAAGTTTAGCCCCTTGCCCCTCAAAT ACATTCCCCCACTTCTCCACCAGCAGCTAGCCACAGCCCTGATGAAACTCAAAAGCCTACGTC TTATCCACGCTGACCTCAAACCAGAGAACATCATGCTGGTGGATCCATCTAGACAACCAT ACAGAGTCAAGGTCATCGACTTTGGTTCAGCCAGCCACGTCTCCAAGGCTGTGTGCTCCA CCTACTTGCAGTCCAGATATTACAGGGCCCCTGAGATCATCCTTGGTTTACCATTTTGTG AGGCAATTGACATGTGGTCCCTGGGCTGTGTTATTGCAGAATTGTTCCTGGGTTGGCCGT TATATCCAGGAGATTCGGAGTATGATCAGATTCGGTATATTTCACAAACACAGGGTTTGC CTGCTGAATATTTATTAAGCGCCGGGACAAGACAACTAGGTTTTTCAACCGTGACACGG **ACTCACCATATCCTTTGTGGAGACTGAAGACACCAGATGACCATGAAGCAGAGACAGGGA** TTAAGTCAAAAGAAGCAAGAAAGTACATTTTCAACTGTTTAGATGATATGGCCCAGGTGA ACATGACGACAGATTTGGAAGGGAGCGACATGTTGGTAGAAAAGGCTGACCGGCGGGAGT TCATTGACCTGTTGAAGAAGATGCTGACCATTGATGCTGACAAGAGAATCACTCCAATCG AAACCCTGAACCATCCCTTTGTCACCATGACACACTTACTCGATTTTCCCCACAGCACAC CGGTGAACCAGAGCAAAACCCCTTTCATCACGCACGTGGCCCCCAGCACGTCCACCAACC TGACCATGACCTTTAACAACCAGCTGACCACTGTCCACAACCAGCCCTCAGCGGCATCCA TGGCTGCAGTGGCCCAGCGGAGCATGCCCCTGCAGACAGGAACAGCCCAGATTTGTGCCC GGCCTGACCCGTTCCAGCAAGCTCTCATCGTGTGTCCCCCCGGCTTCCAAGGCTTGCAGG CCTCTCCC:://#AGCACGCTCSCIACTCCCTGCGAATGGAAAATGCAGTTCCCATUICTYA CTCAAGCCCCAGGAGCTCAGCCTCTTCAGATCCAACCAGGTCTGCTTGCCCAGCAGGCTT AGCTGGCGGACTGGAGAAATACGCATGCTCACGGAAGCCATTATAATCCCATCATGCAGC AGCCTGCACTATTGACCGGTCATGTGACCCTTCCAGCAGCACAGCCCTTAAATGTGGGTG TGGCCCACGTGATGCGGCAGCAGCCAACCAGCACCACCTCCTCCCGGAAGAGTAAGCAGC ACCAGTCATCTGTGAGAAATGTCTCCACCTGTGAGGTGTCCTCCTCTCAGGCCATCAGCT CCCCACAGCGATCCAAGCGTGTCAAGGAGAACACCTCCCCGCTGTGCCATGGTGCACA GTAGCCCGCCTGCAGCACCTCGGTCACCTGTGGGTGGGCGACGTGGCCTCCAGCACCA CCCGGGAACGCCAGCGCAGACAATTGTCATTCCCGACACTCCCAGCCCCACGGTCAGCG CTGTCTCCAAGCAAAGAAAAACGTCATCAGCTGTGTCACAGTCCACGACTCCCCCTACT CCGACTCCTCCAGCAACACCAGCCCCTACTCCGTGCAGCAGCGTGCTGGGCACAACAATG CCAATGCCTTTGACACCAAGGGGAGCCTGGAGAATCACTGCACGGGGAACCCCCGAACCA TCATCGTGCCACCCTGAAAACCCAGGCCAGCGAAGTATTGGTGGAGTGTGATAGCCTGG TGCCAGTCAACACCAGTCACCACTCGTCCTCCTACAAGTCCAAGTCCTCCAGCAACGTGA CCTCCACCAGCGGTCACTCTTCAGGGAGCTCATCTGGAGCCATCACCTACCGGCAGCAGC GGCCGGGCCCCCACTTCCAGCAGCAGCAGCCACTCAATCTCAGCCAGGCTCAGCAGCACA TCACCACGGACCGCACTGGGAGCCACCGAAGGCAGCAGGCCTACATCACTCCCACCATGG CCCAGGCTCCGTACTCCTTCCCGCACAACAGCCCCAGCCACGGCACTGTGCACCCGCATC TGGCTGCAGCCGCTGCCGCTGCCCACCTCCCAGCCCACCTCTACACCTACACTG $\tt CGCCGGCGCCCTGGGCTCCACCGGCACCGTGGCCCACCTGGTGGCCTCGCAAGGCTCTG$

FIGURE 2EEE

SEQ ID NO: 69 DYRK3 H

CCGCGGAGGCAGCCGTCCGGCGTAGGTGGCGTGGCCGACCGGACCCCAACTGGCGCCT CTCCCGAGCGGGTCCCGAGCTAGGAGATGGGAGGCACAGCTCGTGGGCCTGGGCGGAA GGATGCGGGCCCCTGGGGCCGGGCTCCCGCCCCAGCAGCGGAGTTGGGGGATGGTGTC TATGACACCTTCATGATGATGATGAAACCAAATGTCCCCCCTGTTCAAATGTACTCTGC **AATCCTTCTGAACCACCTCCACCCAGAAGACTAAATATGACCGCTGAGCAGTTTACAGGA** GATCATACTCAGCACTTTTTGGATGGAGGTGAGATGAAGGTAGAACAGCTGTTTCAAGAA TTTGGCAACAGAAAATCCAATACTATTCAGTCAGATGGCATCAGTGACTCTGAAAAATGC TCTCCTACTGTTTCTCAGGGTAAAAGTTCAGATTGCTTGAATACAGTAAAATCCAACAGT TCATCCAAGGCACCCAAAGTGGTGCCTCTGACTCCAGAACAAGCCCTGAAGCAATATAAA GGTCCAAATGCCAAGAAAAGACATGGAGTTATTGGTGGTCCCAATAATGGAGGGTATGAT GATGCAGATGGGGCCTATATTCATGTACCTCGAGACCATCTAGCTTATCGATATGAGGTG CTGAAAATTATTGGCAAGGGGAGTTTTGGGCAGGTGGCCAGGGTCTATGATCACAAACTT CGACAGTACGTGGCCCTAAAAATGGTGCGCAATGAGAAGCGCTTTCATCGTCAAGCAGCT GAGGAGATCCGGATTTTGGAGCATCTTAAGAAACAGGATAAAACTGGTAGTATGAACGTT _ATCCACATGCTGGAAAGTTTCACATTCCGGAACCATGTTAGCATGGCCTTTGAALTGCTG AGCATAGACCTTTATGAGCTGATTAAAAAAAATAAGTTTCAGGGTTTTAGCGTCCAGTTG GTACGCAAGTTTGCCCAGTCCATCTTGCAATCTTTGGATGCCCTCCACAAAAATAAGATT ATTCACTGCGATCTGAAGCCAGAAAACATTCTCCTGAAACACCACGGGCGCAGTTCAACC AAGGTCATTGACTTTGGGTCCAGCTGTTTCGAGTACCAGAAGCTCTACACATATATCCAG TCTCGGTTCTACAGAGCTCCAGAAATCATCTTAGGAAGCCGCTACAGCACACCAATTGAC ATATGGAGTTTTCGCTGCATCCTTGCAGAACTTTTAACAGGACAGCCTCTCTTCCCTGGA GAGGATGAAGGAGACCAGTTGGCCTGCATGATGGAGCTTCTAGGGATGCCACCACCAAAA CTTCTGGAGCAATCCAAACGTGCCAAGTACTTTATTAATTCCAAGGGCATACCCCGCTAC TGCTCTGTGACTACCCAGGCAGATGGGAGGGTTGTGCTTGTGGGGGGTCGCTCACGTAGG GGTAAAAAGCGGGGTCCCCCAGGCAGCAAAGACTGGGGGACAGCACTGAAAGGGTGTGAT GACTACTTGTTTATAGAGTTCTTGAAAAGGTGTCTTCACTGGGACCCCTCTGCCCGCTTG ACCCCAGCTCAAGCATTAAGACACCCTTGGATTAGCAAGTCTGTCCCCAGACCTCTCACC ACCATAGACAAGGTGTCAGGGAAACGGGTAGTTAATCCTGCAAGTGCTTTCCAGGGATTG

GGTTCTAAGCTGCCTCCAGTTGTTGGAATAGCCAATAAGCTTAAAGCTAACTTAATGTCA GAAACCAATGGTAGTATACCCCTATGCAGTGTATTGCCAAAACTGATTAGCTAGTGGACA GAGATATGCCCAGAGATGCATATGTGTATATTTTTATGATCTTACAAACCTGCAAATGGA AAAAATGCAAGCCCATTGGTGGATGTTTTTGTTAGAGTAGACTTTTTTTAAACAAGACAA AACATTTTTATATGATTATAAAAGAATTCTTCAAGGGCTAATTACCTAACCAGCTTGTAT

TGGCCATCTGGAATATGCATTAAATGACTTTTTATAGGTCA

FIGURE 2FFF

SEQ ID NO: 70_AA589241_M DYRK3_M

CCACGCGTCCGGAGTTGCTAGGAATGCCACCGCAGAAACTTCTGGAGCAATCCAAGCGTG

CCAAGTACTTTATTAACTCCAAAGGCTTGCCTCGATACTGCTCCGTATCTACCCAGACGG

ACGGGAGGGTGGTGCTTCTCGGGGGTCGCTCACGCAGGGGTAAAAAGCGAGGCCCGCCAG

GCAGCAAAGACTGGGCAACCGCACTGAAGGGCTGTGGTGACTACTTGTTCATAGAGTTTC

TGAAACGATGCCTCCAGTGGGACCCCTCTGCCCGCCTCACCCCGGCTCAAGCATTAAGAC

ATCCTTGGATTAGCAAGTCTACACCCAAACCTCTCACCATGGACAAGGTGCCAGGGAAGC

GGGTAGTTAACCCTACAAATGCTTTCCAGGGACTGGGTTCCAAGCTGCCTCCAGTCGTTG

GGATAGCCAGTAAGCTTAAAGCTAACCTAATGTCCGAAACCAGTGGTAGTATACCTCTGT

GCAGTGTATTGCCAAAGCTGATTAGCTAGTGGACCACTCAGAGACTGATACATATCATAT

GTATTTTAATTACCTTGCAAACATGCAAATGGAAAACGGAATAATTTATAAATGACTAT

AAAAGAACGCTTCAAGGGCTAATGTCAAACCAGCTTGTATTGGCCATCTGGAGTATACAT

TAAATGACTTTTTCATAGGTC

SEO ID NO: 71 5R72 16 2 H GTCGAGGCGCAGCGCTGCCATGGCTGGGGGCCGTGGGGCCCCCGGGCGGCCGGGACGA GCCTCCGGAGAGCTACCCGCAACGACAGGACCACGAGCTACAGGCCCTGGAGGCCATCTA CGGCGCGGACTTCCAAGACCTGCGGCCGGACGCTTGCGGACCGGTCAAAGAGCCCCCTGA **AATCAATTTAGTTTTGTACCCTCAAGGCCTAACTGGTGAAGAAGTATATGTAAAAGTGGA** TTTGAGGGTTAAATGCCCACCTACCTATCCAGATGTAGTTCCTGAAATAGAGTTAAAAAA TGCCAAAGGTCTATCAAATGAAAGTGTCAATTTGTTAAAATCTCGCCTAGAAGAACTGGC CAAGAAACACTGTGGGGAGGTGATGATCTTTGAACTGGCTTACCACGTGCAGTCATTTCT CAGCGAGCATAACAAGCCCCCTCCCAAGTCTTTTCATGAAGAAATGCTGGAAAGGCGGGC TCAGGAGGAGCAGCAGGCTGTTGGAGGCCAAGCGGAAAGAAGAGCAGGAGCAACGTGA **AATGGCTAAGCAGGAACGTTTGGAAATTGCTAGTTTGTCAAACCAAGATCATACCTCTAA** ·····GAAGGACCOMGGAGACACAGAACGGCPGGGATTCTACATGGAGGCTCTCCTGACT77² (27). AGGAAATGGTAAACATCGGGCAAACTCCTCAGGAAGGTCTAGGCGAGAACGTCAGTATTC TGTATGTAATAGTGAAGATTCTCCTGGCTCTTGTGAAATTCTGTATTTCAATATGGGGAG TCCTGATCAGCTCATGGTGCACAAAGGGAAATGTATTGGCAGTGATGAACAACTTGGAAA ATTAGTCTACAATGCTTTGGAAACAGCCACTGGTGGCTTTGTCTTGTTGTATGAGTGGGT CCTTCAGTGGCAGAAAAAATGGGTCCATTCCTTACCAGTCAAGAAAAAGAGAAGATTGA TAAGTGCAAAAAGCAGATTCAAGGAACAGAAACAGAATTCAACTCACTGGTAAAATTGAG CCATCCAAATGTAGTACGCTACCTTGCAATGAATCTCAAAGAGCAAGACGACTCCATCGT GGTGGACATTTTAGTGGAGCACATTAGTGGGGTCTCTCTTGCTGCACACCTGAGCCACTC AGGCCCCATCCCTGTGCATCAGCTTCGCAGGTACACAGCTCAGCTCCTGTCAGGCCTTGA TTATCTGCACAGCAATTCTGTGGTGCATAAGGTCCTGAGTGCATCTAATGTCTTGGTGGA TGCAGAAGGCACCGTCAAGATTACGGACTATAGCATTTCTAAGCGCCTCGCAGACATTTG CAAGGAGGATGTTTTGAGCAAACCCGAGTTCGTTTTAGTGACAATGCTCTGCCTTATAA **AACGGGGAAGAAGGAGATGTTTGGCGTCTTGGCCTTCTGCTGCTGTCCCTCAGCCAAGG** ACAGGAATGTGGAGAGTACCCTGTGACCATCCCTAGTGACTTACCAGCTGACTTTCAAGA TTTTCTAAAGAAATGTGTGTGCTTGGATGACAAGGAAAGATGGAGTCCCCAGCAGTTGTT GAAACACAGCTTTATAAATCCCCAGCCAAAAATGCCTCTAGTGGAACAAAGTCCTGAAGA TTCTGGAGGACAAGATTATGTTGAGACTGTTATTCCTAGCAACCGGCTACCCAGTGCTGC ${\tt CTTCTTTAGTGAGACACAGAGACAGTTTTCCCGATACTTCATTGAGTTTGAAGAATTACA}$ ACTTCTTGGTAAAGGAGCTTTTGGAGCTGTCATCAAGGTGCAGAACAAGTTGGACGGCTG CTGCTACGCAGTGAAGCGCATCCCCATCAACCCGGCCAGCCGGCAGTTCCGCAGGATCAA GGGCGAAGTGACACTGCTGTCACGGCTGCACCATGAGAACATTGTGCGCTACTACAACGC CTGGATCGAGCGCACGAGCGGCCGGCGGGACCGGGGACGCCCCCCGGACTCCGGGCC

PCT/US00/14842

FIGURE 2GGG

CAGCGTAGAGGCCGCCGCCGCCACCCATCCTCAGCAGCTCGGTGGAGTGGAGCACTTC GGGCGAGCGCTCGGCCAGTGCCCGTTTCCCCGCCACCGGCCCGGGCTCCAGCGATGACGA TTCTGAAAGTGATATTATCTTTGACAATGAAGATGAGAACAGTAAAAGTCAGAATCAGGA TGAAGATTGCAATGAAAAGAATGGCTGCCATGAAAGTGAGCCATCAGTGACGACTGAGGC TGTGCACTACCTATACATCCAGATGGAGTACTGTGAGAAGAGCACTTTACGAGACACCAT TGACCAGGGACTGTATCGAGACACCGTCAGACTCTGGAGGCTTTTTCGAGAGATTCTGGA TGGATTAGCTTATATCCATGAGAAAGGAATGATTCACCGGGATTTGAAGCCTGTCAACAT TTTTTTGGATTCTGATGACCATGTGAAAATAGGTGATTTTGGTTTTGGCGACAGACCATCT AGCCTTTTCTGCTGACAGCAAACAAGACGATCAGACAGGAGACTTGATTAAGTCAGACCC TTCAGGTCACTTAACTGGGATGGTTGGCACTGCTCTCTATGTAAGGCCAGACGTCGTACTCCG AAGCACCAAATCTGCATACAACCAGAAAGTGGATCTCTTCAGCCTGGGAATTATCTTCTT CAGAGATCCCACTTCGCCTAAGTTTCCAGAAGACTTTGACGATGGAGAGCATGCAAAGCA GAAATCAGTCATCTCCTGGCTGTTGAACCACGATCCAGCAAAACGGCCCACAGCCACAGA GCTGCTCAAGAGTGAGCTGCTGCCCCCACCCCAGATGGAGGAGTCAGAGCTGCATGAAGT GCTGCACCACACGCTGACCAACGTGGATGGGAAGGCCTACCGCACCATGATGGCCCAGAT CTTCTCGCAGCGCATCTCCCCTGCCATCGATTACACCTATGACAGCGACATACTGAAGGG CTTTAAAAGACATGGAGCTGTTCAGTTGTGTACTCCACTACTGCTTCCCCGAAACAGACA **AATATATGAGCACAACGAAGCTGCCCTATTCATGGACCACAGCGGGATGCTGGTGATGCT** TCCTTTTGACCTGCGGATCCCTTTTGCAAGATATGTGGCAAGAAATAATATATTGAATTT AAAACGATACTGCATAGAACGTGTGTTCAGGCCGCGCAAGTTAGATCGATTTCATCCCAA AGAACTTCTGGAGTGTGCATTTGATATTGTCACTTCTACCACCAACAGCTTTCTGCCCAC TGCTGAAATTATCTACACTATCTATGAAATCATCCAAGAGTTTCCAGCACTTCAGGAAAG AAATTACAGTATTTATTTGAACCATACCATGTTATTGAAAGCAATACTCTTACACTGTGG GCTGACGAGGAGAAGTGGAAGCTAAATTTTGTAATCTGTCTTTGTCTTCTAATAGTCT GTGTCGACTCTACAAGTTTATTGAACAGAAGGGAGATTTGCAAGATCTTATGCCAACAAT **AAATTCATTAATAAAACAGAAAACAGGTATTGCACAGTTGGTGAAGTATGGCTTAAAAGA** CCTAGAGGAGGTTGTTGGACTGTTGAAGAAACTCGGCATCAAGTTACAGGTCTTGATCAA TTTGGGCTTGGTTTACAAGGTGCAGCAGCACAATGGAATCATCTTCCAGTTTGTGGCTTT CATCAAACGAAGGCAAAGGGCTGTACCTGAAATCCTCGCAGCTGGAGGCAGATATGACCT GCTGATTCCCCAGTTTAGAGGGCCACAAGCTCTGGGGCCAGTTCCCACTGCCATTGGGGT CAGCATAGCTATAGACAAGATATCTGCTGCTGTCCTCAACATGGAGGAATCTGTTACAAT **AAGCTCTTGTGACCTCCTGGTTGTAAGTGTTGGTCAGATGTCTATGTCCAGGGCCATCAA** CCTAACCCAGAAACTCTGGACAGCAGGCATCACAGCAGAAATCATGTACGACTGGTCACA GTCCCAAGAGGAATTACAAGAGTACTGCAGACATCATGAAATCACCTATGTGGCCCCTTGT GAAGCGTGTGCTGGAGACTGAACTTGTGGACCATGTACTGCAGAAACTGAGGACTAAAGT CACTGATGAAAGGAATGGCAGAGAAGCTTCCGATAATCTTGCAGTGCAAAATCTGAAGGG GTCATTTTCTAATGCTTCAGGTTTGTTTGAAATCCATGGAGCAACAGTGGTTCCCATTGT GAGTGTGCTAGCCCCGGAGAAGCTGTCAGCCAGCACTAGGAGGCGCTATGAAACTCAGGT ACAAACTCGACTTCAGACCTCCCTTGCCAACTTACATCAGAAAAGCAGTGAAATTGAAAT TCTGGCTGTGGATCTACCCAAAGAAACAATATTACAGTTTTTATCATTAGAGTGGGATGC TGATGAACAGGCATTTAACACAACTGTGAAGCAGCTGCTGTCACGCCTGCCAAAGCAAAG ATACCTCAAATTAGTCTGTGATGAAATTTATAACATCAAAGTAGAAAAAAAGGTGTCTGT GCTATTTCTGTACAGCTATAGAGATGACTACTACAGAATCTTATTTTAACCCTAAAGAAC TGTCGTTAACCTCATTCAAACAGACAGAGGCTTATACTGGAATAATGGAATGTTGTACAT

FIGURE 2HHH

TCATCATAATTTAAAATTAAATTCTAAGAAGAGGCTGGGTGCAGTGGCTCACACCTTTAA TCCCAGCACTTTGGGAAGCCAAGGCAGGAAGACTGCTTGAAACCAGGAGTTTGAGACCAG CCT

SEQ ID NO: 73 R43524 H, HRI H GTGGCTGCGCCGGCCATCGACTTTCCCGCCGAGGGCCCCGGACCCCGAATATGACGAA TCTGATGTTCCAGCAGAAATCCAGGTGTTAAAAGAACCCCTACAACAGCCAACCTTCCCT TTTGCAGTTGCAAACCAACTCTTGCTGGTTTCTTTGCTGGAGCACTTGAGCCACGTGCAT GAACCAAACCCACTTCGTTCAAGACAGGTGTTTAAGCTACTTTGCCAGACGTTTATCAAA ATGGGGCTGTTGTCTTTCACTTGTAGTGACGAGTTTAGCTCATTGAGACTACATCAC AACRBAGCTATTACHCACTTAATGAGGTCTGCTAAAGAGAGAGTTGGTCACGATCCTTGT GAGGATATTTCTCGTATCCAGAAAATCAGATCAAGGGAAGTAGCCTTGGAAGCACAAACT TCACGTTACTTAAATGAATTTGAAGAACTTGTCATCTTAGGAAAAGGTGGATACGGAAGA AAGGGTGCAACTAAAACAGTTTGCATGAAGGTCCTACGGGAAGTGAAGGTGCTGGCAGGT CTTCAGCACCCCAATATTGTTGGCTATCACACCGCGTGGATAGAACATGTTCATGTGATT CAGCCACGAGCAGACAGAGCTGCCATTGAGTTGCCATCTCTGGAAGTGCTCTCCGACCAG GAAGAGGACAGAGCAATGTGGTGTTAAAAATGATGAAAGTAGCAGCTCATCCATTATC TTTGCTGAGCCCACCCCAGAAAAAGAAAAACGCTTTGGAGAATCTGACACTGAAAATCAG AATAACAAGTCGGTGAAGTACACCACCAATTTAGTCATAAGAGAATCTGGTGAACTTGAG TCGACCCTGGAGCTCCAGGAAAATGGCTTGGCTGGTTTGTCTGCCAGTTCAATTGTGGAA CAGCAGCTGCCACTCAGGCGTAATTCCCACCTAGAGGAGAGTTTCACATCCACCGAAGAA TCTTCCGAAGAAATGTCAACTTTTTGGGTCAGACAGAGGCACAGTACCACCTGATGCTG CACATCCAGATGCAGCTGTGAGCTCTCGCTGTGGGATTGGATAGTCGAGAGAAACAAG CGGGGCCGGGAGTATGTGGACGAGTCTGCCTGTCCTTATGTTATGGCCAATGTTGCAACA ~ugaganctgaagccaagaaanatttttttttoatgg.cotga.cotga.cotaaaafaaaaaaga GGGAAGAGACACCAACACATACGTCCAGAGTGGGTACTTGTCTGTACGCTTCACCCGAA CAGTTGGAAGGATCTGAGTATGATGCCAAGTCAGATATGTACAGCTTGGGTGTGGTCCTG AGAACTGGTCAGTTGCCGGAATCCCTCCGTAAAAGGTGTCCAGTGCAAGCCAAGTATATC CAGCACTTAACGAGAAGGAACTCATCGCAGAGACCATCTGCCATTCAGCTGCTGCAGAGT GAACTTTTCCAAAATTCTGGAAATGTTAACCTCACCCTACAGATGAAGATAATAGAGCAA GAAAAAGAAATTGCAGAACTAAAGAAGCAGCTAAACCTCCTTTCTCAAGACAAAGGGGTG

AGGGATGACGGAAAGGATGGGGGCGTGGGATGA

FIGURE 2III

AGGTTTTGGCTCGAATGCACGATGAAGACCTCATTCATGGTGATCTCACCACCTCCAACA TGCTCCTGAAACCCCCCCTGGAACAGCTGAACATTGTGCTCATAGACTTTGGGCTGAGTT TCATTTCAGCACTTCCAGAGGATAAGGGAGTAGACCTCTATGTCCTGGAGAAGGCCTTCC TCAGTACCCATCCCAACACTGAAACTGTGTTTGAAGCCTTTCTGAAGAGCTACTCCACCT CCTCCAAAAAGGCCAGGCCAGTGCTAAAAAAATTAGATGAAGTGCGCCTGAGAGGAAGAA TCAAAGTAAATTTGAAGAAATGCTACAAGTATGAGATGAGATCTAAGTAAAGGTGTTAAG ATATTTTTAAGTGGTATGTGATCGTGTCATTATCATCTGCACTTCACTCAAGAGCTTACT ATGTGTCTAAGTCATGTTCTAGGCAGAATTGGGTATTTAAAGTAAATTGAGGACAGGCTT CTCCCAGATTGTGACATGTATATCTCAGATACATGGGTGTGGCATTGAACCACATAATGA GAACATTATTCTCTTTTTAGTCCTTGTGAGACAAGGATGAAGTCTCAGTTGCTGATACTC ATTTATTTTGAAACCAGTTTAATGGGATACAACCAGCATTTTAAAAAATGAAATAGAATA GATATGTGCTGAGTTTTGATGTCAAATATATTTCTCTTTCAGGGTCATGATCAAAAAATG AAAAGTCTGCTTAACTCCAATTTCTCTTTTAAAAAAGCAGACTTACAGCTTTCAGGCAAC TGAAATTCATGTTAACATGTTTTTATTTTTATTGCTTTGTATTTTTGTGGTTACCTTCTA TTCTATCACAGGCAGTAAGTAGGTAGAGCAAAAATGGTGAAGTGACTTGTGAAGACTGAA GTTTGATGAAGTCTGGTTTAAGGCACAGGTAAACTGAGTGTGGATGCAAAAGTACCAGGA TATTTTGAGTGCCTTTTGTGTTCCTTGGCACCCTGTTGGGTATTGGGTACTTGGCACCCT GTTGGGTATTGGGTACAATGGTGAGCCAGACAGACAGCGCCTGTCCTTTTGTAAGAAT ATTTATTTTATAAAAAAGTATAAAGTATACAGTGGGATGTTTTGATATACATTATGAAA TGATTGCTACAGCTGAGCTAATTAACACCCATCACCTCACATAGTTACTGTCTTGTTTCT TAATATGGACATTTGCAGCTATGAATTTCCCTCTGCACACTGTTGTCATCACACACTCTC AGTTTTGGTATTTTGTGTTTTGTTTTTCATTQATCTCANAGTATTTTCTAATTTCCCTTG TGATTTCTTCTTTGACCCCTT&ATTGTTTAGAAATCTCTTAATTTCCACACATTTGTAAA TGTTCCAATTTTTCTTTTGTTATTGCCAGCTTCATTCCATTGTGTTCAGAGATGATACAG TCATTCACCACAGTCAGCATGCCCCAAGTGCCCAGCATGGGGGGGATGGCCAGGAATGAG TGAAAACTTCCCTTCCTGGGTAGTTGTGACTAGTAGAGAGGAAAAATAATAATTGCCT GCTTACTGCATGCCAGGCATTGGGCTGGGAATTTTTATATTGGATCTAAAATAACTCTTA AGTTAGGCATTATCCCCATTTTATAGATGGAGAAACTGGCCCCAAAAGGTGGGAACTTGT CCAAGACGTCACAGGTAGCAAGAGGTACTTTTACCTGGCTCCAAATCTGTGTTCTTTCCA CTGACAAATGAGATATGGGATATGGTGCATCTTTACAGTACTATAATAAGTATTGGCGTA TAACATTATTTCAAGGAACTCCAAGGGCCACAGGAGCTGACAGGTTTTTCAATTAATAT TCCCAACATGAATGAGTGCCTCATTCCTCAGTTTCCTCACGTGTACTATAAGGCTAGTA CCTGCTTTGTTGGGGTATGGTTGGCTCGTGTGCATTAAGTCAACAAATCCCTAGT

SEO ID NO: 75 AA013524 M

FIGURE 2JJJ

SEQ ID NO: 76 17000139801197 H, IRAKM H ATGGCGGGGÄÄCTGTGGGGCCCGCGCGCGCGCTGTCGGCGCACACGCTGCTGTTCGACCTG CCCCCCGCGCTGCTCGAGAGCTCTGCGCTGTTCTVGACAGCTGCGACGGCGCGCTGGGC TATGTAGACCAAGGTAAAAGTGGAACAAGAGAATTACTTTGGTCCTGGGCACAGAAAAAC AAGACCATCGGTGACCTTTTACAGGTCCTCCAGGAGATGGGACATCGTCGAGCTATTCAT TTAATTACAAACTATGGAGCAGTGTTGAGTCCTTCAGAGAAGAGTTATCAGGAAGGTGGA TTTCCAAATATATTATTCAAGGAAACAGCCAATGTCACCGTGGATAATGTTCTTATTCCT GAACATAATGAAAAAGGAGTACTGCTTAAATCTTCCATCAGCTTTCAAAATATCATAGAA GGAACTAGAAATTTCCACAAAGACTTCCTAATTGGAGAAGGAGAGATTTTTGAGGTATAC AGAGTGGAGATTCAAAACCTAACATATGCTGTCAAATTATTTAAACAGGAGAAAAAAATG CAGTGTAAGAAGCATTGGAAGAGGTTTTTATCTGAGCTTGAAGTTTTACTACTGTTTCAT TATCCATACATGAGAAATGGAACACTTTTTGACAGATTGCAGTGTGTAGGTGACACGGCC CCACTCCCTTGGCACATTCGAATCGGTATATTAATAGGAATATCCAAAGCCATTCACTAC CTGCACAACGTTCAACCATGCTCGGTCATCTGTGGCAGTATATCAAGTGCAAACATCCTT TTGGATGATCAGTTTCAACCCAAACTAACTGATTTTGCCATGGCACACTTCCGGTCCCAC CTAGAACATCAGAGTTGTACCATAAATATGACCAGCAGCAGCAGTAAACATCTGTGGTAC ATGCCAGAAGAGTACATCAGACAGGGCAAACTTTCCATTTAAAGCAGATGTCLLCAGCTIT GGAA'T'GTAATAATGGAAGTTCTAACAGGATGTAGAGTAGTGTTM:GATGA'fCCAAAACAT TCATTCTAGATAAGAAAGTGCCTCCCTGCCCTCGGAATTTCTCTGCCAAGCTCTTCTGT TTGGCAGGCCGGTGTGCTGCAACGCGGGCAAAGTTAAGACCATCAATGGATGAAGTTTTA AATACTCTTGAAAGTACTCAAGCCAGCTTGTATTTTGCTGAAGATCCTCCCACATCACTA AAGTCCTTCAGGTGTCCTTCTCCTCTATTCCTGGAGAATGTACCAAGTATTCCAGTGGAA GATGATGAAAGCCAGAATAACAATTTACTACCTTCTGATGAAGGCCTGAGGATAGACAGA **ATGACTCAGAAAACTCCTTTTGAATGCAGCCAGTCTGAGGTTATGTTTCTGAGCTTGGAC AAAAAGCCAGAGAGAGAAATGAGGAAGCTTGCAACATGCCCAGTTCTTCTTGTGAA** GAAAGTTGGTTCCCAAAGTATATAGTTCCATCCCAGGACTTAAGGCCCCTATAAGGTAAAT ATAGATCCTTCTTCAGAAGCTCCAGGGCATTCTTGCAGGAGCAGGCCAGTGGAGAGCAGC TGTTCCTCCAAATTTTCCTGGGATGAATATGAACAGTACAAAAAAAGAATAA

SEQ ID NO: 77_AA840598_M IRAKM_M
ATGTGGAAGAGTTTTTATCAGAACTGGAAGTTCTACTCCTGTTCCGTCACCCCCACATA
CTAGAGCTGGCTGCATATTTCACGGAGACTGAGAAACTTTGTCTGGTTTATCCCTATATG
AGCAACGGGACGCTTTTCGACAGATTACAGTGCACAAATGGCACAACCCCGCTTTCCTGG
CACGTTCGAATCAGCGTATTGATAGGAATAGCCAAAGCCATCCAATACTTGCACAACACT
CAGCCGTGCGCCGTCATCTGTGGCAACGTTTCCAGTGCAAACATACTCTTGGATGACCAG
CTCCAACCCAAACTAACGGATTTTGCTGCAGCGCACTTCCGACCCAATCTAGAGCAGCAG
AGTTCTACCATAAATATGACCGGCGGTGGCAGGAAACATCTGTGGTACATGCCAGAAGAA

FIGURE 2KKK

TACATCAGACAGGGAAGACTTTCCGTTAAAACTGATGTCTACAGCTTCGGAATCGTGATC **ATGGAGGTTCTAACGGGCTGCAAAGTGGTGCTGGATGACCCGAAACACGTTCAGCTGCGG** AGGAAGATACCACCCTGTCCTCGGAACTTCTCTGCAAAGCTCTTCTCTCTGGCGGGCCGG TGTGTGGCAACGAAGGCCAAGTTAAGACCCACGATGGACGAAGTCCTGTCCTCTCTGGAG AGCACCCAGCCTAGCTTGTATTTTGCAGAAGACCCTCCCACGTCCTTGAAGTCCTTCAGG TGTCCTTCTCCACTGTTCTTGGATAATGTCCCAAGTATTCCAGTAGAAGATGATGAAAAC CAGAATAACCATTCAGTACCTCCCAAGGAAGTTTTGGGGACAGATAGAGTGACTCAGAAA ACCCCTTTGAATGCAGCCAGTCTGAGGTCACCTTTCTAGGCTTGGACCGAAACAGAGGG AACAGGGGAAGTGAAGCGGATTGCAACGTGCCCAGTTCTTCTCATGAGGAATGCTGGTCC CCAGAGCTTGTGGCGCCATCCCAGGACTTAAGTCCTACTGTGATCAGTTTGGGCTCGTCT <u> Poggaagtaccageccattcttateggagcaagccaategagaagaggcttcctctgg</u> CTCTTTTGCAGTGAGCATGAACAGTCCAAAAAGCAGTGAATCCACCAGAAGATCAAGCAA AAAATAAAAGCAAACGTCACTGAAGGCACTGAGCAAATAGCATCCCCGTGAAAAGACACG **AGCTCTGAGCTCCGTGAGTACAGCCAAGGGACCAACTGATGGAGAATTTGAATGGTGCAG** ATTAGCAGCAAGGAAGTCTATTCCTTCCTCCAAACAGAATAATTTCAAGAGATGCTTTAT TCAAGTGACCGCCTCTCAGTCAAACCTGAGAAGCTAAACTGGAGCCAATCAGAATTATCC **AAGATTCCGGGTTCTGACAACCAAAACCTAGCAAAGAGTAGCAGGACAAGTCTCTCTTT AAGTCTCTCACTCTCTCATCATCATCCGAGTGAGATCTTGGTATAGGTGAACAGAGAACCA** GCAGCCAGTAGTCACCAGCAGCCAATCATGATACAGTGTCACTCTCCCTCTGCGCATGCC TCTGTTGCGTAGTGTGACTTTGTGGCATGACTTGGTTGTCAGATCATTTGCACAAGAACA AGCGAATACAACAACAAGCCCACCATCATTACCACCGGCACTTAATGCTAGTCTTTC TGCTAGGGATACTGACAGTCTATTTGCTTCCCATGGTCATAGGGAAGTTGCTCAAATGCA TYTY CAGCAGT TGCTACTCTTCTTTATCGCTGTTAACCUGTCTGTCEF?ARGTUAGC CAAGTCATCCTTGCTAGGGCTTTTTCTGTGTAGAGAGGGAATTCCAGTCCAAAGTCTGCT TCTCTGTATTTAAATTCTTAGAAGAGTTGCCTGTGGCATTCCAATTGTTATATAAAAAAA TTATATTAAAGAATTCCAGCACT

SEQ ID NO: 78 AA088547 H

ATGGCGAGTGCGGTCAGGGGGTCGAGGCCGTGGCCCCGGCTGGGGCTCCAGCTCCAGTTC GCGGCGCTGCTCGGGACGCTGAGTCCACAGGTTCATACTCTCAGGCCAGAGAACCTC **AAGTGGACTCTGAGGGATGATCCCGTCATCGAAGGACCAATGTACGTCACAGAAATGGCC** TTTCTCTCTGACCCAGCAGATGGCAGCCTGTACATCTTGGGGACCCAAAAACAACAGGGA TTAATGAAACTGCCATTCACCATCCCTGAGCTGGTTCATGCCTCTCCCTGCCGCAGCTCT GATGGGGTCTTCTACACAGGCCGGAAGCAGGATGCCTGGTTTGTGGTGGACCCTGAGTCA GGGGAGACCCAGATGACACTGACCACAGAGGGTCCCTCCACCCCCGCCTCTACATTGGC CGAACACAGTATACGGTCACCATGCATGACCCAAGAGCCCCAGCCCTGCGCTGGAACACC ACCTACCGCCGCTACTCAGCGCCCCCCATGGATGGCTCACCTGGGAAATACATGAGCCAC CTGGCGTCCTGCGGGATGGGCCTGCTGCTCACTGTGGACCCAGGAAGCGGGACGGTGCTG TGGACACAGGACCTGGGCGTGCCTGTGATGGGCGTCTACACCTGGCACCAGGACGGCCTG CGCCAGCTGCCGCATCTCACGCTGGCTCGAGACACTCTGCATTTCCTCGCCCTCCGCTGG GGCCACATCCGACTGCCTCAGGCCCCCGGGACACAGCCACCCTCTTCTCTACCTTG GACACCCAGCTGCTAATGACGCTGTATGTGGGGAAGGATGAAACTGGCTTCTATGTCTCT **AAAGCACTGGTCCACACAGGAGTGGCCCTGGTGCCTCGTGGACTGACCCTGGCCCCCGCA** GATGGCCCCACACAGATGAGGTGACACTCCAAGTCTCAGGAGAGCGAGAGGGCTCACCC

FIGURE 2LLL

AGCACTGCTGTTAGATACCCCTCAGGCAGTGTGGCCCTCCCAAGCCAGTGGCTGCTCATT GGACACCACGAGCTACCCCCAGTCCTGCACACCACCATGCTGAGGGTCCATCCCACCCTG GGGAGTGGAACTGCAGAGACAAGACCTCCAGAGAATACCCAGGCCCCAGCCTTCTTCTTG GAGCTATTGAGCCTGAGCCGAGAGAAACTTTGGGACTCCGAGCTGCATCCAGAAGAAAA ACTCCAGACTCTTACTTGGGGCTGGGACCCCAAGACCTGCTGGCAGCTAGCCTCACTGCT GTCCTCTGGGAGGTGGATTCTCTTTGTGATGAGGCAGGTGGTGGAGAAGCAGCAGGAG ACCCCCTGGCACCTGCAGACTTTGCTCACATCTCCCAGGATGCCCAGTCCCTGCACTCG GACGACCCTGAAGCTGAGCAACTCACCGTAGTGGGGAAGATTTCCTTCAATCCCAAGGAC GTGCTGGGCCGCGGGCAGGCGGGACTTTCGTTTTCCGGGGACAGTTTGAGGGACGGGCA GTGGCTGTCAAGCGGCTCCTCCGCGAGTGCTTTCGCCTGGTTCGCCGCGAAGTTCAACTG <u>CTGCAGGAGTCTGACAGGCACCCAACGTGCTCCGCTACTTCTGCACCGAGCTGGGGACCC</u> CAGTTCCACTACATTGCCCTGGAGCTCTGCCGGGCCTCCTTGCAGGAGTACGTAGAAAAC CCGGACCTGGATCGCGGGGTCTGGAGCCCGAGGTCGTGCTGCAGCAGCTGATGTCTGGCCTGGCCCACCTGCACTCTTTACACATAGTGCACCGGGACCTGAAGCCAGGAAATATTCTC ATCACCGGGCCTGACAGCCAGGGCCTGGGCAGAGTGGTGCTCTCAGACTTCGGCCTCTGC **AAGAAGCTGCCTGCTGGCCGCTGTAGCTTCAGCCTCCACTCCGGCATCCCCGGCACGGAA** GGCTGGATGGCGCCCGAGCTTCTGCAGCTCCTGCCACCAGACAGTCCTACCAGCGCTGTG GACATCTTCTCTGCAGGCTGCGTGTTCTACTACGTGCTTTCTGGTGGCAGCCACCCCTTT GGAGACAGTCTTTATCGCCAGGCAAACATCCTCACAGGGGCTCCCTGTCTGGCTCACCTG GAGGAAGAGGTCCACGACAAGGTGGTTGCCCGGGACCTGGTTGGAGCCATGTTGAGCCCA CTGCCGCAGCCACGCCCTCTGCCCCCCAGGTGCTGGCCCACCCCTTCTTTTGGAGCAGA GAGCCCTGGTGAGGGCACTGGAGGCGGGAGGCTGCGCAGTGGTCCGGGACAACTGGCAC GAGCACATCTCCATGCCGCTGCAGACAGATCTGAGAAAGTTCCGGTCCTATAAGGGGACA TCAGTGCGAGACCTGCTCCGTGCTGAGGAACAAGAAGCACCACTACAGGGAGCTCCCA GTTGAGGTGCGACAGGCACTCGGCCAAGTCCCTGATGGCTTCGTCCAGTACTTCACAAAC CONTROLEAGEGCTGCTCCACACGCACCGAGCCAFGAGGAACTECGCCTCCAGAACC CTCTTCCTGCCTACTACCCGCCAGACTCAGAGGCCAGGAGGCCATGCCCTGGGGCCACA **GGGAGGTGA**

SEQ ID NO: 79 HGP 6644466

GGAGGGTTCGAATTGCAACGGCAGCTGCCGGGCGTATGTGTTGGTGCTAGAGGCAGCTGC AGGGTCTCGCTGGGGCCGCTCGGGACCAATTTTGAAGAGGTACTTGGCCACGACTTATT TTCACCTCCGACCTTTCCTTCCAGGCGGTGAGACTCTGGACTGAGAGTGGCTTTCACAAT ATGTTCAACTCCAACTATAAATATCCCGGCCTCTCCGTTTATGCAGAAGCTTGGCTTTGG TACTGGGGTAAATGTGTACCTAATGAAAAGATCTCCAAGAGGTTTGTCTCATTCTCCTTG GGCTGTAAAAAGATTAATCCTATATGTAATGATCATTATCGAAGTGTGTATCAAAAGAG ACTAATGGATGAAGCTAAGATTTTGAAAAGCCTTCATCATCCAAACATTGTTGGTTATCG TGCTTTTACTGAAGCCAATGATGGCAGTCTGTGTCTTGCTATGGAATATGGAGGTGAAAA CATAATTTTAAAAGTTGCTTTGAATATGGCAAGAGGGTTAAAGTATCTGCACCAAGAAAA GAAACTGCTTCATGGAGACATAAAGTCTTCAAATGTTGTAATTAAAGGCGATTTTGAAAC AATTAAAATCTGTGATGTAGGAGTCTCTCTACCACTGGATGAAAATATGACTGTGACTGA CCCTGAGGCTTGTTACATTGGCACAGAGCCATGGAAACCCAAAGAAGCTGTGGAGGAGAA TGGTGTTATTACTGACAAGGCAGACATATTTGCCTTTGGCCTTACTTTGTGGGAAATGAT GACTTTATCGATTCCACACATTAATCTTTCAAATGATGATGATGAAGATAAAACTTT TGATGAAAGTGATTTTGATGATGAAGCATACTATGCAGCGTTGGGAACTAGGCCACCTAT TAATATGGAAGAACTGGATGAATCATACCAGAAAGTAATTGAACTCTTCTCTGTATGCAC

PCT/US00/14842

FIGURE 2MMM

SEO ID NO: 80 AA449542 M ATCTCCAAGAGGGTTGTCTCATTCTCCTTGGGCCGTGAAAAAGATAAGTCTTTTATGCGA TGATCATTATCGAACTGTGTATCAGAAGAGACTAACTGATGAAGCTAAGATTTTAAAAAA CCTTAATCACCCAAACATTATAGGATATCGTGCTTTTACTGAAGCCAGTGATGGTAGTCT GTGCCTTGCTATGGAGTATGGAGGTGAAAAGTCTCTGAATGACTTAATAGAAGAGCGGAA CAAAGACAGTGGAAGTCCTTTTCCAGCAGCTGTAATTCTCAGAGTTGCTTTGCACATGGC CAGAGGCTAAAGTACCTGCACCAAGAAAAGAAGCTGCTTCATGGAGACATAAAGTCTTC AAATGTTGTAATTAAAGGTGATTTTGAAACAATTAAAATCTGTGATGTAGGAGTCTCTCT GCCATTGGATGAAAATATGACTGTGACTGATCCTGAGGCCTGTTATATTGGTACTGAGGCC ATGGAAACCCAAGGAAGCGTTGGAAGAAAATGGCATCATTACTGACAAGGCAGATGTGTT TGCTTTTGGCCTTACTCTGTGGGAAATGATGACTTTATGTATTCCACACGTCAATCTTCC AGATGATGATGTTGATGAAGATGCAACCTTTGATGAGAGTGACTTCGATGATGAAGCATA TTATGCAGCTCTGGGGACAAGGCCATCCATCAACATGGAAGAGCTGGATGACTCCTACCA TGCACACATCGTTGAAGCTTTGGAACTAGATGGCCAATGTTGTGGTCTAAGCTCAAAGCA TTAACTTGTATGGGAACTGTTAACTAGATATATGTAGTTAATATAACTTATGGTAGCTAG ATTCTAGAAGTAGCTTTAACACTAGTGACCCCTGTCTAAGATGACTTAAGAATCAAGGGA CCATTGCTTTGTTACAGATCTTTTTAGATATTCTTGCTTCTTTAGTGGGTTACTAAAAAT TTCACTACGTACATGTGGTACAGATATCTGTCTGCTCATAGTGTCAGTCCTTCAGCTGGC CTGTCAGCCCATGCGCCCTGGGACTTGAGAAGAGTTCATAAACGTAGCTCCTAGGGTGTC TTGCCTCTCTACACTTAGCTTCTAATTTATTACTTTGTTTCTACTGATTGTGTCTTAAGT CTTTTAAAATAAATGTAAGAATAAACAATAAAAGACAGTTTTAGTACCAGG

SEQ ID NO: 82_AA232253_H
ATGTCGTCTCTCGGTGCCTCCTTTGTGCAAATTAAATTTGATGACTTGCAGTTTTTTGAA
AACTGCGGTGGAGGAAGTTTTGGGAGTGTTTATCGAGCCAAATGGATATCACAGGACAAG
GAGGTGGCTGTAAAGAAGCTCCTCAAAATAGAGAAAGAGGCAGAAATACTCAGTGTCCTC
AGTCACAGAAACATCATCCAGTTTTATGGAGTAATTCTTGAACCTCCCAACTATGGCATT
GTCACAGAATATGCTTCTCTGGGATCACTCTATGATTACATTAACAGTAACAGAAGTGAG
GAGATGGATATGGATCACATTATGACCTGGGCCACTGATGTAGCCAAAGGAATGCATTAT
TTACATATGGAGGCTCCTGTCAAGGTGATTCACAGAGACCTCAAGTCAAGAAACGTTGTT

FIGURE 2NNN

ATAGCTGCTGATGGAGTATTGAAGATCTGTGACTTTGGTGCCTCTCGGTTCCATAACCAT ACAACACACTGTCCTTGGTTGGAACTTTCCCATGGATGGCTCCAGAAGTTATCCAGAGT CTCCCTGTGTCAGAAACTTGTGACACATATTCCTATGGTGTGGTTCTCTGGGAGATGCTA ACAAGGGAGGTCCCCTTTAAAGGTTTGGAAGGATTACAAGTAGCTTGGCTTGTAGTGGAA AAAACGAGAGATTAACCATTCCAAGCAGTTGCCCCAGAAGTTTTGCTGAACTGTTACAT CAGTGTTGGGAAGCTGATGCCAAGAAACGGCCATCATTCAAGCAAATCATTTCAATCCTG GAGTCCATGTCAAATGACACGAGCCTTCCTGACAAGTGTAACTCATTCCTACACAACAAG GCGGAGTGGAGGTGCGAAATTGAGGCAACTCTTGAGAGGCTAAAGAAACTAGAGCGTGAT CTCAGCTTTAAGGAGCAGGAGCTTAAAGAACGAGAAAGACGTTTAAAGATGTGGGAGCAA GAAGACEATGTGTATTGGTGGGTTCAGCAGCTCGTCAGAAAAGGTGACTCTTCAGCAGAG ATGAGTGTATATGCAAGCTTGTTTAAAGAAACAACATTALLEEDTALGCEGCTGCTGCTG CTGGAGGAAGAAGACCTGAAAGACATGGGCATTGTCTCCAAGGGGCATATCACTTC **AAGTCAGCCATTGAGAAATTAACCCATGATTACATAAATTTGTTTCACTTCCCACCACTA** ATTAAGGACTCAGGAGGTGAACCTGAAGAAAATGAGGAAAAAAATAGTGAACCTGGAACTG GTTTTTGGTTTTCACTTGAAACCAGGAACTGGCCCACAGGATTGTAAGTGGAAAATGTAT ATGGAGATGGATGGGATGAAATTGCAATAACCTACATAAAAGATGTGACATTCAACACT **AACCTACCTGATGCGGAGATTTTAAAGATGACAAAGCCACCATTTGTAATGGAGAAGTGG** ATTGTAGGAATAGCAAAAAGTCAGACTGTGGAGTGCACTGTCACATATGAGAGTGATGTT AGAACTCCAAAAAGCACTAAACATGTCCATTTGATTCAGTGGAGTAGAACAAAACCTCAG GATGAAGTGAAAGCAGTCCAACTTGCCATTCAGACATTATTCACCAATTCAGATGGCAAC CCTGGAAGCAGGTCCGACTCAAGTGCTGATTGCCAGTGGTTAGATACTCTGAGGATGCGG CAGATTGCATCCAACACTTCTTTACAGCGTTCCCAGAGCAATCCTATTCTGGGGTCACCG TTCTTCTCACACTTTGATGGCCAGGATTCCTACGCTGCTGCTGTGAGACGGCCCCAGGTG CCCATTAAGTATCAACAGATTACACCTGTGAACCAGTCCAGAAGCTCGTCTCCTACTCAG TATGGACTGACCAAAAACTTCTCTTCCTTACATCTCAACTCTAGGGACAGTGGCTTTTCC TATGERCOTO DA CIATATO ACTUALITO POCTOCTAGAGO A AGATACAGTO CARACATE CAGCATTCCACTCCATCAAGACGAAGATACCCTGGAAAGTTCTACAGGGTTTCTCAGTCA GCACTCAATCCTCACCAGTCGCCTGACTTCAAGAGAGCCCCAGGGACCTCCACCAACCC AGCAAAGTCAGCGAAGGGGGCTGGACAAAAGTGGAATACCGGAAAAAAGCCCCACAGGCCA TGA

SEQ ID NO: 83_A1375137_H
ATGGGAAATTATAAATCTAGACCAACCCAAACTTGTACTGATGAATGGAAGAAAAAAGTC
AGTGAATCATATGTTATCACAATAGAAAGATTAGAAGATGAACCTGCAGATCAAGGAAAAA
GAACTGACAGAACTAAGGAATATATTTGGCTCTGATGAAGCCTTCAGTAAAGTCAATTTA
AATTACCGCACTGAAAATGGGCTGTCTCTACTTCATTTATGTTGCATTTGTGGAGGCAAG
AAATCACATATTCGAACTCTTATGTTGAAAGGGCTCCGCCCATCTCGACTGACAAGAAAT
GGATTTACAGCCTTGCATTTAGCAGTTTACAAGGATAATGCAGAATTGATCACTTCTCTG
CTTCACAGTGGAGCTGATATACAGCAGGTTGGATACGGTGGCCTCACTGCCCTCCATATT
GCTACAATAGCTGGCCACCTAGAGGCTGCTGATGTGCTGTTGCAACATGGAGCTAATGTC
AATATTCAAGATGCAGTTTTTTTCACTCCATTGCATATTGCAGCGTACTATGGACATGAA
CAGGTAACTCGCCTTCTTTTGAAATTTGGTGCTGATGTAAATGTAAGTGGTGAAGTTGGA
GATAGACCCCTCCACCTAGCATCTGCAAAAGGATTCTTGAATATTGCAAAACTCTTGATG
GAAGAAGGCAGCAAAGCAGATGTGAATGCTCAAGATAATGAAGACCATGTCCCACTCCAT
TTCTGTTCTCGATTTGGACACCATGATATAGTTAAGTATCTGCAAAAGTGATTTGGAA

GTTCAACCTCATGTTGTTAATATCTATGGAGATACCCCCTTACACCTGGCATGCTACAAT

FIGURE 2000

GGCAAATTTGAAGTTGCCAAGGAAATCATCCAAATATCAGGAACAGAAAGTCTGACTAAG GAAAACATCTTCAGTGAAACAGCTTTTCATAGTGCTTGTACCTATGGCAAGAGCATTGAC CACACTGGATTACACTCTGCTTGCTACCACGGTCACATTCGCCTGGTTCAGTTCTTACTG GATAATGGAGCTGATATGAATCTAGTGGCTTGTGATCCCAGCAGGTCTAGTGGTGAAAAA GATGAGCAGACATGTTTGATGTGGGCTTATGAAAAAGGGCATGATGCCATTGTCACACTC CTGAAGCATTATAAGAGACCACAAGATGAATTGCCCTGTAATGAATATTCTCAGCCTGGA GGAGATGGCTCCTATGTGTCTGTTCCATCACCCTTGGGGAAGATTAAAAGCATGACAAAA GAGAAGGCAGATATTCTCCTCCTAAGAGCTGGATTGCCTTCACATTTCCATCTTCAGCTC TCAGAAATTGAGTTCCATGAGATTATTGGCTCAGGTTCTTTTGGGAAAGTATATAAAGGA <u>CGATGCAGAAATAAAATAGTGGCTATAAAACGTTATCGAGCCAATACCTACTGCTCCAAG</u> TCAGATGTGGATATGTTTTTCCGAGAGG.GTCCATTCTCTGCCAGCTCAATCATCCTGC TACATATCAGGGGGTTCTCTGTTCTCCCTCCTTCATGAGCAGAAGAGGATTCTTGATTTG CAGTCTAAATTAATTATTGCAGTAGATGTTGCCAAAGGCATGGAGTACCTTCACAACCTG ACACAGCCAATTATACATCGTGACTTGAACAGTCACAATATTCTTCTCTATGAGGATGGG CATGCTGTGGTGGCAGATTTTGGAGAATCAAGATTTCTACAGTCTCTGGATGAAGACAAC ATGACAAACCACCTGGGAACCTCCGTTGGATGGCTCCTGAGGTGTTCACGCAGTGCACT GGCGAAATTCCATTCGCTCATCTCAAGCCAGCGGCTGCGGCAGCAGACATGGCTTACCAC CACATCAGACCTCCCATTGGCTATTCCATTCCCAAGCCCCATATCATCTCTGCTGATACGA GGGTGGAACGCATGTCCTGAAGGAAGACCCGAATTTTCTGAAGTTGTCATGAAGTTAGAA GAGTGTCTCTGCAACATTGAGCTGATGTCTCCTGCATCAAGTAACAGCAGTGGGTCTCTC TCACCTTCTTCTTCTGATTGCCTGGTGAACCGGGGAGGACCTGGCCGGAGTCATGTG GCAGCATTAAGAAGTCGTTTCGAATTGGAATATGCTCTAAATGCAAGGTCCTATGCTGCT AGTCTTCAATACACACCCATTGACAAATATGGCTATGTATCCGATCCCATGAGCTCAATG CATTTTEATTC TEGCCGAAATAGTAGCAGCTTTGAGGACACCAGCTGA

SEO ID NO: 84 H97685 H

ATGATTCTTGCCTGTNATAACCTATGCACTCACAAAGATGAACTCTCTGAGAGGGGATGA GCAAGAGCTTCAGGAAATCCGAAAGTATTTCTCCTTTTCCTGTATTCTTTTTCAAAGTGCC GAAACTGGGCTCGGAGATAATAGACTCCTCAACCAGGAGAATGGAGAGCGAAAGATCACC GCTTTATCGCCAGCTAATTGACCTGGGCTATCTGAGCAGCAGTCACTGGAACTGTGGGGC TCCTGGCCAGGATACTAAAGCTCAGAGCATGTTGGTGGAACAGAGTGAAAAGCTGAGACA CTTGAGCACATTTTCTCACCAGGTGTTACAGACTCGCCTGGTGGATGCAGCCAAGGCCCT GAACCTGGTGCACTGCCTTGACATCTTTATTAACCAGGCATTTGACATGCAGCG GGACCTGCAGATCACTCCCAAACGTCTGGAATATACTCGAAAAAAGGAGAATGAGTTGTA TGAATCATTGATGAATATTGCCAACCGAAAGCAGGAGGAAATGAAGGATATGATTGTTGA GACACTTAATACCATGAAGGAGGAACTTCTGGATGATGCTACTAACATGGAGTTTAAAGA CGTCATTGTCCCTGAGAATGGAGAACCAGTAGGCACCAGAGAGATCAAATGCTGCATCCG **ACAGATCCAGGAACTCATCATCTCCCGACTTAATCAGGCAGTGGCTAATAAGCTGATCAG** CTCAGTGGATTACCTGAGGGAAAGCTTCGTCGGAACCCTGGAACGATGTCTGCAGAGCCT GGAGAAGTCTCAGGATGTCTCAGTTCACATCACCAGTAATTATCTCAAACAGATCTTAAA TGCTGCCTATCATGTTGAAGTCACGTTTCACTCAGGGTCGTCAGTTACAAGGATGCTATG GGAGCAAATCAAACAGATCATCCAGCGCATCACATGGGTGAGCCCACCTGCCATCACTCT GGAATGGAAGAGGAAGGTGGCCCAGGAAGCCATTGAGAGCCTCAGCGCCTCCAAATTGGC TAAGAGCATTTGCAGCCAATTCCGGACTCGGCTCAATAGTTCCCACGAGGCTTTTGCAGC CTCCTTGCGGCAGCTGGAAGCTGGCCACTCAGGCCGGTTAGAGAAAACGGAAGATCTATG GCTGAGGGTTCGGAAAGATCATGCTCCCCGCCTGGCCCGCCTTTCTCTGGAAAGCCGTTC

FIGURE 2PPP

TTTACAGGATGTCTTGCTTCATCGTAAACCTAAACTGGGACAGGAACTGGGCCGGGGCCA GTATGGTGTGTATACCTGTGTGACAACTGGGGAGGACACTTCCCTTGTGCCCTCAAATC AGTTGTCCCTCCAGATGAGAAGCACTGGAATGATCTGGCTTTTGGAATTTCACTATATGAG GTCTCTGCCGAAGCATGAGCGATTGGTGGATCTCCATGGTTCAGTCATTGACTACAACTA TGGTGGTGCTCCAGCATTGCTGTGCTCCTCATTATGGAGCGGCTACACCGGGATCTCTA CACAGGGCTGAAGGCTGGCCTGACCCTGGAGACACGTTTGCAGATAGCACTAGATGTGGT GGAGGGAATCCGCTTCCTGCACAGCCAGGGACTTGTCCATCGTGATATCAAACTGAAAAA TGTGCTGCTGGATAAGCAGAACCGTGCCAAGATCACTGACTTAGGATTCTGCAAGCCAGA GGCCATGATGTCAGGCAGCATTGTGGGGGACACCAATCCATATGGCCCCTGAACTTTTCAC AGGGAAGTACGATAATTCCGTGGATGTCTACGCTTTTGGAATTCTTTTCTGGTATATCTG CTCAGCCTCTGTCAAGCTCCCTGAGGCATTTGAGAGGGTGTGCTAGCAAAGACCATCTCTG GAACAATGTGCGGAGGGGGGCTCGCCCAGAACGTCTTCCTGTGTTTGATGAGGAGTGCTG GCAGTTGATGGAAGCCTGTTGGGATGGCGACCCCTTGAAGAGGCCTCTCTTGGGCATTGT CCAGCCCATGCTCCAGGGCATCATGAATCGGCTCTGCAAGTCCAATTCTGAGCAGCCAAA CAGAGGACTAGATGATTCTACTTGAAAGCAAAGACCTTTCTCTTTCACTCTCTAGTTATT TCCTTCCCCCTCACCATTTGGCCATGGGGAGAATTTGACATTTATTCACTATAGGACACA TGGACAGTGAAGAGTTGAATGACTGAGCATATTCAGCAGCTCACTGAAGCGCCAAGCTAT CCCTTTAGCAAAAAAGTGTCTCAGATGTGTAAAAGCTGAGGAATGTGGTGTTCTGGCTTC ACAAATGAAAAGGAGGCAGATGTT

SEQ ID NO: 85 W20810 M

TTGATGTCAACCTGAAGGCTTCTAAAGCGAGTGATGTCTACAGCTTTGGGATCCTCGTGT GGGCAGTGCTGGCTGGCAGAGAGCTGAGTTGGTAGACAAGACTTCACTAATCCGGGAAA CAGTGTGTGACAGGCAGAGTCGTCCTCCACTGACAGAGCTGCCTCCAGGTAGCCCTGAGA CTCCCGGCTTGGAAAAACTGAAGGAGTTAATGATTCATTGCTGGGGTTCCCAGTCCGAAA ACAGGCCATCCTTCCAGGACTGCGAACCAAAAACCAATGAAGTTTACAATCTGGTAAAGG - ACAP COTAGA EGT GCT CT CCCAGGTAAACCATTAT CT GT CT CAGCA (ACAP (LA CACA) GCAGAAACTTGTC1GCCAGAGAGCCAAGGCCAAAGAGGCACAGAAATGGATTGCCCGAGGG AAACCATGGTTTCTAAAATGCTGGACCGCCTGCATTTGGAGGAACCCTCCGGACCAGTTC CTGGAAAATGTCCTGAGAGGCAAGCACAGGACACATCAGTTGGGCCTGCCACACCAGCAA GGACATCTTCTGACCCCGTGGCTGGCACTCCTCAGATTCCACATACTTTACCCTTCAGAG GCACAACACCTGGGCCAGTCTTTACTGAGACTCCCGGTCCTCACCCCCAAAGGAATCAGG GAGATGGAAGACACGCCACCTTGGTATCCCTGGACCCCACCGAATCCAATGACAGGGC CACCGGCTCTCGTCTTCAACAACTGTTCTGAAGTGCAGATTGGGAACTACAACTCCTTGG TAGCACCACCAAGAACTACTGCCTCAAGTTCGGCCAAGTATGACCAAGCACAGTTCGGCA GGGGTAGGGGCTGGCAGCCCTTCCACAAGTAGACTTCAGAGAATCACTGCAAGAGCCTGA AGTGTGCCATTCAGCGTGGCAATAAAAAGCACGTTTTAAGCAACCTGGACTGGCTAAGAC AGTCCTTGCCACTTCCTGAAGCTCACAACATTCTGTGAGGACAGTTGGACCTACACCCAA ACTGACTCTTGACCCATCTCCTTAAAGTCAATAAACATAGCATGTTAACTGTG

SEQ ID NO: 86 AA744236 H

FIGURE 2QQQ

CAGTCAATAAGAGACCCAGCATCTATCCCTCCTGAAGAGATGTCTCCAGAATTCACAACT CTCCCAGAGTGTCATGGACATGCCCGGGATGCCTTTTCATTTGGAACATTGGTGGAAAGT TTGCTCACAATCTTAAATGAACAGGTTTCAGCGGATGTTCTCCCAGCTTTCAACAGACC TTGCACTCAACTTTGCTGAATCCCATTCCAAAATGTCGGCCAGCGCTCTGCACCTTACTA TCTCATGACTTCTTCAGAAATGATTTTCTGGAAGTTGTGAATTTCTTGAAAAGTTTAACA TTGAAGAGTGAAGAGGAGAAAACGGAATTCTTTAAATTTCTGCTGGACAGAGTCAGCTGC TTGTCAGAGGAATTGATAGCTTCAAGGTTGGTGCCTCTTCTGCTTAATCAGTTGGTGTTT GCAGAGCCAGTGGCTGTTAAGAGTTTTCTTCCTTATCTGCTTGGCCCCAAAAAAGATCAT GCGCAGGGAGAAACTCCTTGCTTGCTCTCACCAGCCCTGTTCCAGTCACGGGTGATCCCC GTGCTTCTCCAGTTGTTTGAAGTTCATGAAGAGCATGTGCGGATGGTGCTGCTGTCTCAC ATCGAGGCCTACGTGGAGCACTTCACTCAGGAGCAGCTGAAGAAAGTCATCTTGCCACAG GATTTGGTĞGĞCCTGÜĞTQATACTAGCGA"TCCATTGTGGCAATTALFGTGINTAGGUTA TTCAAACGCACTGCCCCAAGTTTTACTAAAAATACTGACCTTTCTCTAGAAGGCGATCCA TTTTCTCAGCCTATTAAATTTCCCATAAATGGACTCTCAGATGTAAAAAATACTTCGGAG GACAGTGAAAACTTCCCATCAAGTTCTAAAAAGTCTGAGGAGTGGCCTGACTGGAGTGAA CCTGAGGAGCCTGAAAATCAAACTGTCAACATACAGATTTGGCCTAGAGAACCTTGTGAT GATGTCAAGTCCCAGTGCACTACCTTGGATGTGGAAGAGTCATCTTGGGATGACTGCGAG CCCAGCAGCTTAGATACTAAAGTAAACCCAGGAGGTGGAATCACTGCTACAAAACCTGTT TGGAAATCAAGCTTACCCCAAAAGATTAGCCTTGTACAAAGGGGGGATGACGCAGACCAA **ATCGAGCCGCCAAAAGTGTCATCACAAGAAAGGCCCCTTAAGGTTCCATCAGAACTTGGT** TTAGGAGAGGAATTCACCATTCAAGTAAAAAAGAAGCCAGTAAAAGATCCTGAGATGGAT TGGTTTGCTGATATGATCCCAGAAATTAAGCCTTCTGCTGCTTTTCTTATATTACCTGAA CTGAGGACAGAAATGGTCCCAAAAAAGGATGATGTCTCCCCAGTGATGCAGTTTTCCTCA **AAATTTGCTGCAGCAGAAATTACTGAGGGAGAGGCTGAAGGCTGGGAAGAAGAAGGGGGAG** CTGAACTGGGAAGATAATAACTGGTGA

SEO ID NO: 87 AI052250 H

AGCGGCCGCGGGGCGCGAGGATATGGAGTAAAGCCAGAGTCAGTGGCCAGGCACGAA CCGCCCTCCTGGAAGAAGGAAGAGGTAACTATAACTACCCAATATTGCAGCCATGGAGT CCATGCTTAATAAATTGAAGAGTACTGTTACAAAAGTCACAGCTGATGTCACTAGTGCGG TAATGGGAATTCCTGTCACTAGAGAATTTGATGTTGGTCGACACATTGCCAGTGGTTGCA ATGGGCTAGCTTGGAAGATTTTTAATGGCACAAAAAAGTCAACAAAGCAGGAAGTGGCAG TTTTTGTCTTTGATAAAAACTGATTGACAAGTATCAAAAATTTTGAAAAAGGATCAAATCA TTGATTCTCTAAAACGAGGAGTCCAACAGTTAACTCGGCTTCGACACCCTCGACTTCTTA CTGTCCAGCATCCTTTAGAAGAATCCAGGGATTGCTTGGCATTTTGTACAGAACCAGTTT TTGCCAGTTTAGCCAATGTTCTTGGTAACTGGGAAAATCTACCTTCCCCTATATCTCCAG ACATTAAGGATTATAAACTTTATGATGTAGAAACCAAATATGGTTTGCTTCAGGTTTCTG **AAGGATTGTCATTCTTGCATAGCAGTGTGAAAATGGTGCATGGAAATATCACTCCTGAAA ATATAATTTTGAATAAAAGTGGAGCCTGGAAAATAATGGGTTTTGATTTTTTGTGTATCAT** CAACCAATCCTTCTGAACAAGAGCCTAAATTTCCTTGTAAAGAATGGGACCCAAATTTAC GGAAACCTATATTTGAAGTCAACAAGCAAGATATTTACAAGAGTTTCAGTAGGCAGTTGG ATCAGTTGAGTCGTTTAGGATCTAGTTCACTTACAAATATACCTGAGGAAGTTCGTGAAC ATGTAAAGCTACTGTTAAATGTAACTCCGACTGTAAGACCAGATGCAGATCAAATGACAA AGATTCCCTTCTTTGATGATGTTGGTGCAGTAACACTGCAATATTTTGATACCTTATTCC AAAGAGATAATCTTCAGAAATCACAGTTTTTCAAAGGACTGCCAAAGGTTCTACCAAAAC

FIGURE 2RRR

SEO ID NO: 88 AA278842 H @GCGCGCCA@AFATCACATGCCCAAGGGGCTGGCTCAGCCCCGGCTCGGGCGGCCGGAG. GACCCGGAGCTAAGGCGCCGAACCCGCGGCGCGGTCGGGACJATUTGG FTCFTTGCCC GGGACCCGGTCCGGGACTTTCCGTTCGAGCTCATCCCGGAGCCCCCAGAGGGCGGCCTGC CCGGGCCCTGGGCCCTGCACCGCGGCCGCAAGAAGGCCACAGGCAGCCCCGTGTCCATCT TCGTCTATGATGTGAAGCCTGGCGCGAAGAGCAGACCCAGGTGGCCAAAGCTGCCTTCA AGCGCTTCAAAACTCTACGGCACCCCAACATCCTGGCTTACATCGATGGACTGGAGACAG **AAAAATGCCTCCACGTCGTGACAGAGGCTGTGACCCCGTTGGGAATATACCTCAAGGCGA** GAGTGGAGGCTGGTGGCCTGAAGGAGCTGGAGATCTCCTGGGGGCTACACCAGATCGTGA AAGCCCTCAGCTTCCTGGTCAACGACTGCAGCCTCATCCACAACAATGTCTGCATGGCCG CCGTGTTCGTGGACCGAGCTGGCGAGTGGAAGCTTGGGGGCCTGGACTACATGTATTCGG CCCAGGGCAACGGTGGGGGACCTCCCCGCAAGGGGATCCCCGAGCTTGAGCAGTATGACC GGCGCTTGGGCTGCCTCATTTGGGAAGTCTTCAATGGGCCCCTACCTCGGGCAGCAGCCC TACGCAACCCTGGGAAGATCCCCAAAACGCTGGTGCCCCATTACTGTGAGCTGGTGGGAG CAAACCCCAAGGTGCGTCCCAACCCAGCCCGCTTCCTGCAGAACTGCCGGGCACCTGGTG GCTTCATGAGCAACCGCTTTGTAGAAACCAACCTCTTCCTGGAGGAGATTCAGATCAAAG AGCCAGCCGAGAAGCAAAAATTCTTCCAGGAGCTGAGCAAGAGCCTGGACGCATTCCCTG CTGGGGCCGTTGTCCTCACGCCCCTCTTCAAGGTGGGCAAGTTCCTGAGCGCTGAGGAGT ATCAGCAGAAGATCATCCCTGTGGTGGTCAAGATGTTCTCATCCACTGACCGGGCCATGC GCATCCGCCTCCTGCAGCAGATGGAGCAGTTCATCCAGTACCTTGACGAGCCAACAGTCA ACACCCAGATCTTCCCCCACGTCGTACATGGCTTCCTGGACACCCAACCCTGCCATCCGGG AGCAGACGGTCAAGTCCATGCTGCTCCTGGCCCCAAAGCTGAACGAGGCCAACCTCAATG TGGAGCTGATGAAGCACTTTGCACGGCTACAGGCCAAGGATGAACAGGCCCCCATCCGCT GCAACACCACAGTCTGCCTGGGCAAAATCGGCTCCTACCTCAGTGCTAGCACCAGACACA GGCTCCTTACCTCTGCCTTCAGCCGAGCCACTAGGGACCCGTTTGCACCGTCCCGGGTTG CGGGTGTCCTGGGCTTTGCTGCCACCCACAACCTCTACTCAATGAACGACTGTGCCCAGA AGATCCTGCCTGTGCTCTGCGGTCTCACTGTAGATCCTGAGAAATCCGTGCGAGACCAGG CCTTCAAGGCCATTCGGAGCTTCCTGTCCAAATTGGAGTCTGTGTCGGAGGACCCGACCC AGCTGGAGGAAGTGGAGAAGGATGTCCATGCAGCCTCCAGCCCTGGCATGGGAGGAGCCG GTTCGCACCCAACCACTGCCCCAACAGAAACCAACATTCCCCAAAGACCCACGCCTGAAG GAGTTCCTGCCCCAGCCCCCACCCCTGTTCCTGCCACCCCTACAACCTCAGGCCACTGGG ACGAAGACTGGGGCAGCCTGGAGCAGGAGGCCGAGTCTGTGCTGGCCCAGCAGGACGACT GGAGCACCGGGGGCCAAGTGAGCCGTGCTAGTCAGGTCAGCAACTCCGACCACAAATCCT CCAAATCCCCAGAGTCCGACTGGAGCAGCTGGGAAGCTGAGGGCTCCTGGGAACAGGGTT GCCAGGAGCCAAGCTCCCAGGAGCCACCTCCTGACGGTACACGGCTGGCCAGCGAGTATA ACTGGGGTGGCCCAGAGTCCAGCGACAAGGGCGACCCCTTCGCTACCCTGTCTGCACGTC CCAGCACCCAGCCGAGGCCAGACTCTTGGGGTGAGGACAACTGGGAGGGCCTCGAGACTG

FIGURE 2SSS

SEO ID NO: 89 AA599286 H

ATGGCCTTCATGGAGAGCCGCCAGCCGGCAAGGTGCTGCTGGACGACACGGTGCCGCTG ACAGCAGCCATCGAGGCGAGCCAGAGCCTGCAGTCCCACACGGAATATATTATTCGAGTG CAAGGAGGAATTTCTGTGGAAAACAGCTGGCAGATTGTTAGAAGATACAGTGACTTTGAT TTGCTTAACAACAGCTTACAGATTGCAGGCCTAAGTCTACCTCTTCCTCCCAAAAAATTG ATTGGTAACATGGATCGTGAATTCATAC/TGAAAGGCAGAAAACCI-LTLCLAGTACTATCTC **AACGTGATCACAACAAATCATATCTTGTCTAATTGTGAGCTGGTTAAGAAGTTTTTAGAT** CCAAACAACTATTCCGCAAACTATACTGAGATTGCCTTGCAACAGGTTTCCATGTTCTTC CGATCAGAGCCAAAGTGGGAGGTGGTGGAACCTTTGAAAGACATAGGTTGGAGAATAAGG AAGAAATATTTCTTGATGAAGATTAAAAATCAGCCAAAGGAACGGCTAGTGTTAAGCTGG GCTGACCTTGGCCCAGACAAGTATTTGTCAGATAAAGATTTTCAGTGTCTAATCAAACTT CTGCCTTCTTGTTTGCACCCTTACATCTATCGGGTTACCTTTGCCACAGCTAATGAATCC TCAGCGTTGCTAATTAGGATGTTTAACGAAAAGGGAACATTGAAGGATCTGATCTACAAG GCAAAACCAAAAGACCCATTTCTAAAGAAGTACTGCAACCCTAAGAAGATTCAGGGCCTG GAACTCCAGCAAATAAAAACATATGGACGGCAAATATTAGAGGTACTGAAGTTTCTTCAT GACAAGGGATTCCCTTATGGGCATCTTCACGCCTCCAATGTGATGCTCGATGGGGACACT TTTTCACAATTCAGGAAAATCAATACATTGGAAAGTGTGGATGTCCACTGCTTTGGCCAC TTACTGTATGAAATGACTTATGGACGACCGCCAGACTCGGTGCCTGTGGACTCCTTCCCT CCTGCCCGTCCATGGCTGTGGTGGCCGTGTTGGAGTCTACGCTGTCTTGTGAAGCCTGT AAAAATGGCATGCCTACCATCTCCCGGCTCTTACAGATGCCATTATTCAGCCATGTTTTA CTAACCACTTCTGRAAAACCACACTTTAAGACCCCTACAAAGTTARAACAGCCATTCPFF `ATTGCCAAAGAA1GTATAGAGAAGAGAGTAATTGAGGAACAGAAACAGAT1CACCAGCAT ATTTTAGCTCGAAAGAAGTCAAAACGATCTGCTCTTGAAAATAGTGAAGAGCATTCAGCG **AAGTACAGCAACTCCAATAATTCAGCAGGATCTGGGGCCAGCTCACCTCTCACGTCCCCG** TCATCGCCAACTCCACCCTCTACATCAGGGATATCTGCATTACCTCCACCTCCCACCT CCACCACCAGCAGCTCCCTTGCCTCCTGCGAGCACCGAGGCACCTGCCCAGCTCTCG **AAAGGAACTTTGAGGAAAGCCAAACCTGTGATCACAGTGCTCCGAAGATCGGCTGAAGCT** TCCTGTTTACACTTGGAGGGAAAAGTTCTTTTTTATTCCTACTCACCCCTACCCCCAAC TACCCTCTTCCTGGGAAAGTAATTGCTGAGCCAGTACAGCCACAAACAGTACTATTTTGC **AGATGCTCATGTAAGCAGCTTTTCGAGAGAAATAATTCTTTAAGCAGAATAAAGTTAGGC** TGGCATGCAAAAAAAAAAAAAAAAAAAAAAAA

SEO ID NO: 90 AA425725_H

FIGURE 2TTT

TGCATGGTGCTGGAGGTGCTGGGCCACCAGCTCCTCAAATGGATCATCAAGTCCAACTAC CAGGGCCTGCCGTGCCTGCGTGAAGAGCATCGTGAGGCAGGTGCTGCACGGCCTGGAC TACCTCCACACCAAGTGCAAGATCATCCACACGGACATCAAGCCCGAGAACATCTTGCTG TGTGTGGGGGACGCTTACATCAGGCGCCTGGCTGCCGAGGCCACGGAGTGGCAACAGGCA GGGGCGCCCCCCCCCCCCATAGTCAGCACTGCCCCCAGGAGGTCTTGACCGGT AAGCTGTCCAAAAACAAGAGGAAGAAGATGAGGCGCAAACGGAAACAGCAGAAGCGGCTG CTGGAGGAGCGGCTGCGGGACCTGCAGAGGCTGGAGGCCATGGAGGCTGCCACCCAGGCT GAGGACTCTGGCTTGAGACTAGACGGGGCAGCGGCTCCACATCCTCTTCAGGCTTCTCC GGCTCCTCTTCTCTCCTGCTCCTGCTCCATCCTCTCCGGCTCGTCCAATCAGCGAGAG ACCGGGGGCCTCCTGTCGCCTAGCACACCATTCGGTGCCTCGAACCTCCTGGTGAACCCC CTGGAGCCCCAAAATGCAGATAAGATCAAGATCAAGATCGCAGACCTGGGCAACGCCTGC YGGYYGGACAHGCACTTCACGGAAGACATCCAFACTCGGCAGTACCGGCGCGCGCGGGGGGG CTGATCGGCGCCGAATACGGCCCCCGGCAGACATCTGGAGCACAGCCTGCATGGCCTTC GAGCTGGCCACTGGTGACTACCTGTTCGAGCCGCATTCTGGAGAAGACTACAGTCGTGAT GAGGACCACATCGCTCACATAGTGGAGCTTCTGGGGGGACATCCCCCCAGCCTTCGCCCTC TCAGGCCGCTATTCCCGGGAGTTCTTCAACCGGAGAGGAGGCTGCGGCACATCCACAAT CTCAAGCACTGGGGCCTGTACGAGGTACTCATGGAAAAGTACGAGTGGCCCCTAGAGCAG GCCACACAGTTCAGCGCCTTTCTGCTGCCCATGATGGAGTACATCCCCGAAAAGCGGGCC AGTGCCGCTGACTGCCTCCAGCACCCCTGGCTCAACCCCTAG

SEO ID NO: 91 SGK022 H

GGGGGCGCTGCGGATGAAGTCCTTGGGGAGAAAAGGAGCAGGCCAAGGGCGATGGTGGA GTAGAGCTGCCTCTCAGAGGCAGCATGAGCTGAGAGGGTGATAGGAAGGCGGCGCTAGAC AGCATGGAGGACTTTCTGCTCTCCAATGGGTACCAGCTGGGCAAGACCATTGGGGAAGGG ACCTACTCAAAAGTCAAAGAAGCATTTTCCAAAAAACACCAAAGAAAAAGTGGCAATTAAA .caaatcetccgtacgetgeaccacabgaacatcatccacatgtatgagafcctceagtct GCCGACGGGAAAATCTGCCTGGTGATGGACCTCGCTGAGGGGAGGGGATGTCTTTGACTGC GTGCTGAATGGGGGCCACTGCCTGAAAGCCGGGCCAAGGCCCTCTTCCGTCAGATGGTT GAGGCCATCCGCTACTGCCATGGCTGTGGTGTGCCCACCGGGACCTCAAATGTGAGAAC GCCTTGTTGCAGGGCTTCAACCTGAAGCTGACTGACTTTGGCTTTGCCAAGGTGTTGCCC AAGTCACACCGGGAGCTGAGCCAGACCTTCTGCGGCAGTACAGCCTATGCTGCCCCCGAG GTGCTGCAGGGCATTCCCCACGATAGCAAAAAAGGTGATGTCTGGAGCATGGGTGTGGTC CTGTATGTCATGCTCTGTGCCAGCCTACCTTTTGACGACACAGACATCCCCAAGATGCTG TGGCAGCAGCAGAAGGGGGTGTCCTTCCCCACTCATCTGAGCATCTCGGCCGATTGCCAG GACCTGCTCAAGAGGCTCCTGGAACCCGATATGATCCTCCGGCCTTCAATTGAAGAAGTT AGTTGGCATCCATGGCTAGCAAGCACTTGATAAAAGCAATGGCAAGTGCTCTCCAATAAA GTAGGGGGAGAAAGCAAA

SEQ ID NO: 92 AA060026 M SGK022 M

PCT/US00/14842

FIGURE 2UUU

SEQ ID NO: 93 AA399669 H CTCCCAAAGTGCTGGGATTACAGCGTGAGCCACCGCGCCCGGCCGCACTTCATTCTCAA OTTTPSTGGCCARCGATGGATAGGAGGTGGATTGTGATGTATTCGGAACATCGGACCTTC AGGAGTTCCGTAACCAAAAGGAGAAAGTAACAACAGCCAGTGGAGACAAAAAGAACTGCT TCTCTTTCTTTCCCCCTCCAAGTTCCTAGTGGAGGGCTGAGTCCAGCATCCCAGACTCGT GTGACTATATAGGCAAGCATTTGGGGACCTACTTCACTTTGATACCCTAGCCTTCAGCAG CTCAAGGTGTTGGCCTTTGGATAGGAGGCTTCCAAGTAGTAAAGCTCCCTGCTCTCAGCA **ATTCCCTCATGGATGAATATGGTTATGAGGTGGGCAAGGCCATTGGCCATGGCTCCTATG** GGTCGGTATATGAGGCTTTCTACACAAAGCAGAAGGTTATGGTGGCAGTCAAGATCATCT CAAAGAAGAGGCCTCTGATGACTATCTTAACAAGTTCCTGCCCCGTGAAATACAGGTAA TGAAAGTCTTGCGGCACAAGTACCTCATCAACTTCTATCGGGCCATTGAGAGCACATCTC GAGTATACATCATTCTGGAACTGGCTCAGGGTGGTGATGTCCTTGAATGGATCCAGCGCT ACGGGCCTGCTCTGAGCCCCTTGCTGGCAAGTGGTTCTCCCAGCTGACCCTGGGCATTG CCTACCTGCACAGCAAGAGCATCGTGCACCGGGACTTAAAGTTGGAGAACCTGTTGCTGG ACAAGTGGGAGAATGTGAAGATATCAGACTTTGGCTTTGCCAAGATGGTGCCTTCTAACC AGCCTGTGGGTTGTAGCCCTKCTTACCGCCAAGTGAACTGCTTTTCCCACCTCAGCCAGA CTTACTGTGGCAGCTTTGCTTACGCTTGCCCAGAGATCTTACGAGGCTTGCCCTACAACC CTTTCCTGTCTGACACCTGGAGCATGGGCGTCATCCTTTACACTCTACTGGCGCCCCATC TGCCCTTTGATGACACCAATCTCAAAAAGCTGCTAAGAGAGACTCAGAAGGAGGTCACTT TCCCAGCTAACCATACCATCTCCCAGGAGTGCAAGGTCCAACTGCTCATTGCCTGTGTGG CACAATGGAGAAAAACTCAGGCAAGACCTCTCTCTCCCCTGCTCTAGAACCTGATCCTCC AGATGCTACGCCAAGCCACTAAGCGTGCCACCATTCTGGACATCATCAAGGATTCCTGGG TGCTCAAGTTCCAGCCTGAGCAACCCACCCATGAGATCAGGCTGCTTGAGGCCATGTGCC AGCTCCACACACCACTAAACAGCACCAATCCTTGCAAATTACGACCTGAAAATGGCTGA GGGAGGGGCTAAGAGAGGAGCAAAGCAGGAGGTCTTGGGCTAAAAATCTTTTTTACCAA AAATAAATCTAAGTCTGATTTAGTTTCATCAAAAAAA

FIGURE 2VVV

CATCATGGTCTGCGGCTCCATGCCCTATGACGACTCCGACATCAGGAAGATGCTGCGTAT
CCAGAAGGAGCACCGTGTGGACTTCCCGCGCTCCAAGAACCTGACCTGCGAGTGCAAGGA
CCTCATCTACCGCATGCTGCAGCCCGACGTCAGCCAGCGGCTCCACATCGATGAGATCCT
CAGCCACTCGTGGCTGCAGCCCCCCAAGCCCAAAGCCACGTCTTCTGCCTCCTTCAAGAG
GGAGGGGGAGGGCAAGTACCGCGCTGAGTGCAAACTGGACACCAAGACAGGCTTGAGGCC
CGACCACCGGCCCGACCACAAGCTTGGAGCCAAAACCCAGCACCGGCTGCTGGTGGCC
CGAGAACGAGAACAGGATGGAGGACAGGCTGGCCGAGACCTCCAGGGCCAAAGACCATCA
CATCTCCGGAGCTGAGGTGGGGGAAAGCACCTAGCATGACAATGGCCCCGTTGTGTG
TGGTGGGGGTCGGGGTTGGGGGGCATGGTGCAGTCGCCTTCACGTAAACTAAGTAGGCA
GGTAGGATCTGAAGAAGGCACAGGTGCAAGTAAAATTCGTCAATTAAACCACTATTTTGA
TT

SEQ ID NO: 95 AA883975 H

SEO ID NO: 96 AA905446 H

AND TO THE PARTY OF THE PARTY.

CTGGTAGAGACAGGGGCTGGTGCCAAGGCCCATGGAGATGAGAAAACGGAAGACAGGGA TCATGGAAGAATTGTGGGGTCAGGGGACAGTGGCGGGAGGAGCTGGCTCACCACCCTGT GGACAAATCAGGCCTTATAATTTGTGATTCTGTGGCTTTGTCTAAAAGTCCATAAAGCAC CTTGATATCCAGTCTCACAGACTGCTCACAACAGTCCACAAGGCTGGTGGGGGAGTGCTTC TTTTGAATGATATACTAACGACAAAAATAATAGAAGTGAACATTCTTTGCAATGTCCAAG CAGCTAGACACACTTAAGACCATTAAGAAAGCCAAGAAATAAGACCCAGACAAGGTGGGC AGAAGTTGGAAGGCAGGAGACAGGTGTGAGGAGGTGGGCCTTTCTGATCTGCCCAGCCCAT CGTCCGTACCCTGGACCACAAGAACATCATCCAGGTGTATGAGATGCTGGAGTCTGCCGA GAATGGGGGCCACTGCCTGAAAGCCGGGCCAAGGCCCTCTTCCGTCAGATGGTTGAGGC CATCCCCTACTCCCATGCCTGTGTGTGCCCCACCGGGACCTCAAATGTGAGAACGCCTT GTTGCAGGGCTTCAACCTGAAGCTGACTGACTTTGGCTTTGCCAAGGTGTTGCCCAAGTC ACACCGGGAGCTGAGCCAGACCTTCTGCGGCAGTACAGCCTATGCTGCCCCCGAGGTGCT GCAGGGCATTCCCNNCAAGATGCTGTGGCAGCAGCAGAAGGGGGTGTCCTTCCCCACTCA TCTGAGCATCTCGGCCGATTGCCAGGACCTGCTCAAGAGGCTCCTGGAACCCGATATGAT GCAATGGCAAGTGCTCTCCAATAAAGTAGGGGGAGAAAGCAAACCC

FIGURE 2WWW

SEQ ID NO: 97_H29974_H

TTACAGCCTGTTGGCGGAGATCGGCGCGCGCAGCTACGGCGTGGTTTATGAGGCAGTGGC CGGGCGCAGCGGGGCCCGGGTGGCGGTCAAGAAGATCCGCTGCGACGCCCCCGAGAACGT GGAGCTGGCGCTGAATTCTGGGCCCTCACCAGCCTCAAGCGGCGCCACCAGAACGT CGTGCAGTTTGAGGAGTGCGTCCTGCAGCGCAATGGGTTAGCCCAGCGCATGAGTCACGG CAACAAGAGCTCGCAGCTTTACCTGCGCCTGGTGGAGACCTCGCTGAAAGGAGAAAGGAT CCTGGGTTATGCTGAGGAGCCCTGCTATCTCTGGTTTGTCATGGAGGTTCTGTGAAGGTGG AGACCTGAATCAGTATGTCCTGTCCCGGAGGCCAGACCAGCCACCAACAAAGTTTCAT GCTACAGCTGACGAGCGCCATTGCCTTCCTGCACAAAAACCATATTGTGCACAGGGACCT GAAGCCAGACAACATCCTCATCACAGAGCGGTCTGGCACCCCCATCCTCAAAGTGGCCGA CTTTGGACTAAGCAAGGTCTGTGCTGCGCTTGGCACCCCGAGGCAAAGAGGGCAATCAAGA CAACAA: AATGTGAATGAATAAGTACTGGCTGTCCTCAGCCTGCCGTTCCGCCCTTCTA CATGGCTCCTGAAGTCTGGGAGGGACACTACACAGCCAAGGCGGACATCTTTGCCCTGGG CATTATCATCTGGGCAATGATAGAAAGAATCACTTTTATTGACTCTGAGACCAAGAAGGA GCTCCTGGGGACCTACATTAAACAGGGGACTGAGATCGTCCCTGTTGGTGAGGCGCTGCT AGAAAACCCAAAGATGGAGTTGCACATCCCCCAAAAACGCAGGACTTCCATGTCTGAGGG GATCAAGCAGCTCTTGAAAGATATGTTAGCTGCTAACCCACAGGACCGGCCTGATGCCTT TGAACTTGAAACCAGAATGGACCAGGTCACATGTGCTGCTTAAAATTCAGGGCTAAGCAT TTTGGGTGATTTTAAACTAGGTCGATTCCTCGGGACCCACAGTCTCACCACGTCTCCTCC **AGAGGACGCAGAGGGTACAGGTGGTGGCCTGGCCGGTTGGCGATCTCCCGACAGCTGGA** TCCGGCAATGTGAAGCTTTTGTTTGGGTTTCCCCGCTTCTTTTTAGTTTTGCTTTATTTN TNNCCTTTTCTTTTTTTTTTTTTTTCCACNTNCCTTTTTTTAAATTTAAACCATTGAG ACTTCAGAAGAGCAGGACACAATGCTGTGGACAGGCACCAATTTCTTTAAAGAAATTCAA TGTGGGCAAGGCATATGTGTAAATTTCACTTTTACTTTTTATAAGGGGTTAGGGAGCTAT TTTTGGTTTTGTCCTTCACTTTCCCTCTGTCTTCTTTTATACTTTTCTCAGTTCTAC TTATGACACCTCACTTCCCTAGAGAAGGCCTGCCTCCCCATAGGGAATCTGGGGGTANCT TCTGGAACGGGGCGTGAGGANACAAGGAGCCTCTGGGCCACNCCTCCCTACCAG>TGCAG GAACTCGTGGACTCCTTGGTGGGCTGGCCTGGCTAGCCCTTGGCGCCTTGGCGCCTTGGCGAGATCATCA GAGGTGAAGAACCGCC

SEQ ID NO: 98 AA498104 M H29974 M

CCGTTGCTGCTCCCCCCCCCCCCCCCCAGCCATGGAAACGGGGAAAGAGAACGGAGCCCGC **AGAGGGACAAAAAGCCCGGAGCGGAAAAAGGCGAAGCCCAGTCCAGCGGGTACTGTGCGAG** AAGCTGAGGCCGGCGCCAGGCCATGGATCCGGCTGGGGCCGAGGTCCCGGGCGAGGCC TTCCTGGCCCGGCGGCCGGATGCCGCCGCGGGGATGTTCCTGCACGCCGCGCTAC AGCCTCTTGGCGGAGATCGGGCGCGCGAGCTACGGCGTGGTTTATGAGGCTGTGGCTGGG CGCAGTGGGGCCAGGGTGGCAGTCAAGAAGATCCGCTGCGACGCTCCCGAGAACGTGGAG TTGGCACTAGCAGAATTCTGGGCCCTCACCAGTCTCAAGCGGCGCGCACCAGAATATCGTG CAGTTTGAGGAGTGCGTCCTACAGCGCAACGGGTTAGCCCAGCGCATGAGTCACGGCAAC AAGAACTCACAGCTTTACCTGCGCCTGGTGGAGACCTCGCTCAAAGGAGAAAGGATCCTG GGCTATGCTGAGGAGCCCTGCTATCTCTGGTTTGTCATGGAGTACTGTGAAGGTGGAGAC CTCAATCAGTATGTCCTGTCCCGGAGACCTGACCCAGCCACCAACAAAGTTTCATGCTA CAGCTTACAAGCGCCATTGCCTTCCTGCATAAAAACCACATCGTGCACAGGGACCTAAAG CCAGACACATCCTGATCACAGAGCGGTCTGGCACCCCCATCCTCAAGGTGGCAGACTTT GGACTGAGCAAGGTCTGTGCAGGGCTGGCACCCCGAGGCAAAGAGGGCAATCAAGATAAC AAAAATGTGAATGAATAAATACTGGCTGTCCTCAGCTTGTGGCTCAGACTTCTACATG GCTCCCGAAGTCTGGGAGGGACACTATACAGCCAAGGCGGACATCTTTGCTCTGGGCATT ATCATCTGGGCAATGATAGAAAGAATTACCTTTATTGACTCTGAAACCAAGAAGGAGCTC CTGGGGACCTACATTAAGCAAGGGACTGAGATCGTCCCTGTTGGTGAGGCGCTGCTAGAA AACCCAAAGATGGAGTTGCATATCCCCCAGAAACGTAGGACTTCCATGTCTGAGGGGGTC

FIGURE 2XXX

SEO ID NO: 99 AA215311 H

CGRCCGCGCTACGGAAAGCCGGAGGGGGGGGGGGCCGTCGGCGTAAGGGGGTGTGTCCGC GCGCACCACGGGGCGCGCCGCCTGCTGACTGGAGGCGGCGGCAGCGGAGGCGCGAGC TECCCGATAATGGCGGCCTGCAGAGCCCATGAGAGGGAGAAGCGGCAGCGTCTACCCTGA GAAACCTCGACCTTGAAGATGGTGAGTA&UURGCCAAAGTACGATUTAATACCGGACGTT GGCCGAGGTAGTTACGGTGTTGTGTATGAAGCAGTCATCAGAAAGACCTCTGCACGGGTG GCAGTGAAGAAAATTCGATGTCACGCACCTGAAAATGTTGAACTAGCCCTTCGTGAGTTC TGGGCACTAAGCAGTATCAAGAGCCAACATCCAAATGTGATTCACTTGGAGGAATGCATC CAGCTTGTAGAAACTTCATTAAAAGGAGAAATTGCCTTTGATCCCAGAAGCGCCTATTAT **AAGCCCAATCGTAAAACTAACACCAGCTTCATGCTTCAGCTGAGCAGTGCCCTGGCTTTC** TTGCATAAAAACCAGATCATCCACCGAGATCTTAAGCCTGATAACATCCTGATTTCTCAA ACCAGGTTGGATACCAGTGACTTGGAACCTACCCTCAAAGTGGCTGATTTTGGTCTAAGT AAAGTTTGTTCAGCCTCTGGGCAGAACCCAGAAGAACCTGTCAGTGTAAACAAGTGTTTC CTTTCCACAGCATGTGGAACAGATTTTTACATGGCTCCTGAAGTTTGGGAAGGACATTAC <u>ACAGCAAAAGCTGACATCTTTGCTCTGGGGATTATCATCTGGGCAATGCTGGAAAGGATC</u> ACATTCATAGACACAGAGACAAAGAAGGAACTCTTGGGGAGTTATGTAAAACAAGGAACT GAGATTGTGCCTGTTGGGGAGGCACTTCTGGAAAATCCCAAAATGGAACTTCTCATTCCT AACCTEACGATGGTCCAGATGCTTTTGAACTAGAACTCAGATTAGTACAAATTYCATTT AAAGATAGCAGCTGGGAAACGTGACACATATTATTTGCAAATACCATGGATGATATGCTG CTTCTGTTTAACAGTGATGCAACATTATGTGGCTGAAAAAGAATATAAAAAGCTAGACTC AAGTTGGCCGTTTTATTAGTATGTTTCAAATGTGTATTACCAATGTGGGTGTAAATTTTT AAAAAATGATTATTGATAGAAGTTTGGCAGGAAAATTCTTTAAGAGCTAACAAGAGAAGA GAGTCCAGTTTTCTGGAAATATGTCTTTAAGTATTTTAGACATTCCTCGTCAGTATTAGG **AATTTCCATGGGAAAAGAGGTTTGCATGCTGGTAATGCAACCTTTGAAACTTTGTAAAGG AAACATATATGTATATATTTATGTATATGTAAGTATGTGAATGTGCGCATTTTGCATTCC** ATATGAAAAAATGCCACGTCTGTTTAAATTATTTGATGTAGGTTTTGGGTTTTTGAGATT TGCTGGTGAAGTCAGTGACGAAAAATAAACCTTCCCTTATCTTCCTACTCTGCCCCTCCC CCTAATGAAATCATATTAAGTNGTTTTTCCTNNTTTTTTTGTAATATACAGCTTTTTTTT TAAGGCATCATTTTCGAGGGTCTAAAATTATCTGGTAAAACAAATGAAATTAAGTGATCC AAAGCTGCTGAAGTATGTTTGAACTCTCCAGTGCCCTATAGCTGCAAGAGTTGAATTAGT CATGCAGTCATATGGCAGCAGGTTGGTGATT

SEQ ID NO: 100 AA018361 H

PCT/US00/14842

FIGURE 2YYY

GGTAGCCATAAAGTGTGTAGCCAAGAAAAGTCTGAACAAGGCATCGGTGGAGAACCTCCT CACGGAGATTGAGATCCTCAAGGGCATTCGACATCCCCACATTGTGCAGCTGAAAGACTT TCAGTGGGACAGTGACAATATCTACCTCATCATGGAGTTTTGCGCAGGGGGGGCGACCTGTC TCGCTTCATCCATACCCGCAGGATTCTGCCTGAGAAGGTGGCGCGTGTCTTCATGCAGCA ATTAGCTAGCGCCCTGCAATTCCTGCATGAACGGAATATCTCTCACCTGGATCTGAAGCC ACAGAACATTCTACTGAGCTCCTTGGAGAAGCCCCACCTAAAACTGGCAGACTTTGGTTT CGCACAACACTGTCCCCGTGGGATGAGAAGCACGTGCTCCGTGGCTCCCCCCTCTACAT GGCCCCGAGATGGTGTGCCAGCGGCAGTATGACGCCCGCGTGGACCTCTGGTCCATGGG GGTCATCCTGTATGAAGCCCTCTTCGGGCAGCCCCCTTTGCCTCCAGGTCGTTCTCGGA GCTGGAAGAGAAGATCCGTAGCAACCGGGTCATCGAGCTCCCCTTGCGGCCCCTGCTCTC CCGAGACTGCCGGGACCTACTGCAGCGGCTCCTGGAGCGGGACCCCACCCGTCGCATCTC CTTCCACCACTTCTTTCCCCACCCCTCGCTGGACCTGGAGCACATGCCCAGTGGGGACAG TCTGGGGCGAGCAACCGCCCTGGTGCAGGCTGTGAAGAAGACCAGGAGGGGGATTC AGCAGCCGCCTTATCACTCTACTGCAAGGCTCTGGACTTCTTTGTACCTGCCCTGCACTA TGAAGTGGATGCCCAGCGGAAGGAGGCAATTAAGGCAAAGGTGGGGCAGTACGTGTCCCG GGCTGAGGAGCTCAAGGCCATCGTCTCCTCTTCCAATCAGGCCCTGCTGAGGCAGGGGAC CTCTGCCGAGACCTGCTCAGAGAGATGGCCCGGGACAAGCCACGCCTCCTAGCTGCCCT GGAAGTGGCTTCAGCTGCCATGGCCAAGGAGGAGGCCGCCGGCGGGGAGCAGGATGCCCT GGACCTGTACCAGCACAGCCTGGGGGAGCTACTGCTGTTGCTGCGGAGCCCCCGGGCCGG AGGCGGAGCTGCTTCACACTGAGGTTCAGAACCTCATGGCCCGAGCTGAATACTTGAAG GAGCAGATGAGGGAATCTCGCTGGGAAGCTGACACCCTGGACAAAGAGGGACTGTCGGAA TCTGTTCGTAGCTCTTGCACCCTTCAGTGACCCTAGAAGAATGATTGGACAGATGTGAGC CATCTGGAGCAGAGGGGCACTAACCCAGGCTGACGCCAAGAATGAAGTGGCCCACTGCAG CCCTGGCGAGCAGGCTTCTTGGATGGACAGTGCTGAGACCCCCATATCCCAGAGTCCCCA GCCTCCCTCAGGTTACTCTGCACCCCACAGATGGTTTGATGGCTGTGCTGTATACTGGAG GGGAGGCAGGACTCTGGGAGAACAGCACTTCTTTCATGAGACCTTTGTTACTCGGTGGT TACTGGGTCCTGTCCGTTTTGGGGCATGCAGCCCTCTATCATTTTTGGCTCCGA CAATAGET? NAGGGECCCCCCCAGGTACTTCTGTGCTTGTCCTCCCXXTTTTCTACCXAGC AGCTGTGCCCCTGCCCTTCCCGGGACCCCTTATTCCAACTCAGCTCCTCTTTGCA CTGGAATGGGCACTCCAACACCCCTCAGGGACCACCCTCCCCACAGTATGCACTCAGCC CCACAGAACCCACCAGTCTTTCTGGGAACTCACACCTGCCCGCCATCTTGGTACTTTAGG TTAATCCCTCAAGCATGAAAGCTGGATCTTTTGGGGTTTAAGAAGCCCAAGCCTTGTTCC TGCCCTGGCCTAGGGAGCACTCAGGAGGGTTCCTTGGTCCTCATCTCTCCCACCTCCGTT CCCTCTGGGCCCCACACTAGCCACAGCGCGGGCCTTGTGCTGGAGTTTGAGCCTGGGACA CATCTCTTCAATGGGGCTGATACCTTCACAGCCCACAGCATGGGCACTTATGAGGACAAA GTGAATTTAACCTGGAAAAGAATGTATTTGAGAGTTTCTTTTAAATAATCAGCGGGTGTT TGCAGGAGGCTGAGTGTGAAGAGTATCATTCATTGTTTCTCTATTAAATTATTTTCTCT

SEQ ID NO: 101_AA311714_H
TGGACCTGTCCTGAGGCAGAGGCCGAGATGCGCGCAACCGCGGGAGCAGCCAAGTGGACT
GGACTCTTTTCTTGACTTAGCTACCAGGAGCTAGAGATGCTGTTATTCTATCGTATGTGA
GAAGTCGGCCCAGAGATGGAAAACTTTATTCTGTATGAGGAGATCGGAAGAGGAAGCAAG
ACTGTTGTCTATAAAGGGCGACGGAAGGGAACAATCAATTTTGTAGCCATTCTTTGTACT
GATAAGTGCAGAAGGCCTGAAATAACCAACTGGGTCCGTCTCACCCGTGAAATAAAACAC
AAGAATATTGTAACTTTTCATGAATGGTATGAAACAAGCAACCACCTCTGGCTAGTGXAT
GAAAACCTCCCAGAAGATGTTGTGAGAGAATTTGGAATTGACCTGATTAGTGGATTACAT
CATCTTCATAAACTTGGCATTCTCTTTTGTGACATTTCCTAGGAAGATACTCTTTGGAA

FIGURE 2ZZZ

GGGCCTGGCACACTGAAGTTTAGCAACTTTTGCTTGGCAAAAGTGGAAGGTGAAAATTTG GAAGAGTTCTTTGCTTTGGTGGCAGCAGGAGGAGGAGGTGATAATGGGGAAAATGTC CTGAAGAAAAGCATGAAAAGTAGAGTCAAAGGATCTCCTGTATATACAGCACCAGAAGTT GTGAGGGGTGCTGACTTTTCCATCTCCAGTGACCTCTGGTCTTTGGGCTGTCTGCTTTAT GAAATGTTTTCAGGAAAACCTCCATTCTTCTCAGAAAGTGTTTCAGAATTAACTGAAAAG ATCTTATGTGAAGATCCTTTGCCACCTATTCCGAAAGATTCTTCTCGTCCTAAAGCTTCT TCAGATTTTATTAATTTGCTTGATGGGTTACTTCAAAGAGATCCTCAGAAAAGATTGACT TGGACAAGGCTACTGCAGCATTCATTTTGGAAGAAAGCTTTTGCTGGAGCAGATCAGGAA TCAAGCGTCGAAGATCTCAGTCTCAGCAGAAACACTATGGAGTGTTCTGGGCCACAAGAT TCCAAGGAGCTTTTGCAGAACTCTCAGAGTAGACAAGCAAAAGGGCACAAGAGTGGTCAA CCACTAGGTCACTCTTTCAGACTAGAAAATCCAACTGEGTTTTCTGGCTAAGAGTACTCTT GAGGGTCAATTGAATGAATCCATGTTTCTTCTCAGTTCTCGTCCTACTCCCAGAACTAGC ACTGCAGTGGAAGTAAGTCCTGGTGAGGATATGACTCACTGTTCACCACAGAAGACTTCT CCTCTGACCAAGATTACAAGTGGACACCTGAGTCAGCAGGACCTGGAATCCCAGATGAGA GAGCTTATCTACACGGACTCAGATCTTGTTGTCACCCCCATTATCGACAATCCAAAGATA ATGAAACAGCCACCAGTTAAATTTGATGCAAAAATATTGCATCTACCAACATATTCAGTG GATAAGTTATTATTTCTGAAAGATCAAGATTGGAATGACTTTTTGCAACAAGTGTGCTCG CAGATCGACTCCACTGAGAAGAGCATGGGGGCCTCCCGAGCCAAGCTGAATCTCCTTTGC TATTTGTGCGTGGTGGCTGGTCACCAGGAGGTGGCCACCAGGCTCCTCCATTCCCCCCTG TTCCAATTGCTAATCCAGCATTTGCGGATAGCTCCAAACTGGGATATACGGGCCAAGGTT GCTCACGTGATTGGTTTACTGGCTTCGCACACACTGAGCTCCAGGAAAATACACCTGTT GTTGAGACTACAAGCTCCATTGGAATCGGGATTTTGAACTGTCTTGTTCAACACTCCACT **AAACTGTATCAGCATT**

SEQ ID NO: 102_SGK384_H TCTTTGGCCCACGTGCTGAGGGCGCGGCAGATCCTGACGGAGCCAGAAGTGCGCGACTAC CTGCGGGGCCCTGGTCAGCGGCTGCGCTACCTGCACCAGCGGGGGGCACCTGCAGCAC

SEQ ID NO: 103 AA210451 M SGK384 M GGTCTGCTGCATGGATAATGGACTGGAACACAGAAAGACCATGCAGGGTTCGGCTGTAGA AGGCCAGTATCTCCAGAGGCCAGAAGACACCATCAGATCTCCTGGGACTGGAGTTATAGA AACCCTGCTGGGAGAAAAAAGAAACTGCTGAAGGGACTGACATGGGACAGCAACATGGAA CCAGGAATGGTCTCACGCATAGAGAGCTCCCCCGGGGCGTGGGGCTGCTGCTCGCCATGG CCCTTATGAACGTGGCGCTCTACCTCTGCCTTGATCAGCTTTTCATCTCCCCTGGACGAT CCACCGCGGACTCTAGGCGCTGTCCTCCGGGCTACTTCAGAATGGGGCGGATGAGAAACT GCTCACGCTGGCTGTCCTGTGAAGAGCTGAGGAAGTCAGGCAGCTGAAGCGCGTTG CCCGGCTCACCAGGCTGGAGATGAAGGAGGACTTCCTGCATGGGCTGCAGATGCTGAAGT CTCTACAGAGTGAGCACGTGGTCACGCTGGTGGGCTACTGTGAGGAAGATGGCACTATTC TCACCGAATATCACCCCTTAGGTTCCTTGAGCAACCTGGAAGAACACTAAACCTTTCAA AGTACCAAGACGTGAACACTTGGCAGCACAGGCTGCAGCTGGCCATGGAGTACGTCAGCA TCATTAACTATCTGCATCACAGCCCCCTGGGCACGAGGGTCATGTGTGACTCTAACGACC TGCCCAAAACATTGTCCCAGTACCTGCTAACAAGTAACTTCAGCATTGTGGCAAACGACC TGGACGCTCTGCCCCTGGTAGACCATGACTCTGGGGTACTTATAAAGTGTGGCCACAGAG AGCTCCATGGGGATTTTGTGGCTCCAGAGCAGCTGTGGCCCTACGGAGAAGACACGCCCT TCCAAGACGATCTCATGCCTTCCTACAATGAGAAGGTTGACATCTGGAAGATTCCAGATG ATATCCATAAGGCGTGCAAGAGCCAGATCCCGGCAGAAAGACCCACTGCTCAGAACGTGC

FIGURE 2AAAA

TAGACGCTTACCAGAGGGTTTTCCATTCACTCCGAGACACTGTGATGTCGCAGACGAAAG AAATGCTGTAAAAATGAGCCATCGAGTGACGTGCTTGATGGCTGAATGGCATCCCAGCTG ACGTAGGCCTCCTCTACGTCTGCCTGCATGTTTGAGTGTTCTGCTCTCCTGGCAGCCCGG ATGGAAGCTGCCAAGCGAGAAAGCCTGGCTTCAGGATGCTCCCTGGTGAAGATGCAGAGG ATTCTGGATCTGCATAGTTTCAAGGGAGTGATCAAACGGTGACCTTGAAGACATGCTGCC TGCCTTGGTAACTTTTTATAGACTAGTAGGAAACAGAAATCTTTTGGGGGGAGGGGGGAC AACCCACTAGTTCCTCAGAGACAATTTCTTCTCATTCAGAAAGCCCTGTTGGAAGCTGGG GATGTTTTAACTCCGTGGCAGGCCACTTGCCTAGTTGTGTGCAAAGCCTTGGATCTGACC CATGCCATGTGCACACACACAAATGCTCAAAGAAAATCCCAGACGCCAGAAGTGTGCCCC CTGACTCGTGTCACTGAGCCAAGTCTGCATGGTCGTTAGCTACTTTGTGGGGTTCTTCTTT AAGGAAAGTGGGCACTGTTATATTGTTGGACGACTTCTTGCTGATTAAGGGGTGTCGAGT TCCTTGGAGCAATGATCTTTGCTGCCAAGATATCTCATTTCTTCTTGTTTCTTCTTCGCC CACGACCACTTCACAAACACCGACCAACAGCAAACAACCACCCCGCTTCTCGGGGG CCCTAGCACTTATGTACTTCTGAAAAGTCCCCAGAAATTCCAATCATCACACACTCAGAG **AAACTGTCTGCTGGCAAAACTACACCCCTGCTAGAGCATGAGGCAAATCATAGTCAG** CTGCTGTGGACAGTCTGAAGCAGCCTGGCATCCCACACCTGAGATTAAAACAAAAACATT CTTACCTGTGTTTTGTTTTTAAGAAACCAAAGTGCACCAAGATAGCATGCTCTTG AGATTGTGGCTGTCTAGAGATTTTTGGAACAGCAAGTTGAAGGAACTTTCTTACCTGCCT TGAATGGTGCTTTGAACTTCCTGCTGACCTGGAGTTTCTGTGTGAATATTTCTATCCAGT GTCCCCTGTACCGGAAAGTACAAAGTCTGCTCTGGGCTTGCATGCCTGAACACTTTAAA **ACACTGTGGAGCCAGGAATAATGGTACCCACCTGTAATCCCAGCACCTGGGAGACAGGAG** GAACCAGGAGTTCAGGGTTATCCTGGGCTATATACCGTGACCCTGTCTACCCCCACACCC CAATAAAAAAACAAAAAGGTC

SEQ ID NO: 104 SCK071_2_H

GÂGGTGGTGGCTGTGCAGATGATGGTGGAATGCATGGATGACCATTACGCCAGTCAGGCC CTGGAGGAGCTGATGCCACTGCTGAAGCTGCGGCACGCCCACATCTCTGTGTACCAGGAG CTGTTCATCACGTGGAATGGGGAGATCTCTTCTCTGTACCTCTGCCTGGTGATGGAGTTC **AATGAGCTCAGCTTCCAGGAGGTCATTGAGGATAAGAGGAAGGCAAAGAAAATCATTGAC** TCTGAGTGGATGCAGAATGTGCTGGGCCAGGTGCTGGACGCGCTGGAATACCTGCACCAT TTGGACATCATCCACAGGAATCTCAAACCCTCCAACATCATCCTCATCAGCAGTGACCAC CGTGCGGAGGAAGACCCCTTTCGTAAGTCCTGGATGGCCCCTGAAGCCCTCAACTTCTCC TTCAGCCAGAAATCAGACATCTGGTCCCTGGGCTGCATCATTCTGGACATGACCAGCTGC TCCTTCATGGATGGCACAGAAGCCATGCATCTGCGGAAGTCCCTCCGCCAGAGCCCAGGC AGCCTGAAGGCCGTCCTGAAGACAATGGAGGAGAAGCAGATCCCGGATGTGGAAACCTTC AGGAATCTTCTGCCCTTGATGCTCCAGATCGACCCCTCGGATCGAATAACGATAAAGGAC GTGGTGCACATCACCTTCTTGAGAGGCTCCTTCAAGTCCTCGTGCGTCTCTCTGACCCTG CACCGCAGATGGTGCCTGCGTCCATCACCGACATGCTGTTAGAAGGCAACGTGGCCAGC ATTTTAGGTGATGCTGGGGACACAAAGGGGGGAGCGTGCCCTGAAGCTCCTGTCCATGGCC **ATGCACGACCAGTGGCTCAGCTGTGACCAGGACAGAGTCCCTGGGAAGAGAGACTTTGCC** TCCCTGGGGAAACTAGGGAAGCTGTTGGGCCCCATCCCAAAGGGTCTGCCGTGGCCCCCG GAGCTGGTGGAGGTGGTCACGACCATGGAGCTACATGACAGGGTCCTCGATGTCCAG CTGTGTGCCTGCTGCTGCTGCACCTCCTGGGCCAAGCGCTGGTGCACCACCCGGAA GCCAAGGCTCCCTGCAACCAAGCCATCACCTCCACCCTGCTGAGTGCTCTTCAGAGCCAC CCCGAGGAGGAGCCACTTCTTGTCATGGTCTACAGCCTGCTAGCCATCACCACAACCCAG

FIGURE 2BBBB

GAGTCAGAGTCACTGTCAGAGGAGCTGCAGAACGCTGGGCTGCTGGAGCACATCCTGAG
CACCTCAACAGCTCCCTCGAAAGCAGGGACGTCTGCGCCAGCGCCTGGGCCTGCTCTGG
GCCCTCCTGCTGGACGACCCCATCTTGGCACTCCAGCGCCCCAGGAAAAAGAGAGCTCCA
AACCACGGAAAGCCCGGGAAACCCAAGAACCCTGCCAGCACCCAAAGTATCATTGTGAAC
AAGGCCCCCTTGGAGAAGGTCCCGGACCTCATCAGCCAGGTGTTGGCCACCCTACCCTGCG
GATGGGGAAATGGCAGAAGCCAGCTGCGGAGTCTTCTGGCTGCTGCTGCTGCTGCC
ATCAAGGAGCAGCAGTTTGAACAAGTGGTGGCGTGCTCCTGCAAAGCATCCGGCTGTGC
CAGGACAGAGCCCTGCTGGTGAACAATGCCTACCGGGGACTGGCCAGCCTGGTGAAGGTG
TCAGAGCTGGCGGCCTTCAAGGTGGTGTGCAGGAGGGGGGGCGGCAGTGGCCTCAGCCTC
ATCAAGGAGACCTACCAGCTCCACAGGGACGACCCGGAGGTGGTGACAACGTGGCATG
CTGCTGGTCCACCTGGCTTCCTATGAGGAGTCCTGCCGGAGCTGGTGTCCAGTAATAG
AAGGCCCTGCTCCACAGGAACCACCCTCCACCCTGGTGACTAGCACC
GCCTTCAGCAAACCAGGCCTCCCTCCAGGTGGAAGCCCCCCAGCTGGGGTGCACCACCGTCT
GGGGGACTGGAAAACCAGGCCTCCCTCCAGGTGGAAGCCCCCCAGCTGGGGTGCACCACCGTCT
GGGGGACTGGAATAG

SEO ID NO: 105 AA118352 M SGK071 M CAGAAGAAGACCCCTGCCAGAAGTCCTGGATGGCTCCTGAAGCTCTCAAATTCTCCTTCT CCACCAAATCCGACATCTGGTCTCTGGGCTGCATCATTCTAGACATGGCCACTTGCTCCT TCCTGAACGACACAGAAGCCATGCAACTGCGGAAGGCCATCCGCCATCATCCAGGCAGCC TGAAGCCCATCCTGAAAACCATGGAGGAGAAGCAAATCCCTGGTACAGATGTCTACTATT TGCTTCTGCCCTTCATGTTGCATATCAACCCCTCCGATCGACTGGCAATCAAGGATGTGA TGCAAGTCACCTTCATGAGCAACTCCTTCAAAAGCTCCTCTGTTGCGCTGAATATGCAGC TAGGCAGCTGGCTGTGCTTCCTTTGTGAACGACAGCAGCACTGTGACTCAGGGATTG GCTCGCAGAGACTTGGGTTTGATTTTCAGTCAGTCTCTTGGACAGAGCACCCTCTGAAAG **ATGTCATGCAGAATTTCTCCAGTCGACCAGAGGTCCAGCTCAGAGCCATTAACAAGTTGT** TGACAATGCCAGAGGACCAGCTAGGGCTGCCATGGCCCACAGAGCTGCTGGAAGAGGTGA TCAGCA TCA FAAAGCAGC: TGGGCGGATCCTGGATATTCTGCTCAGCACCTGGTTCCTTTC TGCTGCGTGTTCTTGGCCAAGCACTGGCAAAGGACCCAGAAGCTGAGATCCCAAGGAGCA GTTTGATCATCTCCTTCCTGATGGATACCTTGCGGAGCCATCCTAACTCTGAAAGGCTTG TTAATGTGGTCTACAACGTGCTTGCCATTATTTCCAGCCAAGGACAGATCTCAGAAGAGC TGGAAGAGGAGGGTTGTTTCAGCTTGCCCAAGAGAACCTGGAGCACTTCCAAGAGGACA GGGACATCTGCCTCTATCCTGAGCCTGCTCTGGTCCCTCCTGGTAGATGTTGTCACTG TGGACAAAGAGCCCTTGGAGCAGCTCTCTGGCATGGTCACCTGGGTGCTGGCTACTCATC CGGAGGACGTGGAAATAGCAGAGGCTGGCTGTGCGGTGCTCTGGCTGTCCTTGTTGG GCTGCATAAAGGAGAGTCAGTTTGAGCAGGTGGTAGTGCTGCTCCTGAGAAGCATCCAGC TGTGCCCTGGCAGAGTACTGCTGGTGAACAATGCATTCCGTGGCTTGGCCAGCCTCGCAA AGGTGTCCGAACTGGTGGCCTTCCGAATAGTACTGGAAGAGGGCAGCAGCGGCCTCC ACCTCATCCAAGATATCTACAAGCTCTACAAGGATGACCCTGAGGTGGTGGAGAACCTCT GCATGCTGTTGGCCCATCTGACCTCCTACAAGGAGATCCTGCCAGAGATGGAGTCTGGAG GCATCAAAGACCTAGTCCAGGTGATCCGGGGGCGCTTTACCTCCAGCCTGGAGCTGATTT CTTACGCTGATGAGATACTCCAGGTACTGGAAGCAAATGCACAACCTGGCCTCCAGGAGG ATCAGCTTGAGCCTCCTGCAGGGCAGGAAGCCCCACTGCAGGGAGAGCCCCTCTTCAGGC CCTGACATGCTGCCCTTCTGGTCCTGTGGTAAGAGAAAGTATCACTAGGTCCAGTATTAA TTTCGTACCCCATGGTGACTAATAAAAGAAGCCCTAGGCTGTTTCTGGC

FIGURE 2CCCC

CGCCTCCTTCCTGCTGGGCTCCGTCCTCAACGTGCTCTTCGCTCCGGGTCGGAGCCTCCG AGGCCAGGCCAGTCCCCTGAGCCTTCGCCGGCCCCGGGTGCGGGCCGTCGCGGGGCCGC GGGGAGCTGGCCCGGCAGATCCGGGCGCGCTACGAGGAGGTGCAGCGCTATTCCCGCGGG GGCCCGGGCCGGGGCGGGCCGGCCGGAGCGCGCGCCTGATGGACCTGGCTCCGGGC GGGCCCGGCCTGCCGCGCCCCCGGCCCCTTGGGCCCCGGCCCCTGTCCGACGGCGCCCCA GCGCTTCGCAACGTGTCCGGCGCGCAGTACATGGGCTCAGGCTACACCAAGGCCGTGTAC CGGGTCCGCCTGCCCGGCGTGCCGCGGTGGCGCTCAAGGCGGTGGACTTTAGCGGCCAC GATCTGGGCAGCTGCGCGCGAGTTCGGGGTACGGAGGGGCTGCTATCGGCTGGCGGCC CACAAGCTGCTTAAGGAGATGGTGCTGCTGGAGCGGCTGCGGCACCCCAACGTGCTGCAG CTCTATGGCTACTGCTACCAGGACAGCGAGGACATCCCAGACACCCTGACCACCATCACG UAGCTSGUCGCCCCTCTAGAAATGATYCAGCTYCTGCAAACTTGUTUULAGAYLULATTG CGAATCTGCCTGAGCCTGGGCCGCCTCCTCCACCACCTGGCCCACTCCCCACTGGGCTCC GTCACTCTGCTGGACTTCCGCCCTCGGCAGTTTGTGCTGGTGGATGGGGAGCTCAAAGTG ACGGACCTGGATGACGCACGTGTGGAGGAGACGCCGTGTGCAGGCACCACCGACTGCATA CTCGAGTTTCCGGCCAGGAACTTCACCCTGCCCTGCTCAGCCCAGGGCTGGTGCGAGGGC ATGAACGAGAAGCGGAACCTCTATAATGCCTACAGGTTTTTCTTCACATACCTCCTGCCT CACAGTGCCCCGCCTTCACTGCGTCCTCTGCTGGACAGCATCGTCAACGCCACAGGAGAG CTCGCCTGGGGGGTGGACGAGACCCTGGCCCAGCTGGAGAAGGTGCTGCACCTGTACCGG AGCGGGCAGTATCTGCAGAACTCCACGGCAAGCAGCAGTACCGAGTACCAGTGTATCCCA GACAGCACCATCCCCCAGGAAGACTACCGCTGCTGGCCATCCTACCACCACGGGAGCTGC CTCCTTTCAGTGTTCAACCTGGCTGAGGCTGTGGATGTCTGTGAGAGCCATGCCCAGTGT CGGGCCTTTGTGGTCACCAACCAGACCACCTGGACAGGTCGGCAGCTGGTCTTTTTCAAG ACTGGATGGAGCCAAGTGGTCCCTGATCCCAACAAGACCACATATGTGAAGGCCTCTGGC TGACCTATCTGAGGGCTCGCTGACCAGCTGACTATCCTCAGCAGCTGGCCTTGCCTGTG GAGGGAGTGACTTGCACTGCAGCACTGCATGTCACCTGGGAACCCCTGCAGACAAAGCT **AACATCCCAGACAGACAGATGTGACCAGGACAAACGTGCAATAATGCCAAATGTTAAAAT** GTGAGTTTACC&GOOTAGCT&TOTCOACTG, DGGCTCCTAGTCCAGGAA ALATGGCTST NO. GACTGCCTCTCCAACCCTGTGGGCTGTAAGCAAGCTCAGGCTAGTCTCCCCACTGGGGGC TGTGCCCCTCCCTGGGACGGTTCCGTGGGCAGCCCCATCACTGTGTTCAATAGTGTGAGA ATGTAGCTAAAGCCCCTGCTGCTGCTGCACATGCCACAGCAGGCGGTGGGGGCTGCG TGGGGACAATCCATCGTGGAGTGTTCTCTCAGCTTAGGTCTGGACAGGAGACTTGGCGGG AGATGCTCCAGGATGTGGGTGATTCTGTACCTGGGGAGGCTATCTCTGACCTCCCGACAG GGGACACTCCCAGGCCAGCCCAGGGGTCAGGGGCAGAGGTGCACACCTCAGCATGAGCCA GGCCTTTCTGCCTCATTTGCTTTCAATGAAAGCCTCAAAGCAGCCAAAACCAGGCTTTCC CCCTTCCTCGAGTTTGAATATCCAGAATCTTTTGTACTTCTTGTTGGTTAAATTGTTTAT TTTTGTAAAAATAAAATAAAATTAGTTAATAAAATGATGTTTCACAGCAAACTCTTCCC Т

SEQ ID NO: 107 AA396601 M

FIGURE 2DDDD

CCAGCAGTGCCGACTGCACGCTAGAGTTTCCAGCCAGGAACTTCAGCCTGCCCTGCTCGG CCCAGGGCTGGTGCGAGGGCATGAATGAGAAACGGAACCTCTACAATGCCTACAGGTTCT TCTTCACATACCTCCTGCCACACAGTGCCCCGCCTTCCCTCCGACCTCTCCTGGATAGCA TCGTCAATGCCACGGGAGAGCTCGCCTGGGGGGTGGATGAGACCCTGGCCCAGCTGGAGA CAGCGCTACACTTGTTCCGAAGTGGGCAGTACCTGCAGAACTCTACAAGCAGCAGGGCTG AGTACCAGCGCATCCCGGACAGTGCCATCACAGGAGGACTATCGCTGCTGGCCATCCT ATCACCACGGCGCTGCCTCCTGTCCGTGTTCAACCTGGCTGAGGCTATAGATGTCTGTG AGCTGGTCTTTTTTAAGACTGGATGGAACCAAGTGGTCCCTGATGCCGGCAAGACCACAT ATGTGAAGGCCCCTGGTTGACTGGTTGTGGGCTCAGCTGACCAGCTGGGCTTGCCTGCTG CYGA PGÉKIZÜZACGACAAHACGTGCAATATGCAAPAATGTTAAAN GTGAKU PÉ PCERCO TTCAGTCCCAGACTGGTTGGAACCCGATTGCCTCTCTGGAGCTGTAGGCTGTGAGCAGGG CTCAGGCTGGTCTTAACTGGGACAGTCCCGTGGGCAGCCCATTACTGCATTCATGCTTTG AGAATGTAGCCAGAACACTGCTGCTGCATAAGCCACCGTGGGCAGGAGCTGCCTGGGGAC GAGATGTGAGTGAACCAGCACTGGGAAGAAGGCTCTCGGGCCTCTCCCTAGAGGTTGCTC CTAGGCCAGCCCGAGGCCGTGGGCAGCAGTGCTCGCATCCATATGAGCCAAGACTAGAG TGGAGGAGCAGATTGCATTTGAGCCAGGACTGGGGTGGGGGTAGGGTCGGGGCCTCTCTG CCTCATTTGCTTTCAGTGAAAGCCAGGGAGCAGCCAGGCCAGGCTCCTCCCACTCCTGG AGGCCAGGCTCCTCCCCCTCTGGAGGCCAGGCTCCTCCCCCTCTGGAGTTTGCGTACC CAATTAATAAAATGATGTTTTGTGAC

SEQ ID NO: 108 VRK3 H

ATGATCTCCTTCTGTCCAGACTGTGGCAAAAGTATCCAAGCGGCATTCAAATTCTGCCCC TACTGTGGAAATTCTTTGCCTGTAGAGGAGCATGTAGGGTCCCAGACCTTTGTCAATCCA CATCTGTCATCCTTCCAAGCCTCAAAGAGAGGCCTCA..CTC.AGTTTTGAAACCTCTCCT AAGAAAGTGAAATGGTCCAGCACCGTCACCTCTCCCGATTATCCCTCTTCTCAGATGGT GACAGTTCTGAGTCTGAAGATACTCTGAGTTCCTCTGAGAGATCCAAAGGCTCCGGGAGC AGACCCCCAACCCCCAAAAGCAGCCCTCAGAAGACCAGGAAGAGCCCTCAGGTGACCAGG GGTAGCCCTCAGAAGACCAGCTGTAGCCCTCAGAAGACCAGGCAGAGCCCTCAGACGCTG AAGCGGAGCCGAGTGACCACCTCACTTGAAGCTTTGCCCACAGGGACAGTGCTGACAGAC AAGAGTGGGCGACAGTGGAAGCTGAAGTCCTTCCAGACCAGGGACAACCAGGGCATTCTC TATGAAGCTGCACCCACCTCCACCTCACCTGTGACTCAGGACCACAGAAGCAAAAGTTC TCACTCAAACTGGATGCCAAGGATGGGCGCTTGTTCAATGAGCAGAACTTCTTCCAGCGG GCCGCCAAGCCTCTGCAAGTCAACAAGTGGAAGAAGCTGTACTCGACCCCACTGCTGGCC ATCCCTACCTGCATGGGTTTCGGTGTTCACCAGGACAAATACAGGTTCTTGGTGTTACCC AGCCTGGGGAGGAGCCTTCAGTCGGCCCTGGATGTCAGCCCAAAGCATGTGCTGTCAGAG AGGTCTGTGCTGCAGGTGGCCTGCCGGCTGCTGGATGCCCTGGAGTTCCTCCATGAGAAT GAGTATGTTCATGGAAATGTGACAGCTGAAAATATCTTTGTGGATCCAGAGGACCAGAGT CAGGTGACTTTGGCAGGCTATGGCTTCGCCTTCCGCTATTGCCCAAGTGGCAAACACGTG GCCTACGTGGAAGGCAGCAGGAGCCCTCACGAGGGGGGACCTTGAGTTCATTAGCATGGAC CTGCACAAGGGATGCGGGCCCTCCCGCCGCAGCGACCTCCAGAGCCTGGGCTACTGCATG CTGAAGTGGCTCTACGGGTTTCTGCCATGGACAAATTGCCTTCCCAACACTGAGGACATC ATGAAGCAAAAACAGAAGTTTGTTGATAAGCCGGGGCCCTTCGTGGGACCCTGCGGTCAC TGGATCAGGCCCTCAGAGACCCTGCAGAAGTACCTGAAGGTGGTGATGGCCCTCACGTAT GAGGAGAAGCCGCCCTACGCCATGCTGAGGAACAACCTAGAAGCTTTGCTGCAGGATCTG CGTGTGTCTCCATATGACCCCATTGGCCTCCCGATGGTGCCCTAG

FIGURE 2EEEE

SEQ ID NO: 109_S71575_M VRK3_M

CCATCCCCACCTGTATCGGCTTTGGCATTCACCAGGACAAGTACAGGTTCCTAGTATTCC CCAGCCTGGGGAGGAGCCTTCAGTCAGCCCTGGATGACAACCCAAAGCATGTGGTATCAG AGAGATGTGTGCTTCAGGTGGCCTGCAGGCTGCTGGATGCTCTGGAGTATCTCCATGAAA ATGAGTATGTTCACGGGAACCTGACAGCTGAGAATGTCTTTGTGAATCCAGAGGATCTGA GCCAGGTGACCCTGGTGGGCTATGGCTTCACCTACCGATACTGCCCAGGTGGCAAACACG TGGCCTACAAAGAAGGCAGCAGGAGTCCACACGATGGGGACTTGGAGTTCATTAGCATGG ACCTGCACAAGGGATGCGGACCCTCCCGCCGCGGATCTCCAGACCTTGGGCTACTGTA TGCTCAAGTGGCTTTATGGGTCCCTGCCATGGACAAATTGCCTTCCCAACACCGAAAAGA TAACTAGGCAGAAGCAGAAGTATCTGGACAGCCCCGAGCGCCTCGTGGGACTGTGTGGCC GCTGGAACAAGGCCTCAGAGACCCTGCGGGAGTACCTGAAGGTGGTGATGGCCCTCAATT ATGACEAGAAGCCACCCTATGCCACGCTGAGGARCAGCCTAGAAGCTCTC...TGCACCTAA TGCGGGTGTCACCCTATGACCCTCTGGACCTCCAGATGGTGCCTTAGATGGAATCCAGAG CTTCCGACTTGCAGCTTGAAGTAGAACATGAAGTGTGTGACTGGAGGCCTGTTTGAACT CATAGCTCCTAAAAGAATCCCTTGAATGTGCATTCTCACCGCTCCCTTAGGACATATGAA TCAGCACTTGTGTTGGGGAACCTGAGTCATGTCATGTAATGTGAAACTCCTCCCTGTCTC AGCTCTGGCAGCTGTGGATGGAGGTAAGTGGATGCTGGCGGCGGCGGCGGCAGCAGCCAC TCCACTCCCTATGGCATTTCTGTGATGGCATAATAAACTGTTTTTAATC

SEQ ID NO: 110 AA45427 H

ATGGGCCACGCGCTGTGTCTCTCGCGGGAACTGTCATCATTGACAATAAGCGCTAC CTCTTCATCCAGAAACTGGGGGGGGGGTGGGTTCAGCTATGTGGACCTAGTGGAAGGGTTA CATGATGGACACTTCTACGCCCTGAAGCGAATCCTGTGTCACGAGCAGCAGGACCGGGAG GAGGCCCAGCGAGAAGCCGACATGCATCGCCTCTTCAATCACCCCAACATCCTTCGCCTC GTGGCTTACTGTCTGAGGGAACGGGGTGCTAAGCATGAGGCCTGGCTGCTGCTACCATTC TTCAAGAGAGGTACGCTGTGGAATGAGATAGAAAGGCTGAAGGACAAAGGCAACTTCCTG ACCGAGGATCAAATCCTTTGGCTGCTGCTGGGGATCTGCAGAGGCCTTGAGGCCATTCAT GCCAAGGGTTATGCCCAGAGAGTTGAMGCCCACCATATATTGCTTGGAGATGAGGGG CAGCCAGTTITAATGGACTTGGGTTCCATCAATCAAGCATGCATCCATGTGGAGGGCTCC CGCCAGGCTCTGACCCTGCAGGACTGGGCAGCCCAGCGGTGCACCATCTCCTACCGAGCC CCAGAGCTCTTCTCTGTGCAGAGTCACTGTGTCATCGATGAGCGGACTGATGTCTGGTCC CTAGGCTGCGTGCTATATGCCATGATGTTTGGGGAAGGCCCTTATGACATGGTGTTCCAA AAGGGTGACAGTGTGCCCTTGCTGTGCAGAACCAACTCAGCATCCCACAAAGCCCCAGG CATTCTTCAGCATTGCGGCAGCTCCTGAACTCGATGATGACCGTGGACCCGCATCAGCGT CCTCACATTCCTCTCCTCCTCAGTCAGCTGGAGGCGCTGCAGCCCCCAGCTCCTGGCCAA CATACTACCCAAATCTGA

SEQ ID NO: 111 H05721 H

FIGURE 2FFFF

GGGGGCCCTGCCTTCCCCTTGGCCATCAAGATGATGTGGAACATCTCGGCAGGTTCCTC CAGCGAAGCCATCTTGAACACAATGAGCCAGGAGCTGGTCCCAGCGAGCCGAGTGGCCTT GGCTGGGGAGTATGGAGCAGTCACTTACAGAAAATCCAAGAGGGTCCCAAGCAACTAGC CCCTCACCCCAACATCATCCGGGTTCTCCGCGCCTTCACCTCTTCCGTGCCGCTGCTGCC AGGGGCCCTGGTCGACTACCCTGATGTGCTGCCCTCACGCCTCCACCCTGAAGGCCTGGG CCATGCCGGACGCTGTTCCTCGTTATGAAGAACTATCCCTGTACCCTGCGCCAGTACCT TTGTGTGAACACACCCAGCCCCGCCTCGCCGCATGATGCTGCTGCAGCTGCTGGAAGG CGTGGACCATCTGGTTCAACAGGGCATCGCGCACAGAGACCTGAAATCCGACAACATCCT TGTGGAGCTGGACCCAGACGCTGCCCCTGGCTGGTGATCGCAGATTTTGGCTGCTGCCT GGCTGATGAGAGCATCGGCCTGCAGTTGCCCTTCAGCAGCTGGTACGTGGATCGGGGCGG AAACGCTGTCTGATGGCCCCAGAGGTCTCCACGGCCCGTCCTGGCCCCAGGGCAGTGAT TGACTACAGCAÁGGÉTGATGCCTGGGCAGTGGGAGCCATCGCCTATGAAATCTTCGGUCT TGTCAATCCCTTCTACGGCCAGGGCAAGGCCCACCTTGAAAGCCGCAGCTACCAAGAGGC TCAGCTACCTGCACTGCCCGAGTCAGTGCCTCCAGACGTGAGACAGTTGGTGAGGGCACT GCTCCAGCGAGAGGCCAGCAAGAGACCATCTGCCCGAGTAGCCGCAAATGTGCTTCATCT **AAGCCTCTGGGGTGAACATATTCTAGCCCTGAAGAATCTGAAGTTAGACAAGATGGTTGG** CTGGCTCCTCCAACAATCGGCCGCCACTTTGTTGGCCAACAGGCTCACAGAGAAGTGTTG TGTGGAAACAAAAATGAAGATGCTCTTTCTGGCTAACCTGGAGTGTGAAACGCTCTGCCA GGCAGCCTCCTCTCTCTCATGGAGGGCAGCCCTGTGATGTCCCTGCATGGAGCTGGT GAATTACTAAAAGAACATGGCATCCTCTGTGTCGTGATGGTCTGAATGGTGAGGGTGG GAGTCAGGAGACAAGACAGCGCAGAGAGGGCTGGTTAGCCGGAAAAGGCCTCGGGCTTGG CAAATGGAAGAACTTGAGTGAGAGTTCAGTCTGCAGTCCTCTGCTCACAGACATCTGAAA AGTGAATGGCCAAGCTGGTCTAGTAGATGAGGCTGGACTGAGGAGGGGGTAGGCCTGCATC CACAGAGAGGATCCAGGCCAAGGCACTGGCTGTCAGTGGCAGAGTTTGGCTGTGACCTTT GCCCTAACACGAGGAACTCGTTTGAAGGGGGCAGCGTAGCATGTCTGATTTGCCACCTG GATGAAGGCAGACATCAACATGGGTCAGCACGTTCAGTTACGGGAGTGGGAAATTACATG AGGCCTGGGCCTCTGCGTTCCCAAGCTGTGCGTTCTGGACCAGCTACTGAATTATTAATC <u> Pactiàgegaraetgàcegatgagchetaretarctareteuggaetamacttga</u> GGTTTCCCTCCTGACTAGCCTCTTTACAGGAATTGTGAAATA'ITAAA'IGCAAATTTACA ACTGCAGATGACGTATGTGCCTTGAACTGAATATTTGGCTTTAAGAATGATTCTTCTTAT ACTCTGAAGGTGAGAATATTTTGTGGGCAGGTATCAACATTGGGGAAGAGATTTCATGTC TAACTAACTATATACATGATTTTTAGGAAGCTATTGCCTAAATCAGCGTCAACATG CAGTAAAGGTTGTCTTCAACTGACAAAA

SEQ ID NO: 112 AI086865 H

FIGURE 2GGGG

GGCAGCCTCACTGACATCAGCCAGCCCACCATTGTGGAGGCTTTGTTGGGCTATGAAATG GTGCAGCAAGTGGAGGAGGCCCTGAGCTTCACACTACTAGGCTCTGCACCCCTGGACCAG GAGCCTCTGCTGAGTATAGACCTGGGCACTGCTCACTCAGCTGCTGTGACTGGTGAGGAG GGTGTGGCGTCCAGCACTGATGTCTCTCACCTTCTCTGAAGGTGACTGCAAGGAGCCTGAC AAGTGCTGCTGGAGACACAAGCAGTGCACTGGGCACATCATCTACCCTTTCGCCTCTGAC TGTGTCCGCCACAGCCTGCACCTACACTCTGTCAACCACTGCAACTGTAATTCTAGGCTG AAGGACTCTTCAGAGGATAGCAGCAGCTCCCGGGGCGCGGGCCCAACCTGCTCCCATGTC ATCGAGTCCCCTTGCTTTGAGCTCACACCGGAGGAGGAGCATGTGGAGCGATTCCGGTAT GGCTGGTGCAAAAGCTACAGACCTGTCTCTGTGGCAGTGATCCACCATCCACTCTACCAT GAGTGTGGGGCAGATGATCTAAATGXXAAGAAGAGGAAGAGGAGGAGGAAAAGCAAG GCCACTGGTACCCCTGACTCCACAGCGCCCATCACCATCTGGCGCTCTGAGAGCCCCACA GGGAAGGTCAGGCAGCAAGGTGATCAAGAAGGTAAAGAAAAAAGGAAAAAGGAAAA GACAAGGAGGAGATGGATGAGAAGGCAAAGCTGAAGAAAAAAGCCAAGAAAGGCCAGTTG ACTAAGAAGAAAAGCCCGGTTAAATTGGAGCCTTCCCCGCCAGACGTGAGCCGATCATTA AGCGCAAGACAGCTGGCCAGGATGTCCGAGTCCAGCCCAGAAAGCCGGGAAGAGCTGGAG AGCGAGGACAGTTACAATGGCCGGGGCAGGGAGAACTGTCCAGCGAGGATATTGTGGAA TCATCATCGCCCAGGAAGAGAGAGACACAGTCCAGGCCAAAAAGACAGGGGCAAAGCCC TCACAAGCCAGGAAGGTAAACAAGAGAAAATCTCCCCCAGGATCAAACCCCAACCTCAGT TGCTGTTCTCCCTCCAACCTGGCTGTTTCTTGCGGGGCAAGGGGTGGGCTCAGGGCTG CAGGGGTTTCTCAAAGGCAATCCAGCTTTCACAAAGGAAGCCCATGGGAAGGCAGGTGGG AGGGAAAGGAAGGGCACAGCCCTATTTCTTCCTACCTGCTAGGACAAGGTGGAAGAGTG TATCTGGGGTGGGAAGGAGGCTTCCCCTCTCTGCTGCAGAGACTGGTCTGTGAAAT CCACTTCTGGGACAGGCAGTACTGTCTGCAGCGATACCCCCAATAAACGGAACTTTTTAA CCC

SEC ID NO: 113 AA836348 H

ATGTCGGTGCTGGGCGAGTACGAGCGACACTGCGATTCCATCAACTCGGACTTTGGGAGC GAGTCCGGGGGTTGCGGGGACTCGAGTCCGGGGCCTAGCGCCAGTCAGGGGCCGCGAGCC GGCGGCGCGGCGGAGCAGGAGGAACTGCACTACATCCCCATCCGCGTCCTGGGCCGC GGCGCCTTCGGGGAAGCCACGCTGTACCGCCGCACCGAGGATGACTCACTGGTTGTGTGG AAGGAAGTCGATTTGACCCGGCTGTCTGAGAAGGAACGTCGTGATGCCTTGAATGAGATA GTTATTCTGGCACTGCTGCAGCACGACAACATTATTGCCTACTACAATCACTTCATGGAC AATACCACGCTGCTGATTGAGCTGGAATATTGTAATGGAGGGAACCTGTATGACAAAATC CTTCGTCAGAAGGACAAGTTGTTTGAGGAAGAGATGGTGGTGTGGTACCTATTTCAGATT GTTTCAGCAGTGAGCTGCATCCATAAAGCTGGAATCCTTCATAGAGATATAAAGACATTA AATATTTTTCTGACCAAGGCAAACCTGATAAAACTTGGAGATTATGGCCTAGCAAAGAAA CTTAATTCTGAGTATTCCATGGCTGAGACGCTTGTGGGAACCCCATATTACATGTCTCCA GAGCTCTGTCAAGGAGTAAAGTACAATTTCAAGTCTGATATCTGGGCAGTTGGCTGCGTC ATTTTTGAACTGCTTACCTTAAAGAGGACGTTTGATGCTACAAACCCACTTAACCTGTGT GTGAAGATCGTGCAAGGAATTCGGGCCATGGAAGTTGACTCTAGCCAGTACTCTTTGGAA TTGATCCAAATGGTTCATTCGTGCCTTGACCAGGATCCTGAGCAGAGACCTACTGCAGAT GAACTTCTAGATCGCCCTCTTCTCAGGAAACGCAGGAGGTCAAGCACTGTGACTGAAGCA CCCATTGCTGTAGTAACATCACGAACCAGTGAAGTCTATGTTTGGGGTGGTGGAAAATCC **ACCCCCAGAAACTGGATGTTATCAAGAGTGGCTGTAGTGCCCGGCAGGTCTGTGCAGGG** AATACCCACTTTGCTGTGGTCACAGTGGAGAAGGAACTGTACACTTGGGTGAACATGCAA GGAGGCACTAAACTCCATGGTCAGCTGGGCCATGGAGACAAAGCCTCCTATCGACAGCCA AAGCATGTGGAAAAGTTGCAAGGCAAAGCTATCCGTCAGGTGTCATGTGGTGATGATTTC

FIGURE 2HHHH

ACTGTCTGTGTGACTGATGAGGGTCAGCTCTATGCCTTCGGATCAGATTATTATGGCTGC ATGGGGGTGGACAAAGTTGCTGGCCCTGAAGTGCTAGAACCCATGCAGCTGAACTTCTTC CTCAGCAATCCAGTGGAGCAGGTCTCCTGTGGAGATAATCATGTGGTGGTTCTGACACGA AACAAGGAAGTCTATTCTTGGGGGCTGTGGCGAATATGGACGACTGGGTTTGGATTCAGAA GAGGATTATTATACACCACAAAAGGTGGATGTTCCCAAGGCCTTGATTATTGTTGCAGTT CAATGTGGCTGTGATGGGACATTTCTGTTGACCCAGTCAGGCAAAGTGCTGGCCTGTGGA CTCAATGAATTCAATAAGCTGGGTCTGAATCAGTGCATGTCGGGAATTATCAACCATGAA GCATACCATGAAGTTCCCTACACAACGTCCTTTACCTTGGCCAAACAGTTGTCCTTTTAT AAGATCCGTACCATTGCCCCAGGCAAGACTCACACAGCTGCTATTGATGAGCGAGGCCGG CTGCTGACCTTTGGCTGCAACAAGTGTGGGCAGCTGGGCGTTGGGAACTACAAGAAGCGT CTGGGAATCAACCTGTTGGGGGGACCCCTTGGTGGGAAGCAAGTGATCAGGGTCTCCTGC ###GC#GATG#GTTT#CCATTC#FGCCACTGATGAGA##GTMTGAATTCT####ACC#TCGT TCCAATAGCAGTGGCTTATCCATTGGAACTGTGTTTCAGAGCTCTAGCCCGGGAGGAGGC GGCGGGGGGGGGTGGTGAAGAAGAGGACAGTCAGCAGGAATCTGAAACTCCTGACCCA AGTGGAGGCTTCCGAGGAACAATGGAAGCAGACCGAGGAATGGAAGGTTTAATCAGTCCC GAGCTGGAAAATGCAGAATTTATCCCCATGCCTGACAGCCCATCTCCTCTCAGTGCAGCG TTTTCAGAATCTGAGAAAGATACCCTGCCCTATGAAGAGCTGCAAGGACTCAAAGTGGCC TCTGAAGCTCCTTTGGAACACAAACCCCAAGTAGAAGCCTCGGTAACTGAGCTTTTTGCC TTTGAATCACAACTAGTCACCTCGGCTGAATCCTGCAGTAACCTGTGCTGGGAAGGGAAC ACCACTGACTCCTCCTGCGTGTGCGTGCAGCTCTCTGCAGGTGGAGGTTGA

SEQ ID NO: 114 R86668 H, MKK6 H

ATGAACTTGCTGCTCTCCTACCGCGATGTGCAGGACTACTCGGCCATCATTGAGCTGGTG GAGACGCTGCAGGCCTTGCCCACCTGTGATGTGGCCGAGCAGCATAATGTCTGCTTCCAC CTGCTGCCGCTGGTACAGCTTGAGGGCTCTGTGGCGCCCGATCTGTACTGCATGTGTGGC CCTATCTACAAGGACATGTTCTTCAGGTCGGGTTTCCCAGGATGCTGGGCACC SGAMCAG GCCTATCACTGGTATCGCAAGGCTTTTGACGTAGAGCCCAGCCTTCACTCAGGCATCAAT GCAGCTGTGCTCCTCATTGCTGCCGGGCAGCACTTTGAGGATTCCAAAGAGCTCCGGCTA ATAGGCATGAAGCTGCGCTGCCTGCCCGCAAAGGCTGCGTGGAGAAGATGCAGTAT GTGCTGCTGCAGAGCAGCTGTATAAGCTCAATGCCCCCATATGGTACCTGGTGTCCGTG ATGGAGACCTTCCTGCTCTACCAGCACTTCAGGCCCACGCCAGAGCCCCCTGGAGGGCCA CCACGCCGTGCCCACTTCTGGCTCCACTTCTTGCTACAGTCCTGCCAACCATTCAAGACA GCCTGTGCCCAGGGCGACCAGTGCTTGGTGCTGGTCCTGGAGATGAACAAGGTGCTGCTG CCTGCAAAGCTCGAGGTTCGGGGTACTGACCCAGTAAGCACAGTGACCCTGAGCCTGCTG GAGCCTGAGACCCAGGACATTCCCTCCAGCTGGACCTTCCCAGTCGCCTCCATATGCGGA GTCAGCGCCTCAAAGCGCGACGAGCGCTGCTGCTTCCTCTATGCACTCCCCCCGGCTCAG GACGTCCAGCTGTGCTTCCCCAGCGTAGGGCACTGCCAGTGGTTCTGCGGCCTGATCCAG ATGTTGGAGTTTGATTATGAGTACACGGAGACGGCGAGCGGCTGGTGCTGGGCAAGGGC ACGTATGGGGTGTGTACGCGGGCCGCGATCGCCACACGAGGGTGCGCATCGCCATCAAG GAGATCCCGGAGCGGGACAGCAGGTTCTCTCAGCCCCTGCATGAAGAGATCGCTCTTCAC AGACGCCTGCGCCACAAGAACATAGTGCGCTATCTGGGCTCAGCTAGCCAGGGCGGCTAC TGGGGACCCCTGAAGGACAACGAGAGCACCATCAGTTTCTACACCCGCCAGATCCTGCAG GGACTTGGCTACTTGCACGACAACCACATCGTGCACAGGGACATAAAAGGGGACAATGTG CTGATCAACACCTTCAGTGGGCTGCTCAAGATTTCTGACTTCGGCACCTCCAAGCGGCTG GCAGGCATCACACCTTGCACTGAGACCTTCACAGGAACTCTGCAGTATATGGCCCCCAGAA

FIGURE 2IIII

ATCATTGACCAGGGCCCACGCGGTATGGGAAAGCAGCTGACATCTGGTCACTGGGCTGC ACTGTCATTGAGATGGCCACAGGTCGCCCCCCTTCCACGAGCTCGGGAGCCCACAGGCT GCCATGTTTCAGGTGGGTATGTACAAGGTCCATCCGCCAATGCCCAGCTCTCTGTCGGCC GAGGCCCAAGCCTTTCTCCTCCGAACTTTTGAGCCAGACCCCCGCCTCCGAGCCAGCGCC CAGACACTGCTGGGGGACCCCTTCCTGCAGCCTGGGAAAAGGAGCCGCAGCCCCAGCTCC CCACGACATGCTCCACGCCCTCAGATGCCCCTTCTGCCAGTCCCACTCCTTCAGCCAAC CCCCGAAGCGCTGCCTCAGTTATGGGGGCACCAGCCAGCTCCGGGTGCCCGAGGAGCCT GCGGCCGAGGAGCCTGCGTCTCCGGAGGAGAGTTCGGGGCTGAGCCTGCTGCACCAGGAG AGCAAGCGTCGGGCCATGCTGGCCGCAGTATTGGAGCAGGAGCTGCCAGCGCTGGCGGAG GAGCTCCTGCGCTGCCT(CGGCCACACACCCCACACCCCCAACCGCCGCAGCTCGCCCC GAGCTGCGGCGCTGCAAGGACGGCTGAGGGCCCAGGGCCTTGGGCCTGCGCTTCTGCAC AGACCGCTGTTTGCCTTCCCGGATGCGGTGAAGCAGATCCTCCGCAAGCGCCAGATCCGT CCACACTGGATGTTCGTTCTGGACTCACTGCTCAGCCGTGCTGTGCGGGCAGCCCTGGGT GTGCTAGGACCGGAGGTGGAGAAGGAGGCGGTCTCACCGAGGTCAGAGGAGCTGAGTAAT GAAGGGGACTCCCAGCAGAGCCCAGGCCAGCAGAGCCCGCTTCCGGTGGAGCCCGAGCAG GGCCCGCTCCTGATGGTGCAGCTGAGCCTCTTGAGGGCAGAGACTGATCGGCTGCGC GAAATCCTGGCGGGAAGGAACGGGGTACCAGGCCCTGGTGCAGCGGGCTCTACAGCGG CTGAATGAGGAAGCCCGGACCTATGTCCTGGCCCCAGAGCCTCCAACTGCTCTTTCAACG GACCAGGGCCTGGTGCAGTGGCTACAGGAACTGAATGTGGATTCAGGCACCATCCAAATG CTGTTGAACCATAGCTTCACCCTCCACACTCTGCTCACCTATGCCACTCGAGATGACCTC ATCTACACCCGCATCAGGGGAGGGATGGTATGCCGCATCTGGAGGGCCATCTTGGCACAG CGAGCAGGATCCACACCAGTCACCTCTGGACCCTGA

SEO ID NO: 115 PAK6 H

<u>ATGTTTGGGAAGAAAAAGAAAAGATTGAAATATCTGGCCCGTCCAACTTTGAACACAGG</u> GTTCATAL THE GTT GATCCACAGAGCAGAGTTTACCORCCTTC. CCAR ALL STEMORC AGCCTGTTAGCAGATACGGCCAACAGGCCAAAGCCTATGGTGGACCCTTCATGCATCACA TCCATCAACGGCCTGCTAGAGGATTTTGACAACATCTCGGTGACTCGCTCCAACTCCCTA AGGAAAGAAAGCCCACCCACCCAGATCAGGGAGCCTCCAGCCACGGTCCAGGCCACGCG GAAGAAAATGGCTTCATCACCTTCTCCCAGTATTCCAGCGAATCCGATACTACTGCTGAC TACACGACCGAAAAGTACAGGGAGAAGAGTCTCTATGGAGATGATCTGGATCCGTATTAT <u>AGAGGCAGCCACGCAGCCAAGCAAAATGGGCACGTAATGAAAATGAAGCACGGGGAGGCC</u> TACTATTCTGAGGTGAAGCCTTTGAAATCCGATTTTGCCAGATTTTCTGCCGATTATCAC TCACATTTGGACTCACTGAGCAAACCAAGTGAATACAGTGACCTCAAGTGGGAGTATCAG AGAGCCTCGAGTAGCTCCCCTCTGGATTATTCATTCCAATTCACACCTTCTAGAACTGCA GGGACCAGCGGGTGCTCCAAGGAGACCTGGCGTACAGTGAAAGTGAATGGGGACCCAGC CTGGATGACTATGACAGGAGGCCAAAGTCTTCGTACCTGAATCAGACAAGCCCTCAGCCC ACCATGCGGCAGAGGTCCAGGTCAGGCTCGGGACTCCAGGAACCGATGATGCCATTTGGA GCAAGTGCATTTAAAACCCATCCCCAAGGACACTCCTACAACTCCTACACCTACCCTCGC TTGTCCGAGCCCACAATGTGCATTCCAAAGGTGGATTACGATCGAGCACAGATGGTCCTC AGCCCTCCACTGTCAGGGTCTGACACCTACCCCAGGGGCCCTGCCAAACTACCTCAAAGT CAAAGCAAATCGGGCTATTCCTCAAGCAGTCACCAGTACCCGTCTGGGTACCACAAAGCC ACCTTGTACCATCACCCCTCCCTGCAGAGCAGTTCGCAGTACATCTCCACGGCTTCCTAC CTGAGCTCCCTCAGCCTCATCCAGCACCTACCCGCCGCCCAGCTGGGGCTCCTCCTCC GACCAGCAGCCCTCCAGGGTGTCCCATGAACAGTTTCGGGCGGCCCTGCAGCTGGTGGTC AGCCCAGGAGACCCCAGGGAATACTTGGCCAACTTTATCAAAATCGGGGAAGGCTCAACC GGCATCGTATGCATCGCCACCGAGAAACACACAGGGAAACAAGTTGCAGTGAAGAAAATG

PCT/US00/14842

FIGURE 2JJJJ

SEQ ID NO: 116 SURTK106 H ATGAATGATAGGAATGAGATTCAAATGGAAGCCAAACTCCAAAGTCTTACCATTATAGCA CAGGAAATTCTATGCAGATTCTTTATTACCCTTAGGAGACATGCACGTTTCCTGCTCACT **AAACTAGGAAGGCAAGGAATGGCAAGGTCAGGAATTACTCACAGCTGTGCTGTGCATT** CTCTGTGGGCCTAGCAGGGAAGGGGACAGCCCTGTGGCAATGGGCATGACACGGATGCTC CTGGAATGCAGTCTCAGTGACAAGTTGTGTGTCATCCAGGAGAAGCAGTATGAAGTGATT ATCGTCCCAACTTTGTTGGTTACTATCTTCCTCATCCTTCTTGGGGTCATCCTGTGGCTT TTTATCAGAGAACAAGAACTCAACAGCAGCGTTCTGGACCTCAAGGCATTGCCCCTGTT CCTCCACCTAGGGACCTAAGCTGGGAAGCAGGACATGGAGGAAATGTGGCTTTGCCACTT **AAGGAGACATCCGTGGAAAACTTTCTGGGAGCTACCACACCTGCCCTGGCTAAGCTGCAG** GTGCCGCGGAGCAACTCTCTGAAGTTCTGGAGCAGATTTGCAGTGGTAGCTGTGGGCCC ATCTTTCGAGCCAATATGAACACTGGGGACCCTTCTAAGCCCAAGAGTGTTATTCTCAAG GCTTTAAAAGAACCAGCTGGGCTCCATGAGGTACAAGATTTCTTAGGGCGAATCCAATTC CATCAATACCTGGGGAAACACAAAAACCTGGTGCAGCTGGAAGGCTGCTGCACTGAAAAAG CHECCUTTENMATGETO THE BAĞGA HATGGCCCAGGCGGACCTGCTCGCCTHHCECHHG **ACCTGTCGGCGGGATGTGÄTGACTATGGATGTCTTCTTCTATGATCTCACAGANAAACAA** GTATATCACATCGGAAAGCAAGTCCTTTTGGCGCTGGAATTCCTGCAGGAGAAGCATTTG TTCCATGGGGATGTGGCAGCCAGGAATATTCTGATGCAAAGTGATCTCACTGCTAAGCTC TGTGGATTAGGCCTGGCTTATGAAGTTTACACCCGAGGGGCCATCTCCTCTACTCAAACC ATACCTCTCAAGTGGCTTGCCCCAGAACGGCTTCTCCTGAGACCTGCTAGCATCAGAGCA GATGTCTGGTCTTTTGGGATCCTGCTCTATGAGATGGTGACTCTAGGAGCACCACCGTAT CCTGAAGTCCCTCCTACCAGCATCCTAGAGCATCTCCAAAGAAGGAAAATCATGAAGAGA CCCAGTAGCTGCACACATACCATGTACAGTATCATGAAGTCCTGCTGGCGCTGGCGTGAG GCTGACCGCCCTCACCTAGAGAGCTGCGCTTGCGCCTAGAAGCTGCCATTAAAACTGCA GATGACGAGGCTGTGTTACAAGTACCAGAGTTGGTGGTACCTGAACTGTATGCAGCTGTG GCCGGCATCAGAGTGGAGAGCCTCTTCTACAACTATAGCATGCTTTGAAGAGTCTCGGGC AAGAAACATTCATGCATGAGTATATGTTCTTGGAATCAATTCCTCTAAGAACAGAGAATG GTCTTTCCCAGGGACACAAAGGGAGAAATGGGACATGGATTCTTGATCTTCCTTTACACA TTTCTCGGGAAATCTGAAATGATGCTGGATGGGACTCTACACATCCTGAGCTAAGACATA CTGTCAGTCTCACTTCTGCTGTCCCAGTCCTAGAAATCCTGGGTAGAAGTGGTGGACCTG TGCAAAGGAGGTTTTAGAACTCTGCAGTATTTGTTGGGGCATGGCACAAATAAGCTCATC CCTCCCGTCCGAGGCTAGTTTCCTCTGGAACCACATTTTTATCTAGATGAAAATTTGGAA CTTGCTCAGGATTACAGATATGGACCAACACCTCCTTCAAGAAAAGGTGGTAGGACACAA AGTTCTTCAGTCCTGAGCCCTACATGTGGGGGCTGGAGGAGAACTATAACGGAAAAACCTC TGAGTTTCACCTTAGGTATAGATAAAAGAAAGATGGTCCCCTTTTATCTGATTCTGAGAC AGGTAAATTCTGTTTGTTACTACGTTTAATTAGAAGGTGGAGGAGTCATTTCATGATTAA

FIGURE 2KKKK

SEO ID NO: 117 AA098024 M

CTGCAGGAGAAGCACCTGTTTCATGGGGATGTGGCTGCCAGGAACATCCTGATCCAAAGT GACCTGACTCCCAAACTTTGTCATCTGGGCCTGGCTTATGAAGTTCATGCCCATGGGGCC ATCTCCTCTGCTCGATCCAGCACCATCCCTCTCAAGTGGCTTGCTCCAGAAAGGCTTCTC CTGAGACCTGCAAGCATCAGGGGAGATATTTGGTCCTTTGGGATCCTGCTTTATGAGATG GTGACTCTAGGAGCACCA(CATACCCTGAAGTCCCTCCCACCAGCATCCTACAA!ATCTT CAGAGAAAGAAAATCATGAAGAGACCCAGCAGCTGCTCACATGCCATGTACAACATCATG AAGTGCTGTTGGCGCTGGAGTGAGGACAGCCGCCCTTACTTGTTCAGCTGCTCCAGCGC CTAGAAGCTGCTTCTAGATCTGCCGATGACAAGGCTGTGTTGCAAGTGCCAGAGTTGGTG GTGCCTGAACTGTATGCAGATGTGGCTGGCATCAGGGCAGAAAGCATTTCCTATAGCTTC AGTGTCCTTTGAAGATGGTCCTAGACAAATGACTATATATGGGTGGAATTAGTTCCTTCA AGAACAGAGAAGGAACTTTCTGTGGCCCACCAAGGGAGAAAAAAGGACATGGATCTTG CATCTTTCCCTAAACATTTTCCTAGACATCTGAAATGCTGCTGGATGAAGCTCTACCTCT ACATACCATGTACTCTTGAGCTAAGAATCACCATCAATTGTAGTTTGCTTTCCAGTCCCA AGGGCTGAAGTATAAGTGGTGGACCGTGTCATTCTAAAGGAGGTTTTTAAAATCTGCAAT AAACTAGTTTTTTTTTTTTTTTTAAGTTAAACTATTACAGAGTAAAAATAAACCAG ATGGGCATGAATGAACACCTTCTAATTTTTAACCATGAATTGAATATTGGAATTCATGAG AAAGAAAATTCTAGGTTCTTTTTGCTAAGAGGTGTTAAGGTGAGTCAATATATCCTTCAA GGAAAGGCTTTGTCTCATCTATGTTGACGGGACGTAAAAGTCCTCGTCCCGTTATGAAGA UNITOGYTYLASTEGRASTYTTGACA-(LAGGYGGACCLATGCATGATACTAAGTTTP STYLAGF 40.7%) GTATAACAAATAGGAAGCATGAAAGTCGAGCAAGAAGACTTAGTAACCCAGGTGGTCATT GTTATTTTACTAGGAAAATTAGAGAACCTATAGTTTCCAAAAAGAGATTCTTTATGTGCA AAATGAGATAACTCTCTACCTCACAGGGTTGGTGTGAGGAACAATGAGAATATGTATTTG TGTATTATGTAGAATATAATATTCTCAATAAATACTAGTTTTTCCCCTTTC

SEQ ID NO: 118 SGK2ALPHA H

FIGURE 2LLLL

TCCACATTCTGTGGTACCCCTGAGTACTTGGCACCTGAAGTGCTTCGGAAAGAGCCTTAT GATCGAGCAGTGGACTGGTGGTGCTTGGGGGCAGTCCTCTACGAGATGCTCCATGGCCTG CCGCCCTTCTACAGCCAAGATGTATCCCAGATGTATGAGAACATTCTGCACCAGCCGCTA CAGATCCCCGGAGGCCGGACAGTGGCCGCCTGTGACCTCCTGCAAAGCCTTCTCCACAAG GACCAGAGGCAGCGGCTGGGCTCCAAAGCAGACTTTCTTGAGATTAAGAACCATGTATTC TTCAGCCCCATAAACTGGGATGACCTGTACCACAGAGGGCTAACTCCACCCTTCAACCCA **AATGTGACAGGACCTGCTGACTTGAAGCATTTTGACCCAGAGTTCACCCAGGAAGCTGTG** TCCAAGTCCATTGGCTGTACCCCTGACACTGTGGCCAGCAGCTCTGGGGCCTCAAGTGCA TTCCTGGGATTTTCTTATGCGCCAGAGGATGATGACATCTTGGATTGCTAGAAGAGAAGG **ACCTGTGAAACTACTGAGGCCAGCTGGTATTAGTAAGGAATTACCTTCAGCTGCTAGGAA** GAGGGCCCCAACTAACAATGGCTTCAACGAGAAGCAGGTTTATTTTTTCCLECACCAA <u>AAGAAAATAATGTTTCGGAGTCCAGGACTGGCAGGACAGGTCATCAGATACTCAGAGGC</u> TGTATCTCTGCCCTGCCAACCTTGACAAATGGCTTCCAATGTTAGGTTTGCTACAAGATG GTTACTGGAGCTCTAGCTGCCTATTTTGTGTTTAGGGAAGGGAAAATGGAGGAAAGGGGA GAAGAGCAAAGGGCGCTTTTAAAGAGCTTTCCCAAAAGCTCCCCCCAATGACTTTTGCTT CCATCTCACTAACCACCCACCCCTACCTGGAATGGAGGCTGGGAAATGTGGCTTATTTGC TGGGTACGTGACTATCCCTAATAACAAAGGGGTTTTGACCCTAAGACATTAGGGGAGAAT GTTGGGTAGGCAGCCAGCCCTCTTTTACCATAGGGCCTCCTGGTGTTTTGATTTTGATCT CAATGTGTAAAATGACAGAGATGTAACAAGCTCATAGGGTATCAATATCTCTTATTGTTC TATGTTGAAAAA

SEO ID NO: 120 CCRK H

ATGGACCAGTACTGCATCCTGGGCCGCATCGGGGAGGGCGCCCACGGCATCGTCTTCAAG GCCAAGCACGTGGAGACTGGCGAGATAATTGCCCTCAAGAAGGTGGCCCTAAGGCGGTTG **GAAGACGGCTTCCCTAACCAGGCCCTGCGGGAGATTAAGGCTCTGCAGGAGATGGAGGAC** AATCAGTATGTGGTACAACTGAAGGCTGTGTTCCCACACGGTGGAGGCTTTGTGCTGGCC TTTGAGTTCATGCTGTCGGATCTGGCCGAGGTGGTGCGCC(ATGCCCAGAGGCCACTAGCC caggracagetcaagagctacciblagatgctgctcaagggtgtcgccttctgccaigct **AACAACATTGTACATCGGGACCTGAAACCTGCCAACCTGCTCATCAGCGCCTCAGGCCAG** CTCAAGATAGCGGACTTTGGCCTGGCTCGAGTCTTTTCCCCAGACGCCAGCCGCCTCTAC ACACACCAGGTGGCCACCAGGTCTGTGGGCTGCATCATGGGGGAGCTGTTGAATGGGTCC CCCCTTTTCCCGGGCAAGAACGATATTGAACAGCTTTGCTATGTGCTTCGCATCTTGGGC ACCCCAAACCCTCAAGTCTGGCCGGAGCTCACTGAGCTGCCGGACTACAACAAGATCTCC TTTAAGGAGCAGGTGCCCATGCCCCTGGAGGAGGTGCTGCCTGACGTCTCTCCCCAGGCA TTGGATCTGCTGGGTCAATTCCTTCTCTACCCTCCTCACCAGCGCATCGCAGCTTCCAAG ATTCCTCAGCGTCTAGGGGGACCTGCCCCCAAGGCCCATCCAGGGCCCCCCCACATCCAT GACTTCCACGTGGACCGGCCTCTTGAGGGAGTCGCTGTTGAACCCAGAGCTGATTCGGCC TCAGTCCACCTGTTCCTCTGCCACCTGCCTGGCTTCACCCTCCAAGGCCTCCCCATGGCC ACAGTGGGCCCACACCACCTTGCCCCTTAGCCCTTGCGAGGGTTGGTCTCGAGGCAGA GGTCATGTTCCCAGCCAAGAGTATGAGAACATCCAGTCGAGCAGAGGAGATTCATGGCCT GTGCTCGGTGAGCCTTACCTTCTGTGTGCTACTGACGTACCCATCAGGACAGTGAGCTCT GAGTGCTGCCTCCTGGTCAAGGAGAAGTGCAGAGAGTAA

FIGURE 2MMMM

CCCACCGCCTCCGCAGGCTAAGGAGCCGCTGCCACCAACGAGCTGTGAGGGTTACTATGC TCCCTCTTTGCCGCCGTCTCCTCTTTGCCCGCGCAGGCACCCCTCTGGCTGCTCAGTC CTGCCTCAGTGTCAAACCAGAAGAAGAAATTCAACAAAAATTTATGTGTGGAGTTC CTTCTTAAAAGAAGAAAAAGTGATTATTTAGACTATGGATCGGAGCAAACGGAATTCAA TTGCAGGATTTCCTCCACGTGTGGAGCGTCTTGAAGAGTTTGAAGGAGGTGGTGGAGGAG AAGGAAATGTGAGCCAGGTGGGAAGAGTTTGGCCATCTTCGTATCGAGCTCTTATAAGTG CCTTTTCCAGACTGACGCGTTTGGATGATTTCACCTGTGAAAAAATAGGGTCTGGCTTCT TTTCTGAAGTGTTCAAGGTACGACACCGAGCTTCTGGTCAGGTGATGGCTCTTAAGATGA ACACATTGAGCAGTAACCGGGCAAACATGCTGAAAGAAGTACAGCTCATGAATAGACTCT CCCATCCCAACATCCTTAGGTATATCAACTCCGGGAACCTGGAACAGTTGCTAGACAGTA ACCTCCATTTCCCTTGGACTGTCLGCGTAAAACTGGCCTATGACATAGCAGTGGGCCTCA AGAGGGATGAGAATGGTTACTCTGCAGTGGTAGCTGACTTTGGCCTGGCTGAGAAGATCC CCGATGTCAGCATGGGGAGTGAGAAGCTGGCCGTGGTGGGTTCCCCATTCTGGATGGCAC CTGAGGTTCTCCGAGATGAGCCCTATAATGAAAAGGCAGATGTGTTCTCTTATGGTATCA TCCTCTGCGAGATCATCGCCCGCATCCAGGCCGATCCGGACTATCTTCCCCGCACAGAGA ATTTCGGGCTGGACTATGATGCTTTCCAGCACATGGTGGGAGACTGTCCCCCAGATTTTC TGCAACTTACTTTCAACTGCTGTAACATGGATCCCAAACTGCGCCCATCTTTTGTGGAGA TTGGGAAGACCCTGGAGGAAATTCTGAGCCGCCTACAGGAAGAAGAGCAGGAGAGGGATA GGAAGCTGCAGCCCACAGCCAGGGGACTCTTGGAGAAAGCACCTGGGGTGAAGCGACTAA GCTCACTGGATGACAAGATCCCCCACAAGTCACCATGCCCAAGACGTACCATCTGGCTGT CATACTACCGGCCACGAGATGGTGCTGCCCGCACCCCCAAAGTCAACCCTTTTAGTGCTC GCCAGGACCTCATGGGGGGCAAGATCAAGTTTTTTGACCTGCCCAGCAAGTCTGTCATCT CTCTGGTATTTGACCTGGATGCACCAGGGCCCGGAACTATGCCCCTGGCTGACTGGCAGG AGCCCCTGGCCCCACCTATTCGCCGGTGGCGTTCCTTGCCTGGTTCGCCTGAGTTCTTGC ATCAAGAGGCTTGTCCATTTGTGGGCCGGGAAGAATCGCTATCTGATGGGCCCCCACCAC GCCTAAGTAGTCTCAAGTACAGAGTTAA~GACLLYCCCACCALTGCCGGGCATCTGCCCTAC CAGCTGCTCAAGCCCATGAGGCTATGGACTGCTCCATTCTCCAGGAAGAAAATGGTTTTG GGTCCAGGCCCCAGGGGACCAGTCCATGCCCTGCGGGTGCTTCTGAGGAGATGGAGGTAG AAGAAAGGCCAGCAGCTCAACTCCAGCCACCTTCTCCACCTCAGGCATAGGCCTGCAAA CCCAGGGAAAGCAGGATGGGTGAGGGGGTTTAGTCCCTGCCTCACCTTGGGGATGGACCT TCAGCTGAAACCATATGGCCCCCTAGGTGCACAGCCTTGATTCTTCCCTGGAGCCTACAG AGCAGGCAGGCTAGGCCAAGCCAGGCTCAACTTCTGGGCTCCCAGTGCCCATTGGCTGTG TATGACGGGAGGCAGCAGTGAGAGGCCTTCCTAGTTAGGGCCAACAGCTGATACCAAGCC TCTGAAATCCAGCAAGGAGGTCTGCCTCCCACCAGACCCTCTCCAGTGTACTTCCCCAGA TCCCCACCCCAGGTCTGTCTTTGCCTTTTCTTGGGGCATATAAGCTACTGAGTGGAACA TGGAGCTGATCAAGAGGCCGTAATGGTCATGGCTGTTTCCAGACCTGAATATTGGGTGCT TCTTGCCAGTATTCTAAGACATTTGAGTAATTGCTGTTTGCACTTACTGCATGGTCAGAC CACGTCACTACATTTCTATGCAAGGGGACAGCAAGGCAGCGTGGTGGTCATGGCTCTTAG CTAACCTATTCAAAGACCTTTTCCTGTTGATTAATCTATTTTCATATTTATAAAGGAGTC TTAATGTTCTGCCCCATAAGACTTTCAACCTTGTGGTTGGGAGTGGGGCTGGTTTTGTAG GCCCTAGGGCCTGCTTCTATGTATTTATCAACATGTGATACATTCAATTGGTTAAATGGT TTATACAGGGACTGATTTGCTTCCCTTCCTGCCATGGCTGGAGCTTTGGGAACAGTCTGT CCTTACAGAGCTGCAATAAGAAATAACCAAAGATGAAGCTGGTCAAATATTTTCATAACT TGCTTCTGTTGATTTTTTTTTTTTGTAAAACTTTCCCAAGACATTTTCAGACTTAAAAATAA **AGTCAGTGTTACAGGT**